

MBA

2026.2

Dental Handpiece Replacement Parts

Make	Pages	Make	Pages
ABU®	3	KMD	115
ACETON SATELEC®	4	Kool Torque®	116
ADEC®	5	Lares®	117-118
ALPHA AIR®	6	Marathon®	119-120
B.A. International®	7-11	Micro Mega®	121
BANNER®	12	Midwest®	122-125
BEAVER®	13	Miscellaneous	126
Bien Air®	14-22	MK-Dent®	127-136
Borden®	23	Morita®	137
Brasseler®	24	MTC	138
Bravo Bedetrice®	25	MTI	139
Buffalo®	26	Muss®	140
C. De Giorgi®	27	NSK®	141-166
Castellini®	28-29	Ritter®	167
Chirana®	30	Sable®	168-169
COXO®	31	Saeshin®	170-171
Dabi Atlante®	32-33	Schick®	172-173
Densim®	34-36	Siemens®	174-182
DME	37	Sirona®	183-190
Dynadent®	38	SS White®	191
Dynasurge®	39	Star®	192-194
Elco® - Austria	40	Starflite®	195
Falcon®	41	Sternweber®	196
Fangsco®	42-43	TKD	197
Faro®	44-45	Torx®	198
Futura®	46	W&H®	199-219
Gamborini®	47	Yoshida®	220
Henry Schein®	48-49		
Impact-Air®	50		
Jalenco®	51		
KaVo®	52-114		



To find and order parts online, simply type the part number from this catalogue into the search box on any web page.

Unless specified otherwise, all parts are generic offerings to replace the original parts. Some items are offered with alternative materials. Please check carefully before placing an order.

350000 RPM

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Bearing

High Speed Bearing - Phenolic Retainer

Single shielded flanged precision dental handpiece bearing with phenolic retainer (3.18x6.35x2.78)

2 Required

Brand: Myonic

SFR144A-D27-ZSO-KC-OPT



Replacement Bearing

High Speed Bearing - Polyamide Retainer

Precision flanged dental bearing with a high speed polyamide retainer (3.18x6.35x2.78)

2 Required

Brand: Myonic

SFR144A-D27-ZSO-T9H-OPT



Key

Usually stocked or Short Delivery

** Available while stocks last

Long Delivery or Large Minimum Quantities

Not in current production

ACETON SATELEC®

F12200 Airscalers

Position / Description / Application

Manufacturers Part

MBA Part

Bush / Rotor Repair Kit

707091

BKU67091

Brand: MBA



Key



Usually stocked or Short Delivery

** Available while stocks last



Long Delivery or Large Minimum Quantities

Not in current production

5000

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Bearing High Speed Bearing - Phenolic Retainer Single shielded flanged precision dental handpiece bearing with phenolic retainer (3.18x6.35x2.78) 2 Required Brand: Myonic		SFR144A-D27-ZSO-KC-OPT	
Replacement Bearing High Speed Bearing - Polyamide Retainer Precision flanged dental bearing with a high speed polyamide retainer (3.18x6.35x2.78) 2 Required Brand: Myonic		SFR144A-D27-ZSO-T9H-OPT	

5100





Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Bearing High Speed Bearing - Phenolic Retainer Single shielded flanged precision dental handpiece bearing with phenolic retainer (3.18x6.35x2.78) 2 Required Brand: Myonic		SFR144A-D27-ZSO-KC-OPT	
Replacement Bearing High Speed Bearing - Polyamide Retainer Precision flanged dental bearing with a high speed polyamide retainer (3.18x6.35x2.78) 2 Required Brand: Myonic		SFR144A-D27-ZSO-T9H-OPT	

Key Usually stocked or Short Delivery
** Available while stocks last


Long Delivery or Large Minimum Quantities
Not in current production

B.A. International®

13Z

Position / Description / Application	Manufacturers Part	MBA Part	
Head Gear Complete For Handpiece with Wedge Type Chuck Diameter 8.7mm premium head gear assembled with ceramic ball bearings tested in master electric handpiece Brand: MBA		BKU65687	
Head Gear Complete - Standard For Handpiece with Wedge Type Chuck Diameter 8.7mm assembled with ceramic ball bearings and tested in master electric handpiece Brand: MBA		BKU65687X	
Head Gear Complete For Handpiece with Wedge Type Chuck Diameter 9.7mm premium head gear assembled with ceramic ball bearings tested in master electric handpiece Brand: MBA		BKU65587	
Head Gear Complete - Standard For Handpiece with Wedge Type Chuck Diameter 9.7mm assembled with ceramic ball bearings and tested in master electric handpiece Brand: MBA		BKU65587X	

BA 200 LTS

Position / Description / Application	Manufacturers Part	MBA Part	
Drive Kit Dental replacement drive kit Brand: MBA	6175587 + 6175603	BKU68703	

BA 40 LSS Mini

Position / Description / Application	Manufacturers Part	MBA Part	
Drive Kit Dental replacement drive kit Brand: MBA	6405695 + 6000959	BKU69559	

Key **Usually stocked or Short Delivery**
**** Available while stocks last**

Long Delivery or Large Minimum Quantities
Not in current production

B.A. International®

BA200LTS

Position / Description / Application

Manufacturers Part

MBA Part

Head Gear Complete

BKU65587

Diameter 9.7mm premium head gear assembled with ceramic ball bearings tested in master electric handpiece

Brand: MBA



Head Gear Complete

BKU65687X

Diameter 8.7mm assembled with ceramic ball bearings and tested in master electric handpiece

Brand: MBA



Head Gear Complete

BKU65687

Diameter 8.7mm premium head gear assembled with ceramic ball bearings tested in master electric handpiece

Brand: MBA



Head Gear Complete - Premium

For Handpiece with Wedge Type Chuck

Diameter 8.7mm assembled with ceramic ball bearings and tested in master electric handpiece

Brand: myonic

BKU65687M



Head Gear Complete

BKU65587X

Diameter 9.7mm assembled with ceramic ball bearings and tested in master electric handpiece

Brand: MBA



BA40

Position / Description / Application

Manufacturers Part

MBA Part

Drive Kit

C875060 + C880022

BKU66022

Dental replacement drive kit

Brand: MBA



BA45

Position / Description / Application

Manufacturers Part

MBA Part


Drive Kit

C875060 + C880022

BKU66022

Dental replacement drive kit

Brand: MBA



BA45 LS

Position / Description / Application

Manufacturers Part

MBA Part

Drive Kit

6000983 + 6000959

BKU68359

Dental replacement drive kit

Brand: MBA



Key	Usually stocked or Short Delivery
	** Available while stocks last

Long Delivery or Large Minimum Quantities
<i>Not in current production</i>

B.A. International®

Diameter 8.7 BA200LTS

Position / Description / Application

Manufacturers Part

MBA Part

Head Gear Complete - Premium

For Handpiece with Wedge Type Chuck

Diameter 8.7mm assembled with ceramic ball bearings and tested in master electric handpiece

Brand: myonic

BKU65687M



Optima® BA525

Position / Description / Application

Manufacturers Part

MBA Part


Replacement Turbine With Bearings

For Handpiece with Wedge Type Chuck

Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer

Brand: MBA

BKUR3100005




Replacement Turbine Excluding Bearings

For Handpiece with Wedge Type Chuck

Turbine sub assembly excluding bearings

Brand: MBA

BKUR310000




Replacement Turbine With Bearings

For Handpiece with Wedge Type Chuck

Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic

Brand: myonic

BKUR3100004




Replacement Turbine With Bearings

For Handpiece with Wedge Type Chuck

Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic

Brand: myonic

BKUR3100003




Replacement Turbine With Bearings

For Handpiece with Wedge Type Chuck

Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic

Brand: myonic

BKURC310000



Key

Usually stocked or Short Delivery

** Available while stocks last

Long Delivery or Large Minimum Quantities

Not in current production

B.A. International®

Optima® BA528

Position / Description / Application

Manufacturers Part

MBA Part


Replacement Turbine With Bearings

For Handpiece with Wedge Type Chuck

Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic

Brand: myonic

BKUR3100014



Replacement Turbine With Bearings

For Handpiece with Wedge Type Chuck

Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic

Brand: myonic

BKUR3100013




Replacement Turbine Excluding Bearings

For Handpiece with Wedge Type Chuck

Turbine sub assembly excluding bearings

Brand: MBA

BKUR310001




Replacement Turbine With Bearings

For Handpiece with Wedge Type Chuck

Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer

Brand: MBA

BKUR3100015




Replacement Turbine With Bearings

For Handpiece with Wedge Type Chuck

Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic

Brand: myonic

BKURC310001



Key **Usually stocked or Short Delivery**
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

B.A. International®

Ultima® 650L

Position / Description / Application	Manufacturers Part	MBA Part
Bearing for Cap End High Speed Bearing - Phenolic Retainer Deleted Item. Available while stocks last. Narrow stepped OD precision dental handpiece bearing with phenolic 2 Required Brand: myonic		SR144-D106-ZS
Bearing for Cap End High Speed Ceramic-Hybrid Bearing - Torlon Retainer 3.175x6.35x2.381, ceramic-hybrid, Torlon retainer - to check (3.18x6.35x2.38) 2 Required Brand: MBA		SR144-D106-CSN-ZS-TO
Bearing for Cap End High Speed Ceramic-Hybrid Bearing - Phenolic Retainer 3.175x6.35x2.381, ceramic-hybrid, Phenolic retainer - to check (3.18x6.35x2.38) 2 Required Brand: MBA		SR144-D106-CSN-ZS-KC
Bearing for Cap End High Speed Bearing - Torlon Retainer Narrow stepped OD precision dental handpiece bearing with high speed Torlon retainer 2 Required Brand: myonic		SR144-D106-ZS-TO
Bearing for Cap End High Speed Bearing - Phenolic Retainer Narrow stepped OD precision dental handpiece bearing with high speed phenolic retainer 2 Required Brand: myonic		SR144-D106-ZS-KC

Ultimate 635





Position / Description / Application	Manufacturers Part	MBA Part
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA		BKUR220024
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA		BKUR2200245
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic		BKUR2200243
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic		BKUR2200244

Key **Usually stocked or Short Delivery**
**** Available while stocks last**





Long Delivery or Large Minimum Quantities
Not in current production

B.A. International®

Ultimate 670

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic		BKUR2200224	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic		BKUR2200223	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA		BKUR220022	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA		BKUR2200225	

Ultimate 675





Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA		BKUR220023	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA		BKUR2200235	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic		BKUR2200233	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic		BKUR2200234	

Key **Usually stocked or Short Delivery**
**** Available while stocks last**





Long Delivery or Large Minimum Quantities
Not in current production

B.A. International®

Ultimate 680

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA		BKUR220023	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA		BKUR2200235	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic		BKUR2200234	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic		BKUR2200233	

Ultimate 685





Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA		BKUR220023	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic		BKUR2200233	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA		BKUR2200235	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic		BKUR2200234	

Key **Usually stocked or Short Delivery**
 ** Available while stocks last





Long Delivery or Large Minimum Quantities
Not in current production

B.A. International®

Ultimate 755

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic		BKUR2200244	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA		BKUR220024	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic		BKUR2200243	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA		BKUR2200245	

Ultimate 758

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA		BKUR2200215	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic		BKUR2200214	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic		BKUR2200213	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA		BKUR220021	

Key **Usually stocked or Short Delivery**
**** Available while stocks last**

Long Delivery or Large Minimum Quantities
Not in current production

Ultimate BA 250LT Mini

Position / Description / Application

Manufacturers Part

MBA Part

Drive Kit

6414457 + 6175603

BKU65703

Brand: MBA



Ultimate BA688 New Type

Position / Description / Application

Manufacturers Part

MBA Part


Replacement Turbine With Bearings

For Handpiece with Wedge Type Chuck

Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic

Brand: myonic

BKUR2200363



Ultimate BA755 New Type

Position / Description / Application

Manufacturers Part

MBA Part


Replacement Turbine With Bearings

For Handpiece with Wedge Type Chuck

Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic

Brand: myonic

BKUR2200353



Ultimate Power

Position / Description / Application

Manufacturers Part

MBA Part

Drive Kit

6405695 + 6000959

BKU69559

Dental replacement drive kit

Brand: MBA



Drive Kit

6175587 + 6175603

BKU68703

Dental replacement drive kit

Brand: MBA



Key	Usually stocked or Short Delivery
	** Available while stocks last

Long Delivery or Large Minimum Quantities
<i>Not in current production</i>

Banner

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Bearing

SR144A-D27-ZS-T9H-OPT

High Speed Bearing - Polyamide Retainer

Stainless steel bearing with polyamide retainer for precision dental handpieces (3.18x6.35x2.78)

2 Required

Brand: Myonic



Key

Usually stocked or Short Delivery

** Available while stocks last

Long Delivery or Large Minimum Quantities

Not in current production

Slow Speed 40000 RPM

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Bearing

Stainless Bearing

Double shielded P6 precision stainless steel bearing (3x7x3)

2 Required

S683A-ZZ-MC3-JP6



Key

Usually stocked or Short Delivery

** Available while stocks last

Long Delivery or Large Minimum Quantities

Not in current production

Bien Air®

Black Pearl®

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer Brand: MBA	1500164	BKUR2400365	
Turbine Sub Assembly With Bearings With Full stainless bearings, Deep Groove, Phenolic retainer, myonic Brand: myonic	1500164	BKUR2400364	
Replacement Turbine With Bearings Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	1500164	BKUR2400363	
Thrust Washer Stainless Steel Brand: MBA	009.34.58	BKU63458	
Replacement Turbine Excluding Bearings Turbine sub assembly excluding bearings Brand: MBA	1500164	BKUR240036	
Replacement Press Button Brand: MBA	009.40.25+009.40.30+009.40.24+009.40.23	BKU64025	
Bearing for Rotor Cartridge High Speed Ceramic-Hybrid Bearing - Phenolic Retainer Single shielded Abec 7 precision special dental ceramic-hybrid bearing with high speed phenolic retainer (3.18x7.94x3.57) Brand: MBA	701.01.00	SR2-5A-D17-CSN-ZS-KC	
Bearing for Rotor Cartridge High Speed Bearing - Torlon Retainer Single shielded Abec 7 precision special dental bearing with high speed Torlon retainer (3.18x7.94x3.57) Brand: MBA	701.01.00	SR2-5A-D17-ZS-TO	
Bearing for Rotor Cartridge High Speed Bearing - Phenolic Retainer Single shielded Abec 7 precision special dental bearing with high speed phenolic retainer (3.18x7.94x3.57)	701.01.00	SR2-5A-D17-ZS-KC	

Key **Usually stocked or Short Delivery**
 ** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

Bien Air®

Black Pearl® Air Driven Handpiece

Position / Description / Application

Manufacturers Part

MBA Part

Replacement O-Ring

705.01.81

OR-00804-100-N70

High Temperature

Deleted Item. Available while stocks last.



Black Pearl® Friction Grip

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Bearing

701.01.00

SR2-5A-D17-ZS-TO

High Speed Bearing - Torlon Retainer

Single shielded Abec 7 precision special dental bearing with high speed Torlon retainer (3.18x7.94x3.57)

2 Required

Brand: MBA



Key

Usually stocked or Short Delivery

** Available while stocks last

Long Delivery or Large Minimum Quantities

Not in current production

Bien Air®






Bora®

Position / Description / Application	Manufacturers Part	MBA Part	
Thrust Washer Stainless Steel Brand: MBA	009.34.58	BKU63458	 <p>Press Button cpl. for Heads & Air Driven Handpieces</p>
Xenon Lamp Brand: MBA	204.33.07 (1500000)	BKU63307Xenon	 <p>LED Bulb, Couplers & Dental Motors</p>
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer Brand: MBA	1500181	BKUR2400375	 <p>Precision sub-assemblies, cartridges with steel inserts & WCC coated actuators</p>
Replacement Press Button Brand: MBA	009.34.46+209.34.11+009.40.24+009.34.58	BKU63446	 <p>Press Button cpl. for Heads & Air Driven Handpieces</p>
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	1500181	BKUR2400373	 <p>Precision sub-assemblies, cartridges with steel inserts & WCC coated actuators</p>
LED Bulb Brand: MBA	204.33.07	BKU63307LED	 <p>Xenon Lamp for Dental Couplers & Dental Motors</p>
Turbine Sub Assembly With Bearings For Handpiece with Wedge Type Chuck With Full stainless bearings, Deep Groove, Phenolic retainer, myonic Brand: myonic	1500181	BKUR2400374	 <p>Precision sub-assemblies, cartridges with steel inserts & WCC coated actuators</p>
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	1500181	BKUR240037	 <p>Precision sub-assemblies, cartridges with steel inserts & WCC coated actuators</p>
Bearing for Rotor Cartridge High Speed Ceramic-Hybrid Bearing - Phenolic Retainer Single shielded Abec 7 precision special dental ceramic-hybrid bearing with high speed phenolic retainer (3.18x7.94x3.57) Brand: MBA	701.01.00	SR2-5A-D17-CSN-ZS-KC	

Key **Usually stocked or Short Delivery**
 ** Available while stocks last

Long Delivery or Large Minimum Quantities
 Not in current production

Bien Air®

Bearing for Rotor Cartridge High Speed Bearing - Torlon Retainer Single shielded Abec 7 precision special dental bearing with high speed Torlon retainer (3.18x7.94x3.57) Brand: MBA	701.01.00	SR2-5A-D17-ZS-TO	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	1500181	BKURMU240037	
Replacement Bearing High Speed Bearing - Phenolic Retainer Single shielded Abec 7 precision special dental bearing with high speed phenolic retainer (3.18x7.94x3.57) 2 Required	701.01.00	SR2-5A-D17-ZS-KC	
Bearing for Rotor Cartridge High Speed Bearing - Phenolic Retainer Single shielded Abec 7 precision special dental bearing with high speed phenolic retainer (3.18x7.94x3.57)	701.01.00	SR2-5A-D17-ZS-KC	
Turbine Sub Assembly Without Bearings For Handpiece with Wedge Type Chuck Brand: MBA	1500181	BKURM240037	

Bora® Air Driven Handpiece





Position / Description / Application	Manufacturers Part	MBA Part	
Replacement O-Ring High Temperature Deleted Item. Available while stocks last.	705.01.81	OR-00804-100-N70	

Key	Usually stocked or Short Delivery
	** Available while stocks last




Long Delivery or Large Minimum Quantities
<i>Not in current production</i>

Bien Air®


Bora® lina TU

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	1500164	BKUR240036	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	1500164	BKUR2400363	
Turbine Sub Assembly With Bearings For Handpiece with Wedge Type Chuck With Full stainless bearings, Deep Groove, Phenolic retainer, myonic Brand: myonic	1500164	BKUR2400364	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer Brand: MBA	1500164	BKUR2400365	

CA 1:1

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Press Button Brand: MBA	1500550	BKU60550	
Head Gear Complete 1:1 Brand: MBA	1500289 / 1501083	BKU60289	
Head Gear Complete 1:1 Brand: MBA	1500549 / 1501085	BKU61085	

CA 1:1 L

Position / Description / Application	Manufacturers Part	MBA Part	
Drive Kit Brand: MBA	1501085 + 1501083	BKU68583	

Key **Usually stocked or Short Delivery**
**** Available while stocks last**

Long Delivery or Large Minimum Quantities
Not in current production

CA 1:1 NOVA

Position / Description / Application

Manufacturers Part

MBA Part

Head Gear Complete 1:1

1503014

BKU63014

Brand: MBA



CA 1:5

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Press Button

1500169

BKU60169

Brand: MBA



Replacement Middle Gear Complete 1:5

1500057

BKU60057

Brand: MBA




Head Gear Complete - Premium

1501933

BKU61933

For Handpiece with Wedge Type Chuck

Premium head gear assembled with ceramic ball bearings and tested in master electric handpiece




Head Gear Complete - Standard

1501933

BKU61933X

For Handpiece with Wedge Type Chuck

Assembled with ceramic ball bearings and tested in master electric handpiece



Bearing for Headgear


701.01.68

SMR74-CSN-TH7-TO

High Speed Ceramic-Hybrid Bearing - Torlon Retainer

Open Abec 7 precision stainless ceramic-hybrid bearing with high speed Torlon retainer (4x7x2)

Brand: MBA



Bearing for Middle Gear

701.01.75

SMR4.762-2.35A-ZZS-MC3-GR7-TO

High Speed Bearing - Torlon Retainer

Double shielded Abec 7 precision bearing with high speed Torlon retainer (2.35x4.76x2.35)

Brand: MBA



CA 1:5 L

Position / Description / Application

Manufacturers Part

MBA Part

Drive Kit

1501933 + 1500057

BKU63357

Brand: MBA






Key	Usually stocked or Short Delivery
	** Available while stocks last


Long Delivery or Large Minimum Quantities
<i>Not in current production</i>

Bien Air®





CA 20:1

Position / Description / Application	Manufacturers Part	MBA Part	
Head Gear Complete 20.1	1501026	BKU61026	
Brand: MBA			
Replacement Press Button	1501027	BKU61027	
Brand: MBA			
Head Gear Complete 20.1	1501898	BKU61898	
Brand: MBA			

CA 20:1 L

Position / Description / Application	Manufacturers Part	MBA Part	
Drive Kit	1501898 + 1501026	BKU69826	
Brand: MBA			

Croma M





Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer	209.30.19	BKUR2400395	
Brand: MBA			
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings	209.30.19	BKUR240039	
Brand: MBA			
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic	209.30.19	BKUR2400394	
Brand: myonic			
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic	209.30.19	BKUR2400393	
Brand: myonic			

Key **Usually stocked or Short Delivery**
** Available while stocks last




Long Delivery or Large Minimum Quantities
Not in current production

Bien Air®

HP11

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Shaft High Precision Bearing Shielded Option Double shielded P6 precision stainless steel bearing (3x10x4)	701.01.65	S623-ZZ-MC3-JP6	
Bearing for Shaft High Precision Bearing Low Torque Option Double shielded Abec 5 precision bearing with low-torque ribbon retainer (5x8x3) Brand: Myonic	701.01.53	SMR85C-ZZS-MC34-GR5-TR-L23	
Bearing for Shaft High Precision Bearing Standard Cage Option Double shielded Abec 5 precision bearing with standard crown retainer (5x8x3) Brand: MBA	701.01.53	SMR85C-ZZS-MC34-GR5-L23	
LaBora® tory			
Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Bearing High Speed Bearing - Phenolic Retainer Single shielded Abec 7 precision special dental bearing with high speed phenolic retainer (3.18x7.94x3.57) 2 Required	701.01.00	SR2-5A-D17-ZS-KC	

MC2

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Motor Brush Brand: MBA	211.45.06	BKU64506	 <small>Brushes, Electric Dental Motors & Laboratory Drives</small>
LED Bulb Brand: MBA	211.60.16	BKU66016LED	 <small>LED Bulb, Couplers & Dental Motors</small>
Xenon Lamp Brand: MBA	211.60.16 (1500007)	BKU66016Xenon	 <small>Xenon Lamp for Dental Couplers & Dental Motors</small>

MC2 Intra-Matic

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement O-Ring High Temperature Deleted Item. Available while stocks last. Special o-ring for dental applications 2 Required	705.01.74	OR-00800-070-N70	

Key **Usually stocked or Short Delivery**
 ** Available while stocks last

Long Delivery or Large Minimum Quantities
 Not in current production

MC2 Isolite 300

Position / Description / Application

Manufacturers Part

MBA Part


Dental Motor Set with 15 parts

1502219-001

BKU62219

Includes parts - 3x 1300967 - 1x 705.03.15 - 1x 652.02.02 - 1x 701-01-14 - 1x 701.01.23 - 2x 705.02.07 - 2x 211.60.13 - 2x 211.45.06 - 1x 011.35.37 - 1x 1500391

Brand: MBA



MC2 Isolite100

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Rotor

701.01.23

SR1-5A-ZZS-MC3-JP6

High Precision Bearing

Double shielded P6 precision stainless steel bearing (2.38x7.94x3.57)



MC2 Isolite300

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Rotor

701.01.23

SR1-5A-ZZS-MC3-JP6

High Precision Bearing

Double shielded P6 precision stainless steel bearing (2.38x7.94x3.57)



Key	Usually stocked or Short Delivery
	** Available while stocks last


Long Delivery or Large Minimum Quantities
<i>Not in current production</i>

Bien Air®


MC3

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Motor Brush Brand: MBA	211.75.08	BKU67508	
LED Bulb Brand: MBA	211.60.16	BKU66016LED	
Xenon Lamp Brand: MBA	211.60.16 (1500007)	BKU66016Xenon	
Bearing for Rotor High Precision Bearing Shielded Option Double shielded P6 precision stainless steel bearing (4x10x4)	701.01.71	SMR104A-ZZ-MC3-JP6	
Bearing for Rotor High Precision Bearing Shielded Option Double shielded P6 precision stainless steel bearing (2.38x7.94x3.57)	701.01.70	SR1-5A-ZZS-MC3-JP6	
Dental Motor Set with 21 parts Includes parts - 3x 01862300 - 1x 04062500 - 1x 04061800 - 1x 04062300 - 1x 04058800 - 2x 04062100 - 2x 04062200 - 2x 04062400 - 2x 04058800 - 3x 04059200 - 2x 04059300 - 1x 04069600 Brand: MBA	1502217-001	BKU62217	

Micromotor Aquilon 830

Position / Description / Application	Manufacturers Part	MBA Part	
Front and Brush End Bearings High Speed Bearing - Phenolic Retainer Single shielded Abec 7 precision special dental bearing with high speed phenolic retainer (3.18x7.94x3.57) 2 Required	701.01.14	SR2-5A-D17-ZS-KC	






Micromotor Aquilon 850

Position / Description / Application	Manufacturers Part	MBA Part	
Front and Brush End Bearings High Speed Bearing - Phenolic Retainer Single shielded Abec 7 precision special dental bearing with high speed phenolic retainer (3.18x7.94x3.57) 2 Required	701.01.14	SR2-5A-D17-ZS-KC	

Key **Usually stocked or Short Delivery**
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production





Micromotor Isolite 100 and 300

Position / Description / Application	Manufacturers Part	MBA Part	
Front Bearing High Speed Bearing - Phenolic Retainer Single shielded Abec 7 precision special dental bearing with high speed phenolic retainer (3.18x7.94x3.57)	701.01.14	SR2-5A-D17-ZS-KC	
Micromotor MC2 20			
Position / Description / Application	Manufacturers Part	MBA Part	
Replacement O-Ring Medium Special sized o-ring used in dental Applications		OR-00400-100-N70	
Replacement O-Ring Small High Temperature Deleted Item. Available while stocks last. Special o-ring for dental applications		OR-00386-091-N70	
Replacement O-Ring Large High Temperature Deleted Item. Available while stocks last.		OR-00804-100-N70	
Front Bearing High Speed Bearing - Phenolic Retainer Single shielded Abec 7 precision special dental bearing with high speed phenolic retainer (3.18x7.94x3.57)	701.01.14	SR2-5A-D17-ZS-KC	





Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

Micromotor MC2 20GT

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement O-Ring Large High Temperature Deleted Item. Available while stocks last.		OR-00804-100-N70	
Replacement O-Ring Medium Special sized o-ring used in dental Applications		OR-00400-100-N70	
Replacement O-Ring Small High Temperature Deleted Item. Available while stocks last. Special o-ring for dental applications		<i>OR-00386-091-N70</i>	
Front Bearing High Speed Bearing - Phenolic Retainer Single shielded Abec 7 precision special dental bearing with high speed phenolic retainer (3.18x7.94x3.57)	701.01.14	SR2-5A-D17-ZS-KC	





Micromotor MC2 20GTAV

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement O-Ring Large High Temperature Deleted Item. Available while stocks last.		OR-00804-100-N70	
Replacement O-Ring Small High Temperature Deleted Item. Available while stocks last. Special o-ring for dental applications		<i>OR-00386-091-N70</i>	
Replacement O-Ring Medium Special sized o-ring used in dental Applications		OR-00400-100-N70	
Front Bearing High Speed Bearing - Phenolic Retainer Single shielded Abec 7 precision special dental bearing with high speed phenolic retainer (3.18x7.94x3.57)	701.01.14	SR2-5A-D17-ZS-KC	





Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

Micromotor MC2 40E

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement O-Ring Large High Temperature Deleted Item. Available while stocks last.		OR-00804-100-N70	
Replacement O-Ring Medium Special sized o-ring used in dental Applications		OR-00400-100-N70	
Replacement O-Ring Small High Temperature Deleted Item. Available while stocks last. Special o-ring for dental applications		<i>OR-00386-091-N70</i>	
Front Bearing High Speed Bearing - Phenolic Retainer Single shielded Abec 7 precision special dental bearing with high speed phenolic retainer (3.18x7.94x3.57)	701.01.14	SR2-5A-D17-ZS-KC	





Micromotor MC2 40GT

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement O-Ring Large High Temperature Deleted Item. Available while stocks last.		OR-00804-100-N70	
Replacement O-Ring Small High Temperature Deleted Item. Available while stocks last. Special o-ring for dental applications		<i>OR-00386-091-N70</i>	
Replacement O-Ring Medium Special sized o-ring used in dental Applications		OR-00400-100-N70	
Front Bearing High Speed Bearing - Phenolic Retainer Single shielded Abec 7 precision special dental bearing with high speed phenolic retainer (3.18x7.94x3.57)	701.01.14	SR2-5A-D17-ZS-KC	


Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production


Micromotor MC2 40GTAV

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement O-Ring Small High Temperature Deleted Item. Available while stocks last. Special o-ring for dental applications		OR-00386-091-N70	
Replacement O-Ring Medium Special sized o-ring used in dental Applications		OR-00400-100-N70	
Replacement O-Ring Large High Temperature Deleted Item. Available while stocks last.		OR-00804-100-N70	
Front Bearing High Speed Bearing - Phenolic Retainer Single shielded Abec 7 precision special dental bearing with high speed phenolic retainer (3.18x7.94x3.57)	701.01.14	SR2-5A-D17-ZS-KC	


Motor Isolite 300

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Rotor High Precision Bearing Double shielded P6 precision stainless steel bearing (3.18x7.94x3.57)	701.01.14	SR2-5A-ZZ-MC3-JP6	

Motor Isolite100

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Rotor High Precision Bearing Double shielded P6 precision stainless steel bearing (3.18x7.94x3.57)	701.01.14	SR2-5A-ZZ-MC3-JP6	



Motor MC2

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Rotor High Precision Bearing Double shielded P6 precision stainless steel bearing (3.18x7.94x3.57)	701.01.14	SR2-5A-ZZ-MC3-JP6	

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

MX

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Rotor High Precision Bearing Shielded Option Double shielded P6 precision stainless steel bearing (4.76x7.94x3.18)	701.01.93	SR156A-ZZS-MC3-JP6	
Bearing for Rotor High Precision Bearing Shielded Option Double shielded P6 precision stainless steel bearing (3.97x7.94x3.18)	701.01.94	SR155A-ZZS-MC3-JP6	




Ondine

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	209.30.19	BKUR240039	 <p style="font-size: 8px; color: red;">Precision sub-assemblies, cartridges with steel inserts & WCC coated actuators</p>
Replacement Bearing High Speed Bearing - Polyamide Retainer Stainless steel bearing with polyamide retainer for precision dental handpieces (3.18x6.35x2.78) 2 Required Brand: Myonic		SR144A-D27-ZS-T9H-OPT	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	209.30.19	BKUR2400394	 <p style="font-size: 8px; color: red;">Precision sub-assemblies, cartridges with steel inserts & WCC coated actuators</p>
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	209.30.19	BKUR2400393	 <p style="font-size: 8px; color: red;">Precision sub-assemblies, cartridges with steel inserts & WCC coated actuators</p>
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	209.30.19	BKUR2400395	 <p style="font-size: 8px; color: red;">Precision sub-assemblies, cartridges with steel inserts & WCC coated actuators</p>


Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
<i>Not in current production</i>


PA11

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Shaft High Precision Bearing Shielded Option Double shielded P6 precision stainless steel bearing (3x10x4)	701.01.65	S623-ZZ-MC3-JP6	
Bearing for Shaft High Precision Bearing Low Torque Option Double shielded Abec 5 precision bearing with low-torque ribbon retainer (5x8x3) Brand: Myonic	701.01.53	SMR85C-ZZS-MC34-GR5-TR-L23	
Bearing for Shaft High Precision Bearing Standard Cage Option Double shielded Abec 5 precision bearing with standard crown retainer (5x8x3) Brand: MBA	701.01.53	SMR85C-ZZS-MC34-GR5-L23	

PM AM

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Middle Gear High Precision Bearing Double shielded P6 precision stainless steel bearing (2.38x4.76x2.38)	701.01.77	SR133A-ZZS-MC3-JP6	

PM RM 1:1

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Middle Gear High Precision Bearing Double shielded P6 precision stainless steel bearing (2.38x4.76x2.38)	701.01.77	SR133A-ZZS-MC3-JP6	

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

Bien Air®





Prestige

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Bearing High Speed Bearing - Polyamide Retainer Stainless steel bearing with polyamide retainer for precision dental handpieces (3.18x6.35x2.78) 2 Required Brand: Myonic		SR144A-D27-ZS-T9H-OPT	
LED Bulb Brand: MBA	204.33.07	BKU63307LED	
Xenon Lamp Brand: MBA	204.33.07 (1500000)	BKU63307Xenon	
Replacement Press Button Brand: MBA	009.30.82+209.31.34+009.30.63+009.31.45	BKU63082	
Bearing for Rotor Cartridge High Speed Ceramic-Hybrid Bearing - Torlon Retainer Precision dental handpiece ceramic-hybrid bearing with Torlon retainer (3.18x6.35x2.78)	SG1329X-D	SR144A-D31-CSN-WZ-TO	 Image Coming Soon




Key **Usually stocked or Short Delivery**
**** Available while stocks last**

Long Delivery or Large Minimum Quantities
Not in current production

Prestige S32L

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	1500485	BKUR2400404	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	1500485	BKUR240040	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	1500485	BKUR2400403	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	1500485	BKUR2400405	




TD783

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Rotor / Cartridge Brand: MBA	208.55.01	BKUR2400412	
Replacement Rotor / Cartridge Brand: MBA	208.55.01	BKUR240041	
Replacement Rotor / Cartridge Brand: MBA	208.55.01	BKUR2400411	

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

TDS890

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Rotor / Cartridge	208.55.01	BKUR240041	
Brand: MBA			
Replacement Rotor / Cartridge	208.55.01	BKUR240041	
Brand: MBA			
Replacement Rotor / Cartridge	208.55.01	BKUR2400412	
Brand: MBA			

Tornado

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Rotor Cartridge High Speed Bearing - Polyamide Retainer Stainless steel bearing with polyamide retainer for precision dental handpieces (3.18x6.35x2.78)	SG1302X-D	SR144A-D27-ZS-T9H-OPT	
Brand: Myonic			
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer	1501968	BKUR2400425	
Brand: MBA			
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic	1501968	BKUR2400424	
Brand: myonic			
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings	1501968	BKUR240042	
Brand: MBA			
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic	1501968	BKUR2400423	
Brand: myonic			

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

Unifix 4V Coupler

Position / Description / Application

Manufacturers Part

MBA Part

Replacement O-Ring

1300380+1300391

BKU60391

Special O-Ring for Dental Applications

Special dental applications O-Ring

Brand: MBA



Key



Usually stocked or Short Delivery

** Available while stocks last



Long Delivery or Large Minimum Quantities

Not in current production



60

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Bearing High Speed Bearing - Phenolic Retainer Narrow precision dental handpiece bearing with high speed phenolic retainer (3.18x6.35x2.38) 2 Required Brand: MBA		SR144-D28-KC-OPT	
Replacement Bearing High Speed Ceramic-Hybrid Bearing - Phenolic Retainer Precision ceramic-hybrid dental handpiece bearing with high speed phenolic retainer (3.18x6.35x2.38) 2 Required Brand: MBA		SR144-D28-CSN-KC-OPT	

70

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Bearing High Speed Bearing - Phenolic Retainer Narrow precision dental handpiece bearing with high speed phenolic retainer (3.18x6.35x2.38) 2 Required Brand: MBA		SR144-D28-KC-OPT	
Replacement Bearing High Speed Ceramic-Hybrid Bearing - Phenolic Retainer Precision ceramic-hybrid dental handpiece bearing with high speed phenolic retainer (3.18x6.35x2.38) 2 Required Brand: MBA		SR144-D28-CSN-KC-OPT	

Airotor Silent Cartridge

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Bearing High Speed Ceramic-Hybrid Bearing - Phenolic Retainer Precision ceramic-hybrid dental handpiece bearing with high speed phenolic retainer (3.18x6.35x2.38) 2 Required Brand: MBA		SR144-D28-CSN-KC-OPT	
Replacement Bearing High Speed Bearing - Phenolic Retainer Narrow precision dental handpiece bearing with high speed phenolic retainer (3.18x6.35x2.38) 2 Required Brand: MBA		SR144-D28-KC-OPT	

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

Silencer

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Bearing High Speed Bearing - Phenolic Retainer Deleted Item. Available while stocks last. Narrow stepped OD precision dental handpiece bearing with phenolic 2 Required		SR144-D106-ZS	
Replacement Bearing High Speed Bearing - Torlon Retainer Narrow stepped OD precision dental handpiece bearing with high speed Torlon retainer 2 Required Brand: myonic		SR144-D106-ZS-TO	
Replacement Bearing High Speed Ceramic-Hybrid Bearing - Torlon Retainer 3.175x6.35x2.381, ceramic-hybrid, Torlon retainer - to check (3.18x6.35x2.38) 2 Required Brand: MBA		SR144-D106-CSN-ZS-TO	
Replacement Bearing High Speed Ceramic-Hybrid Bearing - Phenolic Retainer 3.175x6.35x2.381, ceramic-hybrid, Phenolic retainer - to check (3.18x6.35x2.38) 2 Required Brand: MBA		SR144-D106-CSN-ZS-KC	
Replacement Bearing High Speed Bearing - Phenolic Retainer Narrow stepped OD precision dental handpiece bearing with high speed phenolic retainer 2 Required Brand: myonic		SR144-D106-ZS-KC	

Key **Usually stocked or Short Delivery**
 ** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

Brio 440 Mini

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA		BKUR3100005	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic		BKUR3100004	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic		BKUR3100003	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA		BKUR310000	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic		BKURC310000	

Key **Usually stocked or Short Delivery**
 ** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

Bravo Bedetrice®

Drill 8 12000 RPM

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Bearing

Stainless Bearing

Double shielded P6 precision stainless steel bearing (5x11x5)

2 Required

S685A-ZZ-MC3-JP6



Key

Usually stocked or Short Delivery

** Available while stocks last

Long Delivery or Large Minimum Quantities

Not in current production

EM3000 Nose Cone

Position / Description / Application

Manufacturers Part

MBA Part

Bearing Motor End

Stainless Bearing

Double shielded P6 precision stainless steel bearing (4x13x5)

S624-ZZ-MC3-JP6



Key

Usually stocked or Short Delivery

** Available while stocks last

Long Delivery or Large Minimum Quantities

Not in current production

Goldspeed EVO M5 L

Position / Description / Application

Manufacturers Part

MBA Part

Drive Kit

97230612 + 97230601

BKU61201

Brand: MBA



Goldspeed EVO R20 L

Position / Description / Application

Manufacturers Part

MBA Part

Drive Kit

97230522 + 97230527

BKU62227

Brand: MBA



Goldspeed EVO S1 L

Position / Description / Application

Manufacturers Part


MBA Part

Drive Kit

97230630 + 97230623

BKU63023

Brand: MBA



Goldspeed S1 L

Position / Description / Application

Manufacturers Part

MBA Part

Drive Kit

FR400N103 + FR400N104

BKU60304

Brand: MBA







Key	Usually stocked or Short Delivery
	** Available while stocks last

Long Delivery or Large Minimum Quantities
<i>Not in current production</i>

High Power M

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	L0000874	BKUR2701034	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	L0000874	BKUR2701033	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	L0000874	BKUR270103	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	L0000874	BKUR2701035	

Silent Power

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	L0001857	BKUR2701055	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	L0001857	BKUR2701054	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	L0001857	BKUR2701053	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	L0001857	BKUR270105	

Key

Usually stocked or Short Delivery





** Available while stocks last

Long Delivery or Large Minimum Quantities





Not in current production

Castellini®

Silent Power Evo

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	95529230	BKUR2701074	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	95529230	BKUR270107	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	95529230	BKUR2701075	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	95529230	BKUR2701073	

Titanium Gold 2

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	L0001370	BKUR270104	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	L0001370	BKUR2701044	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	L0001370	BKUR2701045	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	L0001370	BKUR2701043	

Key

Usually stocked or Short Delivery
 ** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

TG 656

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	T031 2560 4/1	BKUR320000	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	T031 2560 4/1	BKUR3200004	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	T031 2560 4/1	BKUR3200003	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	T031 2560 4/1	BKUR3200005	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	T031 2560 4/1	BKURC3200013	
Turbine Sub Assembly Without Bearings For Handpiece with Wedge Type Chuck Brand: MBA	T031 2560 4/1	BKURC320001	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	T031 2560 4/1	BKURC3200015	

Key

Usually stocked or Short Delivery

** Available while stocks last

Long Delivery or Large Minimum Quantities

Not in current production

CX207 Head

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Turbine With Bearings


210-G SP

BKUR350001

For Handpiece with Wedge Type Chuck

Turbine sub assembly with ceramic-hybrid bearings with Phenolic retainer

Brand: MBA



CX207 Standard Head

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Turbine With Bearings


210-G SP

BKUR350001

For Handpiece with Wedge Type Chuck

Turbine sub assembly with ceramic-hybrid bearings with Phenolic retainer

Brand: MBA



CX207 Torque Head

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Turbine With Bearings


210-G TP

BKUR350002

For Handpiece with Wedge Type Chuck

Turbine sub assembly with ceramic-hybrid bearings with Phenolic retainer

Brand: MBA



Key

Usually stocked or Short Delivery

** Available while stocks last

Long Delivery or Large Minimum Quantities

Not in current production

Dabi Atlante®

L350

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Bearing High Speed Bearing - Phenolic Retainer Deleted Item. Available while stocks last. Narrow stepped OD precision dental handpiece bearing with phenolic 2 Required		<i>SR144-D106-ZS</i>	
PTFE Washer-Spacer 0.13mm - half thou - thick Deleted Item. Available while stocks last. (3x6.56x0.13) 2 Required		W0030-F-007-001-PT	
Replacement Bearing High Speed Bearing - Phenolic Retainer Narrow stepped OD precision dental handpiece bearing with high speed phenolic retainer 2 Required Brand: myonic		SR144-D106-ZS-KC	
Replacement Bearing High Speed Ceramic-Hybrid Bearing - Torlon Retainer 3.175x6.35x2.381, ceramic-hybrid, Torlon retainer - to check (3.18x6.35x2.38) 2 Required Brand: MBA		SR144-D106-CSN-ZS-TO	
Replacement Bearing High Speed Bearing - Torlon Retainer Narrow stepped OD precision dental handpiece bearing with high speed Torlon retainer 2 Required Brand: myonic		SR144-D106-ZS-TO	
Replacement Bearing High Speed Ceramic-Hybrid Bearing - Phenolic Retainer 3.175x6.35x2.381, ceramic-hybrid, Phenolic retainer - to check (3.18x6.35x2.38) 2 Required Brand: MBA		SR144-D106-CSN-ZS-KC	

Key **Usually stocked or Short Delivery**
**** Available while stocks last**



Long Delivery or Large Minimum Quantities
Not in current production

Dabi Atlante®

MS350

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Bearing High Speed Bearing - Phenolic Retainer Deleted Item. Available while stocks last. Narrow stepped OD precision dental handpiece bearing with phenolic 2 Required Brand: myonic		SR144-D106-ZS	
PTFE Washer-Spacer 0.13mm - half thou - thick Deleted Item. Available while stocks last. (3x6.56x0.13) 2 Required		W0030-F-007-001-PT	
Replacement Bearing High Speed Bearing - Torlon Retainer Narrow stepped OD precision dental handpiece bearing with high speed Torlon retainer 2 Required Brand: myonic		SR144-D106-ZS-TO	
Replacement Bearing High Speed Bearing - Phenolic Retainer Narrow stepped OD precision dental handpiece bearing with high speed phenolic retainer 2 Required Brand: myonic		SR144-D106-ZS-KC	
Replacement Bearing High Speed Ceramic-Hybrid Bearing - Phenolic Retainer 3.175x6.35x2.381, ceramic-hybrid, Phenolic retainer - to check (3.18x6.35x2.38) 2 Required Brand: MBA		SR144-D106-CSN-ZS-KC	
Replacement Bearing High Speed Ceramic-Hybrid Bearing - Torlon Retainer 3.175x6.35x2.381, ceramic-hybrid, Torlon retainer - to check (3.18x6.35x2.38) 2 Required Brand: MBA		SR144-D106-CSN-ZS-TO	

RS350

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Bearing High Speed Bearing - Phenolic Retainer Single shielded flanged precision dental handpiece bearing with phenolic retainer (3.18x6.35x2.78) 2 Required Brand: Myonic		SFR144A-D27-ZSO-KC-OPT	
Replacement Bearing High Speed Bearing - Polyamide Retainer Precision flanged dental bearing with a high speed polyamide retainer (3.18x6.35x2.78) 2 Required Brand: Myonic		SFR144A-D27-ZSO-T9H-OPT	

Key **Usually stocked or Short Delivery**
 ** Available while stocks last

Long Delivery or Large Minimum Quantities
 Not in current production

Dublin DSLCH11

Position / Description / Application

Manufacturers Part

MBA Part

Intermediate Piece Dental Head 1:1

DSSP2024

BKU62024

Brand: MBA



Head Gear Complete Dental Head 1:1

DSSP2005

BKU62005

For Handpiece with Latch Type Chuck

Brand: MBA



Monaco Lux

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Turbine With Bearings


DSTC2034

BKUR3301085

For Handpiece with Wedge Type Chuck

Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer

Brand: MBA



Replacement Turbine With Bearings


DSTC2034

BKUR3301083

For Handpiece with Wedge Type Chuck

Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic

Brand: myonic



Turbine Sub Assembly Without Bearings


DSTC2034

BKUR330108

For Handpiece with Wedge Type Chuck

Turbine sub assembly excluding bearings

Brand: MBA



Replacement Turbine With Bearings


DSTC2034

BKURC3301083

For Handpiece with Wedge Type Chuck

Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic

Brand: myonic



Replacement Turbine With Bearings


DSTC2034

BKURC3301085

For Handpiece with Wedge Type Chuck

Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer

Brand: MBA



Key

Usually stocked or Short Delivery

Long Delivery or Large Minimum Quantities

** Available while stocks last

Not in current production

Monaco Lux Mini

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	DSTC2035	BKUR3301093	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	DSTC2035	BKUR330109	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	DSTC2035	BKUR3301095	
Turbine Sub Assembly Without Bearings For Handpiece with Wedge Type Chuck Brand: MBA	DSTC2035	BKURC330109	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	DSTC2035	BKURC3301093	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	DSTC2035	BKURC3301095	

Key **Usually stocked or Short Delivery**
**** Available while stocks last**

Long Delivery or Large Minimum Quantities
Not in current production

Monaco Lux Standard Head

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	DSTC2034	BKUR3301083	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	DSTC2034	BKUR3301085	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	DSTC2034	BKURC3301085	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	DSTC2034	BKURC3301083	
Turbine Sub Assembly Without Bearings For Handpiece with Wedge Type Chuck Brand: MBA	DSTC2034	BKURC330108	




Key **Usually stocked or Short Delivery**
 ** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

Montreal Lux

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	DSTC2041	BKUR3301103	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	DSTC2041	BKUR3301105	
Turbine Sub Assembly Without Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	DSTC2041	BKUR330110	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	DSTC2041	BKURC3301105	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	DSTC2041	BKURC3301103	

Montreal Lux Mini

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	DSTC2042	BKURC3301205	
Turbine Sub Assembly Without Bearings For Handpiece with Wedge Type Chuck Brand: MBA	DSTC2042	BKURC330120	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	DSTC2042	BKURC3301203	

Key

Usually stocked or Short Delivery

** Available while stocks last

Long Delivery or Large Minimum Quantities

Not in current production

Montreal Lux Standard Head

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	DSTC2041	BKUR3301103	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	DSTC2041	BKUR3301105	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	DSTC2041	BKUR330110	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	DSTC2034	BKUR330108	
Turbine Sub Assembly Without Bearings For Handpiece with Wedge Type Chuck Brand: MBA	DSTC2041	BKURC330110	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	DSTC2041	BKURC3301105	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	DSTC2041	BKURC3301103	

Key **Usually stocked or Short Delivery**
 ** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

Vienna

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	DSTC2034	BKUR3301085	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	DSTC2034	BKUR330108	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	DSTC2034	BKUR3301083	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	DSTC2034	BKURC3301083	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	DSTC2034	BKURC3301085	
Turbine Sub Assembly Without Bearings For Handpiece with Wedge Type Chuck Brand: MBA	DSTC2034	BKURC330108	

Key

Usually stocked or Short Delivery



** Available while stocks last

Long Delivery or Large Minimum Quantities



Not in current production

DME

Aden

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Bearing High Speed Bearing - Polyamide Retainer Precision flanged dental bearing with a high speed polyamide retainer (3.18x6.35x2.78) 2 Required Brand: Myonic		SFR144A-D27-ZSO-T9H-OPT	
Replacement Bearing High Speed Bearing - Phenolic Retainer Single shielded flanged precision dental handpiece bearing with phenolic retainer (3.18x6.35x2.78) 2 Required Brand: Myonic		SFR144A-D27-ZSO-KC-OPT	

True Speed

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Bearing High Speed Bearing - Phenolic Retainer Single shielded flanged precision dental handpiece bearing with phenolic retainer (3.18x6.35x2.78) 2 Required Brand: Myonic		SFR144A-D27-ZSO-KC-OPT	
Replacement Bearing High Speed Bearing - Polyamide Retainer Precision flanged dental bearing with a high speed polyamide retainer (3.18x6.35x2.78) 2 Required Brand: Myonic		SFR144A-D27-ZSO-T9H-OPT	

Key **Usually stocked or Short Delivery**
 ** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

Hi-Torq Surgical Handpiece

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Cap End

Stainless Flanged High Speed Bearing

Single shielded flanged Abec 7 precision stainless steel bearing with high speed phenolic retainer (4.76x9.52x3.18)

Brand: Myonic

SFR166-ZS-MC5-GR7-KB-J260



Bearing for Chuck End

Stainless Flanged High Speed Bearing

Single shielded flanged Abec 7 precision stainless steel bearing with high speed phenolic retainer (4.76x9.52x3.18)

Brand: Myonic

SFR166-ZS-MC5-GR7-KB-J260



Key

Usually stocked or Short Delivery

** Available while stocks last

Long Delivery or Large Minimum Quantities

Not in current production

Elco® - Austria

Elco - Austria

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Bearing

BB 7-14-5


S687A-ZZS-MC3-GR3-T9H

High Speed Bearing - Polyamide Retainer

Double shielded Abec 3 precision stainless steel bearing with a high speed polyamide cage (7x14x5)

2 Required

Brand: MBA





Key

Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

11 - 4000 RPM

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Bearing High Precision Bearing Deleted Item. Available while stocks last. (6x10x3) 2 Required Brand: Myonic		SMR106A-ZZS-MC34-P4P-R-AF12	
Replacement Bearing High Precision Bearing Deleted Item. Available while stocks last. (6x10x3) 2 Required Brand: Myonic		SMR106A-ZZS-MC34-GR7-R-G48	

Key **Usually stocked or Short Delivery**
 ** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

A5 Small Head

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	CCHPZ4	BKUR370001	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	CCHPZ4	BKUR3700014	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	CCHPZ4	BKUR3700015	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	CCHPZ4	BKUR3700013	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	CCHPZ4	BKURC3700015	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	CCHPZ4	BKURC3700013	
Turbine Sub Assembly Without Bearings For Handpiece with Wedge Type Chuck Brand: MBA	CCHPZ4	BKURC370001	

Key **Usually stocked or Short Delivery**
 ** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

A6 Head

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	CCHPC4	BKUR3700023	
Turbine Sub Assembly Without Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	CCHPC4	BKUR370002	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	CCHPC4	BKUR3700025	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	CCHPC4	BKUR3700024	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	CCHPC4	BKURC3700025	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	CCHPC4	BKURC3700023	

Key **Usually stocked or Short Delivery**
 ** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

A6 Standard Head

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	CCHPC4	BKUR3700024	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	CCHPC4	BKUR3700023	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	CCHPC4	BKUR370002	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	CCHPC4	BKUR3700025	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	CCHPC4	BKURC3700025	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	CCHPC4	BKURC3700023	
Turbine Sub Assembly Without Bearings For Handpiece with Wedge Type Chuck Brand: MBA	CCHPC4	BKURC370002	

Key **Usually stocked or Short Delivery**
**** Available while stocks last**

Long Delivery or Large Minimum Quantities
Not in current production

BTC77

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Bearing

SFR144A-D27-ZSO-KC-OPT

High Speed Bearing - Phenolic Retainer

Single shielded flanged precision dental handpiece bearing with phenolic retainer (3.18x6.35x2.78)

2 Required

Brand: Myonic



Replacement Bearing

SFR144A-D27-ZSO-T9H-OPT

High Speed Bearing - Polyamide Retainer

Precision flanged dental bearing with a high speed polyamide retainer (3.18x6.35x2.78)

2 Required

Brand: Myonic



Delta

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Bearing

SR144A-D27-ZS-T9H-OPT

High Speed Bearing - Polyamide Retainer

Stainless steel bearing with polyamide retainer for precision dental handpieces (3.18x6.35x2.78)

2 Required

Brand: Myonic



LC81

Position / Description / Application

Manufacturers Part

MBA Part

Bearings - Small 3.175-9.525-3.969mm

SR2-ZZ-MC3-JP6

Stainless Bearing

Double shielded P6 precision stainless steel bearing (3.18x9.52x3.97)

2 Required



Medium Bearing Replacement

BB 7.938-12.7-3.969

SR1810-ZZS-MC3

Stainless Bearing

Double shielded standard stainless steel bearing (7.94x12.7x3.97)



Large Bearing Replacement 8-16-6mm

BB 8-16-6

S688B-ZZ-MC3-GR3-T9H-G36

High Speed Bearing - Polyamide Retainer

Double shielded Abec 3 precision stainless steel bearing with a high speed polyamide cage (8x16x6)



MC01R

Position / Description / Application

Manufacturers Part

MBA Part

Head Gear Complete - Premium

BKU64040M

For Handpiece with Wedge Type Chuck

Assembled with ceramic ball bearings, tested in master electric handpiece

Brand: myonic



Head Gear Complete - Standard

BKU64040X

For Handpiece with Wedge Type Chuck

Assembled with ceramic ball bearings, tested in master electric handpiece

Brand: MBA



Key	Usually stocked or Short Delivery
	** Available while stocks last

Long Delivery or Large Minimum Quantities
<i>Not in current production</i>

MC01RL

Position / Description / Application

Manufacturers Part

MBA Part

Head Gear Complete

For Handpiece with Wedge Type Chuck

Assembled with ceramic ball bearings, tested in master electric handpiece

Brand: MBA

BKU64040



Head Gear Complete - Premium

For Handpiece with Wedge Type Chuck

Assembled with ceramic ball bearings, tested in master electric handpiece

Brand: myonic

BKU64040M



Head Gear Complete - Standard

For Handpiece with Wedge Type Chuck

Assembled with ceramic ball bearings, tested in master electric handpiece

Brand: MBA

BKU64040X



S380

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Bearing

High Speed Bearing - Phenolic Retainer

Precision dental handpiece bearing with narrow design and high speed phenolic retainer (3.18x6.35x2.38)

2 Required

SR144-D28-ZS-KC-OPT



S400

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Bearing

High Speed Bearing - Polyamide Retainer

Stainless steel bearing with polyamide retainer for precision dental handpieces (3.18x6.35x2.78)

2 Required

Brand: Myonic

SR144A-D27-ZS-T9H-OPT



S405

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Bearing

High Speed Bearing - Polyamide Retainer

Stainless steel bearing with polyamide retainer for precision dental handpieces (3.18x6.35x2.78)

2 Required

Brand: Myonic

SR144A-D27-ZS-T9H-OPT



Key

Usually stocked or Short Delivery

** Available while stocks last

Long Delivery or Large Minimum Quantities

Not in current production

Star

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Bearing

SR2-5A-D17-ZS-TO

High Speed Bearing - Torlon Retainer

Single shielded Abec 7 precision special dental bearing with high speed Torlon retainer (3.18x7.94x3.57)

2 Required

Brand: MBA



Key




Usually stocked or Short Delivery

** Available while stocks last




Long Delivery or Large Minimum Quantities

Not in current production

MKQ

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Chuck End Stainless Bearing Double shielded P6 precision stainless steel bearing (5x13x4)		S695-ZZ-MC3-JP6	
Front Armature Bearing Stainless Bearing Double shielded P6 precision stainless steel bearing (4x11x4)		S694-ZZ-MC3-JP6	
Bearing for Cap End Stainless Bearing Double shielded P6 precision stainless steel bearing (7x14x5)		S687A-ZZ-MC3-JP6	




MKS

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Cap End Stainless Bearing Double shielded P6 precision stainless steel bearing (7x14x5)		S687A-ZZ-MC3-JP6	
Front Armature Bearing Stainless Bearing Double shielded P6 precision stainless steel bearing (4x11x4)		S694-ZZ-MC3-JP6	
Bearing for Chuck End Stainless Bearing Double shielded P6 precision stainless steel bearing (5x13x4)		S695-ZZ-MC3-JP6	

Key **Usually stocked or Short Delivery**
**** Available while stocks last**

Long Delivery or Large Minimum Quantities
Not in current production

MKT

Position / Description / Application	Manufacturers Part	MBA Part	
Front Armature Bearing Stainless Bearing Double shielded P6 precision stainless steel bearing (4x11x4)		S694-ZZ-MC3-JP6	
Bearing for Chuck End Stainless Bearing Double shielded P6 precision stainless steel bearing (5x13x4)		S695-ZZ-MC3-JP6	
Bearing for Cap End Stainless Bearing Double shielded P6 precision stainless steel bearing (7x14x5)		S687A-ZZ-MC3-JP6	

Key **Usually stocked or Short Delivery**
 ** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

35 II

Position / Description / Application

Manufacturers Part


MBA Part

Replacement Armature

101-26

BKU61103

Brand: MBA



35 Z

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Armature

101-26

BKU61103

Brand: MBA



L35 Z

Position / Description / Application

Manufacturers Part


MBA Part

Replacement Armature

101-26

BKU61103

Brand: MBA



Maxima® ELITE

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Turbine With Bearings


570-0136

BKUR3100014

For Handpiece with Wedge Type Chuck

Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic

Brand: myonic



Replacement Turbine With Bearings


570-0136

BKUR3100015

For Handpiece with Wedge Type Chuck

Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer

Brand: MBA



Replacement Turbine Excluding Bearings


570-0136

BKUR310001

For Handpiece with Wedge Type Chuck

Turbine sub assembly excluding bearings

Brand: MBA



Replacement Turbine With Bearings


570-0136

BKUR3100013

For Handpiece with Wedge Type Chuck

Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic

Brand: myonic



Replacement Turbine With Bearings


570-0136

BKURC310001

For Handpiece with Wedge Type Chuck

Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic

Brand: myonic



Key

Usually stocked or Short Delivery

** Available while stocks last

Long Delivery or Large Minimum Quantities

Not in current production

Henry Schein®

Maxima® ELITE L

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	570-0136	BKUR3100013	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	570-0136	BKUR3100015	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	570-0136	BKUR310001	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	570-0136	BKUR3100014	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	570-0136	BKURC310001	

Key **Usually stocked or Short Delivery**
 ** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

Henry Schein®

Maxima® ELITE Mini

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	570-0137	BKUR3100003	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	570-0137	BKUR310000	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	570-0137	BKUR3100004	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	570-0137	BKUR3100005	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	570-0137	BKURC310000	

Key **Usually stocked or Short Delivery**
 ** Available while stocks last




Long Delivery or Large Minimum Quantities
Not in current production

Henry Schein®

Maxima® ELITE Mini L

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	570-0137	BKUR3100004	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	570-0137	BKUR3100003	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	570-0137	BKUR3100000	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	570-0137	BKUR3100005	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	570-0137	BKURC3100000	

Maxima® PRO 45

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	112-6773	BKURC210022	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	112-6773	BKURC2100225	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	112-6773	BKURC2100223	

Key **Usually stocked or Short Delivery**
**** Available while stocks last**

Long Delivery or Large Minimum Quantities
Not in current production

Henry Schein®

Maxima® PRO 45L

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Turbine With Bearings

112-6773

BKURC210023

For Handpiece with Wedge Type Chuck

Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic

Brand: myonic

Precision sub-assemblies, cartridges with carbide inserts & WCC coated actuators



Replacement Turbine Excluding Bearings

112-6773

BKURC210022

For Handpiece with Wedge Type Chuck

Turbine sub assembly excluding bearings

Brand: MBA

Precision sub-assemblies, cartridges with carbide inserts & WCC coated actuators



Replacement Turbine With Bearings

112-6773


BKURC210025

For Handpiece with Wedge Type Chuck

Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer

Brand: MBA

Precision sub-assemblies, cartridges with carbide inserts & WCC coated actuators



Key

Usually stocked or Short Delivery

** Available while stocks last

Long Delivery or Large Minimum Quantities

Not in current production

Impact-Air®

High Speed Handpiece

Position / Description / Application

Manufacturers Part

MBA Part

Replacement O-Ring

High Temperature

Deleted Item. Available while stocks last. Special o-ring for dental applications

2 Required

OR-00607-079-N70



Replacement Bearing

High Speed Bearing - Phenolic Retainer

Single shielded flanged precision dental handpiece bearing with phenolic retainer (3.18x6.35x2.78)

2 Required

Brand: Myonic

SFR144A-D27-ZSO-KC-OPT



Replacement Bearing

High Speed Bearing - Polyamide Retainer

Precision flanged dental bearing with a high speed polyamide retainer (3.18x6.35x2.78)

2 Required

Brand: Myonic

SFR144A-D27-ZSO-T9H-OPT



Key

Usually stocked or Short Delivery

** Available while stocks last

Long Delivery or Large Minimum Quantities

Not in current production

Lab Handpiece Air

Position / Description / Application

Manufacturers Part

MBA Part

Both Turbine Bearings

SR2-5A-D17-ZS-TO

High Speed Bearing - Torlon Retainer

Single shielded Abec 7 precision special dental bearing with high speed Torlon retainer (3.18x7.94x3.57)

2 Required

Brand: MBA



Key

Usually stocked or Short Delivery

** Available while stocks last

Long Delivery or Large Minimum Quantities

Not in current production

0768LHC

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Shaft

0.220.0139

SMR104A-ZZ-MC3-JP6

High Precision Bearing
Double shielded P6 precision stainless steel bearing (4x10x4)



10B

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Shaft

0.220.0126

S685A-ZZS-MC34-TH7-R-G48

High Precision Bearing
Double shielded Abec 7 precision stainless steel bearing with low-torque ribbon retainer (5x11x5)



Brand: MBA

10C

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Bearing

220-0219 / 0126

S685A-ZZ-MC3-JP6

Stainless Bearing
Double shielded P6 precision stainless steel bearing (5x11x5)
2 Required



10CHC

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Chuck

0.524.2942

BKU62942

True running accuracy less than 0.03, bore diameter 1.6mm



Brand: MBA

10CN

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Cap End

0.220.1302

SMR85C-ZZS-MC34-GR5-TR-L23

High Precision Bearing Low Torque Option
Double shielded Abec 5 precision bearing with low-torque ribbon retainer (5x8x3)



Brand: Myonic

Bearing for Cap End

0.220.1302

SMR85C-ZZS-MC34-GR5-L23

High Precision Bearing Standard Cage Option
Double shielded Abec 5 precision bearing with standard crown retainer (5x8x3)







Brand: MBA

Key	Usually stocked or Short Delivery
	** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

10E

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Shaft High Precision Bearing Shielded Option Double shielded Abec 7 precision stainless steel bearing with low-torque ribbon retainer (4x9x4) Brand: Myonic	0.220.1301	S684A-ZZS-MC34-GR7-R-G48	
Replacement Chuck True running accuracy less than 0.03, bore diameter 1.6mm Brand: MBA	0.524.2942	BKU62942	
Bearing for Shaft High Precision Bearing Low Torque Option Double shielded Abec 5 precision bearing with low-torque ribbon retainer (5x8x3) Brand: Myonic	0.220.1302	SMR85C-ZZS-MC34-GR5-TR-L23	
Bearing for Shaft High Precision Bearing Standard Cage Option Double shielded Abec 5 precision bearing with standard crown retainer (5x8x3) Brand: MBA	0.220.1302	SMR85C-ZZS-MC34-GR5-L23	

Key

Usually stocked or Short Delivery

** Available while stocks last

Long Delivery or Large Minimum Quantities

Not in current production

10LH

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Shaft High Precision Bearing Shielded Option Double shielded Abec 7 precision stainless steel bearing with low-torque ribbon retainer (4x9x4) Brand: Myonic	0.220.1301	S684A-ZZS-MC34-GR7-R-G48	
Replacement Spindle Brand: MBA	0.524.1421	BKU61421	 <p style="font-size: 8px; color: red;">Head Gears, Intermediate Pieces, Middle Gears Parts for Electric Driven Handpieces & Heads</p>
Replacement Roll Pin Brand: MBA	0.524.2742	BKU62742	 <p style="font-size: 8px; color: red;">Head Gears, Intermediate Pieces, Middle Gears Parts for Electric Driven Handpieces & Heads</p>
Bearing for Shaft High Precision Bearing Low Torque Option Double shielded Abec 5 precision bearing with low-torque ribbon retainer (5x8x3) Brand: Myonic	0.220.1302	SMR85C-ZZS-MC34-GR5-TR-L23	
Replacement Pin Brand: MBA	0.524.3262	BKU63262	 <p style="font-size: 8px; color: red;">Head Gears, Intermediate Pieces, Middle Gears Parts for Electric Driven Handpieces & Heads</p>
Replacement Chuck True running accuracy less than 0.03, bore diameter 1.6mm Brand: MBA	0.524.2942	BKU62942	
Bearing for Shaft High Precision Bearing Standard Cage Option Double shielded Abec 5 precision bearing with standard crown retainer (5x8x3) Brand: MBA	0.220.1302	SMR85C-ZZS-MC34-GR5-L23	


Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

10LP

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Roll Pin Brand: MBA	0.524.2742	BKU62742	
Replacement Chuck True running accuracy less than 0.03, bore diameter 1.6mm Brand: MBA	0.524.2942	BKU62942	
Replacement Spindle Brand: MBA	0.524.1421	BKU61421	
Bearing for Shaft High Precision Bearing Shielded Option Double shielded Abec 7 precision stainless steel bearing with low-torque ribbon retainer (4x9x4) Brand: Myonic	0.220.1301	S684A-ZZS-MC34-GR7-R-G48	
Replacement Pin Brand: MBA	0.524.3262	BKU63262	
Bearing for Shaft High Precision Bearing Low Torque Option Double shielded Abec 5 precision bearing with low-torque ribbon retainer (5x8x3) Brand: Myonic	0.220.1302	SMR85C-ZZS-MC34-GR5-TR-L23	
Bearing for Shaft High Precision Bearing Standard Cage Option Double shielded Abec 5 precision bearing with standard crown retainer (5x8x3) Brand: MBA	0.220.1302	SMR85C-ZZS-MC34-GR5-L23	

11B

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Shaft High Precision Bearing Double shielded Abec 7 precision stainless steel bearing with low-torque ribbon retainer (5x11x5) Brand: MBA	0.220.0126	S685A-ZZS-MC34-TH7-R-G48	

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

121

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Rotor

0.220.0021

S683-GR7-Y

High Precision Bearing

Open Abec 7 precision stainless steel bearing with bronze cage (3x7x2)

Brand: MBA



121A

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Rotor

0.220.0021

S683-GR7-Y

High Precision Bearing

Open Abec 7 precision stainless steel bearing with bronze cage (3x7x2)

Brand: MBA



13A

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Centre

220-0024 / 0103 / 1301

S684A-ZZ-MC3-JP6

4x9x4 Stainless Steel Bearing

Double shielded P6 precision stainless steel bearing (4x9x4)



Bearing for Shaft

0.220.0103

S684A-ZZ-MC3-JP6

High Precision Bearing

Double shielded P6 precision stainless steel bearing (4x9x4)



Bearing for Chuck End

220-0106

SMR85-MC3-JP6-AF12

Stainless Bearing

Open P6 precision bearing with low-torque cage and light oil lubricant (5x8x2)



Bearing for Cap End

220-0068

S624-MC3-JP6-AF12

Stainless Bearing

Deleted Item. Available while stocks last. (4x13x5)



13B

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Shaft

0.220.0139

SMR104A-ZZ-MC3-JP6

High Precision Bearing Shielded Option

Double shielded P6 precision stainless steel bearing (4x10x4)



Bearing for Shaft

0.220.0126

S685A-ZZS-MC34-TH7-R-G48

High Precision Bearing Shielded Option

Double shielded Abec 7 precision stainless steel bearing with low-torque ribbon retainer (5x11x5)

Brand: MBA



Key	Usually stocked or Short Delivery
	** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

14E

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Headgear

0.220.2005

SMR74-MC3-JP6-AF12

High Precision Bearing

Open P6 precision bearing with low-torque cage and light oil lubricant (4x7x2)



Bearing for Shaft

0.220.0098

S693-ZZS-MC34-TH5-R-L23

High Precision Bearing

Open Abec 5 precision stainless steel bearing with low-torque retainer and light oil lubricant (3x8x3)

Brand: MBA



Bearing for Headgear

0.220.2004

S683B-ZZS-MC3-GR3

High Precision Bearing Shielded Option

Double shielded Abec 3 precision stainless steel bearing (3x7x2.5)

Brand: MBA



14ES

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Headgear

0.220.2004

S683B-ZZS-MC3-GR3

High Precision Bearing

Double shielded Abec 3 precision stainless steel bearing (3x7x2.5)

Brand: MBA



15CN

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Shaft

0.220.1306

SMR9525-050-MC3-L23

High Precision Bearing

Double shielded standard bearing (5x9.52x3.18)

Brand: Myonic



15G

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Shaft

0.220.0126

S685A-ZZS-MC34-TH7-R-G48

High Precision Bearing

Double shielded Abec 7 precision stainless steel bearing with low-torque ribbon retainer (5x11x5)

Brand: MBA



181CB

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Rotor

0.220.0097

S693-ZZS-MC34-TH5-R-L23

High Precision Bearing

Open Abec 5 precision stainless steel bearing with low-torque retainer and light oil lubricant (3x8x3)

Brand: MBA



Key	Usually stocked or Short Delivery
	** Available while stocks last

Long Delivery or Large Minimum Quantities
<i>Not in current production</i>

181DB

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Rotor

0.220.0097

S693-ZZS-MC34-TH5-R-L23

High Precision Bearing

Open Abec 5 precision stainless steel bearing with low-torque retainer and light oil lubricant (3x8x3)

Brand: MBA



181L

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Rotor

0.220.0021

S683-GR7-Y

High Precision Bearing

Open Abec 7 precision stainless steel bearing with bronze cage (3x7x2)

Brand: MBA



186B

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Rotor

0.220.0089

SMR104A-ZZS-MC3-GR3-T9H

High Speed Bearing - Polyamide Retainer Shielded Option

Double shielded Abec 3 precision stainless steel bearing with high speed polyamide cage (4x11x4)

Brand: MBA



Bearing for Rotor

0.220.0136

S692-ZS-GR3-KC

High Speed Bearing - Phenolic Retainer

Single shielded Abec 3 precision stainless steel bearing with a high speed phenolic retainer. Non ISO Width (2x6x2.3)

Brand: MBA



187

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Rotor

0.220.0089

SMR104A-ZZS-MC3-GR3-T9H

High Speed Bearing - Polyamide Retainer Shielded Option

Double shielded Abec 3 precision stainless steel bearing with high speed polyamide cage (4x11x4)

Brand: MBA



Bearing for Rotor

0.220.0136

S692-ZS-GR3-KC

High Speed Bearing - Phenolic Retainer

Single shielded Abec 3 precision stainless steel bearing with a high speed phenolic retainer. Non ISO Width (2x6x2.3)

Brand: MBA



Key	Usually stocked or Short Delivery
	** Available while stocks last

Long Delivery or Large Minimum Quantities
<i>Not in current production</i>

188

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Rotor

0.220.0136

S692-ZS-GR3-KC

High Speed Bearing - Phenolic Retainer

Single shielded Abec 3 precision stainless steel bearing with a high speed phenolic retainer. Non ISO Width (2x6x2.3)

Brand: MBA



Bearing for Rotor

0.220.0089

SMR104A-ZZS-MC3-GR3-T9H

High Speed Bearing - Polyamide Retainer Shielded Option

Double shielded Abec 3 precision stainless steel bearing with high speed polyamide cage (4x11x4)

Brand: MBA



190

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Rotor

0.220.0136

S692-ZS-GR3-KC

High Speed Bearing - Phenolic Retainer

Single shielded Abec 3 precision stainless steel bearing with a high speed phenolic retainer. Non ISO Width (2x6x2.3)

Brand: MBA



Bearing for Rotor

0.220.0089

SMR104A-ZZS-MC3-GR3-T9H

High Speed Bearing - Polyamide Retainer Shielded Option

Double shielded Abec 3 precision stainless steel bearing with high speed polyamide cage (4x11x4)

Brand: MBA



191

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Rotor


0.220.0089

SMR104A-ZZS-MC3-GR3-T9H

High Speed Bearing - Polyamide Retainer

Double shielded Abec 3 precision stainless steel bearing with high speed polyamide cage (4x11x4)

Brand: MBA



192

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Rotor

0.220.0089

SMR104A-ZZS-MC3-GR3-T9H

High Speed Bearing - Polyamide Retainer Shielded Option

Double shielded Abec 3 precision stainless steel bearing with high speed polyamide cage (4x11x4)

Brand: MBA



Bearing for Rotor

0.220.0136

S692-ZS-GR3-KC

High Speed Bearing - Phenolic Retainer

Single shielded Abec 3 precision stainless steel bearing with a high speed phenolic retainer. Non ISO Width (2x6x2.3)

Brand: MBA



Key



Usually stocked or Short Delivery

** Available while stocks last



Long Delivery or Large Minimum Quantities

Not in current production



193

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Rotor High Speed Bearing - Polyamide Retainer Shielded Option Double shielded Abec 3 precision stainless steel bearing with high speed polyamide cage (4x11x4) Brand: MBA	0.220.0089	SMR104A-ZZS-MC3-GR3-T9H	
Bearing for Rotor High Speed Bearing - Phenolic Retainer Single shielded Abec 3 precision stainless steel bearing with a high speed phenolic retainer. Non ISO Width (2x6x2.3) Brand: MBA	0.220.0136	S692-ZS-GR3-KC	


196

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Rotor High Speed Bearing - Polyamide Retainer Shielded Option Double shielded Abec 3 precision stainless steel bearing with high speed polyamide cage (4x11x4) Brand: MBA	0.220.0089	SMR104A-ZZS-MC3-GR3-T9H	
Bearing for Rotor High Speed Bearing - Phenolic Retainer Single shielded Abec 3 precision stainless steel bearing with a high speed phenolic retainer. Non ISO Width (2x6x2.3) Brand: MBA	0.220.0136	S692-ZS-GR3-KC	

19E

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Shaft High Precision Bearing Open Abec 7 precision stainless steel bearing with bronze cage (3x7x2) Brand: MBA	0.220.0175	S683-GR7-Y	
Bearing for Shaft High Speed Bearing - Polyamide Retainer Shielded Option Double shielded Abec 7 precision stainless steel bearing with high speed Polyamide retainer (4x11x4) Brand: MBA	0.220.0174	SMR104A-ZZS-MC3-GR7-T9H	



19ES

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Shaft High Precision Bearing Open Abec 7 precision stainless steel bearing with bronze cage (3x7x2) Brand: MBA	0.220.0175	S683-GR7-Y	



Key	Usually stocked or Short Delivery
	** Available while stocks last

Long Delivery or Large Minimum Quantities
<i>Not in current production</i>



200

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Rotor High Precision Bearing Low Torque Option Double shielded Abec 5 precision bearing with low-torque ribbon retainer (5x8x3) Brand: Myonic	1.000.7185	SMR85C-ZZS-MC34-GR5-TR-L23	
Bearing for Rotor High Precision Bearing Standard Cage Option Double shielded Abec 5 precision bearing with standard crown retainer (5x8x3) Brand: MBA	1.000.7185	SMR85C-ZZS-MC34-GR5-L23	


200XD

Position / Description / Application	Manufacturers Part	MBA Part	
Head Gear Complete For Handpiece with Wedge Type Chuck Assembled with ceramic ball bearings, tested in master electric handpiece Brand: MBA	1.001.3520	BKU63520	
Head Gear Complete For Handpiece with Wedge Type Chuck Assembled with ceramic ball bearings, tested in master electric handpiece Brand: MBA	1.001.3520	BKU63520X	

201

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Rotor High Precision Bearing Low Torque Option Double shielded Abec 5 precision bearing with low-torque ribbon retainer (5x8x3) Brand: Myonic	1.000.7185	SMR85C-ZZS-MC34-GR5-TR-L23	
Bearing for Rotor High Precision Bearing Standard Cage Option Double shielded Abec 5 precision bearing with standard crown retainer (5x8x3) Brand: MBA	1.000.7185	SMR85C-ZZS-MC34-GR5-L23	

2068D

Position / Description / Application	Manufacturers Part	MBA Part	
Drive Kit Brand: MBA	0.540.2491 + 0.540.1151	BKU69151	

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

20E

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Headgear

0.220.2004

S683B-ZZS-MC3-GR3

High Precision Bearing
Double shielded Abec 3 precision stainless steel bearing (3x7x2.5)

Brand: MBA



Bearing for Shaft

0.220.0098

S693-ZZS-MC34-TH5-R-L23

High Precision Bearing
Open Abec 5 precision stainless steel bearing with low-torque retainer and light oil lubricant (3x8x3)

Brand: MBA



20LH

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Spindle

0.534.0681

BKU60681

Brand: MBA



Bearing for Shaft

0.220.0098

S693-ZZS-MC34-TH5-R-L23

High Precision Bearing
Open Abec 5 precision stainless steel bearing with low-torque retainer and light oil lubricant (3x8x3)

Brand: MBA



20LP

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Spindle

0.534.0681

BKU60681

Brand: MBA



Bearing for Shaft

0.220.0098

S693-ZZS-MC34-TH5-R-L23

High Precision Bearing
Open Abec 5 precision stainless steel bearing with low-torque retainer and light oil lubricant (3x8x3)

Brand: MBA



2304LD - 553 5121

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Bearing

220 0735

SMR74-ZS-T4HB-MC3-GR5-AF12





High Speed Bearing - Torlon Retainer
Single shielded Abec 5 precision stainless steel bearing with high speed Torlon retainer and light oil lubricant. NON-ISO width (4x7x2)
2 Required




Key	Usually stocked or Short Delivery
	** Available while stocks last

Long Delivery or Large Minimum Quantities
<i>Not in current production</i>



2307

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Chuck End Stainless Bearing Deleted Item. Available while stocks last. (2x7x3)		S602B-ZZS-MC3-JP6	
Bearing for Centre Stainless Bearing Deleted Item. Available while stocks last. (4x11x4)	220-0158	S694-MC3-JP6-AF12	
Replacement Drive Ball High Precision Stainless Ball Deleted Item. Available while stocks last. Stainless steel high precision 2.1mm ball 6 Required		** BL-00210-S440-G3	
Bearing for Cap End High Precision Bearing Double shielded Abec 5 precision bearing with Low Torque ribbon retainer and grease lubrication. Non ISO Width. (2x6x2.3) Brand: Myonic	220-0157 / 0779	S692-ZZS-MC34-GR5-R-G48	

2307L

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Shaft High Speed Bearing - Phenolic Retainer Single shielded Abec 3 precision stainless steel bearing with a high speed phenolic retainer. Non ISO Width (2x6x2.3) Brand: MBA	0.220.0144	S692-ZS-GR3-KC	

2307LN

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Shaft High Precision Bearing Open P6 precision bearing with low-torque cage and light oil lubricant (3x7x2)	0.220.0161	S683-MC3-JP6-AF12	
Bearing for Shaft High Speed Bearing - Polyamide Retainer Shielded Option Double shielded Abec 7 precision stainless steel bearing with high speed Polyamide retainer (4x11x4) Brand: MBA	0.220.0174	SMR104A-ZZS-MC3-GR7-T9H	

2313

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Shaft High Precision Bearing Double shielded P6 precision stainless steel bearing (4x10x4)	0.220.0139	SMR104A-ZZ-MC3-JP6	

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

2313L

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Shaft

0.220.0144

S692-ZS-GR3-KC

High Speed Bearing - Phenolic Retainer

Single shielded Abec 3 precision stainless steel bearing with a high speed phenolic retainer. Non ISO Width (2x6x2.3)

Brand: MBA



2313LN

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Shaft

0.220.0161

S683-MC3-JP6-AF12

High Precision Bearing

Open P6 precision bearing with low-torque cage and light oil lubricant (3x7x2)



2320

Position / Description / Application

Manufacturers Part

MBA Part


Replacement Drive Ball

**** BL-00210-S440-G3**

High Precision Stainless Ball

Deleted Item. Available while stocks last. Stainless steel high precision 2.1mm ball

6 Required



Bearing for Chuck End

Stainless Bearing

Deleted Item. Available while stocks last. (2x7x3)

S602B-ZZS-MC3-JP6



Bearing for Centre

Stainless Bearing

Deleted Item. Available while stocks last. (4x11x4)

220-0158

S694-MC3-JP6-AF12



Bearing for Cap End

High Precision Bearing

Double shielded Abec 5 precision bearing with Low Torque ribbon retainer and grease lubrication. Non ISO Width. (2x6x2.3)

220-0157 / 0779

S692-ZZS-MC34-GR5-R-G48

Brand: Myonic



2320L

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Shaft

0.220.0144

S692-ZS-GR3-KC

High Speed Bearing - Phenolic Retainer

Single shielded Abec 3 precision stainless steel bearing with a high speed phenolic retainer. Non ISO Width (2x6x2.3)





Brand: MBA





Key	Usually stocked or Short Delivery
	** Available while stocks last

Long Delivery or Large Minimum Quantities
<i>Not in current production</i>


2320LN

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Chuck End Stainless Bearing Deleted Item. Available while stocks last. (2x7x3)		S602B-ZZS-MC3-JP6	
Replacement Drive Ball High Precision Stainless Ball Deleted Item. Available while stocks last. Stainless steel high precision 2.1mm ball 6 Required		** BL-00210-S440-G3	
Bearing for Centre Stainless Bearing Deleted Item. Available while stocks last. (4x11x4)	220-0158	S694-MC3-JP6-AF12	
Bearing for Cap End High Precision Bearing Double shielded Abec 5 precision bearing with Low Torque ribbon retainer and grease lubrication. Non ISO Width. (2x6x2.3) Brand: Myonic	220-0157 / 0779	S692-ZZS-MC34-GR5-R-G48	


2325L

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Shaft High Precision Bearing Open P6 precision bearing with low-torque cage and light oil lubricant (3x7x2)	0.220.0161	S683-MC3-JP6-AF12	
Bearing for Shaft High Speed Bearing - Phenolic Retainer Single shielded Abec 3 precision stainless steel bearing with a high speed phenolic retainer. Non ISO Width (2x6x2.3) Brand: MBA	0.220.0144	S692-ZS-GR3-KC	

2325LN

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Shaft High Precision Bearing Open Abec 7 precision stainless steel bearing with bronze cage (3x7x2) Brand: MBA	0.220.0175	S683-GR7-Y	

2329

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Shaft High Precision Bearing Open Abec 7 precision stainless steel bearing with bronze cage (3x7x2) Brand: MBA	0.220.0175	S683-GR7-Y	

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

2329LN

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Shaft

0.220.0174

SMR104A-ZZS-MC3-GR7-T9H

High Speed Bearing - Polyamide Retainer

Double shielded Abec 7 precision stainless steel bearing with high speed Polyamide retainer (4x11x4)

Brand: MBA



23ES

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Shaft

0.220.0098

S693-ZZS-MC34-TH5-R-L23

High Precision Bearing

Open Abec 5 precision stainless steel bearing with low-torque retainer and light oil lubricant (3x8x3)

Brand: MBA



24LH

Position / Description / Application

Manufacturers Part

MBA Part

Front Gear 1:5 Middle Gear 0.553.7201

0.553.8282

BKU68282

Brand: MBA



24LN

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Headgear

0.220.0734

SMR74-CSN-TH7-TO

High Speed Ceramic-Hybrid Bearing - Torlon Retainer

Open Abec 7 precision stainless ceramic-hybrid bearing with high speed Torlon retainer (4x7x2)

Brand: MBA



25LCA

Position / Description / Application

Manufacturers Part

MBA Part

Head Gear Complete - Standard

0.553.7341

BKU67341X

For Handpiece with Wedge Type Chuck

Assembled with ceramic ball bearings, tested in master electric handpiece

Brand: MBA



Head Gear Complete

0.553.7341

BKU67341

For Handpiece with Wedge Type Chuck

Assembled with ceramic ball bearings, tested in master electric handpiece

Brand: MBA



Key

Usually stocked or Short Delivery

Long Delivery or Large Minimum Quantities

** Available while stocks last

Not in current production

25LH

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Press Button Brand: MBA	0.553.7031 + 0.553.9932	BKU67031	
Intermediate Gear 1:5 Brand: MBA	0.553.7251	BKU67251	
Replacement Middle Gear Complete 1:5 Brand: MBA	0.553.7201	BKU67201	
Drive Kit Brand: MBA	553.7341 + 0.553.7201	BKU64101	
Front Gear 1:5 Middle Gear 0.553.7201 Brand: MBA	0.553.8282	BKU68282	
Bearing for Middle Gear High Speed Bearing - Torlon Retainer Open standard bearing with high speed Torlon retainer and low-torque light oil lubricant (2.35x5x1.5)	0.220.0730	SMR5-0235-T4HB-MC3-AF12	
Drive Kit Brand: MBA	553.7341 + 0.553.7201 + 0.553.7251	BKU64151	
Bearing for Headgear High Speed Ceramic-Hybrid Bearing - Torlon Retainer Open Abec 7 precision stainless ceramic-hybrid bearing with high speed Torlon retainer (4x7x2) Brand: MBA	1.001.2836	SMR74-CSN-TH7-TO	

Key Usually stocked or Short Delivery
** Available while stocks last


Long Delivery or Large Minimum Quantities
Not in current production


25LHA


Position / Description / Application	Manufacturers Part	MBA Part	
Head Gear Complete - Standard For Handpiece with Wedge Type Chuck Assembled with ceramic ball bearings, tested in master electric handpiece Brand: MBA	0.553.7341	BKU67341X	
Replacement Middle Gear Complete 1:5 Brand: MBA	0.553.7201	BKU67201	
Bearing for Middle Gear High Speed Bearing - Torlon Retainer Open standard bearing with high speed Torlon retainer and low-torque light oil lubricant (2.35x5x1.5)	0.220.0730	SMR5-0235-T4HB-MC3-AF12	
Replacement Press Button Brand: MBA	0.553.7031 + 0.553.9932	BKU67031	
Drive Kit Brand: MBA	553.7341 + 0.553.7201 + 0.553.7251	BKU64151	
Bearing for Shaft High Precision Bearing Open P6 precision bearing with low-torque cage and light oil lubricant (4x9x2.5)	0.220.0171	S684-MC3-JP6-AF12	
Drive Kit Brand: MBA	553.7341 + 0.553.7201	BKU64101	
Head Gear Complete For Handpiece with Wedge Type Chuck Assembled with ceramic ball bearings, tested in master electric handpiece Brand: MBA	0.553.7341	BKU67341	
Intermediate Gear 1:5 Brand: MBA	0.553.7251	BKU67251	

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

Bearing for Headgear	0.220.0734	SMR74-CSN-TH7-TO	
High Speed Ceramic-Hybrid Bearing - Torlon Retainer Open Abec 7 precision stainless ceramic-hybrid bearing with high speed Torlon retainer (4x7x2)			
Brand: MBA			

25LHC			
Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Shaft	0.220.0171	S684-MC3-JP6-AF12	
High Precision Bearing Open P6 precision bearing with low-torque cage and light oil lubricant (4x9x2.5)			
Brand: MBA			

25LHP			
Position / Description / Application	Manufacturers Part	MBA Part	
Front Gear 1:5 Middle Gear 1.001.3515	1.001.3516	BKU63516	
Brand: MBA			
Head Gears, Intermediate Pieces, Middle Gears, Parts for Electric Driven Handpieces & Heads			
Replacement Middle Gear Complete 1:5	1.001.3515	BKU63515	
Brand: MBA			
Head Gears, Intermediate Pieces, Middle Gears, Parts for Electric Driven Handpieces & Heads			
Intermediate Gear 1:5	1.001.3519	BKU63519	
Brand: MBA			
Head Gears, Intermediate Pieces, Middle Gears, Parts for Electric Driven Handpieces & Heads			

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

25LP

Position / Description / Application	Manufacturers Part	MBA Part	
Head Gear Complete For Handpiece with Wedge Type Chuck Assembled with ceramic ball bearings, tested in master electric handpiece Brand: myonic	1.001.3520	BKU63520M	
Front Gear 1:5 Middle Gear 1.001.3515 Brand: MBA	1.001.3516	BKU63516	
Replacement Middle Gear Complete 1:5 Brand: MBA	1.001.3515	BKU63515	
Replacement Press Button Brand: MBA	1.001.3284 + 0.201.8157 + 1.001.3283	BKU63284	
Replacement Bearing Special Integrated Bearing Special Size - to check Brand: MBA	1.001.2833	BKU22833	
Drive Kit Brand: MBA	1.001.3520 + 1.001.3515 + 1.001.3519	BKU62019	
Replacement Spring Washer Brand: MBA	1.001.2987	BKU62987	
Replacement Dog Gear 1:5 Gear Brand: MBA	1.001.3071	BKU63071	
Intermediate Gear 1:5 Brand: MBA	1.001.3519	BKU63519	

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

<p>Drive Kit</p> <p>Brand: MBA</p>	<p>1.001.3520 + 1.001.3515</p>	<p>BKU62015</p>	
<p>Bearing for Headgear</p> <p>High Speed Ceramic-Hybrid Bearing - Torlon Retainer Open Abec 7 precision stainless ceramic-hybrid bearing with high speed Torlon retainer (4x7x2)</p> <p>Brand: MBA</p>	<p>1.001.2836</p>	<p>SMR74-CSN-TH7-TO</p>	
<p>Bearing for Middle Gear</p> <p>High Speed Bearing - Torlon Retainer Open Abec 7 precision bearing with Torlon retainer and light oil lubricant (2x5x1.5)</p> <p>Brand: MBA</p>	<p>1.001.2834</p>	<p>S682-MC34-GR7-TO-L23</p>	
<p>Bearing for Headgear</p> <p>High Speed Ceramic-Hybrid Bearing - Torlon Retainer 3.175x6.35x1,905/2.778, ceramic-hybrid, Torlon retainer - to check (3.18x6.35x1.9)</p> <p>Brand: MBA</p>	<p>1.001.3167</p>	<p>SWR144C-D38-CSN-TO</p>	
<p>Bearing for Idler Gear</p> <p>High Speed Bearing - Torlon Retainer Duplex tube bearing Abec 7 precision with high speed Torlon retainer (2x4.7x6)</p> <p>Brand: MBA</p>	<p>1.001.2835</p>	<p>SMR4.762-200-ZZS-MC3-GR7-TO</p>	

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

25LPA


Position / Description / Application	Manufacturers Part	MBA Part	
Head Gear Complete Assembled with ceramic ball bearings, tested in master electric handpiece Brand: MBA	1.001.3520	BKU63520X	
Replacement Middle Gear Complete 1:5 Brand: MBA	1.001.3515	BKU63515	
Drive Kit Brand: MBA	1.001.3520 + 1.001.3515 + 1.001.3519	BKU62019	
Replacement Bearing Special Integrated Bearing Special Size - to check Brand: MBA	1.001.2833	BKU22833	
Replacement Spring Washer Brand: MBA	1.001.2987	BKU62987	
Head Gear Complete Assembled with ceramic ball bearings, tested in master electric handpiece Brand: myonic	1.001.3520	BKU63520M	
Drive Kit Brand: MBA	1.001.3520 + 1.001.3515	BKU62015	
Replacement Press Button Brand: MBA	1.001.3284 + 0.201.8157 + 1.001.3283	BKU63284	
Head Gear Complete Assembled with ceramic ball bearings, tested in master electric handpiece Brand: MBA	1.001.3520	BKU63520	

Key Usually stocked or Short Delivery
** Available while stocks last


Long Delivery or Large Minimum Quantities
Not in current production

Intermediate Gear 1:5	1.001.3519	BKU63519	
Brand: MBA			
Bearing for Idler Gear	1.001.2835	SMR4.762-200-ZZS-MC3-GR7-TO	
High Speed Bearing - Torlon Retainer Duplex tube bearing Abec 7 precision with high speed Torlon retainer (2x4.7x6)			
Brand: MBA			
Bearing for Headgear	1.001.3167	SWR144C-D38-CSN-TO	
High Speed Ceramic-Hybrid Bearing - Torlon Retainer 3.175x6.35x1,905/2.778, ceramic-hybrid, Torlon retainer - to check (3.18x6.35x1.9)			Image Coming Soon
Brand: MBA			
Bearing for Middle Gear	1.001.2834	S682-MC34-GR7-TO-L23	
High Speed Bearing - Torlon Retainer Open Abec 7 precision bearing with Torlon retainer and light oil lubricant (2x5x1.5)			Image Coming Soon
Brand: MBA			
Bearing for Headgear	1.001.2836	SMR74-CSN-TH7-TO	
High Speed Ceramic-Hybrid Bearing - Torlon Retainer Open Abec 7 precision stainless ceramic-hybrid bearing with high speed Torlon retainer (4x7x2)			
Brand: MBA			


282A Slow Speed

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Bearing	247-6053 / 0063	S625-ZZ-MC3-JP6	
Stainless Bearing Double shielded P6 precision stainless steel bearing (5x16x5)			

29LH

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Shaft	0.220.0138	SMR104A-ZZS-MC3-GR7-T9H	
High Speed Bearing - Polyamide Retainer Double shielded Abec 7 precision stainless steel bearing with high speed Polyamide retainer (4x11x4)			
Brand: MBA			



29LP

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Shaft	0.220.0138	SMR104A-ZZS-MC3-GR7-T9H	
High Speed Bearing - Polyamide Retainer Double shielded Abec 7 precision stainless steel bearing with high speed Polyamide retainer (4x11x4)			
Brand: MBA			



Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production


31E

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Headgear High Precision Bearing Open P6 precision bearing with low-torque cage and light oil lubricant (3x6x2)	0.220.0104	SMR63-MC3-JP6-AF12	
Bearing for Headgear High Precision Bearing Open Abec 3 precision bearing (2x5x1.5)	1.003.5383	S682-MC3-GR3-GPR	

31ES

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Shaft High Precision Bearing Open Abec 5 precision stainless steel bearing with low-torque retainer and light oil lubricant (3x8x3) Brand: MBA	0.220.0098	S693-ZZS-MC34-TH5-R-L23	
Bearing for Headgear High Precision Bearing Open Abec 3 precision bearing (2x5x1.5)	1.003.5383	S682-MC3-GR3-GPR	


3548

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Shaft High Precision Bearing Double shielded P6 precision stainless steel bearing (4x9x4)	0.220.0103	S684A-ZZ-MC3-JP6	

3549

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Shaft High Precision Bearing Double shielded P6 precision stainless steel bearing (4x9x4)	0.220.0103	S684A-ZZ-MC3-JP6	

3550

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Shaft High Precision Bearing Double shielded P6 precision stainless steel bearing (4x9x4)	0.220.0103	S684A-ZZ-MC3-JP6	

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

3554

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Shaft

0.220.0103

S684A-ZZ-MC3-JP6

High Precision Bearing

Double shielded P6 precision stainless steel bearing (4x9x4)



3554 Surgical Handpiece

Position / Description / Application

Manufacturers Part

MBA Part

Nosecone Bearing

SR133-MC34-GR5-R-L23

Extra High Precision Bearing

Open Abec 5 precision stainless steel bearing with low-torque retainer and light oil lubricant (2.38x4.76x1.59)

Brand: Myonic



3555

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Shaft

0.220.0103

S684A-ZZ-MC3-JP6

High Precision Bearing

Double shielded P6 precision stainless steel bearing (4x9x4)



3610

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Bearing

0.220.1302

SMR85C-ZZS-MC34-GR5-TR-L23

High Precision Bearing Low Torque Option

Double shielded Abec 5 precision bearing with low-torque ribbon retainer (5x8x3)

2 Required

Brand: Myonic



Replacement Bearing

0.220.1302

SMR85C-ZZS-MC34-GR5-L23

High Precision Bearing Standard Cage Option

Double shielded Abec 5 precision bearing with standard crown retainer (5x8x3)

2 Required

Brand: MBA



3610N1 Staright Handpiece

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Bearing

0-220-1306

SMR9525-050-MC3-L23

Stainless Bearing

Double shielded standard bearing (5x9.52x3.18)

2 Required

Brand: Myonic



3640L

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Shaft

0.220.0020

S683-MC3-JP6-AF12

High Precision Bearing

Open P6 precision bearing with low-torque cage and light oil lubricant (3x7x2)



Key	Usually stocked or Short Delivery
	** Available while stocks last

Long Delivery or Large Minimum Quantities
<i>Not in current production</i>

38A

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Shaft

0.220.0106

SMR85-MC3-JP6-AF12

High Precision Bearing

Open P6 precision bearing with low-torque cage and light oil lubricant (5x8x2)



4005

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Shaft 7-14-5mm

0.220.0112

S687A-ZZS-MC3-GR3-T9H

High Speed Bearing - Polyamide Retainer

Double shielded Abec 3 precision stainless steel bearing with a high speed polyamide cage (7x14x5)

Brand: MBA



4500

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Spring Washer

1.001.6391

BKU66391

Brand: MBA



Bearing for Rotor Cartridge

SG1426X

SWMR6.45-3.175-ZZS-MC3-GR7-KC

High Speed Bearing - Phenolic Retainer Shielded Option

Double shielded Abec 7 precision special dental bearing with high speed Phenolic retainer (3.18x6.45x2.38)

Brand: MBA



Bearing for Rotor Cartridge

1.007.6975

SWMR6.45-3.175-CSN-ZZS-MC3-TO

High Speed Ceramic-Hybrid Bearing - Torton Retainer Shielded Option

3.175x6.45x2.381/2.778, ceramic-hybrid, Torton retainer - to check (3.18x6.45x2.38)

Brand: MBA



Key

Usually stocked or Short Delivery

Long Delivery or Large Minimum Quantities

** Available while stocks last

Not in current production

4500B

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	1.006.4564	BKURC2100103	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	1.006.4564	BKUR2100105	
Replacement Press Button Brand: MBA	1.006.1079	BKU61079	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	1.006.4564	BKUR2100104	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	1.006.4564	BKURC2100105	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	1.006.4564	BKURC210010	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	1.006.4564	BKUR2100103	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	1.006.4564	BKUR210010	

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

465LRN

Position / Description / Application

Manufacturers Part

MBA Part

Multiflex Coupler O-ring

0.200.6037+0.200.6113

BKU66113

Special dental applications O-Ring

Brand: MBA



Multiflex Coupler O-ring

0.553.5262

BKU65262

Special dental applications O-Ring

Brand: MBA



465LRN Coupling

Position / Description / Application

Manufacturers Part

MBA Part


Replacement Valve

0.553.9452

0.553.9452

high precision valve for dental applications

Brand: KaVo



Replacement O-Ring

0.200.6038

**** 0.200.6038**

Deleted Item. Available while stocks last. special o-ring for dental applications

Brand: KaVo




Replacement Ball

0.257.4013

**** 0.257.4013**

Deleted Item. Available while stocks last. High precision ball for dental applications

Brand: KaVo



465R

Position / Description / Application

Manufacturers Part

MBA Part


Multiflex Coupler O-ring

0.200.6037+0.200.6113

BKU66113

Special dental applications O-Ring

Brand: MBA



465RN

Position / Description / Application

Manufacturers Part

MBA Part

Multiflex Coupler O-ring

0.553.1872

BKU61872

Special dental applications O-Ring

Brand: MBA



Key

Usually stocked or Short Delivery

Long Delivery or Large Minimum Quantities

** Available while stocks last

Not in current production

5000

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Spring Washer

1.001.6391

BKU66391

Brand: MBA



5000B

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Turbine With Bearings


1.006.4564

BKUR2100104

For Handpiece with Wedge Type Chuck

Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic

Brand: myonic



Replacement Turbine With Bearings


1.006.4564

BKUR2100103

For Handpiece with Wedge Type Chuck

Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic

Brand: myonic



Replacement Turbine With Bearings


1.006.4564

BKURC2100103

For Handpiece with Wedge Type Chuck

Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic

Brand: myonic



Replacement Press Button

1.006.1079

BKU61079

Brand: MBA



Replacement Turbine With Bearings


1.006.4564

BKURC2100105

For Handpiece with Wedge Type Chuck

Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer

Brand: MBA



Replacement Turbine Excluding Bearings


1.006.4564

BKUR210010

For Handpiece with Wedge Type Chuck

Turbine sub assembly excluding bearings

Brand: MBA



Replacement Turbine Excluding Bearings


1.006.4564

BKURC210010

For Handpiece with Wedge Type Chuck

Turbine sub assembly excluding bearings

Brand: MBA



Replacement Turbine With Bearings


1.006.4564

BKUR2100105

For Handpiece with Wedge Type Chuck

Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer

Brand: MBA



Key

Usually stocked or Short Delivery

Long Delivery or Large Minimum Quantities

**** Available while stocks last**

Not in current production

6000

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Spring Washer Brand: MBA	1.001.5032	BKU65032	
Bearing for Rotor Cartridge High Speed Ceramic-Hybrid Bearing - Phenolic Retainer Single shielded dental special ceramic-hybrid bearing with extended inner ring and high speed phenolic retainer (3.18x6.35x2.38) Brand: MBA	1.000.7979	SWR144-D28W-CSN-Z-KC	
Bearing for Rotor Cartridge High Speed Ceramic-Hybrid Bearing - Torlon Retainer Single shielded dental special angular contact ceramic-hybrid bearing with extended inner ring and high speed Torlon retainer (3.18x6.35x2.38) Brand: MBA	1.000.7979	SWR144-D28W-CSN-Z-TO	
Bearing for Rotor Cartridge High Speed Bearing - Phenolic Retainer Single shielded dental special stainless steel bearing with extended inner ring and high speed phenolic retainer (3.18x6.35x2.38) Brand: MBA	SG1304X	SWR144-D28W-Z-KC	
Bearing for Rotor Cartridge High Speed Bearing - Torlon Retainer Single shielded dental special stainless steel bearing with extended inner ring and high speed Torlon retainer (3.18x6.35x2.38) Brand: MBA	1.000.7979	SWR144-D28W-Z-TO	

Key Usually stocked or Short Delivery
** Available while stocks last





Long Delivery or Large Minimum Quantities
Not in current production

6000B

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Press Button Brand: MBA	1.000.4770	BKU64770	 <p style="font-size: 8px; color: red;">Press Button cpl. for Heads & Air Driven Handpieces</p>
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	1.001.3888	BKUR2100114	 <p style="font-size: 8px; color: red;">Precision sub-assemblies, cartridges with steel inserts & WCC coated actuators</p>
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	1.001.3888	BKURC2100115	 <p style="font-size: 8px; color: red;">Precision sub-assemblies, cartridges with carbide inserts & WCC coated actuators</p>
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	1.001.3888	BKURC2100113	 <p style="font-size: 8px; color: red;">Precision sub-assemblies, cartridges with carbide inserts & WCC coated actuators</p>
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	1.001.3888	BKURC210011	 <p style="font-size: 8px; color: red;">Precision sub-assemblies, cartridges with carbide inserts & WCC coated actuators</p>
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	1.001.3888	BKUR210011	 <p style="font-size: 8px; color: red;">Precision sub-assemblies, cartridges with steel inserts & WCC coated actuators</p>
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	1.001.3888	BKUR2100115	 <p style="font-size: 8px; color: red;">Precision sub-assemblies, cartridges with steel inserts & WCC coated actuators</p>
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	1.001.3888	BKUR2100113	 <p style="font-size: 8px; color: red;">Precision sub-assemblies, cartridges with steel inserts & WCC coated actuators</p>
Turbine Sub Assembly Without Bearings For Handpiece with Wedge Type Chuck Brand: MBA	1.001.3888	BKURM210011	 <p style="font-size: 8px; color: red;">Ultra precision sub-assemblies, cartridges</p>

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

Replacement Turbine With Bearings	1.001.3888	BKURMU210011	
For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic			
614A			
Position / Description / Application	Manufacturers Part	MBA Part	
Replacement O-Ring	OD of Bearing	OR-00600-100-N70	
Special Dental Application O-Ring Special sized o-ring used in dental Applications 2 Required			
Replacement Bearing	220-0125	SR144A-D105-CSN-ZS-KC-OPT	
High Speed Ceramic-Hybrid Bearing - Phenolic Retainer Stepped OD ceramic-hybrid bearing with high speed phenolic retainer for precision dental handpieces 2 Required Brand: Myonic			
Replacement Bearing	220-0125	SR144A-D105-ZS-KC-OPT	
High Speed Bearing - Phenolic Retainer Stepped OD bearing with high speed phenolic retainer for precision dental handpieces 2 Required Brand: Myonic			
Replacement Bearing	220-0793K	SR144A-D107-CSN-ZS-TO	
High Speed Ceramic-Hybrid Bearing - Torlon Retainer Stepped OD angular contact ceramic-hybrid bearing with Torlon retainer for precision dental handpieces 2 Required Brand: MPB			
Replacement Bearing	220-0125	SR144A-D105-ZS-TO-OPT	
High Speed Bearing - Torlon Retainer Stepped OD bearing with Torlon retainer for precision dental handpieces 2 Required Brand: Myonic			
Replacement Bearing	220-0125	SR144A-D105-CSN-ZS-TO	
High Speed Ceramic-Hybrid Bearing - Torlon Retainer Stepped OD ceramic-hybrid bearing with Torlon retainer for precision dental handpieces 2 Required Brand: Myonic			

Key	Usually stocked or Short Delivery
	** Available while stocks last

Long Delivery or Large Minimum Quantities
<i>Not in current production</i>


624

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Bearing High Speed Ceramic-Hybrid Bearing - Phenolic Retainer Stepped OD ceramic-hybrid bearing with high speed phenolic retainer for precision dental handpieces 2 Required Brand: Myonic	220-0125	SR144A-D105-CSN-ZS-KC-OPT	
Replacement Bearing High Speed Bearing - Phenolic Retainer Stepped OD bearing with high speed phenolic retainer for precision dental handpieces 2 Required Brand: Myonic	220-0125	SR144A-D105-ZS-KC-OPT	
Replacement O-Ring Special Dental Application O-Ring Special sized o-ring used in dental Applications 2 Required	OD of Bearing	OR-00600-100-N70	
Replacement Bearing High Speed Bearing - Torlon Retainer Stepped OD bearing with Torlon retainer for precision dental handpieces 2 Required Brand: Myonic	220-0125	SR144A-D105-ZS-TO-OPT	
Replacement Bearing High Speed Ceramic-Hybrid Bearing - Torlon Retainer Stepped OD ceramic-hybrid bearing with Torlon retainer for precision dental handpieces 2 Required Brand: Myonic	220-0125	SR144A-D105-CSN-ZS-TO	
Replacement Bearing High Speed Ceramic-Hybrid Bearing - Torlon Retainer Stepped OD angular contact ceramic-hybrid bearing with Torlon retainer for precision dental handpieces 2 Required Brand: MPB	220-0793K	SR144A-D107-CSN-ZS-TO	 Image Coming Soon

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

625

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Rotor Cartridge High Speed Ceramic-Hybrid Bearing - Phenolic Retainer Stepped OD ceramic-hybrid bearing with high speed phenolic retainer for precision dental handpieces Brand: Myonic	0.220.0125	SR144A-D105-CSN-ZS-KC-OPT	
Bearing for Rotor Cartridge High Speed Bearing - Phenolic Retainer Stepped OD bearing with high speed phenolic retainer for precision dental handpieces Brand: Myonic	0.220.0125	SR144A-D105-ZS-KC-OPT	
Bearing for Rotor Cartridge High Speed Ceramic-Hybrid Bearing - Torlon Retainer Stepped OD ceramic-hybrid bearing with Torlon retainer for precision dental handpieces Brand: Myonic	0.220.0125	SR144A-D105-CSN-ZS-TO	
Bearing for Rotor Cartridge High Speed Bearing - Torlon Retainer Stepped OD bearing with Torlon retainer for precision dental handpieces Brand: Myonic	0.220.0125	SR144A-D105-ZS-TO-OPT	

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production





625B SuperTorque

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Bearing High Speed Ceramic-Hybrid Bearing - Phenolic Retainer Stepped OD ceramic-hybrid bearing with high speed phenolic retainer for precision dental handpieces 2 Required Brand: Myonic	220-0125	SR144A-D105-CSN-ZS-KC-OPT	
Replacement O-Ring Special Dental Application O-Ring Special sized o-ring used in dental Applications 2 Required	OD of Bearing	OR-00600-100-N70	
Replacement Bearing High Speed Bearing - Phenolic Retainer Stepped OD bearing with high speed phenolic retainer for precision dental handpieces 2 Required Brand: Myonic	220-0125	SR144A-D105-ZS-KC-OPT	
Replacement Bearing High Speed Bearing - Torlon Retainer Stepped OD bearing with Torlon retainer for precision dental handpieces 2 Required Brand: Myonic	220-0125	SR144A-D105-ZS-TO-OPT	
Replacement Bearing High Speed Ceramic-Hybrid Bearing - Torlon Retainer Stepped OD angular contact ceramic-hybrid bearing with Torlon retainer for precision dental handpieces 2 Required Brand: MPB	220-0793K	SR144A-D107-CSN-ZS-TO	 Image Coming Soon
Replacement Bearing High Speed Ceramic-Hybrid Bearing - Torlon Retainer Stepped OD ceramic-hybrid bearing with Torlon retainer for precision dental handpieces 2 Required Brand: Myonic	220-0125	SR144A-D105-CSN-ZS-TO	

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

625C

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Bearing High Speed Ceramic-Hybrid Bearing - Phenolic Retainer Stepped OD ceramic-hybrid bearing with high speed phenolic retainer for precision dental handpieces 2 Required Brand: Myonic	220-0125	SR144A-D105-CSN-ZS-KC-OPT	
Replacement Bearing High Speed Bearing - Phenolic Retainer Stepped OD bearing with high speed phenolic retainer for precision dental handpieces 2 Required Brand: Myonic	220-0125	SR144A-D105-ZS-KC-OPT	
Replacement O-Ring Special Dental Application O-Ring Special sized o-ring used in dental Applications 2 Required	OD of Bearing	OR-00600-100-N70	
Replacement Bearing High Speed Ceramic-Hybrid Bearing - Torlon Retainer Stepped OD angular contact ceramic-hybrid bearing with Torlon retainer for precision dental handpieces 2 Required Brand: MPB	220-0793K	SR144A-D107-CSN-ZS-TO	 Image Coming Soon
Replacement Bearing High Speed Bearing - Torlon Retainer Stepped OD bearing with Torlon retainer for precision dental handpieces 2 Required Brand: Myonic	220-0125	SR144A-D105-ZS-TO-OPT	
Replacement Bearing High Speed Ceramic-Hybrid Bearing - Torlon Retainer Stepped OD ceramic-hybrid bearing with Torlon retainer for precision dental handpieces 2 Required Brand: Myonic	220-0125	SR144A-D105-CSN-ZS-TO	

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

625D

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Bearing High Speed Ceramic-Hybrid Bearing - Phenolic Retainer Stepped OD ceramic-hybrid bearing with high speed phenolic retainer for precision dental handpieces 2 Required Brand: Myonic	220-0125	SR144A-D105-CSN-ZS-KC-OPT	
Replacement O-Ring Special Dental Application O-Ring Special sized o-ring used in dental Applications 2 Required	OD of Bearing	OR-00600-100-N70	
Replacement Bearing High Speed Bearing - Phenolic Retainer Stepped OD bearing with high speed phenolic retainer for precision dental handpieces 2 Required Brand: Myonic	220-0125	SR144A-D105-ZS-KC-OPT	
Replacement Bearing High Speed Ceramic-Hybrid Bearing - Torlon Retainer Stepped OD ceramic-hybrid bearing with Torlon retainer for precision dental handpieces 2 Required Brand: Myonic	220-0125	SR144A-D105-CSN-ZS-TO	
Replacement Bearing High Speed Ceramic-Hybrid Bearing - Torlon Retainer Stepped OD angular contact ceramic-hybrid bearing with Torlon retainer for precision dental handpieces 2 Required Brand: MPB	220-0793K	SR144A-D107-CSN-ZS-TO	 Image Coming Soon
Replacement Bearing High Speed Bearing - Torlon Retainer Stepped OD bearing with Torlon retainer for precision dental handpieces 2 Required Brand: Myonic	220-0125	SR144A-D105-ZS-TO-OPT	

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

627

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Bearing High Speed Bearing - Phenolic Retainer Stepped OD bearing with high speed phenolic retainer for precision dental handpieces 2 Required Brand: Myonic	220-0125	SR144A-D105-ZS-KC-OPT	
Replacement O-Ring Special Dental Application O-Ring Special sized o-ring used in dental Applications 2 Required	OD of Bearing	OR-00600-100-N70	
Replacement Bearing High Speed Ceramic-Hybrid Bearing - Phenolic Retainer Stepped OD ceramic-hybrid bearing with high speed phenolic retainer for precision dental handpieces 2 Required Brand: Myonic	220-0125	SR144A-D105-CSN-ZS-KC-OPT	
Replacement Bearing High Speed Bearing - Torlon Retainer Stepped OD bearing with Torlon retainer for precision dental handpieces 2 Required Brand: Myonic	220-0125	SR144A-D105-ZS-TO-OPT	
Replacement Bearing High Speed Ceramic-Hybrid Bearing - Torlon Retainer Stepped OD angular contact ceramic-hybrid bearing with Torlon retainer for precision dental handpieces 2 Required Brand: MPB	220-0793K	SR144A-D107-CSN-ZS-TO	 Image Coming Soon
Replacement Bearing High Speed Ceramic-Hybrid Bearing - Torlon Retainer Stepped OD ceramic-hybrid bearing with Torlon retainer for precision dental handpieces 2 Required Brand: Myonic	220-0125	SR144A-D105-CSN-ZS-TO	

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

628 - 629 FG

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Bearing High Speed Bearing - Phenolic Retainer Deleted Item. Available while stocks last. Narrow stepped OD precision dental handpiece bearing with phenolic 2 Required	220-0128 / 0145	SR144-D106-ZS	
Replacement Bearing High Speed Ceramic-Hybrid Bearing - Torlon Retainer 3.175x6.35x2.381, ceramic-hybrid, Torlon retainer - to check (3.18x6.35x2.38) 2 Required Brand: MBA	220-0128 / 0145	SR144-D106-CSN-ZS-TO	 Image Coming Soon
Replacement Bearing High Speed Ceramic-Hybrid Bearing - Phenolic Retainer 3.175x6.35x2.381, ceramic-hybrid, Phenolic retainer - to check (3.18x6.35x2.38) 2 Required Brand: MBA	220-0128 / 0145	SR144-D106-CSN-ZS-KC	 Image Coming Soon
Replacement Bearing High Speed Bearing - Torlon Retainer Narrow stepped OD precision dental handpiece bearing with high speed Torlon retainer 2 Required Brand: myonic	220-0128 / 0145	SR144-D106-ZS-TO	 Image Coming Soon
Replacement Bearing High Speed Bearing - Phenolic Retainer Narrow stepped OD precision dental handpiece bearing with high speed phenolic retainer 2 Required Brand: myonic	220-0128 / 0145	SR144-D106-ZS-KC	 Image Coming Soon

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

628 BellaTorque

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Bearing High Speed Bearing - Phenolic Retainer Deleted Item. Available while stocks last. Narrow stepped OD precision dental handpiece bearing with phenolic 2 Required	220-0128 / 0145	SR144-D106-ZS	
Replacement Bearing High Speed Ceramic-Hybrid Bearing - Torlon Retainer 3.175x6.35x2.381, ceramic-hybrid, Torlon retainer - to check (3.18x6.35x2.38) 2 Required Brand: MBA	220-0128 / 0145	SR144-D106-CSN-ZS-TO	
Replacement Bearing High Speed Ceramic-Hybrid Bearing - Phenolic Retainer 3.175x6.35x2.381, ceramic-hybrid, Phenolic retainer - to check (3.18x6.35x2.38) 2 Required Brand: MBA	220-0128 / 0145	SR144-D106-CSN-ZS-KC	
Replacement Bearing High Speed Bearing - Torlon Retainer Narrow stepped OD precision dental handpiece bearing with high speed Torlon retainer 2 Required Brand: myonic	220-0128 / 0145	SR144-D106-ZS-TO	
Replacement Bearing High Speed Bearing - Phenolic Retainer Narrow stepped OD precision dental handpiece bearing with high speed phenolic retainer 2 Required Brand: myonic	220-0128 / 0145	SR144-D106-ZS-KC	

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

630

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Bearing High Speed Ceramic-Hybrid Bearing - Phenolic Retainer Stepped OD ceramic-hybrid bearing with high speed phenolic retainer for precision dental handpieces 2 Required Brand: Myonic	220-0125	SR144A-D105-CSN-ZS-KC-OPT	
Replacement Bearing High Speed Bearing - Phenolic Retainer Stepped OD bearing with high speed phenolic retainer for precision dental handpieces 2 Required Brand: Myonic	220-0125	SR144A-D105-ZS-KC-OPT	
Replacement O-Ring Special Dental Application O-Ring Special sized o-ring used in dental Applications 2 Required	OD of Bearing	OR-00600-100-N70	
Replacement Bearing High Speed Bearing - Torlon Retainer Stepped OD bearing with Torlon retainer for precision dental handpieces 2 Required Brand: Myonic	220-0125	SR144A-D105-ZS-TO-OPT	
Replacement Bearing High Speed Ceramic-Hybrid Bearing - Torlon Retainer Stepped OD ceramic-hybrid bearing with Torlon retainer for precision dental handpieces 2 Required Brand: Myonic	220-0125	SR144A-D105-CSN-ZS-TO	
Replacement Bearing High Speed Ceramic-Hybrid Bearing - Torlon Retainer Stepped OD angular contact ceramic-hybrid bearing with Torlon retainer for precision dental handpieces 2 Required Brand: MPB	220-0793K	SR144A-D107-CSN-ZS-TO	 Image Coming Soon

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

630B

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement O-Ring Special Dental Application O-Ring Special sized o-ring used in dental Applications 2 Required	OD of Bearing	OR-00600-100-N70	
Replacement Bearing High Speed Ceramic-Hybrid Bearing - Phenolic Retainer Stepped OD ceramic-hybrid bearing with high speed phenolic retainer for precision dental handpieces 2 Required Brand: Myonic	220-0125	SR144A-D105-CSN-ZS-KC-OPT	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	0.553.5881	BKURC2100015	Precision sub-assemblies, cartridges with carbide inserts & WCC coated actuators 
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	0.553.5881	BKUR2100014	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	0.553.5881	BKUR2100013	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	0.553.5881	BKURC2100013	Precision sub-assemblies, cartridges with carbide inserts & WCC coated actuators 
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	0.553.5881	BKUR210001	Precision sub-assemblies, cartridges with steel inserts & WCC coated actuators 
Replacement Bearing High Speed Bearing - Phenolic Retainer Stepped OD bearing with high speed phenolic retainer for precision dental handpieces 2 Required Brand: Myonic	220-0125	SR144A-D105-ZS-KC-OPT	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	0.553.5881	BKUR2100015	Precision sub-assemblies, cartridges with steel inserts & WCC coated actuators 

Key Usually stocked or Short Delivery
** Available while stocks last



Long Delivery or Large Minimum Quantities
Not in current production

<p>Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings</p> <p>Brand: MBA</p>	<p>0.553.5881</p>	<p>BKURC210001</p>	 <p>Precision sub-assemblies, cartridges with carbide inserts & WCC coated actuators</p>
<p>Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic</p> <p>Brand: myonic</p>	<p>0.553.5881</p>	<p>BKUR210001T</p>	 <p>Precision sub-assemblies, cartridges with steel inserts & WCC coated actuators</p> <p>Triple pack - Unit with 3 pieces</p>
<p>Turbine Sub Assembly Without Bearings For Handpiece with Wedge Type Chuck</p> <p>Brand: MBA</p>	<p>0.553.5881</p>	<p>BKURM210001</p>	 <p>Ultra precision sub-assemblies, cartridges</p>
<p>Replacement Bearing High Speed Ceramic-Hybrid Bearing - Torlon Retainer Stepped OD ceramic-hybrid bearing with Torlon retainer for precision dental handpieces 2 Required Brand: Myonic</p>	<p>220-0125</p>	<p>SR144A-D105-CSN-ZS-TO</p>	
<p>Replacement Bearing High Speed Ceramic-Hybrid Bearing - Torlon Retainer Stepped OD angular contact ceramic-hybrid bearing with Torlon retainer for precision dental handpieces 2 Required Brand: MPB</p>	<p>220-0793K</p>	<p>SR144A-D107-CSN-ZS-TO</p>	
<p>Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic</p> <p>Brand: myonic</p>	<p>0.553.5881</p>	<p>BKURMU210001</p>	 <p>Ultra precision sub-assemblies, cartridges</p>
<p>Replacement Bearing High Speed Bearing - Torlon Retainer Stepped OD bearing with Torlon retainer for precision dental handpieces 2 Required Brand: Myonic</p>	<p>220-0125</p>	<p>SR144A-D105-ZS-TO-OPT</p>	

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

630C PB SuperTorque

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement O-Ring Special Dental Application O-Ring Special sized o-ring used in dental Applications 2 Required	OD of Bearing	OR-00600-100-N70	
Replacement Bearing High Speed Ceramic-Hybrid Bearing - Phenolic Retainer Stepped OD ceramic-hybrid bearing with high speed phenolic retainer for precision dental handpieces 2 Required Brand: Myonic	220-0125	SR144A-D105-CSN-ZS-KC-OPT	
Replacement Bearing High Speed Bearing - Phenolic Retainer Stepped OD bearing with high speed phenolic retainer for precision dental handpieces 2 Required Brand: Myonic	220-0125	SR144A-D105-ZS-KC-OPT	
Replacement Bearing High Speed Bearing - Torlon Retainer Stepped OD bearing with Torlon retainer for precision dental handpieces 2 Required Brand: Myonic	220-0125	SR144A-D105-ZS-TO-OPT	
Replacement Bearing High Speed Ceramic-Hybrid Bearing - Torlon Retainer Stepped OD angular contact ceramic-hybrid bearing with Torlon retainer for precision dental handpieces 2 Required Brand: MPB	220-0793K	SR144A-D107-CSN-ZS-TO	 Image Coming Soon
Replacement Bearing High Speed Ceramic-Hybrid Bearing - Torlon Retainer Stepped OD ceramic-hybrid bearing with Torlon retainer for precision dental handpieces 2 Required Brand: Myonic	220-0125	SR144A-D105-CSN-ZS-TO	


Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

632D

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Bearing High Speed Ceramic-Hybrid Bearing - Phenolic Retainer Stepped OD ceramic-hybrid bearing with high speed phenolic retainer for precision dental handpieces 2 Required Brand: Myonic	220-0125	SR144A-D105-CSN-ZS-KC-OPT	
Replacement Bearing High Speed Bearing - Phenolic Retainer Stepped OD bearing with high speed phenolic retainer for precision dental handpieces 2 Required Brand: Myonic	220-0125	SR144A-D105-ZS-KC-OPT	
Replacement O-Ring Special Dental Application O-Ring Special sized o-ring used in dental Applications 2 Required	OD of Bearing	OR-00600-100-N70	
Replacement Bearing High Speed Ceramic-Hybrid Bearing - Torlon Retainer Stepped OD ceramic-hybrid bearing with Torlon retainer for precision dental handpieces 2 Required Brand: Myonic	220-0125	SR144A-D105-CSN-ZS-TO	
Replacement Bearing High Speed Bearing - Torlon Retainer Stepped OD bearing with Torlon retainer for precision dental handpieces 2 Required Brand: Myonic	220-0125	SR144A-D105-ZS-TO-OPT	

632D - 632E

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Bearing High Speed Ceramic-Hybrid Bearing - Torlon Retainer Stepped OD angular contact ceramic-hybrid bearing with Torlon retainer for precision dental handpieces 2 Required Brand: MPB	220-0793K	SR144A-D107-CSN-ZS-TO	 Image Coming Soon





Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

632E

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Bearing High Speed Bearing - Phenolic Retainer Stepped OD bearing with high speed phenolic retainer for precision dental handpieces 2 Required Brand: Myonic	220-0125	SR144A-D105-ZS-KC-OPT	
Replacement O-Ring Special Dental Application O-Ring Special sized o-ring used in dental Applications 2 Required	OD of Bearing	OR-00600-100-N70	
Replacement Bearing High Speed Ceramic-Hybrid Bearing - Phenolic Retainer Stepped OD ceramic-hybrid bearing with high speed phenolic retainer for precision dental handpieces 2 Required Brand: Myonic	220-0125	SR144A-D105-CSN-ZS-KC-OPT	
Replacement Bearing High Speed Ceramic-Hybrid Bearing - Torlon Retainer Stepped OD ceramic-hybrid bearing with Torlon retainer for precision dental handpieces 2 Required Brand: Myonic	220-0125	SR144A-D105-CSN-ZS-TO	
Replacement Bearing High Speed Bearing - Torlon Retainer Stepped OD bearing with Torlon retainer for precision dental handpieces 2 Required Brand: Myonic	220-0125	SR144A-D105-ZS-TO-OPT	

634

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Rotor Cartridge High Speed Bearing - Phenolic Retainer Stepped OD bearing with high speed phenolic retainer for precision dental handpieces Brand: Myonic	0.220.0125	SR144A-D105-ZS-KC-OPT	
Bearing for Rotor Cartridge High Speed Ceramic-Hybrid Bearing - Phenolic Retainer Stepped OD ceramic-hybrid bearing with high speed phenolic retainer for precision dental handpieces Brand: Myonic	0.220.0125	SR144A-D105-CSN-ZS-KC-OPT	
Bearing for Rotor Cartridge High Speed Ceramic-Hybrid Bearing - Torlon Retainer Stepped OD ceramic-hybrid bearing with Torlon retainer for precision dental handpieces Brand: Myonic	0.220.0125	SR144A-D105-CSN-ZS-TO	
Bearing for Rotor Cartridge High Speed Bearing - Torlon Retainer Stepped OD bearing with Torlon retainer for precision dental handpieces Brand: Myonic	0.220.0125	SR144A-D105-ZS-TO-OPT	

Key

Usually stocked or Short Delivery

**** Available while stocks last**

Long Delivery or Large Minimum Quantities

Not in current production

635

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Rotor Cartridge

0.220.2007

SR144A-D107-CSN-ZS-TO

High Speed Angular Contact Ceramic-Hybrid Bearing - Torlon Retainer

Stepped OD angular contact ceramic-hybrid bearing with Torlon retainer for precision dental handpieces

Brand: MPB



635 Back

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Rotor Cartridge

SG1451X

BKUSG1451XSP

High Speed Bearing - Phenolic Retainer

3.175x6.35x2.381/2.778, stainless steel-THB Phenolic (3.18x6.35x2.38)

Brand: MBA



Bearing for Rotor Cartridge

0.220.2015

SWR144-D106W-ZS-TO

High Speed Bearing - Torlon Retainer

3.175x6.35x2.381/2.778, stainless steel, Torlon retainer

Brand: MBA



Key	Usually stocked or Short Delivery
	** Available while stocks last

Long Delivery or Large Minimum Quantities
<i>Not in current production</i>





635B

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	0.553.8581	BKUR2100033	
Replacement Press Button Brand: MBA	0.553.8491	BKU68491	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	0.553.8581	BKUR2100034	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	0.553.8581	BKUR210003	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	1.007.9313	BKURC210003	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	1.007.9313	BKURC2100033	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	1.007.9313	BKURC2100035	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	0.553.8581	BKUR2100035	

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

635BR

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	0.553.8661	BKUR210005	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	0.553.8661	BKUR2100054	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	0.553.8661	BKUR2100053	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	0.553.8661	BKUR2100055	





636

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Rotor Cartridge High Speed Ceramic-Hybrid Bearing - Phenolic Retainer Stepped OD ceramic-hybrid bearing with high speed phenolic retainer for precision dental handpieces Brand: Myonic	0.220.0125	SR144A-D105-CSN-ZS-KC-OPT	
Bearing for Rotor Cartridge High Speed Bearing - Phenolic Retainer Stepped OD bearing with high speed phenolic retainer for precision dental handpieces Brand: Myonic	0.220.0125	SR144A-D105-ZS-KC-OPT	
Bearing for Rotor Cartridge High Speed Ceramic-Hybrid Bearing - Torlon Retainer Stepped OD ceramic-hybrid bearing with Torlon retainer for precision dental handpieces Brand: Myonic	0.220.0125	SR144A-D105-CSN-ZS-TO	
Bearing for Rotor Cartridge High Speed Angular Contact Ceramic-Hybrid Bearing - Torlon Retainer Stepped OD angular contact ceramic-hybrid bearing with Torlon retainer for precision dental handpieces Brand: MPB	0.220.2007	SR144A-D107-CSN-ZS-TO	
Bearing for Rotor Cartridge High Speed Bearing - Torlon Retainer Stepped OD bearing with Torlon retainer for precision dental handpieces Brand: Myonic	0.220.0125	SR144A-D105-ZS-TO-OPT	

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

636B

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	0.553.8911	BKURC210004	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer	0.553.8911	BKURC2100045	
Replacement Press Button Brand: MBA	0.553.8061	BKU68061	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	0.553.8911	BKURC2100043	

636CP

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	0.553.8911	BKUR2100044	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	0.553.8911	BKUR210004T	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	0.553.8911	BKUR210004	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	0.553.8911	BKUR2100043	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	0.553.8911	BKURE2100045	

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

637

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Rotor Cartridge

0.220.2007

SR144A-D107-CSN-ZS-TO

High Speed Angular Contact Ceramic-Hybrid Bearing - Torlon Retainer

Stepped OD angular contact ceramic-hybrid bearing with Torlon retainer for precision dental handpieces

Brand: MPB



637 Back

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Rotor Cartridge

0.220.2015

SWR144-D106W-ZS-TO

High Speed Bearing - Torlon Retainer

3.175x6.35x2.381/2.778, stainless steel, Torlon retainer

Brand: MBA



Bearing for Rotor Cartridge

SG1451X

BKUSG1451XSP

High Speed Bearing - Phenolic Retainer

3.175x6.35x2.381/2.778, stainless steel-THB Phenolic (3.18x6.35x2.38)

Brand: MBA



Key	Usually stocked or Short Delivery
	** Available while stocks last

Long Delivery or Large Minimum Quantities
<i>Not in current production</i>



637B

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	0.553.8661	BKUR2100053	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	1.007.9313	BKURC210005	Precision sub-assemblies, cartridges with carbide inserts & WCC coated actuators 
Replacement Press Button Brand: MBA	0.553.8491	BKU68491	Press Button cpl. for Heads & Air Driven Handpieces 
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	0.553.8661	BKUR2100055	Precision sub-assemblies, cartridges with steel inserts & WCC coated actuators 
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	0.553.8661	BKUR2100054	Precision sub-assemblies, cartridges with steel inserts & WCC coated actuators 
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	0.553.8661	BKUR210005	Precision sub-assemblies, cartridges with steel inserts & WCC coated actuators 
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	1.007.9313	BKURC2100055	Precision sub-assemblies, cartridges with carbide inserts & WCC coated actuators 
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	1.007.9313	BKURC2100053	Precision sub-assemblies, cartridges with carbide inserts & WCC coated actuators 

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

637B Mini Lux 3 BellaTorque

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement O-Ring Special Dental Application O-Ring Special sized o-ring used in dental Applications 2 Required		OR-00600-100-N70	
Bearing for Cap End High Speed Ceramic-Hybrid Bearing - Torlon Retainer Deleted Item. Available while stocks last.		SR144A-D650-CSN-ZS-TO	

639A Friction Grip

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Bearing High Speed Ceramic-Hybrid Bearing - Phenolic Retainer Stepped OD ceramic-hybrid bearing with high speed phenolic retainer for precision dental handpieces 2 Required Brand: Myonic	220-0125	SR144A-D105-CSN-ZS-KC-OPT	
Replacement Bearing High Speed Bearing - Phenolic Retainer Stepped OD bearing with high speed phenolic retainer for precision dental handpieces 2 Required Brand: Myonic	220-0125	SR144A-D105-ZS-KC-OPT	
Replacement O-Ring Special Dental Application O-Ring Special sized o-ring used in dental Applications 2 Required	OD of Bearing	OR-00600-100-N70	
Replacement Bearing High Speed Ceramic-Hybrid Bearing - Torlon Retainer Stepped OD ceramic-hybrid bearing with Torlon retainer for precision dental handpieces 2 Required Brand: Myonic	220-0125	SR144A-D105-CSN-ZS-TO	
Replacement Bearing High Speed Ceramic-Hybrid Bearing - Torlon Retainer Stepped OD angular contact ceramic-hybrid bearing with Torlon retainer for precision dental handpieces 2 Required Brand: MPB	220-0793K	SR144A-D107-CSN-ZS-TO	 Image Coming Soon
Replacement Bearing High Speed Bearing - Torlon Retainer Stepped OD bearing with Torlon retainer for precision dental handpieces 2 Required Brand: Myonic	220-0125	SR144A-D105-ZS-TO-OPT	

Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
<i>Not in current production</i>

639B

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	0.553.6911	BKUR210006	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	0.553.6911	BKUR2100063	
Replacement Bearing High Speed Bearing - Phenolic Retainer Stepped OD bearing with high speed phenolic retainer for precision dental handpieces 2 Required Brand: Myonic	220-0125	SR144A-D105-ZS-KC-OPT	
Replacement O-Ring Special Dental Application O-Ring Special sized o-ring used in dental Applications 2 Required	OD of Bearing	OR-00600-100-N70	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	0.553.6911	BKUR2100064	
Replacement Bearing High Speed Ceramic-Hybrid Bearing - Phenolic Retainer Stepped OD ceramic-hybrid bearing with high speed phenolic retainer for precision dental handpieces 2 Required Brand: Myonic	220-0125	SR144A-D105-CSN-ZS-KC-OPT	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	0.553.6911	BKUR2100065	
Replacement Bearing High Speed Ceramic-Hybrid Bearing - Torlon Retainer Stepped OD angular contact ceramic-hybrid bearing with Torlon retainer for precision dental handpieces 2 Required Brand: MPB	220-0793K	SR144A-D107-CSN-ZS-TO	
Replacement Bearing High Speed Ceramic-Hybrid Bearing - Torlon Retainer Stepped OD ceramic-hybrid bearing with Torlon retainer for precision dental handpieces 2 Required Brand: Myonic	220-0125	SR144A-D105-CSN-ZS-TO	

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

Replacement Bearing High Speed Bearing - Torlon Retainer Stepped OD bearing with Torlon retainer for precision dental handpieces 2 Required Brand: Myonic	220-0125	SR144A-D105-ZS-TO-OPT	
--	-----------------	------------------------------	---

639C Push Button

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Bearing High Speed Ceramic-Hybrid Bearing - Phenolic Retainer Stepped OD ceramic-hybrid bearing with high speed phenolic retainer for precision dental handpieces 2 Required Brand: Myonic	220-0125	SR144A-D105-CSN-ZS-KC-OPT	
Replacement O-Ring Special Dental Application O-Ring Special sized o-ring used in dental Applications 2 Required	OD of Bearing	OR-00600-100-N70	
Replacement Bearing High Speed Bearing - Phenolic Retainer Stepped OD bearing with high speed phenolic retainer for precision dental handpieces 2 Required Brand: Myonic	220-0125	SR144A-D105-ZS-KC-OPT	
Replacement Bearing High Speed Ceramic-Hybrid Bearing - Torlon Retainer Stepped OD ceramic-hybrid bearing with Torlon retainer for precision dental handpieces 2 Required Brand: Myonic	220-0125	SR144A-D105-CSN-ZS-TO	
Replacement Bearing High Speed Ceramic-Hybrid Bearing - Torlon Retainer Stepped OD angular contact ceramic-hybrid bearing with Torlon retainer for precision dental handpieces 2 Required Brand: MPB	220-0793K	SR144A-D107-CSN-ZS-TO	
Replacement Bearing High Speed Bearing - Torlon Retainer Stepped OD bearing with Torlon retainer for precision dental handpieces 2 Required Brand: Myonic	220-0125	SR144A-D105-ZS-TO-OPT	

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

640

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Rotor Cartridge High Speed Ceramic-Hybrid Bearing - Phenolic Retainer Stepped OD ceramic-hybrid bearing with high speed phenolic retainer for precision dental handpieces Brand: Myonic	0.220.0125	SR144A-D105-CSN-ZS-KC-OPT	
Bearing for Rotor Cartridge High Speed Bearing - Phenolic Retainer Stepped OD bearing with high speed phenolic retainer for precision dental handpieces Brand: Myonic	0.220.0125	SR144A-D105-ZS-KC-OPT	
Bearing for Rotor Cartridge High Speed Angular Contact Ceramic-Hybrid Bearing - Torlon Retainer Stepped OD angular contact ceramic-hybrid bearing with Torlon retainer for precision dental handpieces Brand: MPB	0.220.2007	SR144A-D107-CSN-ZS-TO	 Image Coming Soon
Bearing for Rotor Cartridge High Speed Ceramic-Hybrid Bearing - Torlon Retainer Stepped OD ceramic-hybrid bearing with Torlon retainer for precision dental handpieces Brand: Myonic	0.220.0125	SR144A-D105-CSN-ZS-TO	
Bearing for Rotor Cartridge High Speed Bearing - Torlon Retainer Stepped OD bearing with Torlon retainer for precision dental handpieces Brand: Myonic	0.220.0125	SR144A-D105-ZS-TO-OPT	

640A Friction Grip

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement O-Ring Special Dental Application O-Ring Special sized o-ring used in dental Applications 2 Required	OD of Bearing	OR-00600-100-N70	

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

640B



Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Threaded Ring Brand: MBA	0.553.3322	BKU63322	 <p style="font-size: small; text-align: center;">Spray Covers</p>
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	0.553.5881	BKURC2100015	 <p style="font-size: x-small; text-align: center;">Precision sub-assemblies, cartridges with carbide inserts & WCC coated actuators</p>
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	0.553.5881	BKURC2100013	 <p style="font-size: x-small; text-align: center;">Precision sub-assemblies, cartridges with carbide inserts & WCC coated actuators</p>
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	0.553.5881	BKURC210001	 <p style="font-size: x-small; text-align: center;">Precision sub-assemblies, cartridges with carbide inserts & WCC coated actuators</p>
Replacement O-Ring Special Dental Application O-Ring Special sized o-ring used in dental Applications 2 Required	OD of Bearing	OR-00600-100-N70	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	0.553.5881	BKUR210001	 <p style="font-size: x-small; text-align: center;">Precision sub-assemblies, cartridges with steel inserts & WCC coated actuators</p>
Replacement Spray Cover Brand: MBA	0.553.8752	BKU68752	 <p style="font-size: small; text-align: center;">Spray Covers</p>
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	0.553.5881	BKUR2100015	 <p style="font-size: x-small; text-align: center;">Precision sub-assemblies, cartridges with steel inserts & WCC coated actuators</p>
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	0.553.5881	BKUR2100014	

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

<p>Replacement Turbine With Bearings 0.553.5881 BKUR2100013</p> <p>For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic</p> <p>Brand: myonic</p>			
<p>Replacement Turbine With Bearings 0.553.5881 BKUR210001T</p> <p>For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic</p> <p>Brand: myonic</p>			
<p>Replacement Press Button 0.553.6511 BKU66511</p> <p>Brand: MBA</p>			
<p>Turbine Sub Assembly Without Bearings 0.553.5881 BKURM210001</p> <p>For Handpiece with Wedge Type Chuck</p> <p>Brand: MBA</p>			
<p>Replacement Turbine With Bearings 0.553.5881 BKURMU210001</p> <p>For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic</p> <p>Brand: myonic</p>			

640C

Position / Description / Application	Manufacturers Part	MBA Part	
<p>Replacement Spray Cover 0.553.8752 BKU68752</p> <p>Brand: MBA</p>			
<p>Replacement Threaded Ring 0.553.3322 BKU63322</p> <p>Brand: MBA</p>			

640C PB SuperTorque

Position / Description / Application	Manufacturers Part	MBA Part	
<p>Replacement O-Ring OD of Bearing OR-00600-100-N70</p> <p>Special Dental Application O-Ring Special sized o-ring used in dental Applications 2 Required</p>			

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production





640FG

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Bearing High Speed Bearing - Phenolic Retainer Stepped OD bearing with high speed phenolic retainer for precision dental handpieces 2 Required Brand: Myonic	220-0125	SR144A-D105-ZS-KC-OPT	
Replacement Bearing High Speed Ceramic-Hybrid Bearing - Phenolic Retainer Stepped OD ceramic-hybrid bearing with high speed phenolic retainer for precision dental handpieces 2 Required Brand: Myonic	220-0125	SR144A-D105-CSN-ZS-KC-OPT	
Replacement O-Ring Special Dental Application O-Ring Special sized o-ring used in dental Applications 2 Required	OD of Bearing	OR-00600-100-N70	
Replacement Bearing High Speed Bearing - Torlon Retainer Stepped OD bearing with Torlon retainer for precision dental handpieces 2 Required Brand: Myonic	220-0125	SR144A-D105-ZS-TO-OPT	
Replacement Bearing High Speed Ceramic-Hybrid Bearing - Torlon Retainer Stepped OD ceramic-hybrid bearing with Torlon retainer for precision dental handpieces 2 Required Brand: Myonic	220-0125	SR144A-D105-CSN-ZS-TO	
Replacement Bearing High Speed Ceramic-Hybrid Bearing - Torlon Retainer Stepped OD angular contact ceramic-hybrid bearing with Torlon retainer for precision dental handpieces 2 Required Brand: MPB	220-0793K	SR144A-D107-CSN-ZS-TO	 Image Coming Soon

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

642A FG

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement O-Ring Special Dental Application O-Ring Special sized o-ring used in dental Applications 2 Required	OD of Bearing	OR-00600-100-N70	
Replacement Bearing High Speed Bearing - Phenolic Retainer Stepped OD bearing with high speed phenolic retainer for precision dental handpieces 2 Required Brand: Myonic	220-0125	SR144A-D105-ZS-KC-OPT	
Replacement Bearing High Speed Ceramic-Hybrid Bearing - Phenolic Retainer Stepped OD ceramic-hybrid bearing with high speed phenolic retainer for precision dental handpieces 2 Required Brand: Myonic	220-0125	SR144A-D105-CSN-ZS-KC-OPT	
Replacement Bearing High Speed Ceramic-Hybrid Bearing - Torlon Retainer Stepped OD ceramic-hybrid bearing with Torlon retainer for precision dental handpieces 2 Required Brand: Myonic	220-0125	SR144A-D105-CSN-ZS-TO	
Replacement Bearing High Speed Bearing - Torlon Retainer Stepped OD bearing with Torlon retainer for precision dental handpieces 2 Required Brand: Myonic	220-0125	SR144A-D105-ZS-TO-OPT	
Replacement Bearing High Speed Ceramic-Hybrid Bearing - Torlon Retainer Stepped OD angular contact ceramic-hybrid bearing with Torlon retainer for precision dental handpieces 2 Required Brand: MPB	220-0793K	SR144A-D107-CSN-ZS-TO	 Image Coming Soon

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production






642B

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Press Button Brand: MBA	0.553.7391	BKU67391	 <p style="font-size: 8px; color: red;">Press Button cpl. for Heads & Air Driven Handpieces</p>
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	0.553.6911	BKURC2100065	 <p style="font-size: 8px; color: red;">Precision sub-assemblies, cartridges with carbide inserts & WCC coated actuators</p>
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	0.553.6911	BKURC210006	 <p style="font-size: 8px; color: red;">Precision sub-assemblies, cartridges with carbide inserts & WCC coated actuators</p>
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	0.553.6911	BKURC2100063	 <p style="font-size: 8px; color: red;">Precision sub-assemblies, cartridges with carbide inserts & WCC coated actuators</p>
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	0.553.6911	BKUR2100065	 <p style="font-size: 8px; color: red;">Precision sub-assemblies, cartridges with steel inserts & WCC coated actuators</p>
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	0.553.6911	BKUR2100063	 <p style="font-size: 8px; color: red;">Precision sub-assemblies, cartridges with steel inserts & WCC coated actuators</p>
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	0.553.6911	BKUR2100064	 <p style="font-size: 8px; color: red;">Precision sub-assemblies, cartridges with steel inserts & WCC coated actuators</p>
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	0.553.6911	BKUR210006	 <p style="font-size: 8px; color: red;">Precision sub-assemblies, cartridges with steel inserts & WCC coated actuators</p>

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

642B - 642C PB BellaTorque

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Bearing High Speed Ceramic-Hybrid Bearing - Phenolic Retainer Stepped OD ceramic-hybrid bearing with high speed phenolic retainer for precision dental handpieces 2 Required Brand: Myonic	220-0125	SR144A-D105-CSN-ZS-KC-OPT	
Replacement Bearing High Speed Bearing - Phenolic Retainer Stepped OD bearing with high speed phenolic retainer for precision dental handpieces 2 Required Brand: Myonic	220-0125	SR144A-D105-ZS-KC-OPT	
Replacement O-Ring Special Dental Application O-Ring Special sized o-ring used in dental Applications 2 Required	OD of Bearing	OR-00600-100-N70	
Replacement Bearing High Speed Ceramic-Hybrid Bearing - Torlon Retainer Stepped OD angular contact ceramic-hybrid bearing with Torlon retainer for precision dental handpieces 2 Required Brand: MPB	220-0793K	SR144A-D107-CSN-ZS-TO	 Image Coming Soon
Replacement Bearing High Speed Bearing - Torlon Retainer Stepped OD bearing with Torlon retainer for precision dental handpieces 2 Required Brand: Myonic	220-0125	SR144A-D105-ZS-TO-OPT	
Replacement Bearing High Speed Ceramic-Hybrid Bearing - Torlon Retainer Stepped OD ceramic-hybrid bearing with Torlon retainer for precision dental handpieces 2 Required Brand: Myonic	220-0125	SR144A-D105-CSN-ZS-TO	





Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

645

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Rotor Cartridge High Speed Bearing - Phenolic Retainer Stepped OD bearing with high speed phenolic retainer for precision dental handpieces Brand: Myonic	0.220.0125	SR144A-D105-ZS-KC-OPT	
Bearing for Rotor Cartridge High Speed Ceramic-Hybrid Bearing - Phenolic Retainer Stepped OD ceramic-hybrid bearing with high speed phenolic retainer for precision dental handpieces Brand: Myonic	0.220.0125	SR144A-D105-CSN-ZS-KC-OPT	
Bearing for Rotor Cartridge High Speed Angular Contact Ceramic-Hybrid Bearing - Torlon Retainer Stepped OD angular contact ceramic-hybrid bearing with Torlon retainer for precision dental handpieces Brand: MPB	0.220.2007	SR144A-D107-CSN-ZS-TO	 Image Coming Soon
Bearing for Rotor Cartridge High Speed Bearing - Torlon Retainer Stepped OD bearing with Torlon retainer for precision dental handpieces Brand: Myonic	0.220.0125	SR144A-D105-ZS-TO-OPT	
Bearing for Rotor Cartridge High Speed Ceramic-Hybrid Bearing - Torlon Retainer Stepped OD ceramic-hybrid bearing with Torlon retainer for precision dental handpieces Brand: Myonic	0.220.0125	SR144A-D105-CSN-ZS-TO	

645B

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	0.553.6911	BKURC210006	 <p style="font-size: 8px; color: red;">Precision sub-assemblies, cartridges with carbide inserts & WCC coated actuators</p>
Replacement Press Button Brand: MBA	0.553.7391	BKU67391	 <p style="font-size: 8px; color: red;">Press Button cpl. for Heads & Air Driven Handpieces</p>
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	0.553.6911	BKURC2100063	 <p style="font-size: 8px; color: red;">Precision sub-assemblies, cartridges with carbide inserts & WCC coated actuators</p>
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	0.553.6911	BKURC2100065	 <p style="font-size: 8px; color: red;">Precision sub-assemblies, cartridges with carbide inserts & WCC coated actuators</p>

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

646

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Rotor Cartridge High Speed Ceramic-Hybrid Bearing - Phenolic Retainer Stepped OD ceramic-hybrid bearing with high speed phenolic retainer for precision dental handpieces Brand: Myonic	0.220.0125	SR144A-D105-CSN-ZS-KC-OPT	
Bearing for Rotor Cartridge High Speed Bearing - Phenolic Retainer Stepped OD bearing with high speed phenolic retainer for precision dental handpieces Brand: Myonic	0.220.0125	SR144A-D105-ZS-KC-OPT	
Bearing for Rotor Cartridge High Speed Ceramic-Hybrid Bearing - Torlon Retainer Stepped OD ceramic-hybrid bearing with Torlon retainer for precision dental handpieces Brand: Myonic	0.220.0125	SR144A-D105-CSN-ZS-TO	
Bearing for Rotor Cartridge High Speed Angular Contact Ceramic-Hybrid Bearing - Torlon Retainer Stepped OD angular contact ceramic-hybrid bearing with Torlon retainer for precision dental handpieces Brand: MPB	0.220.2007	SR144A-D107-CSN-ZS-TO	 Image Coming Soon
Bearing for Rotor Cartridge High Speed Bearing - Torlon Retainer Stepped OD bearing with Torlon retainer for precision dental handpieces Brand: Myonic	0.220.0125	SR144A-D105-ZS-TO-OPT	

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

646B

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	0.553.8911	BKUR210004T	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer	0.553.8911	BKURC2100045	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	0.553.8911	BKURC210004	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	0.553.8911	BKUR2100044	
Replacement Press Button Brand: MBA	0.553.8061	BKU68061	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	0.553.8911	BKURC2100043	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	0.553.8911	BKUR210004	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	0.553.8911	BKUR2100043	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	0.553.8911	BKURE2100045	

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

647

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Rotor Cartridge High Speed Bearing - Phenolic Retainer Stepped OD bearing with high speed phenolic retainer for precision dental handpieces Brand: Myonic	0.220.0125	SR144A-D105-ZS-KC-OPT	
Bearing for Rotor Cartridge High Speed Ceramic-Hybrid Bearing - Phenolic Retainer Stepped OD ceramic-hybrid bearing with high speed phenolic retainer for precision dental handpieces Brand: Myonic	0.220.0125	SR144A-D105-CSN-ZS-KC-OPT	
Bearing for Rotor Cartridge High Speed Bearing - Torlon Retainer Stepped OD bearing with Torlon retainer for precision dental handpieces Brand: Myonic	0.220.0125	SR144A-D105-ZS-TO-OPT	
Bearing for Rotor Cartridge High Speed Angular Contact Ceramic-Hybrid Bearing - Torlon Retainer Stepped OD angular contact ceramic-hybrid bearing with Torlon retainer for precision dental handpieces Brand: MPB	0.220.2007	SR144A-D107-CSN-ZS-TO	 Image Coming Soon
Bearing for Rotor Cartridge High Speed Ceramic-Hybrid Bearing - Torlon Retainer Stepped OD ceramic-hybrid bearing with Torlon retainer for precision dental handpieces Brand: Myonic	0.220.0125	SR144A-D105-CSN-ZS-TO	


Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

647B

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	0.553.8541	BKUR210007	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	0.553.8541	BKURC2100073	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	0.553.8541	BKURC210007	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	0.553.8541	BKUR2100073	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	0.553.8541	BKUR2100075	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	0.553.8541	BKURC2100075	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	0.553.8541	BKUR2100074	
Replacement Press Button Brand: MBA	0.553.8061	BKU68061	

649

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Rotor Cartridge High Speed Angular Contact Ceramic-Hybrid Bearing - Torlon Retainer Stepped OD angular contact ceramic-hybrid bearing with Torlon retainer for precision dental handpieces Brand: MPB	0.220.2007	SR144A-D107-CSN-ZS-TO	


Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

649B

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	0.553.8541	BKUR2100074	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	0.553.8541	BKUR2100075	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	0.553.8541	BKUR2100073	
Replacement Press Button Brand: MBA	0.553.8061	BKU68061	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	0.553.8541	BKUR210007	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	0.553.8541	BKURC2100075	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	0.553.8541	BKURC2100073	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	0.553.8541	BKURC210007	

650

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Rotor Cartridge High Speed Ceramic-Hybrid Bearing - Torlon Retainer Deleted Item. Available while stocks last.	0.220.2009	SR144A-D650-CSN-ZS-TO	

Key

Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

6500

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Spring Washer Brand: MBA	1.003.5900	BKU65900	
Bearing for Rotor Cartridge High Speed Ceramic-Hybrid Bearing - Phenolic Retainer Single shielded dental special ceramic-hybrid bearing with extended inner ring and high speed phenolic retainer (3.18x6.35x2.38) Brand: MBA	1.000.7979	SWR144-D28W-CSN-Z-KC	
Replacement Spring Washer Brand: MBA	1.003.7576	BKU67576	
Bearing for Rotor Cartridge High Speed Bearing - Phenolic Retainer Single shielded dental special stainless steel bearing with extended inner ring and high speed phenolic retainer (3.18x6.35x2.38) Brand: MBA	SG1304X	SWR144-D28W-Z-KC	
Bearing for Rotor Cartridge High Speed Ceramic-Hybrid Bearing - Torlon Retainer Single shielded dental special angular contact ceramic-hybrid bearing with extended inner ring and high speed Torlon retainer (3.18x6.35x2.38)	1.000.7979	SWR144-D28W-CSN-Z-TO	
Bearing for Rotor Cartridge High Speed Bearing - Torlon Retainer Single shielded dental special stainless steel bearing with extended inner ring and high speed Torlon retainer (3.18x6.35x2.38) Brand: MBA	1.000.7979	SWR144-D28W-Z-TO	

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

6500B

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	1.003.9664	BKURC210015	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	1.003.9664	BKURC2100155	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	1.003.9664	BKURC2100153	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	1.003.9664	BKUR2100125	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	1.003.9664	BKUR2100124	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	1.003.9664	BKUR2100123	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	1.003.9664	BKUR210012	
Turbine Sub Assembly Without Bearings For Handpiece with Wedge Type Chuck Brand: MBA	1.003.9664	BKURM210012	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	1.003.9664	BKURMU210012	

Key Usually stocked or Short Delivery
** Available while stocks last




Long Delivery or Large Minimum Quantities
Not in current production

6500BR



Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	1.003.6884	BKUR210014T	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	1.003.6884	BKUR2100144	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	1.003.6884	BKURC210014	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	1.003.6884	BKUR2100145	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	1.003.6884	BKUR210014	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	1.003.6884	BKURC2100143	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	1.003.6884	BKUR2100143	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	1.003.6884	BKURC2100145	
Replacement Press Button Brand: MBA	1.003.5525	BKU65525	

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

Turbine Sub Assembly Without Bearings For Handpiece with Wedge Type Chuck Brand: MBA	1.003.6884	BKURM210014	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	1.003.6884	BKURMU210014	
Bearing for Rotor Cartridge High Speed Ceramic-Hybrid Bearing - Torlon Retainer Precision dental handpiece ceramic-hybrid bearing with Torlon retainer (3.18x6.35x2.78)	1.000.7980	SR144A-D31-CSN-WZ-TO	

650A FG

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement O-Ring Special Dental Application O-Ring Special sized o-ring used in dental Applications 2 Required		OR-00600-100-N70	
Bearing for Chuck End High Speed Ceramic-Hybrid Bearing - Torlon Retainer Deleted Item. Available while stocks last.	220-2009	SR144A-D650-CSN-ZS-TO	

Usually stocked or Short Delivery
** Available while stocks last



Long Delivery or Large Minimum Quantities
<i>Not in current production</i>

650B



Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	0.553.8051	BKUR2100085	
Replacement Press Button Brand: MBA	0.553.8061	BKU68061	
Replacement Threaded Ring Brand: MBA	0.553.0543	BKU60543	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	0.553.8051	BKUR210008	
Replacement Spray Cover Brand: MBA	0.553.0573	BKU60573	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	0.553.8051	BKUR2100083	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	0.553.8051	BKURC210008	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	0.553.8051	BKUR2100084	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	0.553.8051	BKURC2100083	

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

<p>Replacement Turbine With Bearings 0.553.8051 BKURMU210008</p> <p>For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic</p> <p>Brand: myonic</p>			 <p style="font-size: 8px; color: red;">Ultra precision sub-assemblies, cartridges</p>
<p>Turbine Sub Assembly Without Bearings 0.553.8051 BKURM210008</p> <p>For Handpiece with Wedge Type Chuck</p> <p>Brand: MBA</p>			 <p style="font-size: 8px; color: red;">Ultra precision sub-assemblies, cartridges</p>



650B PB - 650C PB

Position / Description / Application	Manufacturers Part	MBA Part	
<p>Replacement O-Ring</p> <p>Special Dental Application O-Ring Special sized o-ring used in dental Applications 2 Required</p>		OR-00600-100-N70	
<p>Bearing for Chuck End 220-2009 SR144A-D650-CSN-ZS-TO</p> <p>High Speed Ceramic-Hybrid Bearing - Torlon Retainer Deleted Item. Available while stocks last.</p>			

650C

Position / Description / Application	Manufacturers Part	MBA Part	
<p>Replacement Threaded Ring 0.553.0543 BKU60543</p> <p>Brand: MBA</p>			 <p style="font-size: 8px; color: red;">Spray Covers</p>
<p>Replacement Spray Cover 0.553.0573 BKU60573</p> <p>Brand: MBA</p>			 <p style="font-size: 8px; color: red;">Spray Covers</p>

655

Position / Description / Application	Manufacturers Part	MBA Part	
<p>Replacement Spring Washer 1.001.5032 BKU65032</p> <p>Brand: MBA</p>			 <p style="font-size: 8px; color: red;">Spring Washers for Air Driven & Electric Driven Handpieces</p>
<p>Bearing for Rotor Cartridge 1.000.7980 SR144A-D31-CSN-WZ-TO</p> <p>High Speed Ceramic-Hybrid Bearing - Torlon Retainer Precision dental handpiece ceramic-hybrid bearing with Torlon retainer (3.18x6.35x2.78)</p>			 <p style="font-weight: bold; color: blue;">MBA</p> <p style="font-weight: bold; color: black;">Image Coming Soon</p>

Usually stocked or Short Delivery
** Available while stocks last





Long Delivery or Large Minimum Quantities
Not in current production

655B



Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	1.000.2078	BKUR210009	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	1.000.2078	BKUR2100094	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	1.000.2078	BKUR2100095	
Replacement Threaded Ring Brand: MBA	1.000.3391	BKU63391	
Replacement Press Button Brand: MBA	1.000.2076	BKU62076	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	1.000.2078	BKURC210009	
Replacement Turbine With Bearings Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	1.000.2078	BKUR210009T	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	1.000.2078	BKUR2100093	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	1.000.2078	BKURC2100095	

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

Replacement Spray Cover	0.553.0573	BKU60573	
Brand: MBA			
Replacement Turbine With Bearings	1.000.2078	BKURC210093	
For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic			
Brand: myonic			
Replacement Turbine With Bearings	1.000.2078	BKURMU210009	
For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic			
Brand: myonic			
Turbine Sub Assembly Without Bearings	1.000.2078	BKURM210009	
For Handpiece with Wedge Type Chuck			
Brand: MBA			

655C

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Spray Cover	0.553.0573	BKU60573	
Brand: MBA			
Replacement Threaded Ring	1.000.3391	BKU63391	
Brand: MBA			

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

659BR

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	1.000.2078	BKUR210009	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	1.000.2078	BKUR2100094	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	1.000.2078	BKUR2100095	
Replacement Turbine With Bearings Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	1.000.2078	BKUR210009T	 <p style="font-size: small;">Triple pack - Unit with 3 pieces</p>
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	1.000.2078	BKUR2100093	
Replacement Spray Cover Brand: MBA	0.553.0573	BKU60573	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	1.000.2078	BKURMU210009	
Turbine Sub Assembly Without Bearings For Handpiece with Wedge Type Chuck Brand: MBA	1.000.2078	BKURM210009	





660

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Spring Washer Brand: MBA	1.001.5032	BKU65032	


Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production


660B

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	1.000.2078	BKURC210009	
Replacement Press Button Brand: MBA	1.000.2076	BKU62076	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	1.000.2078	BKURC2100095	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	1.000.2078	BKURC2100093	


66GD

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Headgear High Precision Bearing Open Abec 7 precision special dental bearing with low-torque ribbon retainer and light oil lubricant (4x7x2) Brand: Myonic	0.220.0105	SMR74-MC34-GR7-R-L23	

66LU

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Headgear High Precision Bearing Open P6 precision bearing with low-torque cage and light oil lubricant (4x7x2)	0.220.2005	SMR74-MC3-JP6-AF12	

67G

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Headgear High Precision Bearing Open P6 precision bearing with low-torque cage and light oil lubricant (3x6x2)	0.220.0104	SMR63-MC3-JP6-AF12	

Key	Usually stocked or Short Delivery
	** Available while stocks last

Long Delivery or Large Minimum Quantities
<i>Not in current production</i>

67GD

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Headgear

0.220.0105

SMR74-MC34-GR7-R-L23

High Precision Bearing

Open Abec 7 precision special dental bearing with low-torque ribbon retainer and light oil lubricant (4x7x2)

Brand: Myonic



67L

Position / Description / Application

Manufacturers Part

MBA Part


Bearing for Headgear

0.220.0051

SWA683B-ZZ-C69-GR5-TO

High Speed Bearing - Torlon Retainer

Double shielded special dental bearing with extended inner ring and high speed Torlon retainer (3x7x2.5)



67LDN

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Headgear

0.220.0105

SMR74-MC34-GR7-R-L23

High Precision Bearing

Open Abec 7 precision special dental bearing with low-torque ribbon retainer and light oil lubricant (4x7x2)

Brand: Myonic



Bearing for Headgear

0.220.0713

S683A-ZZ-MC3-JP6

High Precision Bearing Shielded Option

Double shielded P6 precision stainless steel bearing (3x7x3)





Key	Usually stocked or Short Delivery
	** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

67LH

Position / Description / Application	Manufacturers Part	MBA Part	
Intermediate Piece Dental Head 2:1 Brand: MBA	0.540.1161	BKU61161	 <p style="font-size: 8px; color: red;">Head Gears, Intermediate Pieces, Middle Gears, Parts for Electric Driven Handpieces & Heads</p>
Bearing for Headgear High Precision Bearing Open P6 precision bearing with low-torque cage and light oil lubricant (4x7x2)	0.220.2005	SMR74-MC3-JP6-AF12	
Replacement Head Housing Brand: MBA	0.540.3641	BKU63641	 <p style="font-size: 8px; color: red;">Head Housings</p>
Head Gear Complete 1:1 For Handpiece with Latch Type Chuck Brand: MBA	0.540.3671	BKU63671	 <p style="font-size: 8px; color: red;">Head Gears, Intermediate Pieces, Middle Gears, Parts for Electric Driven Handpieces & Heads</p>
Replacement Head Gear 2:1 For Handpiece with Latch Type Chuck Brand: MBA	0.540.4022	BKU64022	 <p style="font-size: 8px; color: red;">Head Gears, Intermediate Pieces, Middle Gears, Parts for Electric Driven Handpieces & Heads</p>
Drive Kit Brand: MBA	0.540.3671 + 0.540.1161	BKU67151	 <p style="font-size: 8px; color: red;">Drive Kits for Electric Driven Handpieces and Heads</p>

67RIC

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Headgear High Precision Bearing Shielded Option Double shielded P6 precision stainless steel bearing (3x7x3)	0.220.0713	S683A-ZZ-MC3-JP6	
Bearing for Headgear High Precision Bearing Open P6 precision bearing with low-torque cage and light oil lubricant (5x8x2)	0.220.0023	SMR85-MC3-JP6-AF12	

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

68B - 68C - 68CN - 68D

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Bearing

Stainless Bearing

Open P6 precision bearing with low-torque cage and light oil lubricant (3x6x2)

2 Required

SMR63-MC3-JP6-AF12



68CN

Position / Description / Application

Manufacturers Part

MBA Part

Drive Kit

0.540.1781 + 0.540.1151

BKU68151

Brand: MBA



Head Gear Complete 1:1

For Handpiece with Latch Type Chuck

0.540.1781

BKU61781

Brand: MBA



Key	Usually stocked or Short Delivery
	** Available while stocks last

Long Delivery or Large Minimum Quantities
<i>Not in current production</i>

68G

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Spring Brand: MBA	0.540.3162	BKU63162	
Head Gear Complete 1:1 For Handpiece with Latch Type Chuck Brand: MBA	0.540.1781	BKU61781	
Drive Kit Brand: MBA	0.540.1781 + 0.540.1151	BKU68151	
Bush Intermediate Piece 0.540.1151 Brand: MBA	0.540.2392	BKU62392	
Intermediate Piece Dental Head 1:1 Brand: MBA	0.540.1151	BKU61151	
Replacement Screw Brand: MBA	0.201.0005	BKU60005	
Bearing for Headgear High Precision Bearing Open P6 precision bearing with low-torque cage and light oil lubricant (3x6x2)	0.220.0104	SMR63-MC3-JP6-AF12	
Fitting set Includes 0.540.4072, 0.540.4102, 0.540.4522 Brand: MBA	0.540.4072, 0.540.4102, 0.540.4522	BKU64102	

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

68GDN

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Head Gear 1:1

0.540.4092

BKU64092

For Handpiece with Latch Type Chuck

Brand: MBA




Head Gear Complete 1:1

0.540.2491

BKU62491

For Handpiece with Latch Type Chuck

Brand: MBA



68L

Position / Description / Application

Manufacturers Part

MBA Part


Bearing for Headgear

0.220.0051

SWA683B-ZZ-C69-GR5-TO

High Speed Bearing - Torlon Retainer

Double shielded special dental bearing with extended inner ring and high speed Torlon retainer (3x7x2.5)



Key

Usually stocked or Short Delivery

Long Delivery or Large Minimum Quantities

**** Available while stocks last**

Not in current production

68LDN

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Headgear High Precision Bearing Open Abec 7 precision special dental bearing with low-torque ribbon retainer and light oil lubricant (4x7x2) Brand: Myonic	0.220.0105	SMR74-MC34-GR7-R-L23	
Fitting set Includes 0.540.4072, 0.540.4102, 0.540.4522 Brand: MBA	0.540.4072, 0.540.4102, 0.540.4522	BKU64102	
Drive Kit Brand: MBA	0.540.2491 + 0.540.1151	BKU69151	
Replacement Head Housing Brand: MBA	0.540.2231	BKU62231	
Replacement Screws Brand: MBA	0.201.0005	BKU60005	
Intermediate Piece Dental Head 1:1 Brand: MBA	0.540.1151	BKU61151	
Bearing for Cap End Stainless Bearing Double shielded P6 precision stainless steel bearing (3x7x3)	220-0713 / 0102	S683A-ZZ-MC3-JP6	
Head Gear Complete 1:1 For Handpiece with Latch Type Chuck Brand: MBA	0.540.2491	BKU62491	
Replacement Press Button Brand: MBA	0.540.2501	BKU62501	

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

<p>Bearing for Chuck End Stainless Bearing Open P6 precision bearing with low-torque cage and light oil lubricant (4x7x2)</p>	<p>220-0105</p>	<p>SMR74-MC3-JP6-AF12</p>	
<p>Bearing for Headgear High Precision Bearing Shielded Option Double shielded P6 precision stainless steel bearing (3x7x3)</p>	<p>0.220.0713</p>	<p>S683A-ZZ-MC3-JP6</p>	
<p>Replacement Head Gear 1:1 For Handpiece with Latch Type Chuck Brand: MBA</p>	<p>0.540.4092</p>	<p>BKU64092</p>	 <p>Head Gears, Intermediate Pieces, Middle Gears, Parts for Electric Driven Handpieces & Heads</p>
<p>Replacement Spring Brand: MBA</p>	<p>0.540.3162</p>	<p>BKU63162</p>	 <p>Head Gears, Intermediate Pieces, Middle Gears, Parts for Electric Driven Handpieces & Heads</p>
<p>Bush Intermediate Piece 0.540.1151 Brand: MBA</p>	<p>0.540.2392</p>	<p>BKU62392</p>	 <p>Head Gears, Intermediate Pieces, Middle Gears, Parts for Electric Driven Handpieces & Heads</p>

Key Usually stocked or Short Delivery
** Available while stocks last





Long Delivery or Large Minimum Quantities
Not in current production

68LH

Position / Description / Application	Manufacturers Part	MBA Part	
Head Gear Complete 1:1 For Handpiece with Latch Type Chuck Brand: MBA	0.540.3661	BKU63661	
Bush Intermediate Piece 0.540.1151 Brand: MBA	0.540.2392	BKU62392	
Intermediate Piece Dental Head 1:1 Brand: MBA	0.540.1151	BKU61151	
Replacement Screws Brand: MBA	0.201.0005	BKU60005	
Replacement Spring Brand: MBA	0.540.3162	BKU63162	
Bearing for Headgear High Precision Bearing Open P6 precision bearing with low-torque cage and light oil lubricant (4x7x2)	0.220.2005	SMR74-MC3-JP6-AF12	
Replacement Head Housing Brand: MBA	0.540.3631	BKU63631	
Replacement Press Button Brand: MBA	0.540.3741	BKU63741	
Replacement Head Gear 1:1 For Handpiece with Latch Type Chuck Brand: MBA	0.540.4012	BKU64012	

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

<p>Replacement Rear Bearing Stainless Bearing Open P6 precision bearing with low-torque cage and light oil lubricant (3x7x2)</p>	<p>S683-MC3-JP6-AF12</p>	
<p>Fitting set Includes 0.540.4072, 0.540.4102, 0.540.4522 Brand: MBA</p>	<p>0.540.4072, 0.540.4102, 0.540.4522</p> <p>BKU64102</p>	
<p>Drive Kit Brand: MBA</p>	<p>0.540.3661 + 0.540.1151</p> <p>BKU66151</p>	
<p>Front Bearing High Speed Bearing - Torlon Retainer Double shielded special dental bearing with extended inner ring and high speed Torlon retainer (3x7x2.5)</p>	<p>SWA683B-ZZ-C69-GR5-TO</p>	

Key **Usually stocked or Short Delivery**
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

68LU

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Spring Brand: MBA	0.540.3162	BKU63162	
Replacement Head Gear 1:1 For Handpiece with Latch Type Chuck Brand: MBA	0.540.4012	BKU64012	
Intermediate Piece Dental Head 1:1 Brand: MBA	0.540.1151	BKU61151	
Bush Intermediate Piece 0.540.1151 Brand: MBA	0.540.2392	BKU62392	
Fitting set Includes 0.540.4072, 0.540.4102, 0.540.4522 Brand: MBA	0.540.4072, 0.540.4102, 0.540.4522	BKU64102	
Bearing for Headgear High Precision Bearing Open P6 precision bearing with low-torque cage and light oil lubricant (4x7x2)	0.220.2005	SMR74-MC3-JP6-AF12	
Head Gear Complete 1:1 For Handpiece with Latch Type Chuck Brand: MBA	0.540.3661	BKU63661	
Replacement Screws Brand: MBA	0.201.0005	BKU60005	

6N

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Shaft High Precision Bearing Double shielded P6 precision stainless steel bearing (4x9x4)	0.220.0103	S684A-ZZ-MC3-JP6	

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

7000

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Spring Washer Brand: MBA	1.001.5032	BKU65032	
Bearing for Rotor Cartridge High Speed Ceramic-Hybrid Bearing - Phenolic Retainer Single shielded dental special ceramic-hybrid bearing with extended inner ring and high speed phenolic retainer (3.18x6.35x2.38) Brand: MBA	1.000.7979	SWR144-D28W-CSN-Z-KC	
Bearing for Rotor Cartridge High Speed Bearing - Phenolic Retainer Single shielded dental special stainless steel bearing with extended inner ring and high speed phenolic retainer (3.18x6.35x2.38) Brand: MBA	SG1304X	SWR144-D28W-Z-KC	
Bearing for Rotor Cartridge High Speed Bearing - Torlon Retainer Single shielded dental special stainless steel bearing with extended inner ring and high speed Torlon retainer (3.18x6.35x2.38) Brand: MBA	1.000.7979	SWR144-D28W-Z-TO	
Bearing for Rotor Cartridge High Speed Ceramic-Hybrid Bearing - Torlon Retainer Single shielded dental special angular contact ceramic-hybrid bearing with extended inner ring and high speed Torlon retainer (3.18x6.35x2.38)	1.000.7979	SWR144-D28W-CSN-Z-TO	

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

7000B

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	1.000.4772	BKUR2100134	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	1.000.4772	BKURC2100133	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	1.000.4772	BKURC210013	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	1.000.4772	BKURC2100135	
Replacement Press Button Brand: MBA	1.000.4770	BKU64770	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	1.000.4772	BKUR2100133	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	1.000.4772	BKUR2100135	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	1.000.4772	BKUR210013	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	1.000.4772	BKURMU210013	

Key Usually stocked or Short Delivery
** Available while stocks last




Long Delivery or Large Minimum Quantities
Not in current production

Turbine Sub Assembly Without Bearings 1.000.4772 BKURM210013			
For Handpiece with Wedge Type Chuck Brand: MBA			
700KL			
Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Shaft High Precision Bearing Shielded Option Double shielded Abec 7 precision stainless steel bearing with low-torque ribbon retainer (5x11x5)	0.220.0219	S685A-ZZS-MC34-TH7-R-G48	
Brand: MBA			
Bearing for Shaft High Precision Bearing Shielded Option Open Abec 5 precision stainless steel bearing with low-torque retainer and light oil lubricant (3x8x3)	0.220.0218	S693-ZZS-MC34-TH5-R-L23	
Brand: MBA			
79G			
Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Headgear High Precision Bearing Open Abec 7 precision special dental bearing with low-torque ribbon retainer and light oil lubricant (4x7x2)	0.220.0105	SMR74-MC34-GR7-R-L23	
Brand: Myonic			
7LH			
Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Gear Unit Brand: MBA	0.534.1501	BKU61501	
Bearing for Shaft High Precision Bearing Shielded Option Double shielded P6 precision stainless steel bearing (4x10x4)	0.220.0139	SMR104A-ZZ-MC3-JP6	
Brand: MBA			
Bearing for Shaft High Speed Bearing - Polyamide Retainer Shielded Option Double shielded Abec 7 precision stainless steel bearing with high speed Polyamide retainer (4x11x4)	0.220.0174	SMR104A-ZZS-MC3-GR7-T9H	
Brand: MBA			

Key	Usually stocked or Short Delivery
	** Available while stocks last

Long Delivery or Large Minimum Quantities
<i>Not in current production</i>


7LP

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Gear Unit	0.534.1501	BKU61501	 <p style="font-size: 8px; color: red;">Head Gears, Intermediate Pieces, Middle Gears, Parts for Electric Driven Handpieces & Heads</p>
Brand: MBA			
Bearing for Shaft	0.220.0139	SMR104A-ZZ-MC3-JP6	
High Precision Bearing Shielded Option Double shielded P6 precision stainless steel bearing (4x10x4)			
Bearing for Shaft	0.220.0174	SMR104A-ZZS-MC3-GR7-T9H	
High Speed Bearing - Polyamide Retainer Shielded Option Double shielded Abec 7 precision stainless steel bearing with high speed Polyamide retainer (4x11x4)			
Brand: MBA			

8000

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Spring Washer	1.003.5900	BKU65900	 <p style="font-size: 8px; color: red;">Spring Washers for Air Driven & Electric Driven Handpieces</p>
Brand: MBA			

8000 Front

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Rotor Cartridge	1.000.7980	SR144A-D31-CSN-WZ-TO	 <p style="font-size: 10px; color: blue; font-weight: bold;">MBA</p> <p style="font-size: 8px; color: black; font-weight: bold;">Image Coming Soon</p>
High Speed Ceramic-Hybrid Bearing - Torlon Retainer Precision dental handpiece ceramic-hybrid bearing with Torlon retainer (3.18x6.35x2.78)			

Key Usually stocked or Short Delivery ** Available while stocks last



Long Delivery or Large Minimum Quantities
Not in current production

8000B



Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	1.003.6884	BKUR2100143	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	1.003.6884	BKURC2100145	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	1.003.6884	BKURC2100143	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	1.003.6884	BKURC210014	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	1.003.6884	BKUR210014T	 <p style="font-size: small;">Triple pack - Unit with 3 pieces</p>
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	1.003.6884	BKUR2100144	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	1.003.6884	BKUR210014	
Replacement Press Button Brand: MBA	1.003.5525	BKU65525	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	1.003.6884	BKUR2100145	

Key Usually stocked or Short Delivery
** Available while stocks last


Long Delivery or Large Minimum Quantities
Not in current production

Turbine Sub Assembly Without Bearings For Handpiece with Wedge Type Chuck Brand: MBA	1.003.6884	BKURM210014	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	1.003.6884	BKURMU210014	


80L

Position / Description / Application	Manufacturers Part	MBA Part	
Drive Kit Brand: MBA	1.009.1782 + 0.540.1151	BKU68251	
Bearing for Headgear High Precision Bearing Open Abec 7 precision stainless steel-bronze bearing - Checking details (4x7x2) Brand: MBA	0.220.0735	SMR74-GR7-Y	


80LD

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Headgear High Precision Bearing Open Abec 7 precision stainless steel-bronze bearing - Checking details (4x7x2) Brand: MBA	0.220.0735	SMR74-GR7-Y	

81

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Shaft High Precision Bearing Open P6 precision bearing with low-torque cage and light oil lubricant (5x8x2)	0.220.0106	SMR85-MC3-JP6-AF12	



C09

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Shaft High Precision Bearing Open P6 precision bearing with low-torque cage and light oil lubricant (3x7x2)	0.220.0020	S683-MC3-JP6-AF12	

Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
<i>Not in current production</i>

CL09

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Headgear High Precision Bearing Open P6 precision bearing with low-torque cage and light oil lubricant (5x8x2)	0.220.0023	SMR85-MC3-JP6-AF12	
Bearing for Shaft High Precision Bearing Open P6 precision bearing with low-torque cage and light oil lubricant (5x11x3)	1.001.2581	S685-MC3-JP6-AF12	

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

CL3

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Headgear High Precision Bearing Open P6 precision bearing with low-torque cage and light oil lubricant (5x8x2)	0.220.0023	SMR85-MC3-JP6-AF12	
Replacement Press Button Brand: MBA	1.001.4486+0.540.3752+0.201.8958	BKU64486	 <p style="font-size: small; text-align: center;">Press Button cpl. for Heads & Air Driven Handpieces</p>
Head Gear Complete 3:1 For Handpiece with Latch Type Chuck Brand: MBA	1.001.5005	BKU65005	 <p style="font-size: small; text-align: center;">Head Gears, Intermediate Pieces, Middle Gears, Parts for Electric Driven Handpieces & Heads</p>
Head Gear Complete 3:1 For Handpiece with Latch Type Chuck Brand: MBA	1.011.5595	BKU65595	 <p style="font-size: small; text-align: center;">Head Gears, Intermediate Pieces, Middle Gears, Parts for Electric Driven Handpieces & Heads</p>
Replacement Head Housing Brand: MBA	1.001.9257	BKU69257	 <p style="font-size: small; text-align: center;">Head Housings</p>
Intermediate Piece Dental Head 3:1 Brand: MBA	1.003.4207	BKU64207	 <p style="font-size: small; text-align: center;">Head Gears, Intermediate Pieces, Middle Gears, Parts for Electric Driven Handpieces & Heads</p>
Drive Kit Brand: MBA	1.011.5595 + 1.003.4207	BKU69507	 <p style="font-size: small; text-align: center;">Drive Kits for Electric Driven Handpieces and Heads</p>
Bearing for Headgear High Speed Bearing - Torlon Retainer Shielded Option Double shielded special dental bearing with extended inner ring and high speed Torlon retainer (3x7x2.5)	0.220.0051	SWA683B-ZZ-C69-GR5-TO	

Coupling - Low Speed

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement O-Ring High Temperature Special sized o-ring used in dental Applications 2 Required	200-6159	OR-00830-075-N70	

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

E 25C

Position / Description / Application

Manufacturers Part

MBA Part

Head Gear Complete

1.008.4040

BKU64040

For Handpiece with Wedge Type Chuck

Assembled with ceramic ball bearings, tested in master electric handpiece

Brand: MBA



E120

Position / Description / Application

Manufacturers Part

MBA Part


Bearing for Headgear

0.220.2005

SMR74-MC3-JP6-AF12

High Precision Bearing

Open P6 precision bearing with low-torque cage and light oil lubricant (4x7x2)



E15C

Position / Description / Application

Manufacturers Part

MBA Part

Drive Kit

0.540.3671 + 0.540.1161

BKU67151

Brand: MBA



E15L

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Gear Unit

0.534.1501

BKU61501

Brand: MBA



Replacement Head Gear 2:1

0.540.4022

BKU64022

For Handpiece with Latch Type Chuck

Brand: MBA



Head Gear Complete 1:1

0.540.3671

BKU63671

For Handpiece with Latch Type Chuck

Brand: MBA



Intermediate Piece Dental Head 2:1

0.540.1161

BKU61161

Brand: MBA



Bearing for Headgear

0.220.0051

SWA683B-ZZ-C69-GR5-TO

High Speed Bearing - Torlon Retainer

Double shielded special dental bearing with extended inner ring and high speed Torlon retainer (3x7x2.5)



Key	Usually stocked or Short Delivery
	** Available while stocks last

Long Delivery or Large Minimum Quantities
<i>Not in current production</i>

E20C

Position / Description / Application

Manufacturers Part


MBA Part

Drive Kit

0.540.3661 + 0.540.1151

BKU66151

Brand: MBA



E20L

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Headgear

0.220.0051

SWA683B-ZZ-C69-GR5-TO

High Speed Bearing - Torlon Retainer

Double shielded special dental bearing with extended inner ring and high speed Torlon retainer (3x7x2.5)



E25

Position / Description / Application

Manufacturers Part


MBA Part

Drive Kit

1.014.5555 + 1.014.5557

BKU65557

Brand: MBA



Drive Kit

1.008.4040 + 1.007.9916

BKU64016

Brand: MBA



Front Gear 1:5 Middle Gear

1.007.9916

BKU69999

Brand: MBA



E25C

Position / Description / Application

Manufacturers Part

MBA Part

Head Gear Complete - Standard

1.008.4040

BKU64040X

For Handpiece with Wedge Type Chuck

Assembled with ceramic ball bearings, tested in master electric handpiece

Brand: MBA



Replacement Press Button

1.008.1488

BKU61488

Brand: MBA



Key

Usually stocked or Short Delivery

Long Delivery or Large Minimum Quantities

** Available while stocks last

Not in current production



E25L

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Dog Gear 1:5 Gear Brand: MBA	1.007.5555	BKU65555	
Replacement Spring Washer Brand: MBA	1.001.2987	BKU62987	
Replacement Press Button Brand: MBA	1.008.1488	BKU61488	
Head Gear Complete For Handpiece with Wedge Type Chuck Assembled with ceramic ball bearings, tested in master electric handpiece Brand: MBA	1.008.4040	BKU64040	
Head Gear Complete - Standard For Handpiece with Wedge Type Chuck Assembled with ceramic ball bearings, tested in master electric handpiece Brand: MBA	1.008.4040	BKU64040X	
Head Gear Complete - Premium For Handpiece with Wedge Type Chuck Assembled with ceramic ball bearings, tested in master electric handpiece Brand: myonic	1.008.4040	BKU64040M	
Replacement Middle Gear Complete 1:5 Brand: MBA	1.007.9916	BKU69916	
Bearing for Headgear High Speed Ceramic-Hybrid Bearing - Torlon Retainer Open Abec 7 precision stainless ceramic-hybrid bearing with high speed Torlon retainer (4x7x2) Brand: MBA	1.008.4039	SMR74-CSN-TH7-TO	
Bearing for Headgear Japanese High Speed Ceramic-Hybrid Bearing - Torlon Retainer Open Abec 3 precision stainless ceramic-hybrid bearing with high speed Torlon retainer (4x7x2) Brand: MBA	1.008.4039	SMR74-CSN-J3-TO	

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

E675 Front

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Rotor Cartridge High Speed Bearing - Phenolic Retainer Shielded Option Double shielded Abec 7 precision special dental bearing with high speed Phenolic retainer (3.18x6.45x2.38) Brand: MBA	SG1426X	SWMR6.45-3.175-ZZS-MC3-GR7-KC	
Bearing for Rotor Cartridge High Speed Ceramic-Hybrid Bearing - Turlon Retainer Shielded Option 3.175x6.45x2.381/2.778, ceramic-hybrid, Turlon retainer - to check (3.18x6.45x2.38) Brand: MBA	1.007.6975	SWMR6.45-3.175-CSN-ZZS-MC3-TO	

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production




E675L

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	1.007.9457	BKURC210017	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer	1.007.9457	BKUR2100175	
Replacement Press Button Brand: MBA	1.007.7051	BKU67051	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	1.007.9457	BKURC2100173	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	1.007.9457	BKUR210017	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	1.007.9457	BKURC2100175	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	1.007.9457	BKUR2100173	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	1.007.9457	BKUR2100174	



Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

E677

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Rotor Cartridge High Speed Ceramic-Hybrid Bearing - Phenolic Retainer Single shielded dental special ceramic-hybrid bearing with extended inner ring and high speed phenolic retainer (3.18x6.35x2.38) Brand: MBA	1.000.7979	SWR144-D28W-CSN-Z-KC	 Image Coming Soon
Bearing for Rotor Cartridge High Speed Ceramic-Hybrid Bearing - Torlon Retainer Single shielded dental special angular contact ceramic-hybrid bearing with extended inner ring and high speed Torlon retainer (3.18x6.35x2.38)	1.000.7979	SWR144-D28W-CSN-Z-TO	 Image Coming Soon
Bearing for Rotor Cartridge High Speed Bearing - Torlon Retainer Single shielded dental special stainless steel bearing with extended inner ring and high speed Torlon retainer (3.18x6.35x2.38) Brand: MBA	1.000.7979	SWR144-D28W-Z-TO	 Image Coming Soon
Bearing for Rotor Cartridge High Speed Bearing - Phenolic Retainer Single shielded dental special stainless steel bearing with extended inner ring and high speed phenolic retainer (3.18x6.35x2.38) Brand: MBA	SG1304X	SWR144-D28W-Z-KC	 Image Coming Soon

E677 Front

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Rotor Cartridge High Speed Bearing - Phenolic Retainer Shielded Option Double shielded Abec 7 precision special dental bearing with high speed Phenolic retainer (3.18x6.45x2.38) Brand: MBA	SG1426X	SWMR6.45-3.175-ZZS-MC3-GR7-KC	
Bearing for Rotor Cartridge High Speed Ceramic-Hybrid Bearing - Torlon Retainer Shielded Option 3.175x6.45x2.381/2.778, ceramic-hybrid, Torlon retainer - to check (3.18x6.45x2.38) Brand: MBA	1.007.6975	SWMR6.45-3.175-CSN-ZZS-MC3-TO	

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production



E677L

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer	1.007.9457	BKUR2100175	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	1.007.9457	BKURC2100173	 <p>Precision sub-assemblies, cartridges with carbide inserts & WCC coated actuators</p>
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	1.007.9457	BKUR2100174	 <p>Precision sub-assemblies, cartridges with steel inserts & WCC coated actuators</p>
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	1.007.9457	BKUR210017	 <p>Precision sub-assemblies, cartridges with steel inserts & WCC coated actuators</p>
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	1.007.9457	BKUR2100173	 <p>Precision sub-assemblies, cartridges with steel inserts & WCC coated actuators</p>
Replacement Press Button Brand: MBA	1.007.7051	BKU67051	 <p>Press Button cpl. for Heads & Air Driven Handpieces</p>
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	1.007.9457	BKURC2100175	 <p>Precision sub-assemblies, cartridges with carbide inserts & WCC coated actuators</p>
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	1.007.9457	BKURC210017	 <p>Precision sub-assemblies, cartridges with carbide inserts & WCC coated actuators</p>



Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

E679

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Spring Washer	1.003.7576	BKU67576	
Brand: MBA			
Bearing for Rotor Cartridge	1.000.7980	SR144A-D31-CSN-WZ-TO	
High Speed Ceramic-Hybrid Bearing - Torlon Retainer Precision dental handpiece ceramic-hybrid bearing with Torlon retainer (3.18x6.35x2.78)			

E679 Back

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Rotor Cartridge	1.007.6975	SWMR6.45-3.175-CSN-ZZS-MC3-TO	
High Speed Ceramic-Hybrid Bearing - Torlon Retainer Shielded Option 3.175x6.45x2.381/2.778, ceramic-hybrid, Torlon retainer - to check (3.18x6.45x2.38)			
Brand: MBA			
Bearing for Rotor Cartridge	SG1426X	SWMR6.45-3.175-ZZS-MC3-GR7-KC	
High Speed Bearing - Phenolic Retainer Shielded Option Double shielded Abec 7 precision special dental bearing with high speed Phenolic retainer (3.18x6.45x2.38)			
Brand: MBA			

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

E679L

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	1.007.9313	BKUR2100154	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	1.007.9313	BKURC210018	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	1.007.9313	BKURC2100183	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	1.007.9313	BKUR210015	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	1.007.9313	BKUR2100153	
Replacement Press Button Brand: MBA	1.007.8903	BKU68903	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	1.007.9313	BKURC2100185	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	1.007.9313	BKUR210015T	 <p style="font-size: small;">Triple pack - Unit with 3 pieces</p>
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	1.007.9313	BKUR2100155	

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

E680

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Rotor Cartridge

1.000.7980

SR144A-D31-CSN-WZ-TO

High Speed Ceramic-Hybrid Bearing - Torlon Retainer

Precision dental handpiece ceramic-hybrid bearing with Torlon retainer (3.18x6.35x2.78)



E680 Back

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Rotor Cartridge

SG1426X

SWMR6.45-3.175-ZZS-MC3-GR7-KC

High Speed Bearing - Phenolic Retainer Shielded Option

Double shielded Abec 7 precision special dental bearing with high speed Phenolic retainer (3.18x6.45x2.38)

Brand: MBA



Bearing for Rotor Cartridge

1.007.6975

SWMR6.45-3.175-CSN-ZZS-MC3-TO

High Speed Ceramic-Hybrid Bearing - Torlon Retainer Shielded Option

3.175x6.45x2.381/2.778, ceramic-hybrid, Torlon retainer - to check (3.18x6.45x2.38)

Brand: MBA



Key

Usually stocked or Short Delivery

** Available while stocks last

Long Delivery or Large Minimum Quantities

Not in current production



E680L

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	1.007.9313	BKUR2100155	
Replacement Press Button Brand: MBA	1.007.8903	BKU68903	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	1.007.9313	BKUR210015T	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	1.007.9313	BKUR2100154	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	1.007.9313	BKUR2100153	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	1.007.9313	BKURC210018	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	1.007.9313	BKURC2100185	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	1.007.9313	BKURC2100183	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	1.007.9313	BKUR210015	


Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production


ERGOgrip

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Bearing	1.004.0203	BKU20203	 <p style="font-size: 8px; color: red;">Spare Parts for Laboratory Drives</p>
Set, Set - to check			
Brand: MBA			
Bearing for Shaft 7-14-5mm	1.004.0207	S687A-ZZS-MC3-GR3-T9H	
High Speed Bearing - Polyamide Retainer			
Double shielded Abec 3 precision stainless steel bearing with a high speed polyamide cage (7x14x5)			
Brand: MBA			


Intra 24CN - 24LN - 553 5761

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Bearing	220 0735	SMR74-ZS-T4HB-MC3-GR5-AF12	
High Speed Bearing - Torlon Retainer			
Single shielded Abec 5 precision stainless steel bearing with high speed Torlon retainer and light oil lubricant. NON-ISO width (4x7x2)			
2 Required			
Brand: MBA			


Intra 24LS - 553 5641

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Bearing	2200185	SMR55-0235-MC3-TO-AF12	 <p style="font-weight: bold; color: black;">Image Coming Soon</p>
High Speed Bearing - Torlon Retainer			
Open precision dental handpiece bearing with Torlon retainer (2.35x5.5x2)			
2 Required			
Brand: MBA			

Intra 24LZ - 24LN - 553 5641

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Bearing	2200010	SMR55-0235-MC3-GR3-AF12	 <p style="font-weight: bold; color: black;">Image Coming Soon</p>
High Precision Bearing			
Open Abec 3 precision bearing (2.35x5.5x2)			
2 Required			
Brand: MBA			

Intra 25CH Contra Angle

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Bearing	2201305 / 1307	SMR74-ZS-T4HB-MC3-GR5-AF12	
High Speed Bearing - Torlon Retainer			
Single shielded Abec 5 precision stainless steel bearing with high speed Torlon retainer and light oil lubricant. NON-ISO width (4x7x2)			
2 Required			
Brand: MBA			

Key	Usually stocked or Short Delivery
	** Available while stocks last

Long Delivery or Large Minimum Quantities
<i>Not in current production</i>

Intra 25LN

Position / Description / Application

Manufacturers Part

MBA Part

Stem Bearing

2200730 in 553 7201 Stem

SMR5-0235-T4HB-MC3-AF12

High Speed Bearing - Torlon Retainer

Open standard bearing with high speed Torlon retainer and low-torque light oil lubricant (2.35x5x1.5)



Replacement Bearing

220 1307 in 553 7341 Cartridge

SMR74-ZS-T4HB-MC3-GR5-AF12

High Speed Bearing - Torlon Retainer

Single shielded Abec 5 precision stainless steel bearing with high speed Torlon retainer and light oil lubricant. NON-ISO width (4x7x2)

2 Required



Key

Usually stocked or Short Delivery

** Available while stocks last

Long Delivery or Large Minimum Quantities

Not in current production

K10

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Screw Laboratory Drive Brand: MBA	0.674.4172	BKU64172	 <p style="font-size: 8px; color: red;">Spare Parts for Laboratory Drives</p>
Replacement Bush Laboratory Drive Brand: MBA	0.674.6302	BKU66302	 <p style="font-size: 8px; color: red;">Spare Parts for Laboratory Drives</p>
Replacement Driver Laboratory Drive Brand: MBA	0.674.4192	BKU64192	 <p style="font-size: 8px; color: red;">Spare Parts for Laboratory Drives</p>
Replacement Spring Washer Laboratory Drive Brand: MBA	0.222.4018	BKU64018	 <p style="font-size: 8px; color: red;">Spare Parts for Laboratory Drives</p>
Replacement Quad Ring Laboratory Drive Brand: MBA	0.224.2408	BKU62408	 <p style="font-size: 8px; color: red;">Spare Parts for Laboratory Drives</p>
Replacement Rod Laboratory Drive Brand: MBA	0.674.1191	BKU61191	 <p style="font-size: 8px; color: red;">Spare Parts for Laboratory Drives</p>
Replacement Motor Brush Brand: MBA	0.674.2481	BKU62481	 <p style="font-size: 8px; color: red;">Brushes, Electric Dental Motors & Laboratory Drives</p>
Replacement Chuck True running accuracy less than 0.03, bore diameter 2.35mm Brand: MBA	0.674.7752	BKU67752	
Replacement Spring Washer Laboratory Drive Brand: MBA	0.222.4045	BKU64045	 <p style="font-size: 8px; color: red;">Spare Parts for Laboratory Drives</p>

Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
<i>Not in current production</i>

<p>Replacement Cap Laboratory Drive</p> <p>Brand: MBA</p>	<p>0.674.2861</p>	<p>BKU62861</p>	 <p style="font-size: 8px; color: red;">Spare Parts for Laboratory Drives</p>
<p>Replacement Screw nut Laboratory Drive</p> <p>Brand: MBA</p>	<p>0.674.2871</p>	<p>BKU62871</p>	 <p style="font-size: 8px; color: red;">Spare Parts for Laboratory Drives</p>
<p>Replacement Lock Ring Laboratory Drive</p> <p>Brand: MBA</p>	<p>0.222.4126</p>	<p>BKU64126</p>	 <p style="font-size: 8px; color: red;">Spare Parts for Laboratory Drives</p>
<p>Bearing for Shaft 3-8-4mm High Speed Bearing - Polyamide Retainer Double shielded high speed stainless steel bearing with Polyamide retainer (3x8x4)</p>	<p>0.220.0778</p>	<p>S693A-ZZS-MC3-T9H</p>	
<p>Replacement Distance Bush Laboratory Drive</p> <p>Brand: MBA</p>	<p>0.674.4162</p>	<p>BKU64162</p>	 <p style="font-size: 8px; color: red;">Spare Parts for Laboratory Drives</p>
<p>Replacement Roll Pin Laboratory Drive</p> <p>Brand: MBA</p>	<p>0.674.4152</p>	<p>BKU64152</p>	 <p style="font-size: 8px; color: red;">Spare Parts for Laboratory Drives</p>
<p>Bearing for Shaft High Speed Bearing - Polyamide Retainer Double shielded Abec 3 precision stainless steel bearing with high speed polyamide cage (4x11x4)</p> <p>Brand: MBA</p>	<p>0.220.0779</p>	<p>SMR104A-ZZS-MC3-GR3-T9H</p>	
<p>Bearing for Shaft 8-16-6mm High Speed Bearing - Polyamide Retainer Double shielded Abec 3 precision stainless steel bearing with a high speed polyamide cage (8x16x6)</p>	<p>0.220.0113</p>	<p>S688B-ZZ-MC3-GR3-T9H-G36</p>	

Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
<i>Not in current production</i>

K11

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Roll Pin Laboratory Drive Brand: MBA	0.674.4152	BKU64152	
Replacement Screw Laboratory Drive Brand: MBA	0.674.4172	BKU64172	
Replacement Distance Bush Laboratory Drive Brand: MBA	0.674.4162	BKU64162	
Replacement Driver Laboratory Drive Brand: MBA	0.674.4192	BKU64192	
Bearing for Shaft 3-8-4mm High Speed Bearing - Polyamide Retainer Double shielded high speed stainless steel bearing with Polyamide retainer (3x8x4)	0.220.0778	S693A-ZZS-MC3-T9H	
Replacement Bearing Set, Set - to check Brand: MBA	0.674.3841	BKU23841	
Bearing for Shaft High Speed Bearing - Polyamide Retainer Shielded Option Double shielded Abec 7 precision stainless steel bearing with high speed polyamide retainer (7.94x15.88x7.5)	0.220.0045	SR11010B-ZZS-MC3-GR7-T9H	
Bearing for Shaft High Speed Bearing - Polyamide Retainer Shielded Option Double shielded Abec 3 precision stainless steel bearing with high speed polyamide retainer (7.94x15.88x6)	0.220.0044	SR11010A-ZZS-MC3-GR3-T9H	
Bearing for Shaft High Speed Bearing - Polyamide Retainer Shielded Option Double shielded Abec 3 precision stainless steel bearing with high speed polyamide cage (4x11x4) Brand: MBA	0.220.0779	SMR104A-ZZS-MC3-GR3-T9H	

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

K12 PowerGrip®

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Shaft

0.220.0055

BKU20055

High Speed Bearing - Polyamide Retainer

7x14x17.5, stainless steel, Polyamide retainer - Checking Details

Brand: MBA



K186

Position / Description / Application

Manufacturers Part


MBA Part

Replacement Motor Brush

0.674.0241

BKU60241

Brand: MBA



K190

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Motor O-Ring

0.200.6120

BKU66120

Special dental applications O-Ring

Brand: MBA




Replacement Dental Motor

0.676.0871

BKU60871

Brand: MBA




Replacement Motor Brush

0.676.0881

BKU60881

Brand: MBA



K192

Position / Description / Application

Manufacturers Part


MBA Part

Replacement Dental Motor

0.676.0971

BKU60971

Brand: MBA



K196

Position / Description / Application

Manufacturers Part


MBA Part

Replacement Dental Motor

0.676.0871

BKU60871

Brand: MBA



Key	Usually stocked or Short Delivery
	** Available while stocks last

Long Delivery or Large Minimum Quantities
<i>Not in current production</i>

K200

Position / Description / Application

Manufacturers Part

MBA Part


Replacement Motor O-Ring

0.200.6120

BKU66120

Special dental applications O-Ring

Brand: MBA




Replacement Dental Motor

1.000.6859

BKU66859

Brand: MBA



K201

Position / Description / Application

Manufacturers Part


MBA Part

Replacement Motor Brush

0.676.0881

BKU60881

Brand: MBA



K4

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Chuck

0.674.4871

BKU64871

True running accuracy less than 0.03, bore diameter 2.35mm

Brand: MBA



Replacement Bearing

0.220.0058

BKU20058

Set, Set - to check

Brand: MBA



Bearing for Shaft 10x19x7

0.220.0056

S6800B-ZZS-MC3-GR3-KC

High Speed Bearing - Phenolic Retainer

Double shielded Abec 3 stainless steel bearing with a high speed phenolic cage (10x19x7)




Brand: MBA



Key	Usually stocked or Short Delivery
	** Available while stocks last

Long Delivery or Large Minimum Quantities
<i>Not in current production</i>

K5

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Bearing Set, Set - to check Brand: MBA	0.220.0058	BKU20058	 <p style="font-size: 8px; color: red; margin-top: 5px;">Spare Parts for Laboratory Drives</p>
Replacement Chuck True running accuracy less than 0.03, bore diameter 2.35mm Brand: MBA	0.674.4871	BKU64871	
Bearing for Shaft 10x19x7 High Speed Bearing - Phenolic Retainer Double shielded Abec 3 stainless steel bearing with a high speed phenolic cage (10x19x7) Brand: MBA	0.220.0056	S6800B-ZZS-MC3-GR3-KC	

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

K9



Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Centre Stainless Bearing Double shielded P6 precision stainless steel bearing (4x11x4)	220-0157 / 0779	S694-ZZ-MC3-JP6	
Replacement Roll Pin Laboratory Drive Brand: MBA	0.674.4152	BKU64152	 <p style="font-size: small; color: red;">Spare Parts for Laboratory Drives</p>
Replacement Lock Ring Laboratory Drive Brand: MBA	0.222.4126	BKU64126	 <p style="font-size: small; color: red;">Spare Parts for Laboratory Drives</p>
Replacement motor Laboratory Drive Brand: MBA	0.674.1261	BKU61261	 <p style="font-size: small; color: red;">Armature, Rotors, Electric Dental Motors & Laboratory Drives</p>
Replacement Spring Washer Laboratory Drive Brand: MBA	0.222.4045	BKU64045	 <p style="font-size: small; color: red;">Spare Parts for Laboratory Drives</p>
Replacement Chuck True running accuracy less than 0.03, bore diameter 2.35mm Brand: MBA	0.674.7752	BKU67752	
Replacement Motor Brush Brand: MBA	0.674.0241	BKU60241	 <p style="font-size: small; color: red;">Brushes, Electric Dental Motors & Laboratory Drives</p>
Replacement Bush Laboratory Drive Brand: MBA	0.674.6302	BKU66302	 <p style="font-size: small; color: red;">Spare Parts for Laboratory Drives</p>
Replacement Spring Washer Laboratory Drive Brand: MBA	0.222.4018	BKU64018	 <p style="font-size: small; color: red;">Spare Parts for Laboratory Drives</p>

Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
<i>Not in current production</i>

Replacement Distance Bush Laboratory Drive Brand: MBA	0.674.4162	BKU64162	
Replacement Screw Laboratory Drive Brand: MBA	0.674.4172	BKU64172	
Replacement Quad Ring Laboratory Drive Brand: MBA	0.224.2408	BKU62408	
Replacement Driver Laboratory Drive Brand: MBA	0.674.4192	BKU64192	
Bearing for Cap End High Precision Bearing Double shielded Abec 5 precision bearing with Low Torque ribbon retainer and grease lubrication. Non ISO Width. (2x6x2.3) Brand: Myonic	220-0158	S692-ZZS-MC34-GR5-R-G48	
Bearing for Chuck End High Speed Bearing - Polyamide Retainer Double shielded Abec 3 precision stainless steel bearing with a high speed polyamide cage (8x16x6) 2 Required	220-0113	S688B-ZZ-MC3-GR3-T9H-G36	





K9 Blau

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Bearing Set, Set - to check Brand: MBA	1.000.3586	BKU23586	
Bearing for Rotor High Precision Bearing Double shielded P6 precision stainless steel bearing (5x11x4)	0.220.0223	SMR115-ZZ-MC3-JP6	



Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities <i>Not in current production</i>

K9 Blue

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Shaft High Speed Bearing - Polyamide Retainer 7x14x17.5, stainless steel, Polyamide retainer - Checking Details Brand: MBA	0.220.0055	BKU20055	
Replacement Chuck True running accuracy less than 0.03, bore diameter 2.35mm Brand: MBA	0.674.4871	BKU64871	
Replacement Dental Motor Brand: MBA	0.674.4811	BKU61261	
Bearing for Shaft High Speed Bearing - Polyamide Retainer Shielded Option Double shielded Abec 3 precision stainless steel bearing with high speed polyamide retainer (7.94x15.88x6)	0.220.0044	SR11010A-ZZS-MC3-GR3-T9H	




K9 EWL 950

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Cap Laboratory Drive Brand: MBA	0.674.2861	BKU62861	
Replacement Rod Laboratory Drive Brand: MBA	0.674.1191	BKU61191	
Replacement Screw nut Laboratory Drive Brand: MBA	0.674.2871	BKU62871	


Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production




K9 Umbra

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Rotor High Precision Bearing Shielded Option Double shielded P6 precision stainless steel bearing (4x10x4)	0.220.0157	SMR104A-ZZ-MC3-JP6	
Bearing for Rotor High Precision Bearing Shielded Option Double shielded Abec 5 precision bearing with Low Torque ribbon retainer and grease lubrication. Non ISO Width. (2x6x2.3) Brand: Myonic	0.220.0158	S692-ZZS-MC34-GR5-R-G48	
Bearing for Shaft 8-16-6mm High Speed Bearing - Polyamide Retainer Double shielded Abec 3 precision stainless steel bearing with a high speed polyamide cage (8x16x6)	0.220.0113	S688B-ZZ-MC3-GR3-T9H-G36	

K9 Umbra EWL 955

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Shaft High Speed Bearing - Polyamide Retainer Double shielded Abec 3 precision stainless steel bearing with high speed polyamide cage (8x14x4) Brand: ECO	0.220.0148	SMR148A-ZZS-MC3-GR3-T9H	






KL702

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Shaft High Precision Bearing Low Torque Option Double shielded Abec 5 precision bearing with low-torque ribbon retainer (5x8x3) Brand: Myonic	1.003.6023	SMR85C-ZZS-MC34-GR5-TR-L23	
Bearing for Shaft High Precision Bearing Shielded Option Open Abec 5 precision stainless steel bearing with low-torque retainer and light oil lubricant (3x8x3) Brand: MBA	1.003.5818	S693-ZZS-MC34-TH5-R-L23	
Bearing for Shaft High Precision Bearing Standard Cage Option Double shielded Abec 5 precision bearing with standard crown retainer (5x8x3) Brand: MBA	1.003.6023	SMR85C-ZZS-MC34-GR5-L23	

Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
<i>Not in current production</i>





KL703 LED

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Shaft High Precision Bearing Shielded Option Double shielded P6 precision stainless steel bearing (3x7x3)	1.007.0966	S683A-ZZ-MC3-JP6	
Bearing for Shaft High Precision Bearing Low Torque Option Double shielded Abec 5 precision bearing with low-torque ribbon retainer (5x8x3) Brand: Myonic	1.003.6023	SMR85C-ZZS-MC34-GR5-TR-L23	
Bearing for Shaft High Precision Bearing Standard Cage Option Double shielded Abec 5 precision bearing with standard crown retainer (5x8x3) Brand: MBA	1.003.6023	SMR85C-ZZS-MC34-GR5-L23	
L80			
Position / Description / Application	Manufacturers Part	MBA Part	
Head Gear Complete 1:1 For Handpiece with Wedge Type Chuck Brand: MBA	1.009.1782	BKU61782	 <p style="font-size: 8px; color: red;">Head Gears, Intermediate Pieces, Middle Gears, Parts for Electric Driven Handpieces & Heads</p>
Replacement Press Button Brand: MBA	=L890:L891+U890:U891=C874	BKU63606	 <p style="font-size: 8px; color: red;">Press Button cpl. for Heads & Air Driven Handpieces</p>

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

M05L

Position / Description / Application	Manufacturers Part	MBA Part	
Head Gear Complete For Handpiece with Wedge Type Chuck Assembled with ceramic ball bearings, tested in master electric handpiece Brand: MBA	1.011.1374	BKU61374	
Replacement Middle Gear Complete 1:5 Brand: MBA	1.011.3026	BKU63206	
Bearing for Headgear High Speed Ceramic-Hybrid Bearing - Torlon Retainer Shielded Option Precision ceramic-hybrid dental handpiece bearing with Torlon retainer (3.18x5.79x2270) Brand: MBA	1.010.9766	SMR5.79-3.175-CSN-ZZS-MC3-TO	
Bearing for Headgear High Speed Ceramic-Hybrid Bearing - Torlon Retainer Shielded Option Open ceramic-hybrid special bearing for dental applications with high speed Torlon retainer (3.5x6.5x2) Brand: MBA	1.010.9767	SMR6.50-3.50A-CSN-ZZS-MC3-TO	

M25

Position / Description / Application	Manufacturers Part	MBA Part	
Drive Kit Brand: MBA	1.011.0129 + 1.001.3515	BKU62915	
Replacement Shaft Brand: MBA	1.001.3518	BKU63518	
Replacement Head Housing Brand: MBA	1.009.3635	BKU63635	
Replacement Sprayinset Brand: MBA	1.009.3629	BKU63629	
Drive Kit Brand: MBA	1.011.0129 + 1.001.3515 + 1.001.3519	BKU62919	




Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

M25L

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Dog Gear 1:5 Gear Brand: MBA	1.001.3071	BKU63071	 <p style="font-size: 8px; color: red;">Head Gears, Intermediate Pieces, Middle Gears Parts for Electric Driven Handpieces & Heads</p>
Replacement Press Button Brand: MBA	1.009.3634 + 0.201.8157 + 1.009.3638	BKU63634	 <p style="font-size: 8px; color: red;">Press Button cpl. for Heads & Air Driven Handpieces</p>
Head Gear Complete For Handpiece with Wedge Type Chuck Assembled with ceramic ball bearings, tested in master electric handpiece Brand: MBA	1.011.0129	BKU60129	 <p style="font-size: 8px; color: red;">Head Gears Complete for 1:5 Electric Driven Handpieces</p>
Bearing for Headgear High Speed Ceramic-Hybrid Bearing - Torlon Retainer Shielded Option Open ceramic-hybrid special bearing for dental applications with high speed Torlon retainer (3.5x6.5x2) Brand: MBA	1.010.9767	SMR6.50-3.50A-CSN-ZZS-MC3-TO	
Bearing for Headgear High Speed Ceramic-Hybrid Bearing - Torlon Retainer Shielded Option Precision ceramic-hybrid dental handpiece bearing with Torlon retainer (3.18x5.79x2270) Brand: MBA	1.010.9766	SMR5.79-3.175-CSN-ZZS-MC3-TO	

M8700L

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	3.001.9915	BKURC2100205	 <p style="font-size: 8px; color: red;">Precision sub-assemblies, cartridges with carbide inserts & WCC coated actuators</p>
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	3.001.9915	BKURC2100203	 <p style="font-size: 8px; color: red;">Precision sub-assemblies, cartridges with carbide inserts & WCC coated actuators</p>
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	3.001.9915	BKURC210020	 <p style="font-size: 8px; color: red;">Precision sub-assemblies, cartridges with carbide inserts & WCC coated actuators</p>

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

M8700L Air Driven Handpiece

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement O-Ring Special Dental Application O-Ring Brand: MBA	3.002.0256	BKU60256	
M8900L			
Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	2.000.2266	BKURC2100195	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	2.000.2266	BKUR2100193	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	2.000.2266	BKURC2100193	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	2.000.2266	BKURC210019	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	2.000.2266	BKUR210019	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	2.000.2266	BKUR2100194	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	2.000.2266	BKUR2100195	
Replacement Press Button Brand: MBA	3.000.1874	BKU61874	

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

M9000L

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Press Button Brand: MBA	3.000.1874	BKU61874	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	2.000.2266	BKURC210019	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	2.000.2266	BKUR2100195	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	2.000.2266	BKUR2100194	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	2.000.2266	BKURC2100195	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	2.000.2266	BKURC2100193	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	2.000.2266	BKUR210019	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	2.000.2266	BKUR2100193	
M9000L Air Driven Handpiece			
Replacement O-Ring Brand: MBA	3.000.2581	BKU62581	

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

Magno 634

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Bearing High Speed Bearing - Phenolic Retainer Deleted Item. Available while stocks last. Narrow stepped OD precision dental handpiece bearing with phenolic 2 Required	220-0128 / 0145	SR144-D106-ZS	
Replacement Bearing High Speed Ceramic-Hybrid Bearing - Phenolic Retainer 3.175x6.35x2.381, ceramic-hybrid, Phenolic retainer - to check (3.18x6.35x2.38) 2 Required Brand: MBA	220-0128 / 0145	SR144-D106-CSN-ZS-KC	
Replacement Bearing High Speed Ceramic-Hybrid Bearing - Torlon Retainer 3.175x6.35x2.381, ceramic-hybrid, Torlon retainer - to check (3.18x6.35x2.38) 2 Required Brand: MBA	220-0128 / 0145	SR144-D106-CSN-ZS-TO	
Replacement Bearing High Speed Bearing - Phenolic Retainer Narrow stepped OD precision dental handpiece bearing with high speed phenolic retainer 2 Required Brand: myonic	220-0128 / 0145	SR144-D106-ZS-KC	
Replacement Bearing High Speed Bearing - Torlon Retainer Narrow stepped OD precision dental handpiece bearing with high speed Torlon retainer 2 Required Brand: myonic	220-0128 / 0145	SR144-D106-ZS-TO	
Miscellaneous Refer OEM Part Number			
Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Rotor Cartridge High Speed Ceramic-Hybrid Bearing - Phenolic Retainer 3.175x6.35x2.381, ceramic-hybrid, Phenolic retainer - to check (3.18x6.35x2.38) Brand: MBA	0.220.0128	SR144-D106-CSN-ZS-KC	
Bearing for Rotor Cartridge High Precision Bearing Narrow stepped OD precision dental handpiece bearing with high speed Torlon retainer Brand: myonic	0.220.0128	SR144-D106-ZS-TO	
Bearing for Rotor Cartridge High Speed Ceramic-Hybrid Bearing - Torlon Retainer 3.175x6.35x2.381, ceramic-hybrid, Torlon retainer - to check (3.18x6.35x2.38) Brand: MBA	0.220.0128	SR144-D106-CSN-ZS-TO	
Bearing for Rotor Cartridge High Precision Bearing Narrow stepped OD precision dental handpiece bearing with high speed phenolic retainer Brand: myonic	0.220.0128	SR144-D106-ZS-KC	

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

Multiflex® Coupling

Position / Description / Application

Manufacturers Part

MBA Part

Replacement O-Ring

200-6113 (Part of Set)

OR-00370-099-S60-R

Small - Silicone

Deleted Item. Available while stocks last. Special o-ring for dental applications

2 Required



Replacement O-Ring

200-6113 (Part of Set)

OR-00640-080-N70

Large

Special sized o-ring used in dental Applications

3 Required



Multiflex® Coupling Motor K190

Position / Description / Application

Manufacturers Part


MBA Part

LED Bulb

0.553.3881

BKU63881LED

Brand: MBA



Xenon Lamp

0.553.3881

BKU63881Xenon

Brand: MBA



Multiflex® Coupling Motor K201

Position / Description / Application

Manufacturers Part


MBA Part

LED Bulb

0.553.3881

BKU63881LED

Brand: MBA



Xenon Lamp

0.553.3881

BKU63881Xenon

Brand: MBA



S201 C

Position / Description / Application

Manufacturers Part

MBA Part

Drive Kit

1.001.4490 + 1.001.4501

BKU69001

Brand: MBA



Key



Usually stocked or Short Delivery

Long Delivery or Large Minimum Quantities




** Available while stocks last

Not in current production




S201XL

Position / Description / Application	Manufacturers Part	MBA Part	
Head Gear Complete 20:1 For Handpiece with Latch Type Chuck Brand: MBA	3.000.5177	BKU65177	
Replacement Head Housing Brand: MBA	3.000.5315	BKU65315	

S459C

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	1.001.2518	BKURC2100223	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	1.001.2518	BKURC210022	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	1.001.2518	BKURC2100225	

S459L

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	1.001.2518	BKURC2100223	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	1.001.2518	BKURC210022	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	1.001.2518	BKURC2100225	

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

S550

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Shaft

1.000.8101

S693-CSN-ZBS-MC34-GR7-L23

High Precision Bearing

Double shielded with special bronze shield one side. Abec 7 precision stainless ceramic-hybrid bearing (3x8x3)

Brand: MBA



S605

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Rotor Cartridge

1.000.7979

SWR144-D28W-CSN-Z-KC

High Speed Ceramic-Hybrid Bearing - Phenolic Retainer

Single shielded dental special ceramic-hybrid bearing with extended inner ring and high speed phenolic retainer (3.18x6.35x2.38)

Brand: MBA



Replacement Press Button

1.007.7277

BKU67277

Brand: MBA



Replacement Spring Washer

1.001.5032

BKU65032

Brand: MBA



Bearing for Rotor Cartridge

1.000.7979

SWR144-D28W-CSN-Z-TO

High Speed Ceramic-Hybrid Bearing - Torlon Retainer

Single shielded dental special angular contact ceramic-hybrid bearing with extended inner ring and high speed Torlon retainer (3.18x6.35x2.38)

Brand: MBA



Bearing for Rotor Cartridge

SG1304X

SWR144-D28W-Z-KC

High Speed Bearing - Phenolic Retainer

Single shielded dental special stainless steel bearing with extended inner ring and high speed phenolic retainer (3.18x6.35x2.38)




Brand: MBA



Key	Usually stocked or Short Delivery
	** Available while stocks last

Long Delivery or Large Minimum Quantities
<i>Not in current production</i>

S605C

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	1.008.4164	BKURC2100213	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	1.008.4164	BKURC2100215	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	1.008.4164	BKURC210021	

S609

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Press Button Brand: MBA	1.007.0854	BKU60854	
Replacement Spring Washer Brand: MBA	1.001.5032	BKU65032	

Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
<i>Not in current production</i>





S609C

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly without ball bearings Brand: myonic	1.008.4163	BKURC210016	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	1.008.4163	BKUR210016S	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	1.008.4163	BKUR2100163	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	1.008.4163	BKUR210016T	 <p style="font-size: small;">Triple pack - Unit with 3 pieces</p>
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	1.008.4163	BKUR210016	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	1.008.4163	BKUR2100164	

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

S615L

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	1.008.4164	BKURC2100215	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	1.008.4164	BKURC2100213	
Replacement Press Button Brand: MBA	1.007.7277	BKU67277	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	1.008.4164	BKURC210021	

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

S619C

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	1.008.4163	BKUR2100163	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	1.008.4163	BKUR210016	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	1.008.4163	BKUR2100164	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly without ball bearings Brand: myonic	1.008.4163	BKURC210016	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	1.008.4163	BKUR2100165	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	1.008.4163	BKUR210016T	

S619L

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Press Button Brand: MBA	1.007.0854	BKU60854	

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

SF4004

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Chuck

0.671.1562

BKU61562

True running accuracy less than 0.03, bore diameter 2.35mm

Brand: MBA



Bearing for Shaft 7-14-5mm

0.220.0112

S687A-ZZS-MC3-GR3-T9H

High Speed Bearing - Polyamide Retainer

Double shielded Abec 3 precision stainless steel bearing with a high speed polyamide cage (7x14x5)

Brand: MBA



Bearing for Shaft

0.247.6056

S608-ZZS-MC3-GR3-KC

High Speed Bearing - Phenolic Retainer

Double shielded Abec 3 precision stainless steel bearing with a high speed phenolic cage (8x22x7)

Brand: MBA



SF4005

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Chuck

0.671.1562

BKU61562

True running accuracy less than 0.03, bore diameter 2.35mm

Brand: MBA



Bearing for Shaft

0.247.6057

S608-ZZS-MC3-GR3-KC

High Speed Bearing - Phenolic Retainer

Double shielded Abec 3 precision stainless steel bearing with a high speed phenolic cage (8x22x7)

Brand: MBA



SONICflex 2000 Airscaler

Position / Description / Application

Manufacturers Part

MBA Part


Replacement Bush

0.571.5032

BKU65032S

Refer OEM Part Number

Brand: MBA



SONICflex 2003 Airscaler

Position / Description / Application

Manufacturers Part

MBA Part


Replacement Bush

0.571.5032

BKU65032S

Refer OEM Part Number




Brand: MBA



Key	Usually stocked or Short Delivery
	** Available while stocks last

Long Delivery or Large Minimum Quantities
<i>Not in current production</i>

Surgical Instrument 3554

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Centre High Precision Bearing Low Torque Option Double shielded Abec 5 precision bearing with low-torque ribbon retainer (5x8x3) Brand: Myonic	0.220.1302	SMR85C-ZZS-MC34-GR5-TR-L23	
Lower Bearing 4x9x4 Stainless Steel Bearing Double shielded P6 precision stainless steel bearing (4x9x4)	220 0103	S684A-ZZ-MC3-JP6	
Bearing for Centre High Precision Bearing Standard Cage Option Double shielded Abec 5 precision bearing with standard crown retainer (5x8x3) Brand: MBA	0.220.1302	SMR85C-ZZS-MC34-GR5-L23	

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

Colibri

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Bearing

SR144-D28-ZS-KC-OPT

High Speed Bearing - Phenolic Retainer

Precision dental handpiece bearing with narrow design and high speed phenolic retainer (3.18x6.35x2.38)

2 Required



Key **Usually stocked or Short Delivery**
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

Kool Torque®

USA

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Bearing

BB 6-13-5

S686B-ZZS-MC3-GR3-T9H

High Speed Bearing - Polyamide Retainer

Double shielded Abec 3 precision stainless steel bearing with a high speed polyamide cage (6x13x5)

2 Required

Brand: MBA



Key

Usually stocked or Short Delivery

** Available while stocks last

Long Delivery or Large Minimum Quantities

Not in current production

330E

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Bearing

SR144-D28-ZS-KC-OPT

High Speed Bearing - Phenolic Retainer

Precision dental handpiece bearing with narrow design and high speed phenolic retainer (3.18x6.35x2.38)

2 Required



557 CX ProStyle SF

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Turbine With Bearings

10632

BKUR360001

For Handpiece with Clamp Pad Chuck

Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic

Brand: myonic



557 Push Button

Position / Description / Application

Manufacturers Part

MBA Part

Replacement O-Ring

OR-00600-075-N70

Special Dental Application O-Ring

Special sized o-ring used in dental Applications

2 Required



Bearing for Cap End

SR144C-D26-KC

High Speed Bearing - Phenolic Retainer

Deleted Item. Available while stocks last. (3.18x6.35x1.91)



Bearing for Chuck End

SR144-D28-ZS-KC-OPT

High Speed Bearing - Phenolic Retainer

Precision dental handpiece bearing with narrow design and high speed phenolic retainer (3.18x6.35x2.38)



557 Turbo ProStyle SF

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Turbine With Bearings


10633

BKUR360003

For Handpiece with Clamp Pad Chuck

Turbine sub assembly with ceramic-hybrid bearings with Phenolic retainer - myonic

Brand: myonic



557SR

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Bearing

SR144-D28-ZS-KC-OPT

High Speed Bearing - Phenolic Retainer

Precision dental handpiece bearing with narrow design and high speed phenolic retainer (3.18x6.35x2.38)

2 Required



Key	Usually stocked or Short Delivery
	** Available while stocks last

Long Delivery or Large Minimum Quantities
<i>Not in current production</i>

757

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Cap End

High Speed Bearing - Phenolic Retainer

Deleted Item. Available while stocks last. (3.18x6.35x1.91)

SR144C-D26-KC



Replacement O-Ring

Special Dental Application O-Ring

Special sized o-ring used in dental Applications

2 Required

OR-00600-075-N70



Bearing for Chuck End

High Speed Bearing - Phenolic Retainer

Precision dental handpiece bearing with narrow design and high speed phenolic retainer (3.18x6.35x2.38)

SR144-D28-ZS-KC-OPT



757 CX ProStyle SF

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Turbine With Bearings


10629

BKUR360002

For Handpiece with Clamp Pad Chuck

Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic

Brand: myonic



757 Multi Port

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Turbine With Bearings


10630

BKUR360004

For Handpiece with Clamp Pad Chuck

Turbine sub assembly with ceramic-hybrid bearings with Phenolic retainer - myonic

Brand: myonic



757 Single Port

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Turbine With Bearings


10631

BKUR360005

For Handpiece with Clamp Pad Chuck

Turbine sub assembly with ceramic-hybrid bearings with Phenolic retainer - myonic

Brand: myonic



Key




Usually stocked or Short Delivery

** Available while stocks last

Long Delivery or Large Minimum Quantities

Not in current production

Workhorse

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Cap End High Speed Bearing - Phenolic Retainer Deleted Item. Available while stocks last. (3.18x6.35x1.91)		SR144C-D26-KC	 Image Coming Soon
Replacement O-Ring Special Dental Application O-Ring Special sized o-ring used in dental Applications 2 Required		OR-00600-075-N70	
Bearing for Chuck End High Speed Bearing - Phenolic Retainer Precision dental handpiece bearing with narrow design and high speed phenolic retainer (3.18x6.35x2.38)		SR144-D28-ZS-KC-OPT	

Key **Usually stocked or Short Delivery**
**** Available while stocks last**

Long Delivery or Large Minimum Quantities
Not in current production

BM50S1

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Chuck

SUS420J2

BKU64202

True running accuracy less than 0.03, bore diameter 2.35mm

Brand: MBA



H35LSP

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Motor Brush

BKU60108

Brand: MBA



H35SP1

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Armature

BKU61107

Brand: MBA



H37L

Position / Description / Application


Manufacturers Part

MBA Part

Replacement Motor Brush

BKU60108

Brand: MBA



Handy 700

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Chuck

SUS420J2

BKU64202





True running accuracy less than 0.03, bore diameter 2.35mm

Brand: MBA





Marathon®


Motor DC Type

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Motor Shaft High Speed Bearing - Polyamide Retainer Shielded Option Double shielded bearing with a high speed polyamide retainer and light oil lubricant (3x10x4) Brand: MBA	1030ZZ	S623-ZZS-MC3-T9H-AF12	
Bearing for Motor Shaft High Speed Bearing - Polyamide Retainer Shielded Option Double shielded high speed stainless steel bearing with Polyamide retainer (3x8x4)	830ZZ	S693A-ZZS-MC3-T9H	
Bearing for Shaft High Speed Bearing - Polyamide Retainer Double shielded Abec 3 precision stainless steel bearing with high speed polyamide retainer (6.35x12.7x4.76) Brand: MBA	188ZZ	SR188A-ZZS-MC3-GR3-T9H	
Bearing for Shaft 6-13-5mm High Speed Bearing - Polyamide Retainer Double shielded Abec 3 precision stainless steel bearing with a high speed polyamide cage (6x13x5) Brand: MBA	1360ZZ	S686B-ZZS-MC3-GR3-T9H	

Motor E Type

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Motor Shaft High Speed Bearing - Polyamide Retainer Shielded Option Double shielded bearing with a high speed polyamide retainer and light oil lubricant (3x10x4) Brand: MBA	1030ZZ	S623-ZZS-MC3-T9H-AF12	
Bearing for Motor Shaft High Speed Bearing - Polyamide Retainer Shielded Option Double shielded high speed stainless steel bearing with Polyamide retainer (3x8x4)	830ZZ	S693A-ZZS-MC3-T9H	

Motor ETC Type

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Shaft 6-13-5mm High Speed Bearing - Polyamide Retainer Double shielded Abec 3 precision stainless steel bearing with a high speed polyamide cage (6x13x5) Brand: MBA	1360ZZ	S686B-ZZS-MC3-GR3-T9H	

Multi 600

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Chuck True running accuracy less than 0.03, bore diameter 2.35mm Brand: MBA	SUS420J2	BKU64202	

Key **Usually stocked or Short Delivery**
**** Available while stocks last**

Long Delivery or Large Minimum Quantities
Not in current production

Marathon®

SDEH37L

Position / Description / Application


Manufacturers Part

MBA Part

Replacement Armature

BKU61107

Brand: MBA



SDESH40C

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Armature

BKU61108

Brand: MBA



SH40C

Position / Description / Application


Manufacturers Part

MBA Part

Replacement Motor Brush

BKU60108

Brand: MBA



SH45C

Position / Description / Application


Manufacturers Part

MBA Part

Replacement Motor Brush

BKU60108

Brand: MBA



Replacement Armature

BKU61108

Brand: MBA



Spindle DC Type

Position / Description / Application

Manufacturers Part

MBA Part


Bearing for Shaft

1260ZZ

SMR126A-ZZS-MC3-T9H

High Speed Bearing - Polyamide Retainer Shielded Option

Double shielded high speed stainless steel bearing with Polyamide retainer (6x12x4)



Bearing for Shaft

1480ZZ

SMR148A-ZZS-MC3-GR3-T9H

High Speed Bearing - Polyamide Retainer Shielded Option

Double shielded Abec 3 precision stainless steel bearing with high speed polyamide cage (8x14x4)

Brand: ECO



Key



Usually stocked or Short Delivery

** Available while stocks last

Long Delivery or Large Minimum Quantities

Not in current production

Spindle ETC Type

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Shaft High Speed Bearing - Polyamide Retainer Shielded Option Double shielded Abec 3 precision stainless steel bearing with high speed polyamide cage (8x14x4) Brand: ECO	1480ZZ	SMR148A-ZZS-MC3-GR3-T9H	
Bearing for Shaft High Speed Bearing - Polyamide Retainer Shielded Option Double shielded high speed stainless steel bearing with Polyamide retainer (6x12x4)	1260ZZ	SMR126A-ZZS-MC3-T9H	

Key **Usually stocked or Short Delivery**
 ** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

Micro Mega®

350

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Bearing

SFR144A-D27-ZSO-KC-OPT

High Speed Bearing - Phenolic Retainer

Single shielded flanged precision dental handpiece bearing with phenolic retainer (3.18x6.35x2.78)

2 Required

Brand: Myonic



Key



Usually stocked or Short Delivery

** Available while stocks last

Long Delivery or Large Minimum Quantities

Not in current production

1000

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Bearing High Speed Ceramic-Hybrid Bearing - Phenolic Retainer Precision ceramic-hybrid dental handpiece bearing with high speed phenolic retainer (3.18x6.35x2.38) 2 Required Brand: MBA		SR144-D28-CSN-KC-OPT	
Replacement Bearing High Speed Bearing - Phenolic Retainer Narrow precision dental handpiece bearing with high speed phenolic retainer (3.18x6.35x2.38) 2 Required Brand: MBA		SR144-D28-KC-OPT	

400

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Chuck End High Speed Bearing - Phenolic Retainer Single shielded flanged precision dental handpiece bearing with phenolic retainer (3.18x6.35x2.78) Brand: Myonic		SFR144A-D27-ZSO-KC-OPT	
Replacement Bearing High Speed Bearing - Polyamide Retainer Precision flanged dental bearing with a high speed polyamide retainer (3.18x6.35x2.78) Brand: Myonic		SFR144A-D27-ZSO-T9H-OPT	
Bearing for Chuck End High Speed Bearing - Polyamide Retainer Precision flanged dental bearing with a high speed polyamide retainer (3.18x6.35x2.78) Brand: Myonic		SFR144A-D27-ZSO-T9H-OPT	
Replacement Bearing High Speed Bearing - Phenolic Retainer Single shielded flanged precision dental handpiece bearing with phenolic retainer (3.18x6.35x2.78) Brand: Myonic		SFR144A-D27-ZSO-KC-OPT	
Bearing for Cap End High Speed Bearing - Phenolic Retainer Narrow precision dental handpiece bearing with high speed phenolic retainer (3.18x6.35x2.38) Brand: MBA		SR144-D28-KC-OPT	
Bearing for Cap End High Speed Ceramic-Hybrid Bearing - Phenolic Retainer Precision ceramic-hybrid dental handpiece bearing with high speed phenolic retainer (3.18x6.35x2.38) Brand: MBA		SR144-D28-CSN-KC-OPT	

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

5 Hole Hose

Position / Description / Application

Manufacturers Part

MBA Part

Xenon Lamp

790257R

BKU60257Xenon

Brand: MBA



5 Hole Hoses

Position / Description / Application

Manufacturers Part

MBA Part

LED Bulb

790257R

BKU63307LED

Brand: MBA



6 Pin Coupling

Position / Description / Application

Manufacturers Part

MBA Part

LED Bulb

790257R

BKU63307LED

Brand: MBA




Xenon Lamp

790257R

BKU60257Xenon

Brand: MBA



8000 - 8000i

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Bearing

High Speed Bearing - Phenolic Retainer

Narrow precision dental handpiece bearing with high speed phenolic retainer (3.18x6.35x2.38)

Brand: MBA

SR144-D28-KC-OPT



Replacement Bearing

High Speed Ceramic-Hybrid Bearing - Phenolic Retainer

Precision ceramic-hybrid dental handpiece bearing with high speed phenolic retainer (3.18x6.35x2.38)

2 Required

Brand: MBA

SR144-D28-CSN-KC-OPT



Bright ISO

Position / Description / Application

Manufacturers Part


MBA Part

Xenon Lamp

262522

BKU62522Xenon

Brand: MBA



Key	Usually stocked or Short Delivery
	** Available while stocks last

Long Delivery or Large Minimum Quantities
<i>Not in current production</i>

C6

Position / Description / Application

Manufacturers Part

MBA Part

Xenon Lamp

262522

BKU62522Xenon

Brand: MBA



Easycare Mini

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Rotor Cartridge

SG1223X-D

SR145-D75-CSN-ZZE-KC

High Speed Ceramic-Hybrid Bearing - Phenolic Retainer Shielded Option

Double shielded precision special ceramic-hybrid dental bearing with stepped OD and high speed Phenolic retainer

Brand: MBA



Bearing for Rotor Cartridge

SG1223X.2mq

SR145-D75-ZZE-KC

High Speed Bearing - Phenolic Retainer Shielded Option

Double shielded Abec 7 precision bearing with stepped OD and high speed Phenolic retainer

Brand: MBA



eStylus Motor

Position / Description / Application

Manufacturers Part


MBA Part

LED Bulb

774150

BKU66016LED

Brand: MBA



Quiet Air

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Chuck End

High Speed Bearing - Polyamide Retainer

Precision flanged dental bearing with a high speed polyamide retainer (3.18x6.35x2.78)

Brand: Myonic

SFR144A-D27-ZSO-T9H-OPT



Bearing for Chuck End

High Speed Bearing - Phenolic Retainer

Single shielded flanged precision dental handpiece bearing with phenolic retainer (3.18x6.35x2.78)

Brand: Myonic

SFR144A-D27-ZSO-KC-OPT




Bearing for Cap End

High Speed Ceramic-Hybrid Bearing - Phenolic Retainer

Precision ceramic-hybrid dental handpiece bearing with high speed phenolic retainer (3.18x6.35x2.38)

Brand: MBA

SR144-D28-CSN-KC-OPT



Bearing for Cap End

High Speed Bearing - Phenolic Retainer

Narrow precision dental handpiece bearing with high speed phenolic retainer (3.18x6.35x2.38)

Brand: MBA





SR144-D28-KC-OPT





Key	Usually stocked or Short Delivery
	** Available while stocks last

Long Delivery or Large Minimum Quantities
<i>Not in current production</i>

Quiet Air Compact

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Chuck End High Speed Bearing - Phenolic Retainer Single shielded flanged precision dental handpiece bearing with phenolic retainer (3.18x6.35x2.78) Brand: Myonic		SFR144A-D27-ZSO-KC-OPT	
Bearing for Chuck End High Speed Bearing - Polyamide Retainer Precision flanged dental bearing with a high speed polyamide retainer (3.18x6.35x2.78) Brand: Myonic		SFR144A-D27-ZSO-T9H-OPT	
Bearing for Cap End High Speed Bearing - Phenolic Retainer Narrow precision dental handpiece bearing with high speed phenolic retainer (3.18x6.35x2.38) Brand: MBA		SR144-D28-KC-OPT	
Bearing for Cap End High Speed Ceramic-Hybrid Bearing - Phenolic Retainer Precision ceramic-hybrid dental handpiece bearing with high speed phenolic retainer (3.18x6.35x2.38) Brand: MBA		SR144-D28-CSN-KC-OPT	





Stylus

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Rotor Cartridge High Speed Ceramic-Hybrid Bearing - Phenolic Retainer Shielded Option Double shielded precision special ceramic-hybrid dental bearing with stepped OD and high speed Phenolic retainer Brand: MBA	SG1223X-D	SR145-D75-CSN-ZZE-KC	 Image Coming Soon
Bearing for Rotor Cartridge High Speed Bearing - Phenolic Retainer Shielded Option Double shielded Abec 7 precision bearing with stepped OD and high speed Phenolic retainer Brand: MBA	SG1223X.2mq	SR145-D75-ZZE-KC	 Image Coming Soon




Key **Usually stocked or Short Delivery**
 ** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production


Tradition

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Bearing High Speed Bearing - Polyamide Retainer Precision flanged dental bearing with a high speed polyamide retainer (3.18x6.35x2.78) Brand: Myonic		SFR144A-D27-ZSO-T9H-OPT	
Replacement Bearing High Speed Bearing - Phenolic Retainer Single shielded flanged precision dental handpiece bearing with phenolic retainer (3.18x6.35x2.78) Brand: Myonic		SFR144A-D27-ZSO-KC-OPT	
Bearing for Cap End High Speed Bearing - Phenolic Retainer Narrow precision dental handpiece bearing with high speed phenolic retainer (3.18x6.35x2.38) Brand: MBA		SR144-D28-KC-OPT	
Bearing for Cap End High Speed Ceramic-Hybrid Bearing - Phenolic Retainer Precision ceramic-hybrid dental handpiece bearing with high speed phenolic retainer (3.18x6.35x2.38) Brand: MBA		SR144-D28-CSN-KC-OPT	

Tradition Lever

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Phenolic retainer - myonic Brand: myonic	780118	BKURMU260101	 <small>Ultra precision sub-assemblies, cartridges</small>
Turbine Sub Assembly Without Bearings For Handpiece with Wedge Type Chuck Brand: MBA	780118	BKURM260101	 <small>Ultra precision sub-assemblies, cartridges</small>
Bearing for Rotor Cartridge High Speed Ceramic-Hybrid Bearing - Phenolic Retainer Precision dental handpiece ceramic-hybrid bearing with narrow design and high speed phenolic retainer (3.18x6.35x2.38) Brand: MBA	SG1222X-D	SR144-D28-CSN-ZS-KC	

Tradition Lever Push Button

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Rotor Cartridge Daily Lube - High Speed Bearing - Phenolic Retainer Single shielded flanged stainless steel precision dental bearing with phenolic retainer (3.18x6.35x2.78) Brand: MBA	SG1301X-D	SFR144A-D1301-CSN-ZSO-KC	

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

Tradition XGT

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Turbine With Bearings


790118

BKURMU260100

For Handpiece with Wedge Type Chuck

Turbine sub assembly with ceramic-hybrid bearings with Phenolic retainer - myonic

Brand: myonic




Turbine Sub Assembly Without Bearings

790118

BKURM260100

For Handpiece with Wedge Type Chuck

Brand: MBA



Traditon Lever

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Rotor Cartridge

SG1222X

SR144-D28-ZS-KC-OPT

High Speed Bearing - Phenolic Retainer

Precision dental handpiece bearing with narrow design and high speed phenolic retainer (3.18x6.35x2.38)



Traditon Lever Push Button

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Rotor Cartridge

SG1301X

SFR144A-D1301-ZSO-KC

Daily Lube - High Speed Bearing - Phenolic Retainer

Single shielded flanged stainless steel precision dental bearing with phenolic retainer (3.18x6.35x2.78)

Brand: MBA



Tru-Line

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Chuck End

SFR144A-D27-ZSO-KC-OPT

High Speed Bearing - Phenolic Retainer

Single shielded flanged precision dental handpiece bearing with phenolic retainer (3.18x6.35x2.78)

Brand: Myonic



Bearing for Chuck End

SFR144A-D27-ZSO-T9H-OPT

High Speed Bearing - Polyamide Retainer

Precision flanged dental bearing with a high speed polyamide retainer (3.18x6.35x2.78)

Brand: Myonic



Bearing for Cap End

SR144-D28-CSN-KC-OPT

High Speed Ceramic-Hybrid Bearing - Phenolic Retainer

Precision ceramic-hybrid dental handpiece bearing with high speed phenolic retainer (3.18x6.35x2.38)

Brand: MBA



Bearing for Cap End

SR144-D28-KC-OPT

High Speed Bearing - Phenolic Retainer

Narrow precision dental handpiece bearing with high speed phenolic retainer (3.18x6.35x2.38)

Brand: MBA



Key	Usually stocked or Short Delivery
	** Available while stocks last

Long Delivery or Large Minimum Quantities
<i>Not in current production</i>

XGT Lever Air Driven Handpiece

Position / Description / Application

Manufacturers Part

MBA Part

Replacement O-Ring

BKU69998

Special Dental Application O-Ring

Brand: MBA



Key

Usually stocked or Short Delivery

** Available while stocks last

Long Delivery or Large Minimum Quantities

Not in current production

Miscellaneous

Dental Washers

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Wave Washer

4.8mm Shaft Size

Additional stock available from USA subject to Prior Sale = 4719 (4.76x6.35x0.76)

W0048-T-007-008-W3-S2



PTFE Washer-Spacer

0.13mm - half thou - thick

Deleted Item. Available while stocks last. (3x6.56x0.13)

W0030-F-007-001-PT



Key




Usually stocked or Short Delivery

** Available while stocks last

Long Delivery or Large Minimum Quantities

Not in current production

EM1190K

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Rotor High Precision Bearing Low Torque Option Double shielded Abec 5 precision bearing with low-torque ribbon retainer (5x8x3) Brand: Myonic	BE5015	SMR85C-ZZS-MC34-GR5-TR-L23	
Replacement Motor Brush Brand: MBA	SP1219	BKU60881	
Bearing for Rotor High Precision Bearing Standard Cage Option Double shielded Abec 5 precision bearing with standard crown retainer (5x8x3) Brand: MBA	BE5015	SMR85C-ZZS-MC34-GR5-L23	

HB21

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	TC1034	BKUR2801085	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	TC1034	BKUR280108	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	TC1034	BKUR2801083	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	TC2034	BKURC2800033	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	TC2034	BKURC2800035	
Turbine Sub Assembly Without Bearings For Handpiece with Wedge Type Chuck Brand: MBA	TC2034	BKURC280003	

Key **Usually stocked or Short Delivery**
**** Available while stocks last**

Long Delivery or Large Minimum Quantities
Not in current production

HC20

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	TC2038	BKUR2801203	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	TC2038	BKUR2801205	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	TC2038	BKUR280120	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	TC2038	BKURC2800075	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	TC2038	BKURC2800073	
Turbine Sub Assembly Without Bearings For Handpiece with Wedge Type Chuck Brand: MBA	TC2038	BKURC280007	

Key **Usually stocked or Short Delivery**
 ** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

MK-Dent®

HC21

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	TC2038	BKUR2801205	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	TC2038	BKUR280120	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	TC2038	BKUR2801203	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	TC2038	BKURC2800075	
Turbine Sub Assembly Without Bearings For Handpiece with Wedge Type Chuck Brand: MBA	TC2038	BKURC280007	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	TC2038	BKURC2800073	

Key **Usually stocked or Short Delivery**
 ** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

HC4021

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	TC1031 / TC2031	BKUR2801063	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	TC1031 / TC2031	BKUR2801064	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	TC1031 / TC2031	BKUR280106	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	TC1031 / TC2031	BKUR2801065	
Turbine Sub Assembly Without Bearings For Handpiece with Wedge Type Chuck Brand: MBA	TC2031	BKURC280001	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	TC2031	BKURC2800015	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	TC2031	BKURC2800013	

Key **Usually stocked or Short Delivery**
 ** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

MK-Dent®

HC4022

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	TC1032 / TC2032	BKUR280107	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	TC1032 / TC2032	BKUR2801075	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	TC1032 / TC2032	BKUR2801073	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	TC1032 / TC2032	BKUR2801074	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	TC2032	BKURC2800023	
Turbine Sub Assembly Without Bearings For Handpiece with Wedge Type Chuck Brand: MBA	TC2032	BKURC280002	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	TC2032	BKURC2800025	

Key **Usually stocked or Short Delivery**
 ** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

HC5021

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	TC1031 / TC2031	BKUR2801063	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	TC1031 / TC2031	BKUR280106T	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	TC1031 / TC2031	BKUR2801065	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	TC1031 / TC2031	BKUR2801064	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	TC1031 / TC2031	BKUR280106	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	TC2031	BKURC2800015	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	TC2031	BKURC2800013	
Turbine Sub Assembly Without Bearings For Handpiece with Wedge Type Chuck Brand: MBA	TC2031	BKURC280001	

Key **Usually stocked or Short Delivery**
 ** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

HC5022

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	TC1032 / TC2032	BKUR2801074	Precision sub-assemblies, cartridges with steel inserts & WCC coated actuators 
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	TC1032 / TC2032	BKUR2801073	Precision sub-assemblies, cartridges with steel inserts & WCC coated actuators 
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	TC1032 / TC2032	BKUR280107	Precision sub-assemblies, cartridges with steel inserts & WCC coated actuators 
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	TC1032 / TC2032	BKUR2801075	Precision sub-assemblies, cartridges with steel inserts & WCC coated actuators 
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	TC1032 / TC2032	BKUR280107T	Precision sub-assemblies, cartridges with steel inserts & WCC coated actuators Triple pack - Unit with 3 pieces 
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	TC2032	BKURC2800025	Precision sub-assemblies, cartridges with carbide inserts & WCC coated actuators 
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	TC2032	BKURC2800023	Precision sub-assemblies, cartridges with carbide inserts & WCC coated actuators 
Turbine Sub Assembly Without Bearings For Handpiece with Wedge Type Chuck Brand: MBA	TC2032	BKURC280002	Precision sub-assemblies, cartridges with carbide inserts & WCC coated actuators 

Key **Usually stocked or Short Delivery**
 ** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

HC60012

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	TC1032 / TC2032	BKUR2801074	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	TC1032 / TC2032	BKUR2801073	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	TC1032 / TC2032	BKUR2801075	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	TC1032 / TC2032	BKUR280107	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	TC1032 / TC2032	BKUR280107T	 <p>Triple pack - Unit with 3 pieces</p>
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	TC2032	BKURC2800025	
Turbine Sub Assembly Without Bearings For Handpiece with Wedge Type Chuck Brand: MBA	TC2032	BKURC280002	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	TC2032	BKURC2800023	

Key **Usually stocked or Short Delivery**
 ** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

MK-Dent®




HC6021

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	TC1031 / TC2031	BKUR2801064	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	TC1031 / TC2031	BKUR2801065	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	TC1031 / TC2031	BKUR280106T	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	TC1031 / TC2031	BKUR2801063	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	TC1031 / TC2031	BKUR280106	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	TC2031	BKURC2800013	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	TC2031	BKURC2800015	
Turbine Sub Assembly Without Bearings For Handpiece with Wedge Type Chuck Brand: MBA	TC2031	BKURC280001	

Key **Usually stocked or Short Delivery**
**** Available while stocks last**

Long Delivery or Large Minimum Quantities
Not in current production

HC8022

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	TC2042	BKURC2800065	
Turbine Sub Assembly Without Bearings For Handpiece with Wedge Type Chuck Brand: MBA	TC2042	BKURC280006	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	TC2042	BKURC2800063	

HC9021

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	TC2041	BKUR280110	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	TC2041	BKUR2801103	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	TC2041	BKUR2801105	
Turbine Sub Assembly Without Bearings For Handpiece with Wedge Type Chuck Brand: MBA	TC2041	BKURC280005	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	TC2041	BKURC2800053	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	TC2041	BKURC2800055	

Key **Usually stocked or Short Delivery**
 ** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

HE17

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	TC1034	BKUR280108	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	TC1034	BKUR2801083	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	TC1034	BKUR2801085	
Turbine Sub Assembly Without Bearings For Handpiece with Wedge Type Chuck Brand: MBA	TC2034	BKURC280003	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	TC2034	BKURC2800035	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	TC2034	BKURC2800033	

Key **Usually stocked or Short Delivery**
 ** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

HE18

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	TC1035	BKUR2801093	Precision sub-assemblies, cartridges with steel inserts & WCC coated actuators 
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	TC1035	BKUR2801095	Precision sub-assemblies, cartridges with steel inserts & WCC coated actuators 
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	TC1035	BKUR280109	Precision sub-assemblies, cartridges with steel inserts & WCC coated actuators 
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	TC2035	BKURC2800045	Precision sub-assemblies, cartridges with carbide inserts & WCC coated actuators 
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	TC2035	BKURC2800043	Precision sub-assemblies, cartridges with carbide inserts & WCC coated actuators 
Turbine Sub Assembly Without Bearings For Handpiece with Wedge Type Chuck Brand: MBA	TC2035	BKURC280004	Precision sub-assemblies, cartridges with carbide inserts & WCC coated actuators 

Key **Usually stocked or Short Delivery**
 ** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

HE22

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	TC1035	BKUR2801095	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	TC1035	BKUR280109	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	TC1035	BKUR2801093	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	TC2035	BKURC2800043	
Turbine Sub Assembly Without Bearings For Handpiece with Wedge Type Chuck Brand: MBA	TC2035	BKURC280004	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	TC2035	BKURC2800045	




Key **Usually stocked or Short Delivery**
 ** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

HP21

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	TC2041	BKUR280110	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	TC2041	BKUR2801103	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	TC2041	BKUR2801105	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	TC2041	BKURC2800055	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	TC2041	BKURC2800053	
Turbine Sub Assembly Without Bearings For Handpiece with Wedge Type Chuck Brand: MBA	TC2041	BKURC280005	

HP22

Position / Description / Application	Manufacturers Part	MBA Part	
Turbine Sub Assembly Without Bearings For Handpiece with Wedge Type Chuck Brand: MBA	TC2042	BKURC280006	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	TC2042	BKURC2800063	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	TC2042	BKURC2800065	

Key **Usually stocked or Short Delivery**
 ** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

LC01L

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Shaft

BE5014

S684A-ZZ-MC3-JP6

High Precision Bearing Shielded Option
Double shielded P6 precision stainless steel bearing (4x9x4)



Bearing for Shaft

BE5015

SMR85C-ZZS-MC34-GR5-TR-L23

High Precision Bearing Low Torque Option
Double shielded Abec 5 precision bearing with low-torque ribbon retainer (5x8x3)

Brand: Myonic



Bearing for Shaft

BE5015

SMR85C-ZZS-MC34-GR5-L23

High Precision Bearing Standard Cage Option
Double shielded Abec 5 precision bearing with standard crown retainer (5x8x3)

Brand: MBA



LC11L

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Shaft

BE5013

S693-ZZS-MC34-TH5-R-L23

High Precision Bearing
Open Abec 5 precision stainless steel bearing with low-torque retainer and light oil lubricant (3x8x3)

Brand: MBA



LC27L

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Shaft

BE5018

SMR104A-ZZ-MC3-JP6

High Precision Bearing
Double shielded P6 precision stainless steel bearing (4x10x4)



Key

Usually stocked or Short Delivery

** Available while stocks last

Long Delivery or Large Minimum Quantities




Not in current production

MK-Dent®

LCH11

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Headgear High Precision Bearing Open P6 precision bearing with low-torque cage and light oil lubricant (4x7x2)	BE5012	SMR74-MC3-JP6-AF12	
Drive Kit Brand: MBA	SP2005 + SP2024	BKU60524	 <p>Drive Kits for Electric Driven Handpieces and Heads</p>
Head Gear Complete Dental Head 1:1 For Handpiece with Latch Type Chuck Brand: MBA	SP2005	BKU62005	 <p>Head Gears, Intermediate Pieces, Middle Gears, Parts for Electric Driven Handpieces & Heads</p>
Intermediate Piece Dental Head 1:1 Brand: MBA	SP2024	BKU62024	 <p>Head Gears, Intermediate Pieces, Middle Gears, Parts for Electric Driven Handpieces & Heads</p>
Bearing for Headgear High Speed Bearing - Torlon Retainer Shielded Option Double shielded special dental bearing with extended inner ring and high speed Torlon retainer (3x7x2.5)	BE5011	SWA683B-ZZ-C69-GR5-TO	

LCH21

Position / Description / Application	Manufacturers Part	MBA Part	
Head Gear Complete Dental Head 2:1 For Handpiece with Latch Type Chuck Brand: MBA	SP2105	BKU62105	 <p>Head Gears, Intermediate Pieces, Middle Gears, Parts for Electric Driven Handpieces & Heads</p>
Drive Kit Brand: MBA	SP2105 + SP2124	BKU60254	 <p>Drive Kits for Electric Driven Handpieces and Heads</p>
Intermediate Piece Dental Head 2:1 Brand: MBA	SP2124	BKU62124	 <p>Head Gears, Intermediate Pieces, Middle Gears, Parts for Electric Driven Handpieces & Heads</p>

Key **Usually stocked or Short Delivery**
 ** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

LCH21P

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Headgear

BE6055

SMR63-MC3-JP6-AF12

High Precision Bearing

Open P6 precision bearing with low-torque cage and light oil lubricant (3x6x2)



LE11

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Shaft

BE5013

S693-ZZS-MC34-TH5-R-L23

High Precision Bearing

Open Abec 5 precision stainless steel bearing with low-torque retainer and light oil lubricant (3x8x3)

Brand: MBA



LE148L

Position / Description / Application

Manufacturers Part

MBA Part


Bearing for Shaft

BE5019

S683-MC3-JP6-AF12

High Precision Bearing

Open P6 precision bearing with low-torque cage and light oil lubricant (3x7x2)



Bearing for Shaft

BE5017

SMR104A-ZZS-MC3-GR7-T9H

High Speed Bearing - Polyamide Retainer Shielded Option

Double shielded Abec 7 precision stainless steel bearing with high speed Polyamide retainer (4x11x4)

Brand: MBA



LE15L

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Middle Gear

BE5027

SR133A-ZZS-MC3-JP6

High Precision Bearing Shielded Option

Double shielded P6 precision stainless steel bearing (2.38x4.76x2.38)



Bearing for Headgear

BE5021B

SMR74-CSN-TH7-TO

High Speed Ceramic-Hybrid Bearing - Torlon Retainer

Open Abec 7 precision stainless ceramic-hybrid bearing with high speed Torlon retainer (4x7x2)

Brand: MBA



Bearing for Headgear

BE5029

SWR144C-D38-CSN-TO

High Speed Ceramic-Hybrid Bearing - Torlon Retainer

3.175x6.35x1.905/2.778, ceramic-hybrid, Torlon retainer - to check (3.18x6.35x1.9)

Brand: MBA



Bearing for Middle Gear

BE5027

SMR4.762-2.35A-ZZS-MC3-GR7-TO

High Speed Bearing - Torlon Retainer Shielded Option

Double shielded Abec 7 precision bearing with high speed Torlon retainer (2.35x4.76x2.35)

Brand: MBA



Key	Usually stocked or Short Delivery
	** Available while stocks last

Long Delivery or Large Minimum Quantities
<i>Not in current production</i>

LE21

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Shaft

BE5013

S693-ZZS-MC34-TH5-R-L23

High Precision Bearing

Open Abec 5 precision stainless steel bearing with low-torque retainer and light oil lubricant (3x8x3)

Brand: MBA



LE27L

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Shaft

BE5018

SMR104A-ZZ-MC3-JP6

High Precision Bearing Shielded Option

Double shielded P6 precision stainless steel bearing (4x10x4)



Bearing for Shaft


BE5016

SMR104A-ZZS-MC3-GR7-T9H

High Speed Bearing - Polyamide Retainer Shielded Option

Double shielded Abec 7 precision stainless steel bearing with high speed Polyamide retainer (4x11x4)

Brand: MBA



LE74L

Position / Description / Application

Manufacturers Part

MBA Part


Bearing for Shaft

BE5019

S683-MC3-JP6-AF12

High Precision Bearing

Open P6 precision bearing with low-torque cage and light oil lubricant (3x7x2)



Bearing for Shaft

BE5017

SMR104A-ZZS-MC3-GR7-T9H

High Speed Bearing - Polyamide Retainer Shielded Option

Double shielded Abec 7 precision stainless steel bearing with high speed Polyamide retainer (4x11x4)

Brand: MBA



LP01L

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Shaft

BE5015

SMR85C-ZZS-MC34-GR5-TR-L23

High Precision Bearing Low Torque Option

Double shielded Abec 5 precision bearing with low-torque ribbon retainer (5x8x3)

Brand: Myonic



Bearing for Shaft

BE5014

S684A-ZZ-MC3-JP6

High Precision Bearing Shielded Option

Double shielded P6 precision stainless steel bearing (4x9x4)



Bearing for Shaft

BE5015

SMR85C-ZZS-MC34-GR5-L23

High Precision Bearing Standard Cage Option

Double shielded Abec 5 precision bearing with standard crown retainer (5x8x3)

Brand: MBA



Key	Usually stocked or Short Delivery
	** Available while stocks last

Long Delivery or Large Minimum Quantities
<i>Not in current production</i>

LP11L

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Shaft

BE5013

S693-ZZS-MC34-TH5-R-L23

High Precision Bearing

Open Abec 5 precision stainless steel bearing with low-torque retainer and light oil lubricant (3x8x3)

Brand: MBA



LP15L

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Middle Gear

BE5027

SR133A-ZZS-MC3-JP6

High Precision Bearing Shielded Option

Double shielded P6 precision stainless steel bearing (2.38x4.76x2.38)



Bearing for Middle Gear


BE5027

SMR4.762-2.35A-ZZS-MC3-GR7-TO

High Speed Bearing - Torlon Retainer Shielded Option

Double shielded Abec 7 precision bearing with high speed Torlon retainer (2.35x4.76x2.35)

Brand: MBA



Bearing for Headgear

BE5029

SWR144C-D38-CSN-TO

High Speed Ceramic-Hybrid Bearing - Torlon Retainer

3.175x6.35x1.905/2.778, ceramic-hybrid, Torlon retainer - to check (3.18x6.35x1.9)

Brand: MBA



Bearing for Headgear


BE5021B

SMR74-CSN-TH7-TO

High Speed Ceramic-Hybrid Bearing - Torlon Retainer

Open Abec 7 precision stainless ceramic-hybrid bearing with high speed Torlon retainer (4x7x2)

Brand: MBA



LP54L

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Shaft

BE5018

SMR104A-ZZ-MC3-JP6

High Precision Bearing Shielded Option

Double shielded P6 precision stainless steel bearing (4x10x4)



Bearing for Shaft

BE5016

SMR104A-ZZS-MC3-GR7-T9H

High Speed Bearing - Polyamide Retainer Shielded Option

Double shielded Abec 7 precision stainless steel bearing with high speed Polyamide retainer (4x11x4)

Brand: MBA



LP74L

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Shaft

BE5016

SMR104A-ZZS-MC3-GR7-T9H

High Speed Bearing - Polyamide Retainer

Double shielded Abec 7 precision stainless steel bearing with high speed Polyamide retainer (4x11x4)

Brand: MBA



Key	Usually stocked or Short Delivery
	** Available while stocks last

Long Delivery or Large Minimum Quantities
<i>Not in current production</i>

MK-Dent®

LPH11

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Headgear High Precision Bearing Open P6 precision bearing with low-torque cage and light oil lubricant (4x7x2)	BE5012	SMR74-MC3-JP6-AF12	
Drive Kit Brand: MBA	SP2005 + SP2024	BKU60524	 <p>Drive Kits for Electric Driven Handpieces and Heads</p>
Intermediate Piece Dental Head 1:1 Brand: MBA	SP2024	BKU62024	 <p>Head Gears, Intermediate Pieces, Middle Gears, Parts for Electric Driven Handpieces & Heads</p>
Head Gear Complete Dental Head 1:1 For Handpiece with Latch Type Chuck Brand: MBA	SP2005	BKU62005	 <p>Head Gears, Intermediate Pieces, Middle Gears, Parts for Electric Driven Handpieces & Heads</p>
Bearing for Headgear High Speed Bearing - Torlon Retainer Shielded Option Double shielded special dental bearing with extended inner ring and high speed Torlon retainer (3x7x2.5)	BE5011	SWA683B-ZZ-C69-GR5-TO	



Key **Usually stocked or Short Delivery**
 ** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production


LPH21

Position / Description / Application	Manufacturers Part	MBA Part	
Intermediate Piece Dental Head 2:1 Brand: MBA	SP2124	BKU62124	
Drive Kit Brand: MBA	SP2105 + SP2124	BKU60254	
Head Gear Complete Dental Head 2:1 For Handpiece with Latch Type Chuck Brand: MBA	SP2105	BKU62105	
Bearing for Headgear High Precision Bearing Open P6 precision bearing with low-torque cage and light oil lubricant (4x7x2)	BE5012	SMR74-MC3-JP6-AF12	
Bearing for Headgear High Speed Bearing - Torlon Retainer Shielded Option Double shielded special dental bearing with extended inner ring and high speed Torlon retainer (3x7x2.5)	BE5011	SWA683B-ZZ-C69-GR5-TO	

LS2115L

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Headgear High Speed Ceramic-Hybrid Bearing - Torlon Retainer Open Abec 7 precision stainless ceramic-hybrid bearing with high speed Torlon retainer (4x7x2) Brand: MBA	BE5021A	SMR74-CSN-TH7-TO	
Bearing for Middle Gear High Speed Bearing - Torlon Retainer Open Abec 7 precision stainless steel bearing with high speed Torlon retainer (2.38x4.76x1588) Brand: myonic	BE5022	SR133-MC3-TH7-TO	

Miscellaneous Refer OEM Part Number

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Rotor High Precision Bearing Double shielded P6 precision stainless steel bearing (2.38x7.94x3.57)	BE5010	SR1-5A-ZZS-MC3-JP6	

Key **Usually stocked or Short Delivery**
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

QC6016K

Position / Description / Application

Manufacturers Part


MBA Part

LED Bulb and Cap

BU8012

BKU68012LED

Brand: MBA



QC6016KW

Position / Description / Application

Manufacturers Part


MBA Part

LED Bulb and Cap

BU8012

BKU68012LED

Brand: MBA



Key



Usually stocked or Short Delivery

** Available while stocks last



Long Delivery or Large Minimum Quantities

Not in current production



Falcon

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Chuck End High Precision Bearing Shielded Option Deleted Item. Available while stocks last. (6x10x3) 3 Required Brand: Myonic		SMR106A-ZZS-MC34-GR7-R-G48	
Bearing for Chuck End High Precision Bearing Shielded Option Deleted Item. Available while stocks last. (6x10x3) 3 Required Brand: Myonic		SMR106A-ZZS-MC34-P4P-R-AF12	



Micromotor

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Bearing Stainless Bearing Double shielded P6 precision stainless steel bearing (3x9x4)	BB 3-9-4	SMR93A-ZZ-MC3-JP6	
Replacement Bearing Stainless Bearing Double shielded P6 precision stainless steel bearing (2.5x8x4)	BB 2.5-8-4	S602XA-ZZ-MC3-JP6	

PAR4HEXO

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Rotor Cartridge High Speed Ceramic-Hybrid Bearing - Torlon Retainer Precision ceramic-hybrid single encapsulated shield dental special bearing with high speed Torlon retainer (3.18x6.35x2.38) Brand: MBA	SG1357X-D	SR144-D28-CSN-ZE-TO-OPT	
Bearing for Rotor Cartridge High Speed Ceramic-Hybrid Bearing - Torlon Retainer Precision ceramic-hybrid dental handpiece bearing with high speed Torlon retainer. ceramic balls (3.18x6.35x2.38) Brand: MBA	418NA-CER	SR144-D28-CSN-TO	

PAR4HUEXO

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Rotor Cartridge High Speed Ceramic-Hybrid Bearing - Torlon Retainer Precision ceramic-hybrid single encapsulated shield dental special bearing with high speed Torlon retainer (3.18x6.35x2.38) Brand: MBA	SG1357X-D	SR144-D28-CSN-ZE-TO-OPT	
Bearing for Rotor Cartridge High Speed Ceramic-Hybrid Bearing - Torlon Retainer Precision ceramic-hybrid dental handpiece bearing with high speed Torlon retainer. ceramic balls (3.18x6.35x2.38) Brand: MBA	418NA-CER	SR144-D28-CSN-TO	

Key **Usually stocked or Short Delivery**
 ** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

Torx 1000 RPM

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Bearing

Stainless Bearing Shielded Option

Special anti-corrosion stainless TBN-6H bearing designed primarily for fishing reels and salt-water applications (5x8x2.5)

2 Required

SACB-MR85A-ZZ-MC3



Replacement Bearing

Stainless Bearing Shielded Option

Double shielded P6 precision stainless steel bearing (5x8x2.5)

2 Required

SMR85A-ZZS-MC3-JP6



Key

Usually stocked or Short Delivery

** Available while stocks last

Long Delivery or Large Minimum Quantities

Not in current production

MTC

105

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Bearing


SR144-D28-CSN-KC-OPT

High Speed Ceramic-Hybrid Bearing - Phenolic Retainer

Precision ceramic-hybrid dental handpiece bearing with high speed phenolic retainer (3.18x6.35x2.38)

2 Required

Brand: MBA



Replacement Bearing

SR144-D28-KC-OPT

High Speed Bearing - Phenolic Retainer

Narrow precision dental handpiece bearing with high speed phenolic retainer (3.18x6.35x2.38)

2 Required

Brand: MBA



Key

Usually stocked or Short Delivery

** Available while stocks last

Long Delivery or Large Minimum Quantities

Not in current production

Lynx

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Bearing High Speed Ceramic-Hybrid Bearing - Phenolic Retainer Stepped OD ceramic-hybrid bearing with high speed phenolic retainer for precision dental handpieces 2 Required Brand: Myonic	220-0125	SR144A-D105-CSN-ZS-KC-OPT	
Replacement Bearing High Speed Bearing - Phenolic Retainer Stepped OD bearing with high speed phenolic retainer for precision dental handpieces 2 Required Brand: Myonic		SR144A-D105-ZS-KC-OPT	
Replacement O-Ring Special Dental Application O-Ring Special sized o-ring used in dental Applications 2 Required	OD of Bearing	OR-00600-100-N70	
Replacement Bearing High Speed Ceramic-Hybrid Bearing - Torlon Retainer Stepped OD ceramic-hybrid bearing with Torlon retainer for precision dental handpieces 2 Required Brand: Myonic	220-0125	SR144A-D105-CSN-ZS-TO	
Replacement Bearing High Speed Bearing - Torlon Retainer Stepped OD bearing with Torlon retainer for precision dental handpieces 2 Required Brand: Myonic		SR144A-D105-ZS-TO-OPT	
Replacement Bearing High Speed Ceramic-Hybrid Bearing - Torlon Retainer Stepped OD angular contact ceramic-hybrid bearing with Torlon retainer for precision dental handpieces 2 Required Brand: MPB	220-0793K	SR144A-D107-CSN-ZS-TO	 Image Coming Soon

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

Micromat-Athlet Type 200 Handpiece

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Chuck End

0229

**** S687A-ZZ-MC3-2OR**

Stainless Bearing

Deleted Item. Available while stocks last. Special bearing with 2 o-rings in OD grooves. (7x14x5)



Key

Usually stocked or Short Delivery

** Available while stocks last

Long Delivery or Large Minimum Quantities

Not in current production

3 405

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Shaft 6-13-5mm

B11223-1306

S686B-ZZS-MC3-GR3-T9H

High Speed Bearing - Polyamide Retainer

Double shielded Abec 3 precision stainless steel bearing with a high speed polyamide cage (6x13x5)

Brand: MBA



Bearing for Shaft

B20215-2763

SR188A-ZZS-MC3-GR3-T9H

High Speed Bearing - Polyamide Retainer

Double shielded Abec 3 precision stainless steel bearing with high speed polyamide retainer (6.35x12.7x4.76)

Brand: MBA



450L

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Turbine With Bearings


NCH-SU03

BKUR250059

For Handpiece with Wedge Type Chuck

Turbine sub assembly with ceramic-hybrid bearings with Phenolic retainer

Brand: MBA



455L Phatelus 45S

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Turbine With Bearings

NCH-TU03

BKUR250060

For Handpiece with Wedge Type Chuck

Turbine sub assembly with ceramic-hybrid bearings with Phenolic retainer

Brand: MBA



A200 N

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Turbine With Bearings


NMC-MU03

BKUR250052

For Handpiece with Wedge Type Chuck

Turbine sub assembly with ceramic-hybrid bearings with Phenolic retainer - myonic

Brand: myonic



A300 N

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Turbine With Bearings


NMC-SU03

BKUR250053

For Handpiece with Wedge Type Chuck

Turbine sub assembly with ceramic-hybrid bearings with Phenolic retainer - myonic

Brand: myonic



A400 N

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Turbine With Bearings


NMC-TU03

BKUR250054

For Handpiece with Wedge Type Chuck

Turbine sub assembly with ceramic-hybrid bearings with Phenolic retainer - myonic

Brand: myonic



Key

Usually stocked or Short Delivery

** Available while stocks last

Long Delivery or Large Minimum Quantities

Not in current production

A500

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Turbine With Bearings


Ti-MU03

BKUR250045

For Handpiece with Wedge Type Chuck

Turbine sub assembly with ceramic-hybrid bearings with Phenolic retainer - myonic

Brand: myonic



A600

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Turbine With Bearings


Ti-SU03

BKUR250046

For Handpiece with Wedge Type Chuck

Turbine sub assembly with ceramic-hybrid bearings with Phenolic retainer - myonic

Brand: myonic



A700

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Turbine With Bearings


Ti-TU03

BKUR250047

For Handpiece with Wedge Type Chuck

Turbine sub assembly with ceramic-hybrid bearings with Phenolic retainer - myonic






Brand: myonic



Key	Usually stocked or Short Delivery
	** Available while stocks last

Long Delivery or Large Minimum Quantities
<i>Not in current production</i>










Alpha Air

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement O-Ring High Temperature Deleted Item. Available while stocks last. Special quad-ring o-ring for dental applications 2 Required Brand: NSK	Quad Ring	** QR-00600-080-N70-NSK	
Replacement Bearing High Speed Bearing - Polyamide Retainer Precision flanged dental bearing with a high speed polyamide retainer (3.18x6.35x2.78) 2 Required Brand: Myonic		SFR144A-D27-ZSO-T9H-OPT	
Replacement O-Ring High Temperature Deleted Item. Available while stocks last. Special o-ring for dental applications 2 Required		OR-00607-079-N70	
PTFE Washer-Spacer 0.13mm - half thou - thick Deleted Item. Available while stocks last. (3x6.56x0.13) 2 Required		W0030-F-007-001-PT	
Replacement Bearing High Speed Bearing - Phenolic Retainer Single shielded flanged precision dental handpiece bearing with phenolic retainer (3.18x6.35x2.78) 2 Required Brand: Myonic		SFR144A-D27-ZSO-KC-OPT	
Replacement Wave Washer 4.8mm Shaft Size Additional stock available from USA subject to Prior Sale = 4719 (4.76x6.35x0.76)		W0048-T-007-008-W3-S2	

Key **Usually stocked or Short Delivery**
**** Available while stocks last**


Long Delivery or Large Minimum Quantities
Not in current production

Alpha Light

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement O-Ring High Temperature Deleted Item. Available while stocks last. Special o-ring for dental applications 2 Required Brand: NSK		OR-00607-079-N70	
PTFE Washer-Spacer 0.13mm - half thou - thick Deleted Item. Available while stocks last. (3x6.56x0.13) 2 Required		W0030-F-007-001-PT	
Replacement Bearing High Speed Bearing - Phenolic Retainer Single shielded flanged precision dental handpiece bearing with phenolic retainer (3.18x6.35x2.78) 2 Required Brand: Myonic		SFR144A-D27-ZSO-KC-OPT	
Bearing for Rotor Cartridge High Speed Bearing - Phenolic Retainer Single shielded flanged precision dental handpiece bearing with phenolic retainer (3.18x6.35x2.78) Brand: Myonic	418WIF	SFR144A-D27-ZSO-KC-OPT	
Replacement Bearing High Speed Bearing - Polyamide Retainer Precision flanged dental bearing with a high speed polyamide retainer (3.18x6.35x2.78) 2 Required Brand: Myonic		SFR144A-D27-ZSO-T9H-OPT	
Replacement Wave Washer 4.8mm Shaft Size Additional stock available from USA subject to Prior Sale = 4719 (4.76x6.35x0.76)		W0048-T-007-008-W3-S2	
Bearing for Rotor Cartridge High Speed Bearing - Polyamide Retainer Precision flanged dental bearing with a high speed polyamide retainer (3.18x6.35x2.78) Brand: Myonic	418WIF	SFR144A-D27-ZSO-T9H-OPT	
Replacement O-Ring High Temperature Deleted Item. Available while stocks last. Special quad-ring o-ring for dental applications 2 Required Brand: NSK	Quad Ring	** QR-00600-080-N70-NSK	
Bearing for Rotor Cartridge High Speed Ceramic-Hybrid Bearing - Phenolic Retainer Precision dental handpiece bearing ceramic-hybrid and phenolic retainer (3.18x6.35x2.78) Brand: MBA	418WIF-CER	SFR144A-D27-CSN-ZSO-KC-OPT	

Key **Usually stocked or Short Delivery**
**** Available while stocks last**

Long Delivery or Large Minimum Quantities
Not in current production

Bearing for Rotor Cartridge	418WIF-CER	SFR144A-D27-CSN-ZSO-T9H-OPT	
High Speed Ceramic-Hybrid Bearing - Polyamide Retainer Precision flanged dental handpiece ceramic-hybrid bearing with polyamide retainer (3.18x6.35x2.78)			
Brand: MBA			

BB Y		
Position / Description / Application	Manufacturers Part	MBA Part

Drive Kit	C037015 + C032012	BKU61512	
Brand: MBA			


Head Gear Complete 1:1	C037015	BKU67015	
Brand: MBA			


Replacement Middle Gear Complete 1:1	C032012	BKU62012	
Brand: MBA			

CHQD		
Position / Description / Application	Manufacturers Part	MBA Part

Bearing for Chuck End		SFR144-D28-KC	
High Speed Bearing - Phenolic Retainer Deleted Item. Available while stocks last. (3.18x6.35x2.38)			
Brand: MPB			

Bearing for Chuck End		SFR144-D28-ZSO	
High Speed Bearings - Polyamide Retainer Deleted Item. Available while stocks last. (3.18x6.35x2.38)			
Brand: MPD			

Bearing for Chuck End		SFR144-D28-CSN-KC	
High Speed Ceramic-Hybrid Bearing - Phenolic Retainer Deleted Item. Available while stocks last. (3.18x6.35x2.38)			
Brand: MPB			

Bearing for Cap End		SR144-D28-ZS-KC-OPT	
High Speed Bearing - Phenolic Retainer Precision dental handpiece bearing with narrow design and high speed phenolic retainer (3.18x6.35x2.38)			

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

Coupling

Position / Description / Application

Manufacturers Part

MBA Part

Replacement O-Ring

Small
Special sized o-ring used in dental Applications
2 Required

OR-00460-070-N70



Replacement O-Ring

Large
Special sized o-ring used in dental Applications
4 Required

OR-00635-089-N70



Coupling KCL

Position / Description / Application

Manufacturers Part


MBA Part

LED Bulb

Brand: MBA

10000198

BKU60198LED



Coupling KCL SCL

Position / Description / Application

Manufacturers Part


MBA Part

LED Bulb

Brand: MBA

10000198

BKU60198LED



DYNAled

Position / Description / Application

Manufacturers Part

MBA Part


Replacement Turbine With Bearings

For Handpiece with Wedge Type Chuck
Turbine sub assembly with ceramic-hybrid bearings with Phenolic retainer - myonic

Brand: myonic

SX-SU03

BKUR250073



E4R Slow Speed - Contra Angle Green Band

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Chuck End

Stainless Bearing
Open P6 precision bearing with low-torque cage and light oil lubricant (5x10x3)

SMR105-MC3-JP6-AF12



Bearing for Cap End

Stainless Bearing
Open P6 precision bearing with low-torque cage and light oil lubricant (3x6x2)

SMR63-MC3-JP6-AF12



Key	Usually stocked or Short Delivery
	** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

EX100

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Shaft

B22227-7923

SR1-5A-ZZS-MC3-JP6

High Precision Bearing

Double shielded P6 precision stainless steel bearing (2.38x7.94x3.57)



EX103

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Shaft

B22227-7923

SR1-5A-ZZS-MC3-JP6

High Precision Bearing

Double shielded P6 precision stainless steel bearing (2.38x7.94x3.57)



EX12

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Shaft

B10321-1005

SMR105-MC3-JP6-AF12

High Precision Bearing

Open P6 precision bearing with low-torque cage and light oil lubricant (5x10x3)



EX200

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Shaft

B22227-7923

SR1-5A-ZZS-MC3-JP6

High Precision Bearing

Double shielded P6 precision stainless steel bearing (2.38x7.94x3.57)



EX5

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Shaft

B13213-0804

SMR84A-ZZ-MC3-JP6

High Precision Bearing Shielded Option

Double shielded P6 precision stainless steel bearing (4x8x3)



Bearing for Shaft

B10321-1005

SMR105-MC3-JP6-AF12

High Precision Bearing

Open P6 precision bearing with low-torque cage and light oil lubricant (5x10x3)



Key



Usually stocked or Short Delivery

Long Delivery or Large Minimum Quantities



** Available while stocks last

Not in current production



EX6

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Shaft High Precision Bearing Shielded Option Double shielded P6 precision stainless steel bearing (4x8x3)	B13213-0804	SMR84A-ZZ-MC3-JP6	
Bearing for Shaft High Precision Bearing Open P6 precision bearing with low-torque cage and light oil lubricant (5x10x3)	B10321-1005	SMR105-MC3-JP6-AF12	

EX6 Blue Band

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Bearing Stainless Bearing Open P6 precision bearing with low-torque cage and light oil lubricant (5x10x3)	BB 5-10-3	SMR105-MC3-JP6-AF12	
Replacement Bearing Stainless Bearing Double shielded P6 precision stainless steel bearing (4x8x3)	BB 4-8-3	SMR84A-ZZ-MC3-JP6	

EX7

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Shaft High Precision Bearing Shielded Option Double shielded P6 precision stainless steel bearing (4x8x3)	B13213-0804	SMR84A-ZZ-MC3-JP6	
Bearing for Shaft High Precision Bearing Open P6 precision bearing with low-torque cage and light oil lubricant (5x10x3)	B10321-1005	SMR105-MC3-JP6-AF12	

EX8

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Shaft High Precision Bearing Open P6 precision bearing with low-torque cage and light oil lubricant (5x10x3)	B10321-1005	SMR105-MC3-JP6-AF12	
Bearing for Shaft High Precision Bearing Shielded Option Double shielded P6 precision stainless steel bearing (4x8x3)	B13213-0804	SMR84A-ZZ-MC3-JP6	

Key **Usually stocked or Short Delivery**
 ** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

EX9

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Shaft

B13213-0804

SMR84A-ZZ-MC3-JP6

High Precision Bearing Shielded Option

Double shielded P6 precision stainless steel bearing (4x8x3)



Bearing for Shaft

B10321-1005

SMR105-MC3-JP6-AF12

High Precision Bearing

Open P6 precision bearing with low-torque cage and light oil lubricant (5x10x3)



FPB

Position / Description / Application

Manufacturers Part


MBA Part

Replacement Press Button

C875050

BKU65050

Brand: MBA



FPB Y

Position / Description / Application

Manufacturers Part

MBA Part

Drive Kit

C875060 + C875012

BKU66012

Brand: MBA




Replacement Middle Gear Complete 1:1

C875012

BKU65012

Brand: MBA



FPB03

Position / Description / Application

Manufacturers Part

MBA Part

Head Gear Complete 1:1

C875060

BKU65060

Brand: MBA



FX15

Position / Description / Application

Manufacturers Part

MBA Part

Drive Kit

C1052700 + C10000946

BKU60046




Brand: MBA







Key **Usually stocked or Short Delivery**
**** Available while stocks last**

Long Delivery or Large Minimum Quantities
Not in current production

FX23

Position / Description / Application	Manufacturers Part	MBA Part	
Head Gear Complete 1:1	C1052700	BKU62700	
Brand: MBA			
Replacement Press Button	C1052500 - FX25-04	BKU62500X	
Brand: MBA			
Replacement Middle Gear Complete 1:1	10000946	BKU60946	
Brand: MBA			





FX25

Position / Description / Application	Manufacturers Part	MBA Part	
Head Gear Complete 1:1	C1056700	BKU62700	
Brand: MBA			
Replacement Press Button	C1052500 - FX25-04	BKU62500X	
Brand: MBA			
Drive Kit	C1052700 + C10000946	BKU60046	
Brand: MBA			
Replacement Middle Gear Complete 1:1	10000946	BKU60946	
Brand: MBA			


Key **Usually stocked or Short Delivery**
**** Available while stocks last**

Long Delivery or Large Minimum Quantities
Not in current production



FX57

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement End Cap 4:1	20002066	BKU62066	
Brand: MBA			
Head Gear Complete 4:1	10001571	BKU61571	
Brand: MBA			
Replacement End Cap 4:1	20002065	BKU62065	
Brand: MBA			
Replacement Middle Gear Complete 4:1	10000996	BKU60996	
Brand: MBA			


IS205

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Shaft	B22227-7923	SR1-5A-ZZS-MC3-JP6	
High Precision Bearing			
Double shielded P6 precision stainless steel bearing (2.38x7.94x3.57)			

IS65

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Shaft	B13213-0804	SMR84A-ZZ-MC3-JP6	
High Precision Bearing Shielded Option			
Double shielded P6 precision stainless steel bearing (4x8x3)			
Bearing for Shaft	B10321-1005	SMR105-MC3-JP6-AF12	
High Precision Bearing			
Open P6 precision bearing with low-torque cage and light oil lubricant (5x10x3)			


M25

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Press Button	C601050	BKU61050	
Brand: MBA			


Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production


M25L New

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Middle Gear Complete 1:1	C1142022	BKU62022	 <p>Head Gears, Intermediate Pieces, Middle Gears Parts for Electric Driven Handpieces & Heads</p>
Brand: MBA			
Head Gear Complete 1:1	C1038015	BKU68015	 <p>Head Gears, Intermediate Pieces, Middle Gears Parts for Electric Driven Handpieces & Heads</p>
Brand: MBA			

M25L Old

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Middle Gear Complete 1:1	10000574	BKU60574	 <p>Head Gears, Intermediate Pieces, Middle Gears Parts for Electric Driven Handpieces & Heads</p>
Brand: MBA			


M500

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Press Button	P1001500 - SX-MU04	BKU61500	 <p>Press Button cpl. for Heads & Air Driven Handpieces</p>
Brand: MBA			

M500 Pana Max M Plus

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings	SX-MU03	BKUR250048	 <p>Precision sub-assemblies, cartridges with steel inserts & WCC coated actuators</p>
For Handpiece with Wedge Type Chuck			
Turbine sub assembly with ceramic-hybrid bearings with Phenolic retainer - myonic			
Brand: myonic			

M600

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Press Button	P1002500 - SX-SU04	BKU62500M	 <p>Press Button cpl. for Heads & Air Driven Handpieces</p>
Brand: MBA			

M65

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Chuck	H190180	BKU60180	 <p>Chucks for Laboratory Drives, Electric Handpieces</p>
True running accuracy less than 0.03			
Brand: MBA			




Key **Usually stocked or Short Delivery**
**** Available while stocks last**

Long Delivery or Large Minimum Quantities
Not in current production

M95

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Press Button Brand: MBA	10000664	BKU60664	
Replacement O-Ring Special Dental Applications O-Ring for Electric handpiece Special dental applications O-Ring Brand: MBA	C427062	BKU67062	
Head Gear Complete For Handpiece with Wedge Type Chuck Assembled with ceramic ball bearings, tested in master electric handpiece Brand: MBA	C600015	BKU60015	
Replacement O-Ring Special Dental Applications O-Ring for Electric handpiece Special dental applications O-Ring Brand: MBA	C427168	BKU67168	
Bearing for Headgear High Speed Ceramic-Hybrid Bearing - Torlon Retainer Open Abec 7 precision stainless ceramic-hybrid bearing with high speed Torlon retainer (4x7x2) Brand: MBA	740-CER	SMR74-CSN-TH7-TO	

M95L

Position / Description / Application	Manufacturers Part	MBA Part	
Drive Gear Assembly - Dog Clutch Complete 1:5 Complete Assembly Brand: MBA	10000560	BKU60560	
Replacement Press Button Brand: MBA	10000664	BKU60664	
Dog Gear 1:5 Dog ClutchC600C013 Clutch Brand: MBA		BKU69993	

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

M95L New

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Middle Gear Complete 1:5

C1141022

BKU61022N

Brand: MBA



M95L Old

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Middle Gear Complete 1:5

10000559

BKU60559

Brand: MBA



Mach - Mach-LITE P045SU03 - P046TU03 Green-Black

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Wave Washer

4.8mm Shaft Size

Additional stock available from USA subject to Prior Sale = 4719 (4.76x6.35x0.76)

W0048-T-007-008-W3-S2



Replacement O-Ring

High Temperature

Deleted Item. Available while stocks last. Special o-ring for dental applications

2 Required

Brand: NSK

OR-00620-100-N70



Replacement Bearing

High Speed Ceramic-Hybrid Bearing - Phenolic Retainer

Precision ceramic-hybrid dental handpiece bearing with high speed phenolic retainer (3.18x6.35x2.38)

2 Required

Brand: MBA

SR144-D28-CSN-KC-OPT



Replacement Bearing

High Speed Bearing - Phenolic Retainer

Narrow precision dental handpiece bearing with high speed phenolic retainer (3.18x6.35x2.38)

2 Required

Brand: MBA

SR144-D28-KC-OPT



Mach Lite 65 T

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Turbine With Bearings


NCH-TU03

BKUR250060

For Handpiece with Wedge Type Chuck

Turbine sub assembly with ceramic-hybrid bearings with Phenolic retainer

Brand: MBA



Key

Usually stocked or Short Delivery

Long Delivery or Large Minimum Quantities

** Available while stocks last

Not in current production

Mach Lite XT M

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Turbine With Bearings


NMC-MU03

BKUR250052

For Handpiece with Wedge Type Chuck

Turbine sub assembly with ceramic-hybrid bearings with Phenolic retainer - myonic

Brand: myonic



Mach Lite XT S

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Turbine With Bearings


NMC-SU03

BKUR250053

For Handpiece with Wedge Type Chuck

Turbine sub assembly with ceramic-hybrid bearings with Phenolic retainer - myonic

Brand: myonic



Mach Lite XT T

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Turbine With Bearings


NMC-TU03

BKUR250054

For Handpiece with Wedge Type Chuck

Turbine sub assembly with ceramic-hybrid bearings with Phenolic retainer - myonic

Brand: myonic



Mach Mini- Mach-LITE Mini P047MU03 Red Band

Position / Description / Application

Manufacturers Part

MBA Part

Replacement O-Ring

High Temperature

Deleted Item. Available while stocks last. Special o-ring for dental applications

2 Required

Brand: NSK

OR-00620-100-N70



Replacement Bearing

High Speed Ceramic-Hybrid Bearing - Phenolic Retainer

Deleted Item. Available while stocks last. (3.18x6.35x2.38)

2 Required

Brand: MPB

SFR144-D28-CSN-KC



Replacement Bearing

High Speed Bearing - Polyamide Retainer

Deleted Item. Available while stocks last. (3.18x6.35x2.38)

2 Required

Brand: MPD

SFR144-D28-ZSO



Replacement Bearing

High Speed Bearing - Phenolic Retainer

Deleted Item. Available while stocks last. (3.18x6.35x2.38)

2 Required

Brand: MPB

SFR144-D28-KC



Key



Usually stocked or Short Delivery

** Available while stocks last


Long Delivery or Large Minimum Quantities

Not in current production

Mach N75

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Rotor Cartridge High Speed Ceramic-Hybrid Bearing - Torlon Retainer Precision ceramic-hybrid dental handpiece bearing with high speed Torlon retainer. ceramic balls (3.18x6.35x2.38) Brand: MBA	418NA-CER	SR144-D28-CSN-TO	
Bearing for Rotor Cartridge High Speed Bearing - Phenolic Retainer Narrow precision dental handpiece bearing with high speed phenolic retainer (3.18x6.35x2.38) Brand: MBA	418NA	SR144-D28-KC-OPT	
Bearing for Rotor Cartridge High Speed Bearing - Polyamide Retainer Open high precision stainless bearing for dental applications with high speed polyamide retainer (3.18x6.35x2.38) Brand: MBA	418NA	SR144-D28-T9H-OPT	
Bearing for Rotor Cartridge High Speed Ceramic-Hybrid Bearing - Phenolic Retainer Precision ceramic-hybrid dental handpiece bearing with high speed phenolic retainer (3.18x6.35x2.38) Brand: MBA	418NA-CER	SR144-D28-CSN-KC-OPT	


Mach QD 45

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Phenolic retainer Brand: MBA	NCH-SU03	BKUR250059	 <p style="font-size: 8px; color: red;">Precision sub-assemblies, cartridges with steel inserts & WCC coated actuators</p>

Motor KCL Coupler

Position / Description / Application	Manufacturers Part	MBA Part	
Xenon Lamp Brand: MBA	Y900132	BKU60132Xenon	 <p style="font-size: 8px; color: red;">Xenon Lamp for Dental Couplers & Dental Motors</p>



Motor Ultimate XL 450 UHR

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Motor Shaft High Speed Bearing - Polyamide Retainer Double shielded Abec 3 precision stainless steel bearing with a high speed polyamide cage (4x9x4) Brand: MBA	B11253-0904	S684A-ZZS-MC3-GR3-T9H	

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

MP F

Position / Description / Application	Manufacturers Part	MBA Part	
Head Gear Complete 1:1 Brand: myonic	C521015	BKU61015M	
Drive Kit Brand: MBA	C521015 + C547022	BKU61522	

MP Y

Position / Description / Application	Manufacturers Part	MBA Part	
Head Gear Complete 1:1 Brand: MBA	C521015	BKU62101	
Replacement Middle Gear Complete 1:1 Brand: MBA	C547022	BKU67022	

MPA Y




Position / Description / Application	Manufacturers Part	MBA Part	
Drive Kit Brand: MBA	C521015 + C547022	BKU61522	
Head Gear Complete 1:1 Brand: myonic	C521015	BKU61015M	

Key


Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
<i>Not in current production</i>



NAC Y

Position / Description / Application	Manufacturers Part	MBA Part	
Head Gear Complete 1:1 Brand: MBA	C030011	BKU60011	
Drive Kit Brand: MBA	C030011 + C032012	BKU61112	
Replacement Middle Gear Complete 1:1 Brand: MBA	C032012	BKU62012	

Nano 25LS

Position / Description / Application	Manufacturers Part	MBA Part	
Drive Kit Brand: MBA	C1038015 + C1038022	BKU61580	

Nano 95LS





Position / Description / Application	Manufacturers Part	MBA Part	
Head Gear Complete For Handpiece with Wedge Type Chuck Assembled with ceramic ball bearings, tested in master electric handpiece Brand: MBA	C1034017	BKU64017	
Head Gear Complete For Handpiece with Wedge Type Chuck Assembled with ceramic ball bearings, tested in master electric handpiece Brand: MBA	C1034015	BKU64015	

Key





Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
<i>Not in current production</i>

NL45

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Rotor Cartridge High Speed Bearing - Phenolic Retainer Narrow precision dental handpiece bearing with high speed phenolic retainer (3.18x6.35x2.38) Brand: MBA	418NA	SR144-D28-KC-OPT	
Bearing for Rotor Cartridge High Speed Ceramic-Hybrid Bearing - Phenolic Retainer Precision ceramic-hybrid dental handpiece bearing with high speed phenolic retainer (3.18x6.35x2.38) Brand: MBA	418NA-CER	SR144-D28-CSN-KC-OPT	
Bearing for Rotor Cartridge High Speed Ceramic-Hybrid Bearing - Torlon Retainer Precision ceramic-hybrid dental handpiece bearing with high speed Torlon retainer. ceramic balls (3.18x6.35x2.38) Brand: MBA	418NA-CER	SR144-D28-CSN-TO	
Bearing for Rotor Cartridge High Speed Bearing - Polyamide Retainer Open high precision stainless bearing for dental applications with high speed polyamide retainer (3.18x6.35x2.38) Brand: MBA	418NA	SR144-D28-T9H-OPT	

NL65 CH QD

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Rotor Cartridge High Speed Ceramic-Hybrid Bearing - Torlon Retainer Precision ceramic-hybrid dental handpiece bearing with high speed Torlon retainer. ceramic balls (3.18x6.35x2.38) Brand: MBA	418NA-CER	SR144-D28-CSN-TO	
Bearing for Rotor Cartridge High Speed Bearing - Phenolic Retainer Narrow precision dental handpiece bearing with high speed phenolic retainer (3.18x6.35x2.38) Brand: MBA	418NA	SR144-D28-KC-OPT	
Bearing for Rotor Cartridge High Speed Ceramic-Hybrid Bearing - Phenolic Retainer Precision ceramic-hybrid dental handpiece bearing with high speed phenolic retainer (3.18x6.35x2.38) Brand: MBA	418NA-CER	SR144-D28-CSN-KC-OPT	
Bearing for Rotor Cartridge High Speed Bearing - Polyamide Retainer Open high precision stainless bearing for dental applications with high speed polyamide retainer (3.18x6.35x2.38) Brand: MBA	418NA	SR144-D28-T9H-OPT	

Key





Usually stocked or Short Delivery

** Available while stocks last




Long Delivery or Large Minimum Quantities

Not in current production

NL9000L

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	TiX-TU03	BKUR2500445	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	TiX-TU03	BKUR2500444	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	TiX-TU03	BKUR2500443	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	TiX-TU03	BKUR250044	

NL9000M

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	TiX-MU03	BKUR2500424	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	TiX-MU03	BKUR2500425	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	TiX-MU03	BKUR250042	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	TiX-MU03	BKUR2500423	

Key **Usually stocked or Short Delivery**
 ** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production


NL9000S

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	TiX-SU03	BKUR250043	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	TiX-SU03	BKUR2500433	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	TiX-SU03	BKUR2500434	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	TiX-SU03	BKUR250043T	 Triple pack - Unit with 3 pieces
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	TiX-SU03	BKUR2500435	

NL9000S Air Driven Handpiece

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement O-Ring Brand: MBA	0312-063100	BKU63100	

NL9000T

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	TiX-TU03	BKUR250044T	 Triple pack - Unit with 3 pieces

Key **Usually stocked or Short Delivery**
**** Available while stocks last**

Long Delivery or Large Minimum Quantities
Not in current production

NL95S

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Turbine With Bearings


Ti-SU03

BKUR250046

For Handpiece with Wedge Type Chuck

Turbine sub assembly with ceramic-hybrid bearings with Phenolic retainer - myonic

Brand: myonic



Replacement Turbine With Bearings


Ti-MU03

BKUR250045

For Handpiece with Wedge Type Chuck

Turbine sub assembly with ceramic-hybrid bearings with Phenolic retainer - myonic

Brand: myonic



NL95T

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Turbine With Bearings


Ti-TU03

BKUR250047

For Handpiece with Wedge Type Chuck

Turbine sub assembly with ceramic-hybrid bearings with Phenolic retainer - myonic

Brand: myonic



NPB Slow Speed

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Bearing

BB 4-7-2

SMR74-MC3-JP6-AF12

Stainless Bearing

Open P6 precision bearing with low-torque cage and light oil lubricant (4x7x2)



Replacement Bearing

BB 4-8-2

SMR84-MC3-JP6-AF12

Stainless Bearing

Open P6 precision bearing with low-torque cage and light oil lubricant (4x8x2)



NSK Presto Rotor

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Rotor Cartridge

418WIF

SFR144A-D27-ZSO-KC-OPT

High Speed Bearing - Phenolic Retainer

Single shielded flanged precision dental handpiece bearing with phenolic retainer (3.18x6.35x2.78)

Brand: Myonic



Bearing for Rotor Cartridge

418WIF-CER

SFR144A-D27-CSN-ZSO-KC-OPT

High Speed Ceramic-Hybrid Bearing - Phenolic Retainer

Precision dental handpiece bearing ceramic-hybrid and phenolic retainer (3.18x6.35x2.78)

Brand: MBA



Key







Usually stocked or Short Delivery

** Available while stocks last

Long Delivery or Large Minimum Quantities

Not in current production

NTF TU03

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement O-Ring High Temperature Deleted Item. Available while stocks last. Special quad-ring o-ring for dental applications 2 Required Brand: NSK	Quad Ring	** QR-00600-080-N70-NSK	
PTFE Washer-Spacer 0.13mm - half thou - thick Deleted Item. Available while stocks last. (3x6.56x0.13) 2 Required		W0030-F-007-001-PT	
Replacement Bearing High Speed Bearing - Polyamide Retainer Precision flanged dental bearing with a high speed polyamide retainer (3.18x6.35x2.78) 2 Required Brand: Myonic		SFR144A-D27-ZSO-T9H-OPT	
Replacement O-Ring High Temperature Deleted Item. Available while stocks last. Special o-ring for dental applications 2 Required		OR-00607-079-N70	
Replacement Bearing High Speed Bearing - Phenolic Retainer Single shielded flanged precision dental handpiece bearing with phenolic retainer (3.18x6.35x2.78) 2 Required Brand: Myonic		SFR144A-D27-ZSO-KC-OPT	
Replacement Wave Washer 4.8mm Shaft Size Additional stock available from USA subject to Prior Sale = 4719 (4.76x6.35x0.76)		W0048-T-007-008-W3-S2	

Key **Usually stocked or Short Delivery**
**** Available while stocks last**

Long Delivery or Large Minimum Quantities
Not in current production

Optica

Position / Description / Application	Manufacturers Part	MBA Part	
PTFE Washer-Spacer 0.13mm - half thou - thick Deleted Item. Available while stocks last. (3x6.56x0.13) 2 Required		W0030-F-007-001-PT	
Bearing for Chuck End High Speed Bearing - Polyamide Retainer Precision flanged dental bearing with a high speed polyamide retainer (3.18x6.35x2.78) Brand: Myonic		SFR144A-D27-ZSO-T9H-OPT	
Replacement O-Ring High Temperature Deleted Item. Available while stocks last. Special o-ring for dental applications 2 Required		<i>OR-00607-079-N70</i>	
Bearing for Cap End High Speed Bearing - Polyamide Retainer Stainless steel bearing with polyamide retainer for precision dental handpieces (3.18x6.35x2.78) Brand: Myonic		SR144A-D27-ZS-T9H-OPT	
Bearing for Chuck End High Speed Bearing - Phenolic Retainer Single shielded flanged precision dental handpiece bearing with phenolic retainer (3.18x6.35x2.78) Brand: Myonic		SFR144A-D27-ZSO-KC-OPT	


Key **Usually stocked or Short Delivery**
 ** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

Pana Air Mini MU03 Red Band

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Chuck End High Speed Bearing - Polyamide Retainer Precision flanged dental bearing with a high speed polyamide retainer (3.18x6.35x2.78) Brand: Myonic		SFR144A-D27-ZSO-T9H-OPT	
Replacement Wave Washer 4.8mm Shaft Size Additional stock available from USA subject to Prior Sale = 4719 (4.76x6.35x0.76)		W0048-T-007-008-W3-S2	
Bearing for Chuck End High Speed Bearing - Phenolic Retainer Single shielded flanged precision dental handpiece bearing with phenolic retainer (3.18x6.35x2.78) Brand: Myonic		SFR144A-D27-ZSO-KC-OPT	
PTFE Washer-Spacer 0.13mm - half thou - thick Deleted Item. Available while stocks last. (3x6.56x0.13) 2 Required		W0030-F-007-001-PT	
Replacement O-Ring High Temperature Deleted Item. Available while stocks last. Special o-ring for dental applications 2 Required		OR-00607-079-N70	
Bearing for Cap End High Speed Bearing - Polyamide Retainer Stainless steel bearing with polyamide retainer for precision dental handpieces (3.18x6.35x2.78) Brand: Myonic		SR144A-D27-ZS-T9H-OPT	





Pana Air Push Button

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Phenolic retainer Brand: MBA	NPA-SU03	BKUR250056	 <p style="font-size: small; color: red;">Precision sub- assemblies, cartridges with steel inserts & WCC coated actuators</p>



Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

Pana Air SU03 - TU03 Green-Black

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Chuck End High Speed Bearings - Polyamide Retainer Deleted Item. Available while stocks last. (3.18x6.35x2.38) Brand: MPD		SFR144-D28-ZSO	
Bearing for Chuck End High Speed Ceramic-Hybrid Bearing - Phenolic Retainer Deleted Item. Available while stocks last. (3.18x6.35x2.38) Brand: MPB		SFR144-D28-CSN-KC	
Bearing for Cap End High Speed Bearing - Polyamide Retainer Stainless steel bearing with polyamide retainer for precision dental handpieces (3.18x6.35x2.78) Brand: Myonic		SR144A-D27-ZS-T9H-OPT	
Bearing for Chuck End High Speed Bearing - Phenolic Retainer Deleted Item. Available while stocks last. (3.18x6.35x2.38) Brand: MPB		SFR144-D28-KC	




Pana Max 2

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Press Button Brand: MBA	P1190050 - PAX2-SU03	BKU60050	
Replacement Turbine With Bearings For Handpiece with Clamp Pad Chuck Turbine sub assembly with ceramic-hybrid bearings with Phenolic retainer Brand: MBA	PAX2-SU03	BKUR250068	


Key **Usually stocked or Short Delivery**
 ** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production




Pana Max S

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine Excluding Bearings For Handpiece with Clamp Pad Chuck Turbine sub assembly excluding bearings Brand: MBA	PAX-SU	BKUR250051	
Replacement Turbine With Bearings For Handpiece with Clamp Pad Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	PAX-SU	BKUR2500513	
Replacement Turbine With Bearings For Handpiece with Clamp Pad Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	PAX-SU	BKUR2500514	

Pana Max S Plus

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Phenolic retainer - myonic Brand: myonic	SX-SU03	BKUR250073	

Pana Max T





Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings For Handpiece with Clamp Pad Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	PAX-TU	BKUR2500504	
Replacement Turbine Excluding Bearings For Handpiece with Clamp Pad Chuck Turbine sub assembly excluding bearings Brand: MBA	PAX-TU	BKUR250050	
Replacement Turbine With Bearings For Handpiece with Clamp Pad Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	PAX-TU	BKUR2500503	

Key

Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
<i>Not in current production</i>

Phatelus

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Rotor Cartridge High Speed Bearing - Phenolic Retainer Single shielded flanged precision dental handpiece bearing with phenolic retainer (3.18x6.35x2.78) Brand: Myonic	418WIF	SFR144A-D27-ZSO-KC-OPT	
Bearing for Rotor Cartridge High Speed Bearing - Polyamide Retainer Precision flanged dental bearing with a high speed polyamide retainer (3.18x6.35x2.78) Brand: Myonic	418WIF	SFR144A-D27-ZSO-T9H-OPT	
Bearing for Rotor Cartridge High Speed Ceramic-Hybrid Bearing - Polyamide Retainer Precision flanged dental handpiece ceramic-hybrid bearing with polyamide retainer (3.18x6.35x2.78) Brand: MBA	418WIF-CER	SFR144A-D27-CSN-ZSO-T9H-OPT	
Bearing for Rotor Cartridge High Speed Ceramic-Hybrid Bearing - Phenolic Retainer Precision dental handpiece bearing ceramic-hybrid and phenolic retainer (3.18x6.35x2.78) Brand: MBA	418WIF-CER	SFR144A-D27-CSN-ZSO-KC-OPT	

Key **Usually stocked or Short Delivery**
 ** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

Phatelus II

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Chuck End High Speed Bearing - Polyamide Retainer Stainless steel bearing with polyamide retainer for precision dental handpieces (3.18x6.35x2.78) Brand: Myonic		SR144A-D27-ZS-T9H-OPT	
Bearing for Cap End High Speed Bearing - Phenolic Retainer Single shielded flanged precision dental handpiece bearing with phenolic retainer (3.18x6.35x2.78) Brand: Myonic		SFR144A-D27-ZSO-KC-OPT	
Bearing for Cap End High Speed Bearing - Polyamide Retainer Precision flanged dental bearing with a high speed polyamide retainer (3.18x6.35x2.78) Brand: Myonic		SFR144A-D27-ZSO-T9H-OPT	
Replacement O-Ring High Temperature Deleted Item. Available while stocks last. Special o-ring for dental applications 2 Required		OR-00607-079-N70	
Replacement O-Ring High Temperature Deleted Item. Available while stocks last. Special quad-ring o-ring for dental applications 2 Required Brand: NSK	Quad Ring	** QR-00600-080-N70-NSK	
PTFE Washer-Spacer 0.13mm - half thou - thick Deleted Item. Available while stocks last. (3x6.56x0.13) 2 Required		W0030-F-007-001-PT	

Key **Usually stocked or Short Delivery**
**** Available while stocks last**

Long Delivery or Large Minimum Quantities
Not in current production

Phatelus III

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement O-Ring High Temperature Deleted Item. Available while stocks last. Special quad-ring o-ring for dental applications 2 Required Brand: NSK	Quad Ring	** QR-00600-080-N70-NSK	
Replacement O-Ring High Temperature Deleted Item. Available while stocks last. Special o-ring for dental applications 2 Required		<i>OR-00607-079-N70</i>	
PTFE Washer-Spacer 0.13mm - half thou - thick Deleted Item. Available while stocks last. (3x6.56x0.13) 2 Required		W0030-F-007-001-PT	
Bearing for Cap End High Speed Bearing - Polyamide Retainer Precision flanged dental bearing with a high speed polyamide retainer (3.18x6.35x2.78) Brand: Myonic		SFR144A-D27-ZSO-T9H-OPT	
Bearing for Chuck End High Speed Bearing - Polyamide Retainer Stainless steel bearing with polyamide retainer for precision dental handpieces (3.18x6.35x2.78) Brand: Myonic		SR144A-D27-ZS-T9H-OPT	
Bearing for Cap End High Speed Bearing - Phenolic Retainer Single shielded flanged precision dental handpiece bearing with phenolic retainer (3.18x6.35x2.78) Brand: Myonic		SFR144A-D27-ZSO-KC-OPT	


Key **Usually stocked or Short Delivery**
**** Available while stocks last**

Long Delivery or Large Minimum Quantities
Not in current production







Phatelus MU03

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement O-Ring High Temperature Deleted Item. Available while stocks last. Special o-ring for dental applications 2 Required		OR-00607-079-N70	
Replacement Bearing High Speed Bearing - Phenolic Retainer Single shielded flanged precision dental handpiece bearing with phenolic retainer (3.18x6.35x2.78) 2 Required Brand: Myonic		SFR144A-D27-ZSO-KC-OPT	
Replacement Wave Washer 4.8mm Shaft Size Additional stock available from USA subject to Prior Sale = 4719 (4.76x6.35x0.76)		W0048-T-007-008-W3-S2	
Replacement Bearing High Speed Bearing - Polyamide Retainer Precision flanged dental bearing with a high speed polyamide retainer (3.18x6.35x2.78) 2 Required Brand: Myonic		SFR144A-D27-ZSO-T9H-OPT	
PTFE Washer-Spacer 0.13mm - half thou - thick Deleted Item. Available while stocks last. (3x6.56x0.13) 2 Required		W0030-F-007-001-PT	
Replacement O-Ring High Temperature Deleted Item. Available while stocks last. Special quad-ring o-ring for dental applications 2 Required Brand: NSK	Quad Ring	** QR-00600-080-N70-NSK	

Phatelus Set Air Driven Handpiece

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement O-Ring Brand: MBA	Y900580	BKU60580	






Phatelus SU03

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Bearing High Speed Bearing - Phenolic Retainer Single shielded flanged precision dental handpiece bearing with phenolic retainer (3.18x6.35x2.78) 2 Required Brand: Myonic		SFR144A-D27-ZSO-KC-OPT	
Replacement O-Ring High Temperature Deleted Item. Available while stocks last. Special o-ring for dental applications 2 Required		OR-00607-079-N70	
PTFE Washer-Spacer 0.13mm - half thou - thick Deleted Item. Available while stocks last. (3x6.56x0.13) 2 Required		W0030-F-007-001-PT	
Replacement Bearing High Speed Bearing - Polyamide Retainer Precision flanged dental bearing with a high speed polyamide retainer (3.18x6.35x2.78) 2 Required Brand: Myonic		SFR144A-D27-ZSO-T9H-OPT	
Replacement O-Ring High Temperature Deleted Item. Available while stocks last. Special quad-ring o-ring for dental applications 2 Required Brand: NSK	Quad Ring	** QR-00600-080-N70-NSK	
Replacement Wave Washer 4.8mm Shaft Size Additional stock available from USA subject to Prior Sale = 4719 (4.76x6.35x0.76)		W0048-T-007-008-W3-S2	

Key **Usually stocked or Short Delivery**
**** Available while stocks last**

Long Delivery or Large Minimum Quantities
Not in current production

Phatelus TU03

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement O-Ring High Temperature Deleted Item. Available while stocks last. Special quad-ring o-ring for dental applications 2 Required Brand: NSK	Quad Ring	** QR-00600-080-N70-NSK	
Replacement O-Ring High Temperature Deleted Item. Available while stocks last. Special o-ring for dental applications 2 Required		<i>OR-00607-079-N70</i>	
Replacement Wave Washer 4.8mm Shaft Size Additional stock available from USA subject to Prior Sale = 4719 (4.76x6.35x0.76)		W0048-T-007-008-W3-S2	
PTFE Washer-Spacer 0.13mm - half thou - thick Deleted Item. Available while stocks last. (3x6.56x0.13) 2 Required		W0030-F-007-001-PT	
Replacement Bearing High Speed Bearing - Phenolic Retainer Single shielded flanged precision dental handpiece bearing with phenolic retainer (3.18x6.35x2.78) 2 Required Brand: Myonic		SFR144A-D27-ZSO-KC-OPT	
Replacement Bearing High Speed Bearing - Polyamide Retainer Precision flanged dental bearing with a high speed polyamide retainer (3.18x6.35x2.78) 2 Required Brand: Myonic		SFR144A-D27-ZSO-T9H-OPT	

Presto AQUA Cartridge

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Rotor / Cartridge Brand: MBA	T816-016	BKUR250067	Precision sub- assemblies, cartridges with steel inserts & WCC coated actuators 

Presto Aqua II

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Chuck True running accuracy less than 0.03 Brand: MBA	T815019	BKU65019	

Key **Usually stocked or Short Delivery**
**** Available while stocks last**

Long Delivery or Large Minimum Quantities
Not in current production

Presto Aqua Lux

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Chuck

T815019

BKU65019

True running accuracy less than 0.03

Brand: MBA



Presto Cartridge

Position / Description / Application

Manufacturers Part


MBA Part

Replacement Rotor / Cartridge

T815-016

BKUR250066

Brand: MBA



PTL

Position / Description / Application

Manufacturers Part


MBA Part

LED Bulb

Y900529

BKU60529LED

Brand: MBA




Xenon Lamp

Y900529

BKU60529Xenon

Brand: MBA



PTL 950TI

Position / Description / Application

Manufacturers Part

MBA Part


Bearing for Shaft

B22227-7923

SR1-5A-ZZS-MC3-JP6

High Precision Bearing

Double shielded P6 precision stainless steel bearing (2.38x7.94x3.57)



QD J

Position / Description / Application

Manufacturers Part

MBA Part


Replacement O-Ring

0312-021083/063080

BKU61083

Special dental applications O-Ring

Brand: MBA



Key




Usually stocked or Short Delivery

Long Delivery or Large Minimum Quantities




** Available while stocks last

Not in current production


QD S

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings For Handpiece with Clamp Pad Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	PAX-SU	BKUR2500514	
Replacement Turbine With Bearings For Handpiece with Clamp Pad Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	PAX-SU	BKUR2500513	
Replacement Turbine Excluding Bearings For Handpiece with Clamp Pad Chuck Turbine sub assembly excluding bearings Brand: MBA	PAX-SU	BKUR250051	


QD T

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine Excluding Bearings For Handpiece with Clamp Pad Chuck Turbine sub assembly excluding bearings Brand: MBA	PAX-TU	BKUR250050	
Replacement Turbine With Bearings For Handpiece with Clamp Pad Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	PAX-TU	BKUR2500503	
Replacement Turbine With Bearings For Handpiece with Clamp Pad Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	PAX-TU	BKUR2500504	

S Max M25 NEW

Position / Description / Application	Manufacturers Part	MBA Part	
Drive Kit Brand: MBA	C1038015 + C1142022	BKU61502	

S Max M25 OLD

Position / Description / Application	Manufacturers Part	MBA Part	
Drive Kit Brand: MBA	C601015 + 10000574	BKU61574	

Key **Usually stocked or Short Delivery**
 ** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

S Max M95L NEW

Position / Description / Application

Manufacturers Part

MBA Part

Drive Kit

C600015 + C1141022

BKU61522

Brand: MBA



S Max pico

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Turbine With Bearings


SX-PU03

BKUR250065

For Handpiece with Wedge Type Chuck

Turbine sub assembly with ceramic-hybrid bearings with Phenolic retainer - myonic

Brand: myonic



S Max SG20

Position / Description / Application

Manufacturers Part

MBA Part

Drive Kit

C1010150 + C1010022

BKU65021

Brand: MBA




Replacement Middle Gear Complete 20:1

C1010022

BKU60022SG

Brand: MBA




Drive Gear Assembly - Dog Clutch Complete 20:1 6 Parts

Complete Assembly

BKU63001

Brand: MBA



S Max-Reg tm- M500

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Turbine With Bearings


SX-MU03

BKUR250074

For Handpiece with Wedge Type Chuck

Turbine sub assembly with ceramic-hybrid bearings with Phenolic retainer - myonic

Brand: myonic



S Max-Reg tm- M600

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Turbine With Bearings


SX-SU03

BKUR250073

For Handpiece with Wedge Type Chuck

Turbine sub assembly with ceramic-hybrid bearings with Phenolic retainer - myonic

Brand: myonic



Key	Usually stocked or Short Delivery
	** Available while stocks last

Long Delivery or Large Minimum Quantities
<i>Not in current production</i>

S Max-Reg tm- M800

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Turbine With Bearings


SX-MU03

BKUR250074

For Handpiece with Wedge Type Chuck

Turbine sub assembly with ceramic-hybrid bearings with Phenolic retainer - myonic

Brand: myonic



S Max-Reg tm- M900

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Turbine With Bearings


SX-SU03

BKUR250073

For Handpiece with Wedge Type Chuck

Turbine sub assembly with ceramic-hybrid bearings with Phenolic retainer - myonic

Brand: myonic



S900 Airscaler

Position / Description / Application

Manufacturers Part

MBA Part


Replacement Bush

T695104B

BKU65104

Refer OEM Part Number

Brand: MBA



S950 Airscaler

Position / Description / Application

Manufacturers Part

MBA Part


Replacement Bush

T695104B

BKU65104

Refer OEM Part Number

Brand: MBA



SG20

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Press Button

10000228

BKU60228

Brand: MBA



SG20L

Position / Description / Application

Manufacturers Part

MBA Part

Head Gear Complete 20:1

C1010150002

BKU60002

Brand: MBA



Drive Kit

C1010150 + C1003022

BKU65022

Brand: MBA



Key	Usually stocked or Short Delivery
	** Available while stocks last

Long Delivery or Large Minimum Quantities
<i>Not in current production</i>

SG20X

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Press Button

10000228

BKU60228

Brand: MBA



SGAE

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Shaft

B12213-0704

SMR74A-ZZS-MC3-JP6

High Precision Bearing

Double shielded P6 precision stainless steel bearing (4x7x2.5)



SGAE2G

Position / Description / Application

Manufacturers Part

MBA Part


Bearing for Shaft

B12213-0704

SMR74A-ZZS-MC3-JP6

High Precision Bearing

Double shielded P6 precision stainless steel bearing (4x7x2.5)



SGM

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Middle Gear Complete 1:1

C293B031

BKU63031

Brand: MBA



SGMS

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Middle Gear Complete 1:1

C293B031

BKU63031

Brand: MBA



SGR2E

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Shaft

B10313-0703

S683-MC3-JP6-AF12

High Precision Bearing

Open P6 precision bearing with low-torque cage and light oil lubricant (3x7x2)



Bearing for Shaft

B12213-0704

SMR74A-ZZS-MC3-JP6

High Precision Bearing Shielded Option

Double shielded P6 precision stainless steel bearing (4x7x2.5)



Key

Usually stocked or Short Delivery

Long Delivery or Large Minimum Quantities

** Available while stocks last

Not in current production

SGSE

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Shaft

B12213-0704

SMR74A-ZZS-MC3-JP6

High Precision Bearing

Double shielded P6 precision stainless steel bearing (4x7x2.5)



SGT2E0

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Shaft

B12213-0704

SMR74A-ZZS-MC3-JP6

High Precision Bearing

Double shielded P6 precision stainless steel bearing (4x7x2.5)



SGT2E1

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Shaft

B10313-0703

S683-MC3-JP6-AF12

High Precision Bearing

Open P6 precision bearing with low-torque cage and light oil lubricant (3x7x2)



TEP Y

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Middle Gear Complete 1:1

C837012

BKU67012

Brand: MBA



Head Gear Complete 1:1

C837015

BKU67015TEP

Brand: MBA



Ti Max® M95L

Position / Description / Application

Manufacturers Part

MBA Part

Drive Kit

C600015 + 10000664

BKU61564

Brand: MBA



Ti Max® Ti25L

Position / Description / Application

Manufacturers Part

MBA Part


Drive Kit

C875060 + C880022

BKU66022

Dental replacement drive kit

Brand: MBA



Key

Usually stocked or Short Delivery

Long Delivery or Large Minimum Quantities

** Available while stocks last

Not in current production

Ti Max® X

Position / Description / Application

Manufacturers Part


MBA Part

Drive Kit

C1010150 + C1003022

BKU65022

Brand: MBA



Ti Max® X25L

Position / Description / Application

Manufacturers Part

MBA Part

Drive Kit

C601015 + C601022

BKU61522X

Brand: MBA



Ti Max® X500

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Turbine With Bearings


TiX-MU03

BKUR2500424

For Handpiece with Wedge Type Chuck

Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic

Brand: myonic



Replacement Turbine With Bearings


TiX-MU03

BKUR2500423

For Handpiece with Wedge Type Chuck

Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic

Brand: myonic



Replacement Turbine Excluding Bearings


TiX-MU03

BKUR250042

For Handpiece with Wedge Type Chuck

Turbine sub assembly excluding bearings

Brand: MBA



Replacement Turbine With Bearings


TiX-MU03

BKUR2500425

For Handpiece with Wedge Type Chuck

Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer

Brand: MBA



Key

Usually stocked or Short Delivery

Long Delivery or Large Minimum Quantities

** Available while stocks last

Not in current production

Ti Max® X600

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	TiX-SU03	BKUR250043T	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	TiX-SU03	BKUR2500435	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	TiX-SU03	BKUR2500433	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	TiX-SU03	BKUR250043	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	TiX-SU03	BKUR2500434	
Turbine Sub Assembly Without Bearings For Handpiece with Wedge Type Chuck Brand: MBA	TiX-SU03	BKURM250043	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	TiX-SU03	BKURMU250043	

Ti Max® X650

Position / Description / Application	Manufacturers Part	MBA Part	
Turbine Sub Assembly Without Bearings For Handpiece with Wedge Type Chuck Brand: MBA	TiX-SU03	BKURM250043	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	TiX-SU03	BKURMU250043	


Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production


Ti Max® X700

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	TiX-TU03	BKUR250044	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	TiX-TU03	BKUR2500443	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	TiX-TU03	BKUR2500444	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	TiX-TU03	BKUR2500445	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	TiX-TU03	BKUR250044T	


Ti Max® X95L

Position / Description / Application	Manufacturers Part	MBA Part	
Drive Kit Brand: MBA	C600015 + C600022	BKU61522	

Ti Max® Z25

Position / Description / Application	Manufacturers Part	MBA Part	
Drive Kit Brand: MBA	C1038015 + C1038022	BKU61580	

Ti Max® Z45L

Position / Description / Application	Manufacturers Part	MBA Part	
Drive Kit Brand: MBA	C1064015 + C1064022	BKU61522Z	

Key **Usually stocked or Short Delivery**
**** Available while stocks last**

Long Delivery or Large Minimum Quantities
Not in current production

Ti Max® Z800L

Position / Description / Application

Manufacturers Part

MBA Part


Replacement Turbine Excluding Bearings

TiZ-SU03

BKUR250072

For Handpiece with Wedge Type Chuck
Turbine sub assembly excluding bearings

Brand: MBA




Replacement Turbine With Bearings

TiZ-SU03

BKUR2500723

For Handpiece with Wedge Type Chuck
Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic

Brand: myonic



Ti Max® Z900L

Position / Description / Application

Manufacturers Part

MBA Part


Replacement Turbine With Bearings

TiZ-SU03

BKUR2500693

For Handpiece with Wedge Type Chuck
Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic

Brand: myonic




Replacement Turbine Excluding Bearings

TiZ-SU03

BKUR250069

For Handpiece with Wedge Type Chuck
Turbine sub assembly excluding bearings

Brand: MBA



Ti Max® Z95

Position / Description / Application

Manufacturers Part

MBA Part

Drive Kit

C1034D017 + C1034022

BKU61722

Brand: MBA



Ti15

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Middle Gear Complete 1:1

C880022

BKU68022

Brand: MBA



Key	Usually stocked or Short Delivery
	** Available while stocks last

Long Delivery or Large Minimum Quantities
<i>Not in current production</i>


Ti25

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Middle Gear Complete 1:1	C880022	BKU68022	
Brand: MBA			
Replacement Press Button	C875050	BKU65050	
Brand: MBA			



Ti25L

Position / Description / Application	Manufacturers Part	MBA Part	
Head Gear Complete 1:1	C875060	BKU65060	
Brand: MBA			

Ti85

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Middle Gear	B19157-4723	SR133-MC3-TH7-TO	
High Speed Bearing - Torlon Retainer Open Abec 7 precision stainless steel bearing with high speed Torlon retainer (2.38x4.76x1588)			
Brand: myonic			



Ti95

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Dog Clutch		SMR84-MC3-JP6-AF12	
High Precision Bearing Open P6 precision bearing with low-torque cage and light oil lubricant (4x8x2)			
Bearing for Middle Gear	B19157-4723	SR133-MC3-TH7-TO	
High Speed Bearing - Torlon Retainer Open Abec 7 precision stainless steel bearing with high speed Torlon retainer (2.38x4.76x1588)			
Brand: myonic			



Key **Usually stocked or Short Delivery**
 ** Available while stocks last

Long Delivery or Large Minimum Quantities
 Not in current production



UHR 50T C

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Shaft High Speed Bearing - Polyamide Retainer Double shielded Abec 3 precision stainless steel bearing with high speed polyamide retainer (6.35x12.7x4.76) Brand: MBA	B20215-2763	SR188A-ZZS-MC3-GR3-T9H	
Bearing for Shaft 6-13-5mm High Speed Bearing - Polyamide Retainer Double shielded Abec 3 precision stainless steel bearing with a high speed polyamide cage (6x13x5) Brand: MBA	B11223-1306	S686B-ZZS-MC3-GR3-T9H	


UHR45C

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Shaft High Speed Bearing - Polyamide Retainer Double shielded Abec 3 precision stainless steel bearing with high speed polyamide retainer (6.35x12.7x4.76) Brand: MBA	B20245-2763	SR188A-ZZS-MC3-GR3-T9H	
Bearing for Shaft 6-13-5mm High Speed Bearing - Polyamide Retainer Double shielded Abec 3 precision stainless steel bearing with a high speed polyamide cage (6x13x5) Brand: MBA	B11243-1306	S686B-ZZS-MC3-GR3-T9H	

UHR50C

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Dust Proof Cover Laboratory Drive Brand: MBA	H063B106A	BKU63106	
Replacement Spindle Washer Laboratory Drive Brand: MBA	H063B109A	BKU63109	



UHR50T

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Spindle Washer Laboratory Drive Brand: MBA	H063B109A	BKU63109	
Replacement Dust Proof Cover Laboratory Drive Brand: MBA	H063B106A	BKU63106	



Key **Usually stocked or Short Delivery**
 ** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production



UHRXL T

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Shaft High Speed Bearing - Polyamide Retainer Double shielded Abec 3 precision stainless steel bearing with high speed polyamide retainer (6.35x12.7x4.76) Brand: MBA	B20245-2763	SR188A-ZZS-MC3-GR3-T9H	
Bearing for Shaft 6-13-5mm High Speed Bearing - Polyamide Retainer Double shielded Abec 3 precision stainless steel bearing with a high speed polyamide cage (6x13x5) Brand: MBA	B11243-1306	S686B-ZZS-MC3-GR3-T9H	



Ultimate 450

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Shaft High Speed Bearing - Polyamide Retainer Double shielded Abec 3 precision stainless steel bearing with high speed polyamide retainer (6.35x12.7x4.76) Brand: MBA	B20215-2763	SR188A-ZZS-MC3-GR3-T9H	
Bearing for Shaft 6-13-5mm High Speed Bearing - Polyamide Retainer Double shielded Abec 3 precision stainless steel bearing with a high speed polyamide cage (6x13x5) Brand: MBA	B11223-1306	S686B-ZZS-MC3-GR3-T9H	

Ultimate 450-VH 2

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Shaft High Speed Bearing - Polyamide Retainer Double shielded Abec 3 precision stainless steel bearing with high speed polyamide retainer (6.35x12.7x4.76) Brand: MBA	B20215-2763	SR188A-ZZS-MC3-GR3-T9H	
Bearing for Shaft 6-13-5mm High Speed Bearing - Polyamide Retainer Double shielded Abec 3 precision stainless steel bearing with a high speed polyamide cage (6x13x5) Brand: MBA	B11223-1306	S686B-ZZS-MC3-GR3-T9H	

Ultimate 450-VH 3

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Shaft 6-13-5mm High Speed Bearing - Polyamide Retainer Double shielded Abec 3 precision stainless steel bearing with a high speed polyamide cage (6x13x5) Brand: MBA	B11223-1306	S686B-ZZS-MC3-GR3-T9H	
Bearing for Shaft High Speed Bearing - Polyamide Retainer Double shielded Abec 3 precision stainless steel bearing with high speed polyamide retainer (6.35x12.7x4.76) Brand: MBA	B20215-2763	SR188A-ZZS-MC3-GR3-T9H	

Key **Usually stocked or Short Delivery**
 ** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

Ultimate XL

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Shaft 6-13-5mm

B11243-1306

S686B-ZZS-MC3-GR3-T9H

High Speed Bearing - Polyamide Retainer

Double shielded Abec 3 precision stainless steel bearing with a high speed polyamide cage (6x13x5)

Brand: MBA



Bearing for Shaft

B20245-2763

SR188A-ZZS-MC3-GR3-T9H

High Speed Bearing - Polyamide Retainer

Double shielded Abec 3 precision stainless steel bearing with high speed polyamide retainer (6.35x12.7x4.76)

Brand: MBA



Ultimate XL 450

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Chuck

H203180

BKU63180

True running accuracy less than 0.03, bore diameter 2.35mm

Brand: MBA



Ultimate XL 500

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Chuck

H203180

BKU63180

True running accuracy less than 0.03, bore diameter 2.35mm

Brand: MBA



VH 2

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Shaft 6-13-5mm


B11223-1306

S686B-ZZS-MC3-GR3-T9H

High Speed Bearing - Polyamide Retainer

Double shielded Abec 3 precision stainless steel bearing with a high speed polyamide cage (6x13x5)

Brand: MBA



Bearing for Shaft

B20215-2763

SR188A-ZZS-MC3-GR3-T9H

High Speed Bearing - Polyamide Retainer

Double shielded Abec 3 precision stainless steel bearing with high speed polyamide retainer (6.35x12.7x4.76)

Brand: MBA



Key









Usually stocked or Short Delivery

Long Delivery or Large Minimum Quantities

** Available while stocks last

Not in current production

Vip-Air

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Bearing High Speed Bearing - Polyamide Retainer Precision flanged dental bearing with a high speed polyamide retainer (3.18x6.35x2.78) 2 Required Brand: Myonic		SFR144A-D27-ZSO-T9H-OPT	
Replacement Bearing High Speed Bearing - Phenolic Retainer Single shielded flanged precision dental handpiece bearing with phenolic retainer (3.18x6.35x2.78) 2 Required Brand: Myonic		SFR144A-D27-ZSO-KC-OPT	
PTFE Washer-Spacer 0.13mm - half thou - thick Deleted Item. Available while stocks last. (3x6.56x0.13) 2 Required		W0030-F-007-001-PT	
Replacement O-Ring High Temperature Deleted Item. Available while stocks last. Special quad-ring o-ring for dental applications 2 Required Brand: NSK	Quad Ring	** QR-00600-080-N70-NSK	
Replacement O-Ring High Temperature Deleted Item. Available while stocks last. Special o-ring for dental applications 2 Required		OR-00607-079-N70	
Replacement Wave Washer 4.8mm Shaft Size Additional stock available from USA subject to Prior Sale = 4719 (4.76x6.35x0.76)		W0048-T-007-008-W3-S2	
VOLVERE 8 30000 RPM			
Bearing for Chuck End Stainless Bearing Double shielded P6 precision stainless steel bearing (5x13x4)		S695-ZZ-MC3-JP6	
Bearing for Cap End Stainless Bearing Double shielded P6 precision stainless steel bearing (6.35x12.7x4.76)		SR188A-ZZ-MC3-JP6	

Key **Usually stocked or Short Delivery**
**** Available while stocks last**

Long Delivery or Large Minimum Quantities
Not in current production

VOLVERE GX 40M

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Chuck End

Stainless Bearing

Open P6 precision bearing with low-torque cage and light oil lubricant (4x8x2)

SMR84-MC3-JP6-AF12



Bearing for Cap End

Stainless Bearing

Open P6 precision bearing with low-torque cage and light oil lubricant (4x7x2)

SMR74-MC3-JP6-AF12



VOLVERE GX 6000 RPM

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Chuck End

Stainless Bearing

Double shielded P6 precision stainless steel bearing (3x6x2.5)

SMR63A-ZZ-MC3-JP6



Bearing for Cap End

Stainless Bearing

Double shielded P6 precision stainless steel bearing (3x7x3)

S683A-ZZ-MC3-JP6



VOLVERE GX35M VH

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Chuck End

Stainless Bearing

Double shielded P6 precision stainless steel bearing (6x13x5)

S686B-ZZ-MC3-JP6



Bearing for Cap End

Stainless Bearing

Double shielded P6 precision stainless steel bearing (6.35x12.7x4.76)

SR188A-ZZ-MC3-JP6



Volvere i7

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Chuck

H203180

BKU63180

True running accuracy less than 0.03, bore diameter 2.35mm

Brand: MBA



Key



Usually stocked or Short Delivery

Long Delivery or Large Minimum Quantities

** Available while stocks last

Not in current production

VR E

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Shaft High Speed Bearing - Polyamide Retainer Double shielded Abec 3 precision stainless steel bearing with high speed polyamide retainer (6.35x12.7x4.76) Brand: MBA	B20245-2763	SR188A-ZZS-MC3-GR3-T9H	
Bearing for Shaft 6-13-5mm High Speed Bearing - Polyamide Retainer Double shielded Abec 3 precision stainless steel bearing with a high speed polyamide cage (6x13x5) Brand: MBA	B11243-1306	S686B-ZZS-MC3-GR3-T9H	

X

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Press Button Brand: MBA	10000228	BKU60228	

X SG20L

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Middle Gear Complete 20:1 Brand: MBA	C1003022	BKU63022	
Replacement Head Housing Brand: MBA	10000254001	BKU64001	

X15L

Position / Description / Application	Manufacturers Part	MBA Part	
Head Gear Complete 1:1 Brand: MBA	C601015	BKU61015	
Replacement Middle Gear Complete 1:1 Brand: MBA	C601022	BKU61022	




Key **Usually stocked or Short Delivery**
**** Available while stocks last**

Long Delivery or Large Minimum Quantities
Not in current production

X25

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement O-Ring Special Dental Applications O-Ring for Electric handpiece Special dental applications O-Ring Brand: MBA	C427168	BKU67168	
Replacement O-Ring Special Dental Applications O-Ring for Electric handpiece Special dental applications O-Ring Brand: MBA	C427064	BKU67064	
Replacement Head Housing Brand: MBA	C601011	BKU61011	
Replacement Press Button Brand: MBA	C601050	BKU61050	
Replacement O-Ring Special Dental Applications O-Ring for Electric handpiece Special dental applications O-Ring Brand: MBA	C427062	BKU67062	

X25L

Position / Description / Application	Manufacturers Part	MBA Part	
Head Gear Complete 1:1 Brand: MBA	C601015	BKU61015	
Replacement Head Housing Brand: MBA	C601011	BKU61011	
Replacement Middle Gear Complete 1:1 Brand: MBA	C601022	BKU61022	

Key	Usually stocked or Short Delivery
	** Available while stocks last

Long Delivery or Large Minimum Quantities
<i>Not in current production</i>

X450

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Press Button

P1078500 - TiX45-SU04

BKU68500

Brand: MBA



X500

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Press Button

P067B050 - TiX-MU04

BKU67050

Brand: MBA



X600

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Press Button

P068B050 - TiX-SU04

BKU68050

Brand: MBA



Bearing for Rotor Cartridge

SG1441X-D

SR144-D29-CSN-TO-OPT

High Speed Ceramic-Hybrid Bearing - Torlon Retainer

Precision angular contact ceramic-hybrid dental handpiece bearing with high speed Torlon retainer. ceramic balls (3.18x6.35x2.38)

Brand: MBA



X600 Air Driven Handpiece

Position / Description / Application

Manufacturers Part

MBA Part

Replacement O-Ring

0312-063100

BKU63100

Brand: MBA



X65

Position / Description / Application

Manufacturers Part

MBA Part


Replacement Chuck

H190180

BKU60180

True running accuracy less than 0.03

Brand: MBA



X650

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Rotor Cartridge

SG1441X-D

SR144-D29-CSN-TO-OPT

High Speed Ceramic-Hybrid Bearing - Torlon Retainer

Precision angular contact ceramic-hybrid dental handpiece bearing with high speed Torlon retainer. ceramic balls (3.18x6.35x2.38)

Brand: MBA



Key	Usually stocked or Short Delivery
	** Available while stocks last

Long Delivery or Large Minimum Quantities
<i>Not in current production</i>

X700

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Press Button

P069B050 - TiX-TU04

BKU69050

Brand: MBA



X95

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Dog Clutch

High Precision Bearing

Open P6 precision bearing with low-torque cage and light oil lubricant (4x8x2)

SMR84-MC3-JP6-AF12



Replacement O-Ring

C427168

BKU67168

Special Dental Applications O-Ring for Electric handpiece

Special dental applications O-Ring

Brand: MBA



Head Gear Complete


C600015

BKU60015

For Handpiece with Wedge Type Chuck

Assembled with ceramic ball bearings, tested in master electric handpiece

Brand: MBA



Replacement O-Ring


C427064

BKU67064

Special Dental Applications O-Ring for Electric handpiece

Special dental applications O-Ring

Brand: MBA



Replacement O-Ring

C427062

BKU67062

Special Dental Applications O-Ring for Electric handpiece

Special dental applications O-Ring

Brand: MBA



Bearing for Headgear

740-CER

SMR74-CSN-TH7-TO

High Speed Ceramic-Hybrid Bearing - Torlon Retainer

Open Abec 7 precision stainless ceramic-hybrid bearing with high speed Torlon retainer (4x7x2)

Brand: MBA



Key




Usually stocked or Short Delivery

Long Delivery or Large Minimum Quantities


** Available while stocks last

Not in current production





X95L

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Middle Gear Complete 1:5 Brand: MBA	C600022	BKU60022	
Dog Gear 1:5 Dog Clutch C600C013 Clutch Brand: MBA		BKU69993	
Replacement Head Housing Brand: MBA	C600011	BKU60011A	

XSG20L

Position / Description / Application	Manufacturers Part	MBA Part	
Head Gear Complete 20:1 Brand: MBA	C1010150002	BKU60002	

Z25

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement O-Ring Special Dental Applications O-Ring for Electric handpiece Special dental applications O-Ring Brand: MBA	C427168	BKU67168	
Replacement O-Ring Special Dental Applications O-Ring for Electric handpiece Special dental applications O-Ring Brand: MBA	C427062	BKU67062	
Replacement Press Button Brand: MBA	C1038050001	BKU60001	
Replacement Middle Gear Complete 1:1 Brand: MBA	C1038022	BKU68022N	

Key **Usually stocked or Short Delivery**
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

Z25L

Position / Description / Application

Manufacturers Part

MBA Part

Head Gear Complete 1:1

C1038015

BKU68015

Brand: MBA



Z45L

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Middle Gear Complete 4:1.2

C1064022

BKU64022Z

Brand: MBA




Head Gear Complete 4:1.2

C1064015

BKU64015Z

Brand: MBA



Z800

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Press Button

P1051050 - TiZ-MU04

BKU61050Z

Brand: MBA



Z800 Back

Position / Description / Application

Manufacturers Part

MBA Part


Bearing for Rotor Cartridge

SG1590X-D

BKUSG1590XCT

High Speed Ceramic-Hybrid Bearing - Torton Retainer
Special Size, ceramic-hybrid, Torton retainer - Checking Details

Brand: MBA



Z800 Front

Position / Description / Application

Manufacturers Part

MBA Part


Bearing for Rotor Cartridge

SG1569X-D

BKUSG1569XCT

High Speed Ceramic-Hybrid Bearing - Torton Retainer
Special Size, ceramic-hybrid, Torton retainer - Checking Details

Brand: MBA



Z900

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Press Button

P1052050 - TiZ-SU04

BKU62050

Brand: MBA



Key

Usually stocked or Short Delivery

Long Delivery or Large Minimum Quantities

** Available while stocks last

Not in current production

Z900 Back

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Rotor Cartridge


SG1590X-D

BKUSG1590XCT

High Speed Ceramic-Hybrid Bearing - Torlon Retainer

Special Size, ceramic-hybrid, Torlon retainer - Checking Details

Brand: MBA



Z900 Front

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Rotor Cartridge


SG1569X-D

BKUSG1569XCT

High Speed Ceramic-Hybrid Bearing - Torlon Retainer

Special Size, ceramic-hybrid, Torlon retainer - Checking Details

Brand: MBA



Z95 Front

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Headgear


SG1614-D

BKUSG1614XCT

High Speed Ceramic-Hybrid Bearing - Torlon Retainer

6, ceramic-hybrid, Torlon retainer - to check

Brand: MBA



Z95L

Position / Description / Application

Manufacturers Part

MBA Part

Head Gear Complete

C1034015

BKU64015

For Handpiece with Wedge Type Chuck

Assembled with ceramic ball bearings, tested in master electric handpiece

Brand: MBA



Replacement Middle Gear Complete 1:5

C1034022

BKU64022N

Brand: MBA



Head Gear Complete

C1034017

BKU64017

For Handpiece with Wedge Type Chuck

Assembled with ceramic ball bearings, tested in master electric handpiece

Brand: MBA



Drive Gear Assembly - Dog Clutch Complete 1:5

C1034013

BKU64013

Complete Assembly

Brand: MBA



Key

Usually stocked or Short Delivery

** Available while stocks last

Long Delivery or Large Minimum Quantities

Not in current production

Accutorq

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Bearing

High Speed Bearing - Polyamide Retainer

Stainless steel bearing with polyamide retainer for precision dental handpieces (3.18x6.35x2.78)

2 Required

Brand: Myonic

SR144A-D27-ZS-T9H-OPT



Borden

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Bearing

High Speed Bearing - Phenolic Retainer

Narrow precision dental handpiece bearing with high speed phenolic retainer (3.18x6.35x2.38)

2 Required

Brand: MBA

SR144-D28-KC-OPT



Replacement Bearing


High Speed Ceramic-Hybrid Bearing - Phenolic Retainer

Precision ceramic-hybrid dental handpiece bearing with high speed phenolic retainer (3.18x6.35x2.38)

2 Required

Brand: MBA

SR144-D28-CSN-KC-OPT



Key

Usually stocked or Short Delivery

** Available while stocks last

Long Delivery or Large Minimum Quantities

Not in current production

ACCESS PRO NL

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	2009914	BKUR3100003	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	2009914	BKUR3100005	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	2009914	BKUR3100004	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	2009914	BKUR310000	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	2009914	BKURC310000	

Key **Usually stocked or Short Delivery**
 ** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

KL Mini

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	2009914	BKUR310000	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	2009914	BKUR3100004	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	2009914	BKUR3100005	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	2009914	BKUR3100003	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	2009914	BKURC310000	

Key **Usually stocked or Short Delivery**
 ** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

ROTAMAX PRO KL Torque

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	2009915	BKUR3100014	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	2009915	BKUR3100013	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	2009915	BKUR310001	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	2009915	BKUR3100015	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	2009915	BKURC310001	

Key **Usually stocked or Short Delivery**
 ** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

ROTAMAX PRO NL

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	2009915	BKUR310001	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	2009915	BKUR3100015	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	2009915	BKUR3100014	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	2009915	BKUR3100013	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	2009915	BKURC310001	

Key **Usually stocked or Short Delivery**
 ** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

102L Strong

Position / Description / Application


Manufacturers Part

MBA Part

Replacement Armature

BKU61102

Brand: MBA



103

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Armature

BKU61103

Brand: MBA



106

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Armature

BKU61106

Brand: MBA



204 Strong 90

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Armature

BKU61102

Brand: MBA



Forte 100

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Chuck

BKU68882

True running accuracy less than 0.03, bore diameter 2.35mm

Brand: MBA



Forte 100 II

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Chuck

107-3

BKU61073

True running accuracy less than 0.03, bore diameter 2.35mm

Brand: MBA



Forte 100a III

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Chuck

BKU68882

True running accuracy less than 0.03, bore diameter 2.35mm

Brand: MBA



Key	Usually stocked or Short Delivery
	** Available while stocks last

Long Delivery or Large Minimum Quantities
<i>Not in current production</i>

Forte 102

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Chuck

107-3

BKU68883

True running accuracy less than 0.03, bore diameter 2.35mm

Brand: MBA



Forte 103L

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Chuck

107-3

BKU61073

True running accuracy less than 0.03, bore diameter 2.35mm

Brand: MBA



Forte 106

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Chuck

107-3

BKU68882

True running accuracy less than 0.03, bore diameter 2.35mm

Brand: MBA



Forte 106ZO

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Chuck

107-3

BKU68882

True running accuracy less than 0.03, bore diameter 2.35mm

Brand: MBA



Forte 300 II

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Chuck

107-3

BKU68883

True running accuracy less than 0.03, bore diameter 2.35mm

Brand: MBA



Forte 300 III

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Chuck

107-3

BKU68883

True running accuracy less than 0.03, bore diameter 2.35mm

Brand: MBA





Key	Usually stocked or Short Delivery
	** Available while stocks last

Long Delivery or Large Minimum Quantities
<i>Not in current production</i>

Lab Drive

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Motor Shaft High Speed Bearing - Polyamide Retainer Shielded Option Double shielded high speed stainless steel bearing with Polyamide retainer (3x8x4)	830ZZ	S693A-ZZS-MC3-T9H	
Bearing for Shaft High Precision Bearing Shielded Option Double shielded P6 precision stainless steel bearing (4x10x4)	1040ZZ	SMR104A-ZZ-MC3-JP6	
Bearing for Shaft High Speed Bearing - Polyamide Retainer Shielded Option Double shielded Abec 3 precision stainless steel bearing with a high speed polyamide Cage (7x13x4) Brand: MBA	1370ZZ	SMR137A-ZZS-MC3-GR3-T9H	
Bearing for Motor Shaft High Speed Bearing - Polyamide Retainer Shielded Option Double shielded Abec 3 precision stainless steel bearing with a high speed polyamide cage (4x9x4) Brand: MBA	940ZZ	S684A-ZZS-MC3-GR3-T9H	
Bearing for Shaft High Speed Bearing - Polyamide Retainer Shielded Option Double shielded Abec 3 precision stainless steel bearing with high speed polyamide cage (5x10x4) Brand: MBA	1050ZZ	SMR105A-ZZS-MC3-GR3-T9H	
Bearing for Shaft High Speed Bearing - Polyamide Retainer Shielded Option Double shielded Abec 3 precision stainless steel bearing with high speed polyamide cage (8x14x4) Brand: ECO	1480ZZ	SMR148A-ZZS-MC3-GR3-T9H	

Micro-Motor

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Bearing 4x9x4 Stainless Steel Bearing Shielded Option Double shielded P6 precision stainless steel bearing (4x9x4)	SAESHIN004	S684A-ZZ-MC3-JP6	
Replacement Bearing High Speed Bearing - Polyamide Retainer Shielded Option Double shielded high speed stainless steel bearing with Polyamide retainer (3x8x4)	SAESHIN003	S693A-ZZS-MC3-T9H	

Key **Usually stocked or Short Delivery**
**** Available while stocks last**

Long Delivery or Large Minimum Quantities
Not in current production

Strong 102

Position / Description / Application


Manufacturers Part

MBA Part

Replacement Motor Brush

BKU60107

Brand: MBA



Strong 105

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Motor Brush

BKU60107

Brand: MBA



Strong 105L

Position / Description / Application


Manufacturers Part

MBA Part

Replacement Motor Brush

BKU60107

Brand: MBA



ZO

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Chuck

BKU68882

True running accuracy less than 0.03, bore diameter 2.35mm





Brand: MBA







Key	Usually stocked or Short Delivery
	** Available while stocks last

Long Delivery or Large Minimum Quantities
<i>Not in current production</i>

C1

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Motor Shaft High Precision Bearing Double shielded P6 precision stainless steel bearing (4x9x4)	5212	S684A-ZZ-MC3-JP6	
Replacement Felt Washer Laboratory Drive Brand: MBA	4129	BKU64129	
Bearing for Shaft High Precision Bearing Shielded Option Double shielded P6 precision stainless steel bearing (7x14x5)	611/1	S687A-ZZ-MC3-JP6	
Bearing for Shaft High Precision Bearing Shielded Option Double shielded Abec 3 precision stainless steel bearing (8x16x6) Brand: MBA	4120	S688B-ZZS-MC3-GR3	

C2

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Shaft High Precision Bearing Shielded Option Double shielded P6 precision stainless steel bearing (7x14x5)	611/1	S687A-ZZ-MC3-JP6	
Bearing for Motor Shaft High Precision Bearing Double shielded P6 precision stainless steel bearing (4x9x4)	5212	S684A-ZZ-MC3-JP6	
Replacement Felt Washer Laboratory Drive Brand: MBA	4129	BKU64129	
Bearing for Shaft High Precision Bearing Shielded Option Double shielded Abec 3 precision stainless steel bearing (8x16x6) Brand: MBA	4120	S688B-ZZS-MC3-GR3	

Key




Usually stocked or Short Delivery

** Available while stocks last

Long Delivery or Large Minimum Quantities

Not in current production



C3

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Motor Shaft High Precision Bearing Special design for Schick dental handpiece replacement bearings part number 7120 (5x9.52x3.75)	7212	SWMR952505A-ZZS-MC3-GR7	
Bearing for Shaft 8x15.875x6 High Speed Bearing - Phenolic Retainer Double shielded precision stainless steel bearing with high speed polyamide retainer (8x15.88x6)	7111	SMR15875-08-ZZ-MC3-KC	
Bearing for Shaft High Speed Bearing - Phenolic Retainer Double shielded Abec 3 precision stainless steel bearing with high speed phenolic cage (10.15x19x7)	7120	SMR19-10.15-ZZS-MC3-GR3-KC	

C3 7050CN

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Shaft High Precision Bearing Double shielded Abec 3 precision stainless steel bearing (8x16x6) Brand: MBA	4120	S688B-ZZS-MC3-GR3	




CN

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Shaft High Precision Bearing Double shielded P6 precision stainless steel bearing (7x14x5)	611/1	S687A-ZZ-MC3-JP6	
Bearing for Motor Shaft High Precision Bearing Double shielded P6 precision stainless steel bearing (4x9x4)	5212	S684A-ZZ-MC3-JP6	



Key **Usually stocked or Short Delivery**
 ** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

Q Profi

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Shaft High Precision Bearing Shielded Option Double shielded P6 precision stainless steel bearing (7x14x5)	611/1	S687A-ZZ-MC3-JP6	
Bearing for Motor Shaft High Precision Bearing Double shielded P6 precision stainless steel bearing (4x9x4)	5212	S684A-ZZ-MC3-JP6	
Bearing for Shaft High Precision Bearing Shielded Option Double shielded Abec 3 precision stainless steel bearing (8x16x6) Brand: MBA	4120	S688B-ZZS-MC3-GR3	




Qube

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Shaft High Speed Bearing - Phenolic Retainer Double shielded Abec 3 precision stainless steel bearing with a high speed phenolic cage (6x13x5) Brand: MBA	9162	S686B-ZZS-MC3-GR3-KC	
Bearing for Shaft 5x11x5 High Speed Bearing - Phenolic Retainer Double shielded Abec 3 precision stainless steel bearing with a high speed phenolic cage (5x11x5) Brand: MBA	9160	S685A-ZZS-MC3-GR3-KC	


Key	Usually stocked or Short Delivery
	** Available while stocks last

Long Delivery or Large Minimum Quantities
<i>Not in current production</i>

001

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	6710433	BKUR2200283	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	6710441	BKUR2200343	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	6710425	BKUR2200313	

3000

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Bearing High Speed Bearing - Phenolic Retainer Precision dental handpiece bearing with narrow design and high speed phenolic retainer (3.18x6.35x2.38) 2 Required		SR144-D28-ZS-KC-OPT	

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

4000 MS-ML

Position / Description / Application

Manufacturers Part

MBA Part

<p>Replacement Bearing High Speed Bearing - Phenolic Retainer Deleted Item. Available while stocks last. Narrow stepped OD precision dental handpiece bearing with phenolic 2 Required</p>	<p><i>SR144-D106-ZS</i></p>	
<p>Replacement Bearing High Speed Ceramic-Hybrid Bearing - Phenolic Retainer 3.175x6.35x2.381, ceramic-hybrid, Phenolic retainer - to check (3.18x6.35x2.38) 2 Required Brand: MBA</p>	<p>SR144-D106-CSN-ZS-KC</p>	
<p>Replacement Bearing High Speed Ceramic-Hybrid Bearing - Torlon Retainer 3.175x6.35x2.381, ceramic-hybrid, Torlon retainer - to check (3.18x6.35x2.38) 2 Required Brand: MBA</p>	<p>SR144-D106-CSN-ZS-TO</p>	
<p>Replacement Bearing High Speed Bearing - Torlon Retainer Narrow stepped OD precision dental handpiece bearing with high speed Torlon retainer 2 Required Brand: myonic</p>	<p>SR144-D106-ZS-TO</p>	
<p>Replacement Bearing High Speed Bearing - Phenolic Retainer Narrow stepped OD precision dental handpiece bearing with high speed phenolic retainer 2 Required Brand: myonic</p>	<p>SR144-D106-ZS-KC</p>	


Key	Usually stocked or Short Delivery
	** Available while stocks last

Long Delivery or Large Minimum Quantities
<i>Not in current production</i>

4000 S-SL Push Button

Position / Description / Application	Manufacturers Part	MBA Part
Replacement Bearing High Speed Bearing - Phenolic Retainer Deleted Item. Available while stocks last. Narrow stepped OD precision dental handpiece bearing with phenolic 2 Required		SR144-D106-ZS
		
Replacement Bearing High Speed Ceramic-Hybrid Bearing - Torlon Retainer 3.175x6.35x2.381, ceramic-hybrid, Torlon retainer - to check (3.18x6.35x2.38) 2 Required Brand: MBA		SR144-D106-CSN-ZS-TO
		
Replacement Bearing High Speed Ceramic-Hybrid Bearing - Phenolic Retainer 3.175x6.35x2.381, ceramic-hybrid, Phenolic retainer - to check (3.18x6.35x2.38) 2 Required Brand: MBA		SR144-D106-CSN-ZS-KC
		
Replacement Bearing High Speed Bearing - Torlon Retainer Narrow stepped OD precision dental handpiece bearing with high speed Torlon retainer 2 Required Brand: myonic		SR144-D106-ZS-TO
		
Replacement Bearing High Speed Bearing - Phenolic Retainer Narrow stepped OD precision dental handpiece bearing with high speed phenolic retainer 2 Required Brand: myonic		SR144-D106-ZS-KC
		





P Control

Position / Description / Application	Manufacturers Part	MBA Part
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck - Use only with Oil Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	6084979	BKUR2200223
		
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck - Use only with Oil Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	6084979	BKUR2200225
		
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck - Use only with Oil Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	6084979	BKUR2200224
		
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck - Use only with Oil Turbine sub assembly excluding bearings Brand: MBA	6084979	BKUR220022
		





Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

P Racer

Position / Description / Application	Manufacturers Part	MBA Part	
Turbine Sub Assembly Without Bearings For Handpiece with Wedge Type Chuck - Use only with Oil Turbine sub assembly excluding bearings Brand: MBA	6084987	BKUR220023	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck - Use only with Oil Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	6084987	BKUR2200233	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck - Use only with Oil Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	6084987	BKUR2200235	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck - Use only with Oil Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	6084987	BKUR2200234	

Siroboost





Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	6334598	BKUR220024	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	6334598	BKUR2200243	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	6334598	BKUR2200244	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	6334598	BKUR2200245	

Key





Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
<i>Not in current production</i>

T1 Control

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	4175217	BKUR2200203	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	4175217	BKUR220020	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	4175217	BKUR2200205	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	4175217	BKUR2200204	

T1 Mini

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	4178591	BKUR2200185	
Replacement Turbine With Bearings Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	4178591	BKUR2200183	
Replacement Turbine Excluding Bearings Turbine sub assembly excluding bearings Brand: MBA	4178591	BKUR220018	
Replacement Turbine With Bearings Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	4178591	BKUR2200184	

Key

Usually stocked or Short Delivery

** Available while stocks last





Long Delivery or Large Minimum Quantities

Not in current production

T1 Mini TMC3LK

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Bearing High Speed Bearing - Phenolic Retainer Deleted Item. Available while stocks last. Narrow stepped OD precision dental handpiece bearing with phenolic 2 Required		SR144-D106-ZS	
Replacement Bearing High Speed Ceramic-Hybrid Bearing - Phenolic Retainer 3.175x6.35x2.381, ceramic-hybrid, Phenolic retainer - to check (3.18x6.35x2.38) 2 Required Brand: MBA		SR144-D106-CSN-ZS-KC	 Image Coming Soon
Replacement Bearing High Speed Ceramic-Hybrid Bearing - Torlon Retainer 3.175x6.35x2.381, ceramic-hybrid, Torlon retainer - to check (3.18x6.35x2.38) 2 Required Brand: MBA		SR144-D106-CSN-ZS-TO	 Image Coming Soon
Replacement Bearing High Speed Bearing - Phenolic Retainer Narrow stepped OD precision dental handpiece bearing with high speed phenolic retainer 2 Required Brand: myonic		SR144-D106-ZS-KC	 Image Coming Soon
Replacement Bearing High Speed Bearing - Torlon Retainer Narrow stepped OD precision dental handpiece bearing with high speed Torlon retainer 2 Required Brand: myonic		SR144-D106-ZS-TO	 Image Coming Soon

T2 Control

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	5868299	BKUR220022	 <p style="font-size: 8px; color: red;">Precision sub-assemblies, cartridges with steel inserts & WCC coated actuators</p>
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	5868299	BKUR2200224	 <p style="font-size: 8px; color: red;">Precision sub-assemblies, cartridges with steel inserts & WCC coated actuators</p>
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	5868299	BKUR2200223	 <p style="font-size: 8px; color: red;">Precision sub-assemblies, cartridges with steel inserts & WCC coated actuators</p>
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	5868299	BKUR2200225	 <p style="font-size: 8px; color: red;">Precision sub-assemblies, cartridges with steel inserts & WCC coated actuators</p>

Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

T2 Control Serial Numbers 602 001 to 802 000 with

Position / Description / Application

Manufacturers Part

MBA Part


Replacement Turbine With Bearings

6432590

BKUR2200303

Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer

Brand: myonic



T2 Control Serial Numbers 802

Position / Description / Application

Manufacturers Part

MBA Part


Replacement Turbine With Bearings

6710425

BKUR2200313

Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic

Brand: myonic



T2 Mini

Position / Description / Application

Manufacturers Part

MBA Part


Replacement Turbine Excluding Bearings

5957142

BKUR220021

For Handpiece with Wedge Type Chuck
Turbine sub assembly excluding bearings

Brand: MBA




Replacement Turbine With Bearings

5957142

BKUR2200213

For Handpiece with Wedge Type Chuck
Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic

Brand: myonic




Replacement Turbine With Bearings

5957142

BKUR2200215

For Handpiece with Wedge Type Chuck
Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer

Brand: MBA



Replacement Turbine With Bearings

5957142

BKUR2200214

For Handpiece with Wedge Type Chuck
Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic

Brand: myonic



T2 Mini Serial Numbers 602 001 to 702 000 with Wed

Position / Description / Application

Manufacturers Part

MBA Part


Replacement Turbine With Bearings

6432632

BKUR2200323

Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic

Brand: myonic



Key	Usually stocked or Short Delivery
	** Available while stocks last

Long Delivery or Large Minimum Quantities
<i>Not in current production</i>

T2 Mini Serial Numbers 702 001 to 802 000 with Wed

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Turbine With Bearings

6548130

BKUR2200333

Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic

Brand: myonic



T2 Mini Serial Numbers 802

Position / Description / Application

Manufacturers Part

MBA Part


Replacement Turbine With Bearings

6710441

BKUR2200343

Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic

Brand: myonic



T2 Mini Serial Numbers 802 001

Position / Description / Application

Manufacturers Part

MBA Part


Replacement Turbine With Bearings

6710441

BKUR2200343

Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic

Brand: myonic



T2 Racer

Position / Description / Application

Manufacturers Part

MBA Part


Replacement Turbine Excluding Bearings

5868307

BKUR220023

For Handpiece with Wedge Type Chuck
Turbine sub assembly excluding bearings

Brand: MBA




Replacement Turbine With Bearings

5868307

BKUR2200233

For Handpiece with Wedge Type Chuck
Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic

Brand: myonic



Replacement Turbine With Bearings

5868307

BKUR2200235

For Handpiece with Wedge Type Chuck
Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer

Brand: MBA




Replacement Turbine With Bearings

5868307

BKUR2200234

For Handpiece with Wedge Type Chuck
Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic

Brand: myonic



Key	Usually stocked or Short Delivery
	** Available while stocks last

Long Delivery or Large Minimum Quantities
<i>Not in current production</i>

T2 Serial Numbers 602 001 to 702 000

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Turbine With Bearings


6548122

BKUR2200273

For Handpiece with Wedge Type Chuck

Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic

Brand: myonic



Replacement Turbine With Bearings

6432616

BKUR2200263

For Handpiece with Wedge Type Chuck

Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic

Brand: myonic



T2 Serial Numbers 802

Position / Description / Application

Manufacturers Part

MBA Part


Replacement Turbine With Bearings

6710433

BKUR2200283

Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic

Brand: myonic



T2 Serial Numbers 802 001

Position / Description / Application

Manufacturers Part

MBA Part


Replacement Turbine With Bearings

6710433

BKUR2200283

Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic

Brand: myonic



T3 Boost Serial Numbers 602 001 to 702 000 with We

Position / Description / Application

Manufacturers Part

MBA Part


Replacement Turbine With Bearings

6548122

BKUR2200273

Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic

Brand: myonic



Replacement Turbine With Bearings

6432616

BKUR2200263

Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic

Brand: myonic



T3 Boost Serial Numbers 802

Position / Description / Application

Manufacturers Part

MBA Part


Replacement Turbine With Bearings

6710433

BKUR2200283

Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic


Brand: myonic







Key	Usually stocked or Short Delivery
	** Available while stocks last

Long Delivery or Large Minimum Quantities
<i>Not in current production</i>


T3 Boost Serial Numbers 802 001

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings	6710433	BKUR2200283	
<p>Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic</p> <p>Brand: myonic</p>			


T3 Mini

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings	5957142	BKUR2200213	
<p>For Handpiece with Wedge Type Chuck</p> <p>Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic</p> <p>Brand: myonic</p>			
Replacement Turbine Excluding Bearings	5957142	BKUR220021	
<p>For Handpiece with Wedge Type Chuck</p> <p>Turbine sub assembly excluding bearings</p> <p>Brand: MBA</p>			
Replacement Turbine With Bearings	5957142	BKUR2200215	
<p>For Handpiece with Wedge Type Chuck</p> <p>Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer</p> <p>Brand: MBA</p>			
Replacement Turbine With Bearings	5957142	BKUR2200214	
<p>For Handpiece with Wedge Type Chuck</p> <p>Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic</p> <p>Brand: myonic</p>			

T3 Mini Serial Numbers 602 001 to 702 000 with Wed

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings	6432632	BKUR2200323	
<p>Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic</p> <p>Brand: myonic</p>			

T3 Mini Serial Numbers 702 001 to 802 000 with Wed

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings	6548130	BKUR2200333	
<p>Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic</p> <p>Brand: myonic</p>			

Key	Usually stocked or Short Delivery
	** Available while stocks last

Long Delivery or Large Minimum Quantities
<i>Not in current production</i>

T3 Mini Serial Numbers 802

Position / Description / Application

Manufacturers Part

MBA Part


Replacement Turbine With Bearings

6710441

BKUR2200343

Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic

Brand: myonic



T3 Mini Serial Numbers 802 001

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Turbine With Bearings

6710441

BKUR2200343

Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic

Brand: myonic



T3 Racer

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Turbine With Bearings


5868307

BKUR2200233

For Handpiece with Wedge Type Chuck

Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic

Brand: myonic



Replacement Turbine With Bearings


5868307

BKUR2200235

For Handpiece with Wedge Type Chuck

Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer

Brand: MBA



Replacement Turbine Excluding Bearings


5868307

BKUR220023

For Handpiece with Wedge Type Chuck

Turbine sub assembly excluding bearings

Brand: MBA



Replacement Turbine With Bearings


5868307

BKUR2200234

For Handpiece with Wedge Type Chuck

Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic





Brand: myonic







Key	Usually stocked or Short Delivery
	** Available while stocks last

Long Delivery or Large Minimum Quantities
<i>Not in current production</i>

T3 Racer Serial Numbers 600 000

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer Brand: myonic	6486240	BKUR2200254	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: myonic	6486240	BKUR2200253	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	6486240	BKUR2200255	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	6486240	BKUR220025	

TC3

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	4175217	BKUR2200205	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	4175217	BKUR2200204	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	4175217	BKUR220020	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	4175217	BKUR2200203	

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

TM1

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Bearing

SR144-D106-ZS

High Speed Bearing - Phenolic Retainer

Deleted Item. Available while stocks last. Narrow stepped OD precision dental handpiece bearing with phenolic

2 Required



Replacement Bearing

SR144-D106-CSN-ZS-KC

High Speed Ceramic-Hybrid Bearing - Phenolic Retainer

3.175x6.35x2.381, ceramic-hybrid, Phenolic retainer - to check (3.18x6.35x2.38)

2 Required

Brand: MBA



Replacement Bearing

SR144-D106-CSN-ZS-TO

High Speed Ceramic-Hybrid Bearing - Torlon Retainer

3.175x6.35x2.381, ceramic-hybrid, Torlon retainer - to check (3.18x6.35x2.38)

2 Required

Brand: MBA



Replacement Bearing

SR144-D106-ZS-TO

High Speed Bearing - Torlon Retainer

Narrow stepped OD precision dental handpiece bearing with high speed Torlon retainer

2 Required

Brand: myonic



Replacement Bearing

SR144-D106-ZS-KC

High Speed Bearing - Phenolic Retainer

Narrow stepped OD precision dental handpiece bearing with high speed phenolic retainer

2 Required

Brand: myonic



TMC

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Turbine With Bearings


4178591

BKUR2200183

For Handpiece with Wedge Type Chuck

Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic

Brand: myonic



Replacement Turbine With Bearings


4178591

BKUR2200184

For Handpiece with Wedge Type Chuck

Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic

Brand: myonic



Replacement Turbine With Bearings


4178591

BKUR2200185

For Handpiece with Wedge Type Chuck

Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer

Brand: MBA



Replacement Turbine Excluding Bearings


4178591

BKUR220018

For Handpiece with Wedge Type Chuck

Turbine sub assembly excluding bearings

Brand: MBA



Key

Usually stocked or Short Delivery

Long Delivery or Large Minimum Quantities

**** Available while stocks last**

Not in current production

TS1

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Bearing High Speed Bearing - Phenolic Retainer Stepped OD bearing with high speed phenolic retainer for precision dental handpieces 2 Required Brand: Myonic		SR144A-D105-ZS-KC-OPT	
Replacement Bearing High Speed Ceramic-Hybrid Bearing - Phenolic Retainer Stepped OD ceramic-hybrid bearing with high speed phenolic retainer for precision dental handpieces 2 Required Brand: Myonic	220-0125	SR144A-D105-CSN-ZS-KC-OPT	
Replacement Turbine With Bearings Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	5653054	BKUR2200174	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	5653054	BKUR2200175	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	5953054	BKUR220017	
Replacement Turbine With Bearings Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	5953054	BKUR2200173	
Replacement Bearing High Speed Bearing - Torlon Retainer Stepped OD bearing with Torlon retainer for precision dental handpieces 2 Required Brand: Myonic		SR144A-D105-ZS-TO-OPT	
Replacement Bearing High Speed Ceramic-Hybrid Bearing - Torlon Retainer Stepped OD ceramic-hybrid bearing with Torlon retainer for precision dental handpieces 2 Required Brand: Myonic	220-0125	SR144A-D105-CSN-ZS-TO	
Replacement Bearing High Speed Ceramic-Hybrid Bearing - Torlon Retainer Stepped OD angular contact ceramic-hybrid bearing with Torlon retainer for precision dental handpieces 2 Required Brand: MPB	220-0793K	SR144A-D107-CSN-ZS-TO	 Image Coming Soon

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

TS2

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Bearing High Speed Ceramic-Hybrid Bearing - Phenolic Retainer Stepped OD ceramic-hybrid bearing with high speed phenolic retainer for precision dental handpieces 2 Required Brand: Myonic	220-0125	SR144A-D105-CSN-ZS-KC-OPT	
Replacement Bearing High Speed Bearing - Phenolic Retainer Stepped OD bearing with high speed phenolic retainer for precision dental handpieces 2 Required Brand: Myonic		SR144A-D105-ZS-KC-OPT	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	5953054	BKUR220017	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	5653054	BKUR2200175	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	5953054	BKUR2200173	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	5653054	BKUR2200174	
Replacement Bearing High Speed Bearing - Torlon Retainer Stepped OD bearing with Torlon retainer for precision dental handpieces 2 Required Brand: Myonic		SR144A-D105-ZS-TO-OPT	
Replacement Bearing High Speed Ceramic-Hybrid Bearing - Torlon Retainer Stepped OD ceramic-hybrid bearing with Torlon retainer for precision dental handpieces 2 Required Brand: Myonic	220-0125	SR144A-D105-CSN-ZS-TO	
Replacement Bearing High Speed Ceramic-Hybrid Bearing - Torlon Retainer Stepped OD angular contact ceramic-hybrid bearing with Torlon retainer for precision dental handpieces 2 Required Brand: MPB	220-0793K	SR144A-D107-CSN-ZS-TO	

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

000

Position / Description / Application

Manufacturers Part


MBA Part

Replacement Press Button

5828889

BKU68889

Brand: MBA



001

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Rotor Cartridge

6554815

SWR144B-CSN-ZE-MC3-GR7-TO

High Speed Ceramic-Hybrid Bearing - Torlon Retainer

Double shielded Abec 7 precision ceramic-hybrid bearing with high speed Torlon retainer (3.18x6.35x2.35)

Brand: MBA



001X

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Spring Washer

6367648

BKU67648

Brand: MBA



13Z

Position / Description / Application

Manufacturers Part

MBA Part

Head Gear Complete - Standard

6175587 / 6405687

BKU65587X

For Handpiece with Wedge Type Chuck

Diameter 9.7mm assembled with ceramic ball bearings and tested in master electric handpiece

Brand: MBA



Head Gear Complete

6175587 / 6405687

BKU65587

For Handpiece with Wedge Type Chuck

Diameter 9.7mm premium head gear assembled with ceramic ball bearings tested in master electric handpiece

Brand: MBA



13Z Mini

Position / Description / Application

Manufacturers Part

MBA Part

Head Gear Complete

6414457 / 6405679

BKU65687

For Handpiece with Wedge Type Chuck

Diameter 8.7mm premium head gear assembled with ceramic ball bearings tested in master electric handpiece

Brand: MBA



13Z Mini Standard

Position / Description / Application

Manufacturers Part

MBA Part

Head Gear Complete - Standard

6414457 / 6405679

BKU65687X

For Handpiece with Wedge Type Chuck

Diameter 8.7mm assembled with ceramic ball bearings and tested in master electric handpiece

Brand: MBA



Key

Usually stocked or Short Delivery

Long Delivery or Large Minimum Quantities

** Available while stocks last

Not in current production

40

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Drive

6360601

SMR1035-06-MC3-GR7-TO

High Speed Bearing - Torlon Retainer

Open stainless steel bearing with high speed Torlon retainer. Special size for dental applications. (6x10.35x3)

Brand: MBA



6

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Drive

6360601

SMR1035-06-MC3-GR7-TO

High Speed Bearing - Torlon Retainer

Open stainless steel bearing with high speed Torlon retainer. Special size for dental applications. (6x10.35x3)

Brand: MBA



6:1 VDW

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Headgear

5887174

SMR74D-MC3-GR5-L23

High Precision Bearing

Open Abec 5 precision special dental bearing with low-torque retainer and light oil lubricant (4x7x1.6)

Brand: Myonic



A170

Position / Description / Application

Manufacturers Part

MBA Part

Head Gear Complete

6414457 / 6405679

BKU65687M

Diameter 8.7mm assembled with ceramic ball bearings and tested in master electric handpiece

Brand: myonic



A200

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Middle Gear Complete 1:5

6175603

BKU65603

Brand: MBA



Replacement Middle Gear Complete 1:5

6175603

BKU65603WB

Brand: MBA



A200L Mini

Position / Description / Application

Manufacturers Part


MBA Part

Replacement Press Button

6049337

BKU69337



Brand: MBA




Key **Usually stocked or Short Delivery**
**** Available while stocks last**

Long Delivery or Large Minimum Quantities
Not in current production


A40L

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Head Gear 1:1	6000983	BKU60983	 <p>Head Gears, Intermediate Pieces, Middle Gears Parts for Electric Driven Handpieces & Heads</p>
Brand: MBA			
Replacement Middle Gear Complete 1:1	6000959	BKU60959	 <p>Head Gears, Intermediate Pieces, Middle Gears Parts for Electric Driven Handpieces & Heads</p>
Brand: MBA			


C 1.6

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Drive	4181157	S683-MC3-JP6-AF12	
High Precision Bearing			
Open P6 precision bearing with low-torque cage and light oil lubricant (3x7x2)			


C 1.6 Serial Number Over 65 000

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Drive	6360577	S683-MC3-JP6-AF12	
High Precision Bearing			
Open P6 precision bearing with low-torque cage and light oil lubricant (3x7x2)			

C 200 40 6 1.6

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Drive	6360601	SMR1035-06-MC3-GR7-TO	
High Speed Bearing - Torlon Retainer			
Open stainless steel bearing with high speed Torlon retainer. Special size for dental applications. (6x10.35x3)			
Brand: MBA			

C+S 200

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Drive	6360601	SMR1035-06-MC3-GR7-TO	
High Speed Bearing - Torlon Retainer			
Open stainless steel bearing with high speed Torlon retainer. Special size for dental applications. (6x10.35x3)			
Brand: MBA			

C1.6

Position / Description / Application	Manufacturers Part	MBA Part	
Head Gear Complete 6:1	6405703	BKU65703	 <p>Drive Kits for Electric Driven Handpieces and Heads</p>
Brand: MBA			

Key **Usually stocked or Short Delivery**
**** Available while stocks last**

Long Delivery or Large Minimum Quantities
Not in current production

C200

Position / Description / Application	Manufacturers Part	MBA Part	
Head Gear Complete Diameter 8.7mm premium head gear assembled with ceramic ball bearings tested in master electric handpiece Brand: MBA	6414457 / 6405679	BKU65687	
Replacement O-Ring Special Dental Applications O-Ring for Electric handpiece Special dental applications O-Ring Brand: MBA	6328236	BKU68236	
Head Gear Complete Diameter 9.7mm assembled with ceramic ball bearings and tested in master electric handpiece Brand: MBA	6175587 / 6405687	BKU65587X	
Replacement Middle Gear Complete 1:5 Brand: MBA	6175603	BKU65603WB	
Replacement Middle Gear Complete 1:5 Brand: MBA	6175603	BKU65603	
Head Gear Complete Diameter 9.7mm premium head gear assembled with ceramic ball bearings tested in master electric handpiece Brand: MBA	6175587 / 6405687	BKU65587	
Head Gear Complete Diameter 8.7mm assembled with ceramic ball bearings and tested in master electric handpiece Brand: MBA	6414457 / 6405679	BKU65687X	
C200 T1			
Head Beaing High Speed Bearing - Torlon Retainer Open Abec 7 precision stainless steel bearing with high speed Torlon retainer (3.18x7x2) Brand: MBA		SMR7-032-MC3-GR7-TO-AF12	

Key **Usually stocked or Short Delivery**
 ** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

C200L 8.7 Diameter

Position / Description / Application

Manufacturers Part

MBA Part

Head Gear Complete - Premium

6414457 / 6405679

BKU65687M

For Handpiece with Wedge Type Chuck

Diameter 8.7mm assembled with ceramic ball bearings and tested in master electric handpiece

Brand: myonic



C200L Mini

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Press Button

6049337

BKU69337

Brand: MBA



C40

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Press Button

4 Parts

BKU65083

Brand: MBA



Replacement Rear Bearing

Stainless Bearing

Open P6 precision bearing with low-torque cage and light oil lubricant (3x7x2)

S683-MC3-JP6-AF12



Replacement O-Ring


Special Dental Application O-Ring

Special dental applications O-Ring

Brand: MBA

6328236

BKU68236



C40 Mini

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Press Button

6049329

BKU69329




Brand: MBA





Key	Usually stocked or Short Delivery
	** Available while stocks last

Long Delivery or Large Minimum Quantities
<i>Not in current production</i>


C40L

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Head Gear 1:1 Mini	6405695	BKU65695	
Brand: MBA			
Replacement Middle Gear Complete 1:1	6000959	BKU60959	
Brand: MBA			
Replacement Head Gear 1:1	6000983	BKU60983	
Brand: MBA			


C40L mini

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Headgear	6360593	SMR63-MC3-JP6-AF12	
High Precision Bearing Open P6 precision bearing with low-torque cage and light oil lubricant (3x6x2)			
Bearing for Headgear	5887174	SMR74D-MC3-GR5-L23	
High Precision Bearing Open Abec 5 precision special dental bearing with low-torque retainer and light oil lubricant (4x7x1.6)			
Brand: Myonic			

C6

Position / Description / Application	Manufacturers Part	MBA Part	
Head Gear Complete 6:1	6405703	BKU65703	
Brand: MBA			



C6L mini

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Headgear	6360593	SMR63-MC3-JP6-AF12	
High Precision Bearing Open P6 precision bearing with low-torque cage and light oil lubricant (3x6x2)			




Key **Usually stocked or Short Delivery**
**** Available while stocks last**

Long Delivery or Large Minimum Quantities
Not in current production


EL1

Position / Description / Application	Manufacturers Part	MBA Part	
LED Bulb	5945407	BKU60291LED	
Brand: MBA			
Xenon Lamp	5945407	BKU65407Xenon	
Brand: MBA			



Endo

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Press Button	5997528	BKU67528	
Brand: MBA			
Replacement Middle Gear Complete 6:1	5994038	BKU64038	
Brand: MBA			
Head Gear Complete 6:1	6000777	BKU60777	
Brand: MBA			

ENDO 6:1 VDW

Position / Description / Application	Manufacturers Part	MBA Part	
Drive Kit	6000777 + 5994038	BKU67738	
Brand: MBA			

Endo X

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Middle Gear Complete 6:1	H1033C1051022	BKU61022X	
Brand: MBA			
Head Gear Complete 6:1	H1033C1051015	BKU61015X	
Brand: MBA			

Key	Usually stocked or Short Delivery
	** Available while stocks last

Long Delivery or Large Minimum Quantities
<i>Not in current production</i>

H40 6

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Shaft

4181132

S693-ZZS-MC34-TH5-R-L23

High Precision Bearing

Open Abec 5 precision stainless steel bearing with low-torque retainer and light oil lubricant (3x8x3)

Brand: MBA



H40L

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Shaft

4181108

SMR85-MC3-JP6-AF12

High Precision Bearing

Open P6 precision bearing with low-torque cage and light oil lubricant (5x8x2)



Bearing for Shaft

4181199

S623-ZZ-MC3-JP6

High Precision Bearing Shielded Option

Double shielded P6 precision stainless steel bearing (3x10x4)



Quick Coupling

Position / Description / Application

Manufacturers Part


MBA Part

LED Bulb and Cap

6314558

BKU64558LED

Brand: MBA



Quick Coupling Sirosonic L

Position / Description / Application

Manufacturers Part


MBA Part

LED Bulb

5940291

BKU60291LED

Brand: MBA




Xenon Lamp

5940291

BKU60291Xenon

Brand: MBA



S 12000 RPM

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Chuck End

SF692-ZZS-MC34-GR5-R-L23

Stainless Flanged High Precision Bearing

Double shielded flanged Abec 5 precision stainless steel bearing with NON-ISO Width and low-torque ribbon retainer (2x6x2.3)

Brand: Myonic



Key	Usually stocked or Short Delivery
	** Available while stocks last

Long Delivery or Large Minimum Quantities
<i>Not in current production</i>

S 200 40 6 1.6

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Drive

6360601

SMR1035-06-MC3-GR7-TO

High Speed Bearing - Torlon Retainer

Open stainless steel bearing with high speed Torlon retainer. Special size for dental applications. (6x10.35x3)

Brand: MBA



Siroboost

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Turbine With Bearings


6334598

BKUR220024T

For Handpiece with Wedge Type Chuck

Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic

Brand: myonic



SL

Position / Description / Application

Manufacturers Part

MBA Part

Xenon Lamp

5945407

BKU65407Xenon

Brand: MBA



Bearing for Rotor

7040801

S684A-ZZ-MC3-JP6

High Precision Bearing Shielded Option

Double shielded P6 precision stainless steel bearing (4x9x4)




LED Bulb

5945407

BKU60291LED

Brand: MBA



Bearing for Rotor


7036130

S692-ZZS-MC34-GR5-R-G48

High Precision Bearing Shielded Option

Double shielded Abec 5 precision bearing with Low Torque ribbon retainer and grease lubrication. Non ISO Width. (2x6x2.3)

Brand: Myonic



Smart Plus

Position / Description / Application

Manufacturers Part


MBA Part

Head Gear Complete 6:1

H1033C1051015

BKU61015X

Brand: MBA



Key

Usually stocked or Short Delivery

Long Delivery or Large Minimum Quantities

** Available while stocks last

Not in current production

Smart Plus 6:1

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Middle Gear Complete 6:1

H1033C1051022

BKU61022X

Brand: MBA



T1 Boost Serial No. Over 602 001

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Rotor Cartridge

6554815

SWR144B-CSN-ZE-MC3-GR7-TO

High Speed Ceramic-Hybrid Bearing - Torlon Retainer

Double shielded Abec 7 precision ceramic-hybrid bearing with high speed Torlon retainer (3.18x6.35x2.35)

Brand: MBA



T1 Classic S200

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Headgear

5890855

SMR7-032-MC3-GR7-TO-AF12

High Speed Bearing - Torlon Retainer

Open Abec 7 precision stainless steel bearing with high speed Torlon retainer (3.18x7x2)

Brand: MBA



Bearing for Headgear

5890855

SMR7-032-CSN-MC3-GR7-TO-AF12

High Speed Ceramic-Hybrid Bearing - Torlon Retainer

Open Abec 7 precision stainless ceramic-hybrid bearing with high speed Torlon retainer (3.18x7x2)

Brand: MBA



T1 Classic S200 mini

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Headgear

5899863

SMR6-3.175-CSN-ZZS-MC3-J3-TO

High Speed Ceramic-Hybrid Bearing - Torlon Retainer Shielded Option

3.175x6x2, ceramic-hybrid, Torlon retainer - to check (3.18x6x2)

Brand: MBA



Bearing for Headgear

5899863

SMR6-3.175-CSN-ZZS-MC3-GR7-TO

High Speed Ceramic-Hybrid Bearing - Torlon Retainer Shielded Option

Double shielded Abec 7 precision ceramic-hybrid bearing with high speed Torlon retainer (3.18x6x2)

Brand: MBA



T1 CLASSIC S200L

Position / Description / Application

Manufacturers Part

MBA Part

Drive Kit

6175587 + 6175603

BKU68703

Dental replacement drive kit

Brand: MBA



Key	Usually stocked or Short Delivery
	** Available while stocks last

Long Delivery or Large Minimum Quantities
<i>Not in current production</i>

T1 CLASSIC S200L Mini

Position / Description / Application

Manufacturers Part

MBA Part

Drive Kit

6405679 + 6175603

BKU67903

Brand: MBA




Drive Kit

6414457 + 6175603

BKU65703S

Brand: MBA



T1 Control Air Driven Handpiece

Position / Description / Application

Manufacturers Part

MBA Part

Replacement O-Ring

7028988

BKU68988

Special Dental Application O-Ring

Brand: MBA



T1 Control Serial Number 602 001X

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Spring Washer

6367648

BKU67648

Brand: MBA



T1 Control Serial Number Over 602 001

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Rotor Cartridge

6554815

SWR144B-CSN-ZE-MC3-GR7-TO

High Speed Ceramic-Hybrid Bearing - Torlon Retainer

Double shielded Abec 7 precision ceramic-hybrid bearing with high speed Torlon retainer (3.18x6.35x2.35)

Brand: MBA



T1 Control till Serial Number 65

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Press Button

5828889

BKU68889

Brand: MBA



T1 Control till Serial Number 65 000

Position / Description / Application

Manufacturers Part


MBA Part

Replacement Press Button

5828889

BKU68889

Brand: MBA



Key	Usually stocked or Short Delivery
	** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

T1 Line C1.6L

Position / Description / Application

Manufacturers Part

MBA Part

Drive Kit

6405703 + 6000942

BKU60342

Brand: MBA



T1 Line C200

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Press Button

4 Parts

BKU66967

Brand: MBA



Bearing for Headgear

5890855

SMR7-032-MC3-GR7-TO-AF12

High Speed Bearing - Torlon Retainer

Open Abec 7 precision stainless steel bearing with high speed Torlon retainer (3.18x7x2)

Brand: MBA



Bearing for Headgear

5890855

SMR7-032-CSN-MC3-GR7-TO-AF12

High Speed Ceramic-Hybrid Bearing - Torlon Retainer

Open Abec 7 precision stainless ceramic-hybrid bearing with high speed Torlon retainer (3.18x7x2)

Brand: MBA



T1 Line C200 mini

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Headgear


5899863

SMR6-3.175-CSN-ZZS-MC3-J3-TO

High Speed Ceramic-Hybrid Bearing - Torlon Retainer Shielded Option

3.175x6x2, ceramic-hybrid, Torlon retainer - to check (3.18x6x2)

Brand: MBA



Bearing for Headgear


5899863

SMR6-3.175-CSN-ZZS-MC3-GR7-TO

High Speed Ceramic-Hybrid Bearing - Torlon Retainer Shielded Option

Double shielded Abec 7 precision ceramic-hybrid bearing with high speed Torlon retainer (3.18x6x2)

Brand: MBA



T1 Line C200L

Position / Description / Application

Manufacturers Part

MBA Part

Drive Kit

6175587 + 6175603

BKU68703

Dental replacement drive kit

Brand: MBA



Key	Usually stocked or Short Delivery
	** Available while stocks last

Long Delivery or Large Minimum Quantities
<i>Not in current production</i>

T1 Line C200L Mini

Position / Description / Application

Manufacturers Part


MBA Part

Drive Kit

6405679 + 6175603

BKU67903

Brand: MBA



T1 Line C40L

Position / Description / Application

Manufacturers Part

MBA Part

Drive Kit

6000983 + 6000959

BKU68359

Dental replacement drive kit

Brand: MBA



T1 Line C40L Mini

Position / Description / Application

Manufacturers Part

MBA Part

Drive Kit

6405695 + 6000959

BKU69559

Dental replacement drive kit

Brand: MBA



T1 Line C6L

Position / Description / Application

Manufacturers Part


MBA Part

Drive Kit

6405703 + 6000942

BKU60342

Brand: MBA



T2

Position / Description / Application

Manufacturers Part

MBA Part


Replacement Turbine With Bearings

5868307

BKUR220023T

Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic

Brand: myonic



T2 Boost Serial No. Over 602 001

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Rotor Cartridge

6554815

SWR144B-CSN-ZE-MC3-GR7-TO

High Speed Ceramic-Hybrid Bearing - Torlon Retainer

Double shielded Abec 7 precision ceramic-hybrid bearing with high speed Torlon retainer (3.18x6.35x2.35)

Brand: MBA



T2 Boost Serial Number 602 001X

Position / Description / Application

Manufacturers Part


MBA Part

Replacement Spring Washer

6367648

BKU67648

Brand: MBA



Key	Usually stocked or Short Delivery
	** Available while stocks last

Long Delivery or Large Minimum Quantities
<i>Not in current production</i>

T2 Control

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Turbine With Bearings


5868299

BKUR220022T

For Handpiece with Wedge Type Chuck

Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic

Brand: myonic



Bearing for Rotor Cartridge

5994814

BKU24814

High Speed Ceramic-Hybrid Bearing - Torlon Retainer

3.175x6.35x2.778, ceramic-hybrid, Torlon retainer - Checking Details (3.18x6.35x2.78)

Brand: MBA



T2 Control Air Driven Handpiece

Position / Description / Application

Manufacturers Part

MBA Part


Replacement O-Ring

5829416

BKU69416

Special Dental Application O-Ring

Brand: MBA



T2 Control Serial No. Over 602 001

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Rotor Cartridge

6554815

SWR144B-CSN-ZE-MC3-GR7-TO

High Speed Ceramic-Hybrid Bearing - Torlon Retainer

Double shielded Abec 7 precision ceramic-hybrid bearing with high speed Torlon retainer (3.18x6.35x2.35)

Brand: MBA



T2 Control Serial Number 602 001X

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Spring Washer

6367648

BKU67648

Brand: MBA



T2 Line A200L

Position / Description / Application

Manufacturers Part

MBA Part

Drive Kit

6562586 + 6175603

BKU68603

Brand: MBA



T2 Line A40 Mini

Position / Description / Application

Manufacturers Part


MBA Part

Drive Kit

6049352 + 6000959

BKU65259

Brand: MBA



Key	Usually stocked or Short Delivery
	** Available while stocks last

Long Delivery or Large Minimum Quantities
<i>Not in current production</i>

T2 Line A40L

Position / Description / Application

Manufacturers Part

MBA Part


Drive Kit

6000983 + 6000959

BKU68359

Dental replacement drive kit

Brand: MBA



T2 Racer

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Press Button

582897

BKU68897

Brand: MBA



Bearing for Rotor Cartridge

5994814

BKU24814

High Speed Ceramic-Hybrid Bearing - Torlon Retainer

3.175x6.35x2.778, ceramic-hybrid, Torlon retainer - Checking Details (3.18x6.35x2.78)

Brand: MBA



T2 Racer Air Driven Handpiece

Position / Description / Application

Manufacturers Part

MBA Part


Replacement O-Ring

5829416

BKU69416

Special Dental Application O-Ring

Brand: MBA



T2 Revo

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Press Button

4 Parts

BKU65083

Brand: MBA



T2 Revo Mini

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Press Button

6049329

BKU69329

Brand: MBA



T2 Revo R170

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Middle Gear

7044654

SMR55-0235-T4HB-MC3-AF12

High Speed Bearing - Torlon Retainer

Open precision stainless bearing with high speed Torlon retainer (2.35x5.5x2)





Brand: MBA




Key	Usually stocked or Short Delivery
	** Available while stocks last

Long Delivery or Large Minimum Quantities
<i>Not in current production</i>


T2 Revo R40

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Head Gear 1:1 Mini	6049352	BKU69352	
Brand: MBA			
Drive Kit	5943092 + 5943167	BKU69267	
Brand: MBA			
Replacement Head Gear 1:1	5943092	BKU63092	
Brand: MBA			
Replacement Middle Gear Complete 1:1	5943167	BKU63167	
Brand: MBA			


T2 Revo R40 mini

Position / Description / Application	Manufacturers Part	MBA Part	
Drive Kit	6405695 + 5943167	BKU69567	
Brand: MBA			

T2 S

Position / Description / Application	Manufacturers Part	MBA Part	
Drive Kit	6562586 + 6175603	BKU68603	
Brand: MBA			

T3 Line E40 Mini

Position / Description / Application	Manufacturers Part	MBA Part	
Drive Kit	6049352 + 6000959	BKU65259	
Brand: MBA			

Key **Usually stocked or Short Delivery**
**** Available while stocks last**

Long Delivery or Large Minimum Quantities
Not in current production

T3 Racer

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Turbine With Bearings


5868307

BKUR220023T

For Handpiece with Wedge Type Chuck

Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic

Brand: myonic



TEH40

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Shaft

7025273

SMR105-MC3-JP6-AF12

High Precision Bearing

Open P6 precision bearing with low-torque cage and light oil lubricant (5x10x3)



TS1 Control Air Driven Handpiece

Position / Description / Application

Manufacturers Part

MBA Part

Replacement O-Ring

7028988

BKU68988

Special Dental Application O-Ring

Brand: MBA



VDW

Position / Description / Application

Manufacturers Part


MBA Part

Replacement Middle Gear Complete 6:1

5994038

BKU64038

Brand: MBA




Head Gear Complete 6:1

6000777

BKU60777

Brand: MBA



VDW 6:1

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Press Button

5997528

BKU67528

Brand: MBA



X SMART PLUS 6:1

Position / Description / Application

Manufacturers Part

MBA Part

Drive Kit

H1033C1051015 + H1033C1051022

BKU615022

Brand: MBA







Key	Usually stocked or Short Delivery
	** Available while stocks last

Long Delivery or Large Minimum Quantities
<i>Not in current production</i>

SS White®



SS White

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Cap End High Speed Bearing - Phenolic Retainer Single shielded flanged precision dental handpiece bearing with phenolic retainer (3.18x6.35x2.78) Brand: Myonic		SFR144A-D27-ZSO-KC-OPT	
Bearing for Cap End High Speed Bearing - Polyamide Retainer Precision flanged dental bearing with a high speed polyamide retainer (3.18x6.35x2.78) Brand: Myonic		SFR144A-D27-ZSO-T9H-OPT	
Bearing for Chuck End High Speed Bearing - Phenolic Retainer Narrow precision dental handpiece bearing with high speed phenolic retainer (3.18x6.35x2.38) Brand: MBA		SR144-D28-KC-OPT	
Bearing for Chuck End High Speed Ceramic-Hybrid Bearing - Phenolic Retainer Precision ceramic-hybrid dental handpiece bearing with high speed phenolic retainer (3.18x6.35x2.38) Brand: MBA		SR144-D28-CSN-KC-OPT	





Key **Usually stocked or Short Delivery**
 ** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production


430

Position / Description / Application	Manufacturers Part	MBA Part	
Turbine Sub Assembly Without Bearings For Handpiece with Wedge Type Chuck Brand: MBA	263739	BKURM290108	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic LUBEFREE Brand: myonic	263739	BKURMU290108	

430 Vista

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Phenolic retainer - myonic Brand: myonic	263968	BKUR2901094	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	263968	BKUR290109	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Phenolic retainer - myonic Brand: myonic	263968	BKUR2910945	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Phenolic retainer - myonic LUBEFREE Brand: myonic	263968	BKUR2901083	



430 Vista Lubefree

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Rotor Cartridge Lubefree - High Speed Ceramic-Hybrid Bearing - LUBEFREE Retainer Single shielded flanged stainless steel ceramic-hybrid precision dental bearing with LUBEFREE retainer (3.18x6.35x2.78) Brand: MBA	SG1303X-D	SFR144A-D1303-CSN-ZSO-KC	





Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

430 Vista Manual Chuck

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Rotor Cartridge Daily Lube - High Speed Bearing - Phenolic Retainer Single shielded flanged stainless steel precision dental bearing with phenolic retainer (3.18x6.35x2.78) Brand: MBA	418WIFU	SFR144A-D37-ZSO-KC	
Bearing for Rotor Cartridge Daily Lube - High Speed Ceramic-Hybrid Bearing - Phenolic Retainer Single shielded flanged stainless steel ceramic-hybrid precision dental bearing with phenolic retainer (3.18x6.35x2.78) Brand: MBA	418WIFU-CER	SFR144A-D37-CSN-ZSO-KC	


430SWL

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement O-Ring Special Dental Application O-Ring Special sized o-ring used in dental Applications 2 Required		OR-00600-080-N70	
Replacement Wave Washer 6.4mm Shaft Size (6.35x9.32x0.76)		W0064-T-010-008-W3-S2	
Replacement Washer - Thick Precision Washer 6.5 x 8.30 x 0.5 Stainless (6x8x0.5)		W0060-FP-008-0050-S4	
Replacement Washer - Thin Precision Washer 6.5 x 8.36 x 0.2 Stainless (6x8x0.2)		W0060-FP-008-0020-S4	

C6

Position / Description / Application	Manufacturers Part	MBA Part	
Xenon Lamp Brand: MBA	262522	BKU62522Xenon	

COLORight System

Position / Description / Application	Manufacturers Part	MBA Part	
Xenon Lamp Brand: MBA	260986	BKU60986Xenon	

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

Concentrix

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Bearing

SR2-5A-D17-ZS-TO

High Speed Bearing - Torlon Retainer

Single shielded Abec 7 precision special dental bearing with high speed Torlon retainer (3.18x7.94x3.57)

2 Required

Brand: MBA



Futura I and II

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Bearing

SR2-5A-D17-ZS-TO

High Speed Bearing - Torlon Retainer

Single shielded Abec 7 precision special dental bearing with high speed Torlon retainer (3.18x7.94x3.57)

2 Required

Brand: MBA



Solara

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Turbine Excluding Bearings


263968

BKUR290109

For Handpiece with Wedge Type Chuck

Turbine sub assembly excluding bearings

Brand: MBA



Replacement Turbine With Bearings


263968

BKUR2910945

For Handpiece with Wedge Type Chuck

Turbine sub assembly with ceramic-hybrid bearings with Phenolic retainer - myonic

Brand: myonic



Replacement Turbine With Bearings


263968

BKUR2901094

For Handpiece with Wedge Type Chuck

Turbine sub assembly with ceramic-hybrid bearings with Phenolic retainer - myonic

Brand: myonic



Replacement Turbine With Bearings


263968

BKUR2901083

For Handpiece with Wedge Type Chuck

Turbine sub assembly with sngular contact ceramic-hybrid bearings with Phenolic retainer - myonic LUBEFREE

Brand: myonic



Solara Lubefree

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Rotor Cartridge

SG1303X-D

SFR144A-D1303-CSN-ZSO-KC

Lubefree - High Speed Ceramic-Hybrid Bearing - LUBEFREE Retainer

Single shielded flanged stainless steel ceramic-hybrid precision dental bearing with LUBEFREE retainer (3.18x6.35x2.78)

Brand: MBA



Key

Usually stocked or Short Delivery

** Available while stocks last

Long Delivery or Large Minimum Quantities

Not in current production

Star 430 Air Driven Handpiece

Position / Description / Application

Manufacturers Part

MBA Part


Replacement O-Ring

O-Ring+Washer+Disk

BKU69997

Special Dental Application O-Ring

Brand: MBA



StarBright ISO

Position / Description / Application

Manufacturers Part

MBA Part

Xenon Lamp

262522

BKU62522Xenon

Brand: MBA



Starflex Lubefree

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Rotor Cartridge

SG1303X-D

SFR144A-D1303-CSN-ZSO-KC

Lubefree - High Speed Ceramic-Hybrid Bearing - LUBEFREE Retainer

Single shielded flanged stainless steel ceramic-hybrid precision dental bearing with LUBEFREE retainer (3.18x6.35x2.78)

Brand: MBA



Ultra

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Bearing


SR144A-D27-ZS-T9H-OPT

High Speed Bearing - Polyamide Retainer

Stainless steel bearing with polyamide retainer for precision dental handpieces (3.18x6.35x2.78)

2 Required

Brand: Myonic



Vista PB

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Rotor Cartridge

418WIFU-CER

SFR144A-D37-CSN-ZSO-KC

Daily Lube - High Speed Ceramic-Hybrid Bearing - Phenolic Retainer

Single shielded flanged stainless steel ceramic-hybrid precision dental bearing with phenolic retainer (3.18x6.35x2.78)

Brand: MBA



Bearing for Rotor Cartridge

418WIFU

SFR144A-D37-ZSO-KC

Daily Lube - High Speed Bearing - Phenolic Retainer

Single shielded flanged stainless steel precision dental bearing with phenolic retainer (3.18x6.35x2.78)

Brand: MBA



Key	Usually stocked or Short Delivery
	** Available while stocks last

Long Delivery or Large Minimum Quantities
<i>Not in current production</i>

Starflite

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Bearing

SR2-5A-D17-ZS-TO

High Speed Bearing - Torlon Retainer

Single shielded Abec 7 precision special dental bearing with high speed Torlon retainer (3.18x7.94x3.57)

2 Required

Brand: MBA



Key



Usually stocked or Short Delivery

** Available while stocks last

Long Delivery or Large Minimum Quantities

Not in current production

EVO M5 L

Position / Description / Application	Manufacturers Part	MBA Part	
Head Gear Complete For Handpiece with Wedge Type Chuck Assembled with ceramic ball bearings, tested in master electric handpiece Brand: MBA	97230612	BKU60612	
Head Gear Complete For Handpiece with Wedge Type Chuck Assembled with ceramic ball bearings, tested in master electric handpiece Brand: MBA	97230612	BKU60612M	

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

Miera

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Bearing

SR144-D28-ZS-KC-OPT

High Speed Bearing - Phenolic Retainer

Precision dental handpiece bearing with narrow design and high speed phenolic retainer (3.18x6.35x2.38)

2 Required



Thera

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Bearing

SR144-D28-ZS-KC-OPT

High Speed Bearing - Phenolic Retainer

Precision dental handpiece bearing with narrow design and high speed phenolic retainer (3.18x6.35x2.38)

2 Required



Titan

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Bearing

SR144-D28-ZS-KC-OPT

High Speed Bearing - Phenolic Retainer

Precision dental handpiece bearing with narrow design and high speed phenolic retainer (3.18x6.35x2.38)

2 Required



Turbina Master

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Bearing

SR2-5A-D17-ZS-KC

High Speed Bearing - Phenolic Retainer

Single shielded Abec 7 precision special dental bearing with high speed phenolic retainer (3.18x7.94x3.57)

2 Required



Turbina Mini Master

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Bearing

SR144-D28-ZS-KC-OPT

High Speed Bearing - Phenolic Retainer

Precision dental handpiece bearing with narrow design and high speed phenolic retainer (3.18x6.35x2.38)

2 Required



Key	Usually stocked or Short Delivery
	** Available while stocks last

Long Delivery or Large Minimum Quantities
<i>Not in current production</i>

X 6000 RPM

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Bearing

Stainless Bearing

Double shielded P6 precision stainless steel bearing (3x9x4)

2 Required

SMR93A-ZZ-MC3-JP6



Key

Usually stocked or Short Delivery

** Available while stocks last

Long Delivery or Large Minimum Quantities

Not in current production

115K 14000 RPM

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Bearing

00542400

S625-ZZ-MC3-JP6

Stainless Bearing
Double shielded P6 precision stainless steel bearing (5x16x5)
2 Required



260 Blue and Black

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Shaft 7-14-5mm

03202200

S687A-ZZS-MC3-GR3-T9H

High Speed Bearing - Polyamide Retainer
Double shielded Abec 3 precision stainless steel bearing with a high speed polyamide cage (7x14x5)

Brand: MBA



Bearing for Shaft 8-16-6mm

03202300

S688B-ZZ-MC3-GR3-T9H-G36

High Speed Bearing - Polyamide Retainer
Double shielded Abec 3 precision stainless steel bearing with a high speed polyamide cage (8x16x6)



300 Series

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Turbine With Bearings

07234102

BKUR2300504

For Handpiece with Wedge Type Chuck
Turbine sub assembly with ceramic-hybrid bearings with Phenolic retainer - myonic

Brand: myonic




Replacement Turbine Excluding Bearings

07234102

BKUR230050

For Handpiece with Wedge Type Chuck
Turbine sub assembly excluding bearings

Brand: MBA




Turbine Sub Assembly With Bearings

07234102

BKUR2300502

For Handpiece with Wedge Type Chuck
With Full stainless bearings, Deep Groove, Full stainless, Phenolic retainer, myonic

Brand: myonic



400 Series

Position / Description / Application

Manufacturers Part

MBA Part


Replacement Turbine With Bearings

07005900

BKUR230039T

For Handpiece with Wedge Type Chuck
Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic

Brand: myonic



Key



Usually stocked or Short Delivery

** Available while stocks last





Long Delivery or Large Minimum Quantities

Not in current production

56A

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Bearing Stainless Bearing Open P6 precision bearing with low-torque cage and light oil lubricant (4x7x2)	BB 4-7-2	SMR74-MC3-JP6-AF12	
Replacement Bearing Stainless Bearing Open P6 precision bearing with low-torque cage and light oil lubricant (5x8x2)	BB 5-8-2	SMR85-MC3-JP6-AF12	

796

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	02765500	BKUR230025	 <p style="font-size: 8px; color: red;">Precision sub-assemblies, cartridges with steel inserts & WCC coated actuators</p>
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	02765500	BKUR2300253	 <p style="font-size: 8px; color: red;">Precision sub-assemblies, cartridges with steel inserts & WCC coated actuators</p>
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	02765500	BKUR2300254	 <p style="font-size: 8px; color: red;">Precision sub-assemblies, cartridges with steel inserts & WCC coated actuators</p>
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	02765500	BKUR2300255	 <p style="font-size: 8px; color: red;">Precision sub-assemblies, cartridges with steel inserts & WCC coated actuators</p>





Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

798

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	02760000	BKUR230026	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	02760000	BKUR2300263	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	02760000	BKUR2300264	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	02760000	BKUR2300265	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	02760000	BKUR230026T	

896

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	02765500	BKUR230025	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	02765500	BKUR2300254	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	02765500	BKUR2300253	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	02765500	BKUR2300255	

Key

Usually stocked or Short Delivery

**** Available while stocks last**



Long Delivery or Large Minimum Quantities

Not in current production


898

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	02760000	BKUR2300263	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	02760000	BKUR230026	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	02760000	BKUR2300265	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	02760000	BKUR230026T	 <p style="font-size: 8px;">Triple pack - Unit with 3 pieces</p>
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	02760000	BKUR2300264	

969

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Lower Shaft High Precision Bearing Open P6 precision bearing with low-torque cage and light oil lubricant (3x7x2)	01589400	S683-MC3-JP6-AF12	
Bearing for Middle Gear High Speed Bearing - Torlon Retainer Open precision stainless bearing with high speed Torlon retainer (2.35x5.5x2) Brand: MBA	01579600	SMR55-0235-T4HB-MC3-AF12	

99

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Lower Shaft High Precision Bearing Open P6 precision bearing with low-torque cage and light oil lubricant (5x8x2)	01565800	SMR85-MC3-JP6-AF12	

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

999

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Lower Shaft

01589400

S683-MC3-JP6-AF12

High Precision Bearing

Open P6 precision bearing with low-torque cage and light oil lubricant (3x7x2)



999E

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Headgear

04486000

SMR74-CSN-TH7-TO

High Speed Ceramic-Hybrid Bearing - Torlon Retainer

Open Abec 7 precision stainless ceramic-hybrid bearing with high speed Torlon retainer (4x7x2)

Brand: MBA



A20

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Rotor

01850600

SR2-5A-ZZ-MC3-JP6

High Precision Bearing

Double shielded P6 precision stainless steel bearing (3.18x7.94x3.57)



A25

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Rotor

01850600

SR2-5A-ZZ-MC3-JP6

High Precision Bearing

Double shielded P6 precision stainless steel bearing (3.18x7.94x3.57)



ADEC

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Lower Shaft

01565800

SMR85-MC3-JP6-AF12

High Precision Bearing

Open P6 precision bearing with low-torque cage and light oil lubricant (5x8x2)



Airmotor 13000 RPM

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Bearing

01850600

SR2-5A-ZZ-MC3-JP6

Stainless Bearing

Double shielded P6 precision stainless steel bearing (3.18x7.94x3.57)

2 Required



AM 25

Position / Description / Application

Manufacturers Part


MBA Part

Xenon Lamp

04300400

BKU60400Xenon

Brand: MBA



Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

Contra Angle Handpiece New

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Bearing

02649400

SMR74-ZS-T4HB-MC3-GR5-AF12

High Precision Bearing

Single shielded Abec 5 precision stainless steel bearing with high speed Torlon retainer and light oil lubricant. NON-ISO width (4x7x2)

2 Required



Contra Angle Handpiece Old

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Bearing

01579300

SMR55-0235-MC3-TO-AF12

High Speed Bearing - Torlon Retainer

Open precision dental handpiece bearing with Torlon retainer (2.35x5.5x2)

2 Required



EB40

Position / Description / Application

Manufacturers Part


MBA Part

Replacement Motor Brush

04059300

BKU69300

Brand: MBA




Dental Motor Set with 21 parts

1502217-001

BKU62217

Includes parts - 3x 01862300 - 1x 04062500 - 1x 04061800 - 1x 04062300 - 1x 04058800 - 2x 04062100 - 2x 04062200 - 2x 04062400 - 2x 04058800 - 3x 04059200 - 2x 04059300 - 1x 04069600

Brand: MBA



EB40A

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Rotor

04062000

SMR104A-ZZ-MC3-JP6

High Precision Bearing Shielded Option

Double shielded P6 precision stainless steel bearing (4x10x4)




Bearing for Rotor

04059000

SR1-5A-ZZS-MC3-JP6

High Precision Bearing Shielded Option



Double shielded P6 precision stainless steel bearing (2.38x7.94x3.57)





Key	Usually stocked or Short Delivery
	** Available while stocks last

Long Delivery or Large Minimum Quantities
<i>Not in current production</i>


EB40E

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Rotor High Precision Bearing Shielded Option Double shielded P6 precision stainless steel bearing (4x10x4)	04062000	SMR104A-ZZ-MC3-JP6	
Bearing for Rotor High Precision Bearing Shielded Option Double shielded P6 precision stainless steel bearing (2.38x7.94x3.57)	04059000	SR1-5A-ZZS-MC3-JP6	



HA43A

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Lower Shaft High Precision Bearing Low Torque Option Double shielded Abec 5 precision bearing with low-torque ribbon retainer (5x8x3) Brand: Myonic	01672300	SMR85C-ZZS-MC34-GR5-TR-L23	
Bearing for Lower Shaft High Precision Bearing Standard Cage Option Double shielded Abec 5 precision bearing with standard crown retainer (5x8x3) Brand: MBA	01672300	SMR85C-ZZS-MC34-GR5-L23	

HD43

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Lower Shaft High Precision Bearing Open P6 precision bearing with low-torque cage and light oil lubricant (5x8x2)	01381900	SMR85-MC3-JP6-AF12	



HD43EM

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Lower Shaft High Precision Bearing Low Torque Option Double shielded Abec 5 precision bearing with low-torque ribbon retainer (5x8x3) Brand: Myonic	01672300	SMR85C-ZZS-MC34-GR5-TR-L23	
Bearing for Lower Shaft High Precision Bearing Standard Cage Option Double shielded Abec 5 precision bearing with standard crown retainer (5x8x3) Brand: MBA	01672300	SMR85C-ZZS-MC34-GR5-L23	


Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production



LA66

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Shaft 8-16-6mm High Speed Bearing - Polyamide Retainer Double shielded Abec 3 precision stainless steel bearing with a high speed polyamide cage (8x16x6)	03202300	S688B-ZZ-MC3-GR3-T9H-G36	
Bearing for Shaft 7-14-5mm High Speed Bearing - Polyamide Retainer Double shielded Abec 3 precision stainless steel bearing with a high speed polyamide cage (7x14x5) Brand: MBA	03202200	S687A-ZZS-MC3-GR3-T9H	



LT25

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Rotor High Precision Bearing Double shielded P6 precision stainless steel bearing (3.18x7.94x3.57)	01850600	SR2-5A-ZZ-MC3-JP6	

Motor MF Perfecta

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Shaft 3-8-4mm High Speed Bearing - Polyamide Retainer Double shielded high speed stainless steel bearing with Polyamide retainer (3x8x4)	01206200	S693A-ZZS-MC3-T9H	
Bearing for Shaft High Precision Bearing Double shielded Abec 7 precision stainless steel bearing with low-torque ribbon retainer (5x11x5) Brand: MBA	02685500	S685A-ZZS-MC34-TH7-R-G48	

Motor MF Tectorque

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Shaft 3-8-4mm High Speed Bearing - Polyamide Retainer Double shielded high speed stainless steel bearing with Polyamide retainer (3x8x4)	01206200	S693A-ZZS-MC3-T9H	
Bearing for Shaft High Precision Bearing Double shielded Abec 7 precision stainless steel bearing with low-torque ribbon retainer (5x11x5) Brand: MBA	02685500	S685A-ZZS-MC34-TH7-R-G48	

Key	Usually stocked or Short Delivery
	** Available while stocks last

Long Delivery or Large Minimum Quantities
<i>Not in current production</i>

RA 24

Position / Description / Application

Manufacturers Part


MBA Part

Xenon Lamp

04208000

BKU68000Xenon

Brand: MBA



RC95BC

Position / Description / Application

Manufacturers Part

MBA Part

Turbine Sub Assembly With Bearings


05421700

BKUR2300462

For Handpiece with Wedge Type Chuck

With Full stainless bearings, Deep Groove, Full stainless, Phenolic retainer, myonic

Brand: myonic



Replacement Turbine Excluding Bearings


05421700

BKUR230046

For Handpiece with Wedge Type Chuck

Turbine sub assembly excluding bearings

Brand: MBA



Replacement Turbine With Bearings


05421700

BKUR2300464

For Handpiece with Wedge Type Chuck

Turbine sub assembly with ceramic-hybrid bearings with Phenolic retainer - myonic

Brand: myonic



RC95RM

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Turbine Excluding Bearings


05421700

BKUR230046

For Handpiece with Wedge Type Chuck

Turbine sub assembly excluding bearings

Brand: MBA



Turbine Sub Assembly With Bearings


05421700

BKUR2300462

For Handpiece with Wedge Type Chuck

With Full stainless bearings, Deep Groove, Full stainless, Phenolic retainer, myonic

Brand: myonic



Replacement Turbine With Bearings


05421700

BKUR2300464

For Handpiece with Wedge Type Chuck

Turbine sub assembly with ceramic-hybrid bearings with Phenolic retainer - myonic

Brand: myonic



RQ24

Position / Description / Application

Manufacturers Part

MBA Part

Roto Quick Coupler O-Ring

02060200+02060100

BKU60200

Special dental applications O-Ring

Brand: MBA




Key **Usually stocked or Short Delivery**

**** Available while stocks last**




Long Delivery or Large Minimum Quantities

Not in current production


RQ34

Position / Description / Application	Manufacturers Part	MBA Part	
Roto Quick Coupler O-Ring	02060200+02060100	BKU60200	 <p style="font-size: 8px; text-align: center;">O-Ring, Dental Motor, Coupler for Air Driven & Electric Driven Handpieces</p>
Special dental applications O-Ring			
Brand: MBA			




S10

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Lower Shaft	01672300	SMR85C-ZZS-MC34-GR5-TR-L23	
High Precision Bearing Low Torque Option Double shielded Abec 5 precision bearing with low-torque ribbon retainer (5x8x3)			
Brand: Myonic			
Bearing for Lower Shaft	01577000	S623-ZZ-MC3-JP6	
High Precision Bearing Shielded Option Double shielded P6 precision stainless steel bearing (3x10x4)			
Brand: Myonic			
Bearing for Lower Shaft	01672300	SMR85C-ZZS-MC34-GR5-L23	
High Precision Bearing Standard Cage Option Double shielded Abec 5 precision bearing with standard crown retainer (5x8x3)			
Brand: MBA			

S11

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Lower Shaft	01577000	S623-ZZ-MC3-JP6	
High Precision Bearing Double shielded P6 precision stainless steel bearing (3x10x4)			
Brand: Myonic			



S9

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Lower Shaft	01672300	SMR85C-ZZS-MC34-GR5-TR-L23	
High Precision Bearing Low Torque Option Double shielded Abec 5 precision bearing with low-torque ribbon retainer (5x8x3)			
Brand: Myonic			
Bearing for Lower Shaft	01577000	S623-ZZ-MC3-JP6	
High Precision Bearing Shielded Option Double shielded P6 precision stainless steel bearing (3x10x4)			
Brand: Myonic			
Bearing for Lower Shaft	01672300	SMR85C-ZZS-MC34-GR5-L23	
High Precision Bearing Standard Cage Option Double shielded Abec 5 precision bearing with standard crown retainer (5x8x3)			
Brand: MBA			

Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
<i>Not in current production</i>




Straight Handpiece 6000 RPM

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Chuck End Stainless Bearing Open P6 precision bearing with low-torque retainer and light oil lubricant (3.18x6.35x2.38)	00352800	SR144-MC3-JP6-AF12	
Bearing for Centre Stainless Bearing Double shielded P6 precision stainless steel bearing (5x11x4)	02685500 ?	SMR115-ZZ-MC3-JP6	

Synea

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Spring Washer Brand: MBA	02749408	BKU69408	




Synea TA98

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement O-Ring Very High Temperature Deleted Item. Available while stocks last. Special o-ring for dental applications 2 Required		OR-00605-079-VBR75	
Replacement Wave Washer 4.8mm Shaft Size Additional stock available from USA subject to Prior Sale = 4719 (4.76x6.35x0.76) 2 Required		W0048-T-007-008-W3-S2	
Replacement Bearing High Speed Bearing - Polyamide Retainer Stainless steel bearing with polyamide retainer for precision dental handpieces (3.18x6.35x2.78) 2 Required Brand: Myonic		SR144A-D27-ZS-T9H-OPT	


Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production





Synea TA98L

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Bearing High Speed Bearing - Polyamide Retainer Stainless steel bearing with polyamide retainer for precision dental handpieces (3.18x6.35x2.78) 2 Required Brand: Myonic		SR144A-D27-ZS-T9H-OPT	
Replacement Wave Washer 4.8mm Shaft Size Additional stock available from USA subject to Prior Sale = 4719 (4.76x6.35x0.76) 2 Required		W0048-T-007-008-W3-S2	
Replacement O-Ring Very High Temperature Deleted Item. Available while stocks last. Special o-ring for dental applications 2 Required		OR-00605-079-VBR75	

Synea Vision

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Spring Washer Brand: MBA	06876000	BKU66000	

TA96

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	04396700	BKUR2300295	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	04396700	BKUR2300294	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	04396700	BKUR230029	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	04396700	BKUR2300293	

Key	Usually stocked or Short Delivery
	** Available while stocks last

Long Delivery or Large Minimum Quantities
<i>Not in current production</i>

TA96CM

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Rotor Cartridge

04378600

SR144A-D27-ZS-T9H-OPT

High Speed Bearing - Polyamide Retainer

Stainless steel bearing with polyamide retainer for precision dental handpieces (3.18x6.35x2.78)

Brand: Myonic



TA96L

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Rotor Cartridge

02770712

SR144A-D27-ZS-T9H-OPT

High Speed Bearing - Polyamide Retainer

Stainless steel bearing with polyamide retainer for precision dental handpieces (3.18x6.35x2.78)

Brand: Myonic



Xenon Lamp

02207600

BKU67600Xenon

Brand: MBA



TA96LC

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Rotor Cartridge

04378600

SR144A-D27-ZS-T9H-OPT

High Speed Bearing - Polyamide Retainer

Stainless steel bearing with polyamide retainer for precision dental handpieces (3.18x6.35x2.78)

Brand: Myonic



TA96LCM

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Rotor Cartridge

04378600

SR144A-D27-ZS-T9H-OPT

High Speed Bearing - Polyamide Retainer

Stainless steel bearing with polyamide retainer for precision dental handpieces (3.18x6.35x2.78)





Brand: Myonic




Key	Usually stocked or Short Delivery
	** Available while stocks last

Long Delivery or Large Minimum Quantities
<i>Not in current production</i>


TA97C LED

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	05307200	BKUR230030	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	05307200	BKUR2300305	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	05307200	BKUR2300303	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	05307200	BKUR2300304	


TA97CLED

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Rotor Cartridge High Speed Bearing - Polyamide Retainer Stainless steel bearing with polyamide retainer for precision dental handpieces (3.18x6.35x2.78) Brand: Myonic	05288500	SR144A-D27-ZS-T9H-OPT	

TA97CLM

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Rotor Cartridge High Speed Bearing - Polyamide Retainer Stainless steel bearing with polyamide retainer for precision dental handpieces (3.18x6.35x2.78) Brand: Myonic	05288500	SR144A-D27-ZS-T9H-OPT	

TA97LW

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Rotor Cartridge High Speed Bearing - Polyamide Retainer Stainless steel bearing with polyamide retainer for precision dental handpieces (3.18x6.35x2.78) Brand: Myonic	06307800	SR144A-D27-ZS-T9H-OPT	


Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

TA98

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	04396600	BKUR2300274	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	04396600	BKUR230027	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	04396600	BKUR2300273	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	04396600	BKUR2300275	
Replacement Turbine With Bearings Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	04396600	BKUR230027T	

TA98C

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Rotor Cartridge High Speed Bearing - Polyamide Retainer Stainless steel bearing with polyamide retainer for precision dental handpieces (3.18x6.35x2.78) Brand: Myonic	04378600	SR144A-D27-ZS-T9H-OPT	

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

TA98C LED

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	05307000	BKUR2300333	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	05307000	BKUR2300334	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	05307000	BKUR2300335	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	05307000	BKUR230033T	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	05307000	BKUR230033	




TA98CLED

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Press Button Brand: MBA	05055800	BKU65800	





Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

TA98L

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Rotor Cartridge High Speed Bearing - Polyamide Retainer Stainless steel bearing with polyamide retainer for precision dental handpieces (3.18x6.35x2.78) Brand: Myonic	02770712	SR144A-D27-ZS-T9H-OPT	
Xenon Lamp Brand: MBA	02207600	BKU67600Xenon	
Replacement Press Button Brand: MBA	03503000	BKU63000	





TA98L New Version

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	05306900	BKUR2300335	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	05306900	BKUR2300334	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	05306900	BKUR230033	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	05306900	BKUR2300333	

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

TC95

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	03305000	BKUR2300285	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	03305000	BKUR2300284	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	03305000	BKUR2300283	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	03305000	BKUR230028	

Key

Usually stocked or Short Delivery

** Available while stocks last



Long Delivery or Large Minimum Quantities

Not in current production

TE95

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	05958900	BKUR2300364	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	05958900	BKUR2300363	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	05958900	BKUR230036	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	05958900	BKUR2300365	
Bearing for Rotor Cartridge High Speed Bearing - Phenolic Retainer Stainless steel bearing with high speed phenolic retainer for precision dental handpieces (3.18x6.35x2.78) Brand: MBA	05541600	SR144A-D27-ZS-KC-OPT	
Bearing for Rotor Cartridge High Speed Bearing - Phenolic Retainer 3.175x6.35x2.778, stainless steel-THB Phenolic - Checking Details (3.18x6.35x2.78) Brand: MBA	SG1295X	BKUSG1295XSP	

TE95 production year 2014

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Rotor Cartridge High Speed Ceramic-Hybrid Bearing - Phenolic Retainer Single shielded ceramic-hybrid precision special dental bearing with two flanges and high speed Phenolic retainer (3.18x6.35x2.77) Brand: MBA	07003500	SFR144A-D74F-CSN-ZSO-KC	
Bearing for Rotor Cartridge High Speed Bearing - Phenolic Retainer Single shielded precision special dental bearing with two flanges and high speed Phenolic retainer (3.18x6.35x2.77) Brand: MBA	07003500	SFR144A-D74F-ZSO-KC	

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

TE95BC

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Rotor Cartridge

05541600

SR144A-D27-ZS-KC-OPT

High Speed Bearing - Phenolic Retainer

Stainless steel bearing with high speed phenolic retainer for precision dental handpieces (3.18x6.35x2.78)

Brand: MBA



Bearing for Rotor Cartridge

SG1295X

BKUSG1295XSP

High Speed Bearing - Phenolic Retainer

3.175x6.35x2.778, stainless steel-THB Phenolic - Checking Details (3.18x6.35x2.78)

Brand: MBA



TE97

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Turbine With Bearings


05959100-05959200

BKUR2300454

For Handpiece with Wedge Type Chuck

Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic

Brand: myonic



Replacement Turbine Excluding Bearings


05959100-05959200

BKUR230045

For Handpiece with Wedge Type Chuck

Turbine sub assembly excluding bearings

Brand: MBA



Replacement Turbine With Bearings


05959100-05959200

BKUR2300455

For Handpiece with Wedge Type Chuck

Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer

Brand: MBA



Replacement Turbine With Bearings


05959100-05959200

BKUR2300453

For Handpiece with Wedge Type Chuck

Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic

Brand: myonic





Key	Usually stocked or Short Delivery
	** Available while stocks last

Long Delivery or Large Minimum Quantities
<i>Not in current production</i>

TE97 production year 2014

Position / Description / Application	Manufacturers Part	MBA Part	
Turbine Sub Assembly With Bearings For Handpiece with Wedge Type Chuck With Full stainless bearings, Deep Groove, Full stainless, Phenolic retainer, myonic Brand: myonic	07234102	BKUR2300502	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	07234102	BKUR230050	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Phenolic retainer - myonic Brand: myonic	07234102	BKUR2300504	
Bearing for Rotor Cartridge High Speed Bearing - Phenolic Retainer Single shielded precision special dental bearing with two flanges and high speed Phenolic retainer (3.18x6.35x2.77) Brand: MBA	07003500	SFR144A-D74F-ZSO-KC	
Bearing for Rotor Cartridge High Speed Ceramic-Hybrid Bearing - Phenolic Retainer Single shielded ceramic-hybrid precision special dental bearing with two flanges and high speed Phenolic retainer (3.18x6.35x2.77) Brand: MBA	07003500	SFR144A-D74F-CSN-ZSO-KC	





TE97BC

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Rotor Cartridge High Speed Bearing - Phenolic Retainer Stainless steel bearing with high speed phenolic retainer for precision dental handpieces (3.18x6.35x2.78) Brand: MBA	05541600	SR144A-D27-ZS-KC-OPT	
Bearing for Rotor Cartridge High Speed Bearing - Phenolic Retainer 3.175x6.35x2.778, stainless steel-THB Phenolic - Checking Details (3.18x6.35x2.78) Brand: MBA	SG1295X	BKUSG1295XSP	




Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

TE97CLED

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	05959100-05959200	BKUR2300455	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	05959100-05959200	BKUR2300454	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	05959100-05959200	BKUR2300453	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	05959100-05959200	BKUR230045	

TE97CM

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Rotor Cartridge High Speed Ceramic-Hybrid Bearing - Phenolic Retainer Precision ceramic-hybrid dental handpiece bearing with high speed phenolic retainer (3.18x6.35x2.78) Brand: MBA	05958600	SR144A-D27-CSN-ZS-KC-OPT	
Bearing for Rotor Cartridge High Speed Ceramic-Hybrid Bearing - Torlon Retainer 3.175x6.35x2.778, ceramic-hybrid, Torlon retainer - Checking Details (3.18x6.35x2.78) Brand: MBA	05958600	BKUA23700	
Bearing for Rotor Cartridge High Speed Ceramic-Hybrid Bearing - Phenolic Retainer 3.175x6.35x2.778, ceramic-hybrid, Phenolic retainer - Checking Details (3.18x6.35x2.78) Brand: MBA	SG1295X-D	BKUSG1295XCP	

Key	Usually stocked or Short Delivery
	** Available while stocks last

Long Delivery or Large Minimum Quantities
<i>Not in current production</i>

TE97CN

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Rotor Cartridge

05958600

SR144A-D27-CSN-ZS-KC-OPT

High Speed Ceramic-Hybrid Bearing - Phenolic Retainer

Precision ceramic-hybrid dental handpiece bearing with high speed phenolic retainer (3.18x6.35x2.78)

Brand: MBA



Bearing for Rotor Cartridge

SG1295X-D

BKUSG1295XCP

High Speed Ceramic-Hybrid Bearing - Phenolic Retainer

3.175x6.35x2.778, ceramic-hybrid, Phenolic retainer - Checking Details (3.18x6.35x2.78)

Brand: MBA



Bearing for Rotor Cartridge

05958600

BKUA23700

High Speed Ceramic-Hybrid Bearing - Torlon Retainer

3.175x6.35x2.778, ceramic-hybrid, Torlon retainer - Checking Details (3.18x6.35x2.78)

Brand: MBA



TE97M

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Rotor Cartridge

05541600

SR144A-D27-ZS-KC-OPT

High Speed Bearing - Phenolic Retainer

Stainless steel bearing with high speed phenolic retainer for precision dental handpieces (3.18x6.35x2.78)

Brand: MBA



Bearing for Rotor Cartridge

SG1295X

BKUSG1295XSP

High Speed Bearing - Phenolic Retainer

3.175x6.35x2.778, stainless steel-THB Phenolic - Checking Details (3.18x6.35x2.78)

Brand: MBA



Key





Usually stocked or Short Delivery

** Available while stocks last




Long Delivery or Large Minimum Quantities

Not in current production

TE98

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	05958900	BKUR2300363	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	05958900	BKUR2300364	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	05958900	BKUR2300365	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	05958900	BKUR230036	

TE98 300 Series production year 2014

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	06787501-06787502	BKUR230049	
Turbine Sub Assembly With Bearings For Handpiece with Wedge Type Chuck With Full stainless bearings Deep Groove Brand: myonic	06787501-06787502	BKUR2300492	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings Brand: myonic	06787501-06787502	BKUR2300494	

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

TE98B

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Rotor Cartridge

05541600

SR144A-D27-ZS-KC-OPT

High Speed Bearing - Phenolic Retainer

Stainless steel bearing with high speed phenolic retainer for precision dental handpieces (3.18x6.35x2.78)

Brand: MBA



Bearing for Rotor Cartridge

SG1295X

BKUSG1295XSP

High Speed Bearing - Phenolic Retainer

3.175x6.35x2.778, stainless steel-THB Phenolic - Checking Details (3.18x6.35x2.78)

Brand: MBA



TE98CLED

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Turbine With Bearings


04396600

BKUR2300274

For Handpiece with Wedge Type Chuck

Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic

Brand: myonic



Replacement Turbine With Bearings


04396600

BKUR2300275

For Handpiece with Wedge Type Chuck

Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer

Brand: MBA



Replacement Turbine With Bearings


04396600

BKUR230027T

For Handpiece with Wedge Type Chuck

Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic

Brand: myonic



Replacement Turbine With Bearings


04396600

BKUR2300273

For Handpiece with Wedge Type Chuck

Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic

Brand: myonic



Replacement Turbine Excluding Bearings


04396600

BKUR230027

For Handpiece with Wedge Type Chuck

Turbine sub assembly excluding bearings

Brand: MBA



Key





Usually stocked or Short Delivery

** Available while stocks last


Long Delivery or Large Minimum Quantities

Not in current production


TG97 400 Series

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	07006000	BKUR2300385	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	07006000	BKUR230038	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	07006000	BKUR2300383	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	07006000	BKUR2300384	

TG97L

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Rotor Cartridge High Speed Bearing - Polyamide Retainer Stainless steel bearing with polyamide retainer for precision dental handpieces (3.18x6.35x2.78) Brand: Myonic	05958600	SR144A-D27-ZS-T9H-OPT	





TG98

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	07005900	BKUR230039T	


Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
<i>Not in current production</i>

TG98 400 Series

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	07005900	BKUR2300395	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	07005900	BKUR2300394	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	07005900	BKUR2300393	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	07005900	BKUR230039	





TG98L

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Rotor Cartridge High Speed Bearing - Polyamide Retainer Stainless steel bearing with polyamide retainer for precision dental handpieces (3.18x6.35x2.78) Brand: Myonic	05958600	SR144A-D27-ZS-T9H-OPT	





Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

TK100 500 Series

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	07272900	BKUR2300514	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	07272900	BKUR230051	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	07272900	BKUR2300515	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	07272900	BKUR2300513	

TK94 500 Series

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	07273100	BKUR2300525	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	07273100	BKUR2300524	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	07273100	BKUR2300523	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	07273100	BKUR230052	

Key

Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

TK94L

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Rotor Cartridge

07106200

SR144-D28-CSN-ZE-TO-OPT

High Speed Ceramic-Hybrid Bearing - Torlon Retainer

Precision ceramic-hybrid single encapsulated shield dental special bearing with high speed Torlon retainer (3.18x6.35x2.38)

Brand: MBA



TK94LM

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Rotor Cartridge

07106200

SR144-D28-CSN-ZE-TO-OPT

High Speed Ceramic-Hybrid Bearing - Torlon Retainer

Precision ceramic-hybrid single encapsulated shield dental special bearing with high speed Torlon retainer (3.18x6.35x2.38)

Brand: MBA



TK97 500 Series

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Turbine With Bearings


07272600

BKUR2300435

For Handpiece with Wedge Type Chuck

Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer

Brand: MBA



Replacement Turbine With Bearings


07272600

BKUR2300434

For Handpiece with Wedge Type Chuck

Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic

Brand: myonic



Replacement Turbine With Bearings


07272600

BKUR2300433

For Handpiece with Wedge Type Chuck

Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic

Brand: myonic



Replacement Turbine Excluding Bearings


07272600

BKUR230043

For Handpiece with Wedge Type Chuck

Turbine sub assembly excluding bearings

Brand: MBA



TK97LM

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Rotor Cartridge

06307900

SR144A-D27-ZS-T9H-OPT

High Speed Bearing - Polyamide Retainer

Stainless steel bearing with polyamide retainer for precision dental handpieces (3.18x6.35x2.78)





Brand: Myonic




Key	Usually stocked or Short Delivery
	** Available while stocks last

Long Delivery or Large Minimum Quantities
<i>Not in current production</i>


TK98 500 Series

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	07272800	BKUR2300444	
Replacement Turbine Excluding Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly excluding bearings Brand: MBA	07272800	BKUR230044	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer Brand: MBA	07272800	BKUR2300445	
Replacement Turbine With Bearings For Handpiece with Wedge Type Chuck Turbine sub assembly with angular contact ceramic-hybrid bearings with Torlon retainer - myonic Brand: myonic	07272800	BKUR2300443	


TK98LM

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Rotor Cartridge High Speed Bearing - Polyamide Retainer Stainless steel bearing with polyamide retainer for precision dental handpieces (3.18x6.35x2.78) Brand: Myonic	06307900	SR144A-D27-ZS-T9H-OPT	

Top Air 100 Series

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Bearing High Speed Bearing - Phenolic Retainer Precision dental handpiece bearing with narrow design and high speed phenolic retainer (3.18x6.35x2.38) 2 Required	02722300	SR144-D28-ZS-KC-OPT	

Top Air 200 Series

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Bearing High Speed Bearing - Phenolic Retainer Precision dental handpiece bearing with narrow design and high speed phenolic retainer (3.18x6.35x2.38) 2 Required	02106302	SR144-D28-ZS-KC-OPT	

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

Top Air 300 Series

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Bearing

02106302

SR144-D28-ZS-KC-OPT

High Speed Bearing - Phenolic Retainer

Precision dental handpiece bearing with narrow design and high speed phenolic retainer (3.18x6.35x2.38)

2 Required



Top Air 700 Series

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Bearing

02722300

SR144A-D27-ZS-T9H-OPT

High Speed Bearing - Polyamide Retainer

Stainless steel bearing with polyamide retainer for precision dental handpieces (3.18x6.35x2.78)

2 Required

Brand: Myonic



Replacement O-Ring

Very High Temperature

Deleted Item. Available while stocks last. Special o-ring for dental applications

2 Required

OR-00605-079-VBR75



Replacement Wave Washer

4.8mm Shaft Size

Additional stock available from USA subject to Prior Sale = 4719 (4.76x6.35x0.76)

W0048-T-007-008-W3-S2




PTFE Washer-Spacer

0.13mm - half thou - thick

Deleted Item. Available while stocks last. (3x6.56x0.13)

2 Required





W0030-F-007-001-PT







Key	Usually stocked or Short Delivery
	** Available while stocks last

Long Delivery or Large Minimum Quantities
<i>Not in current production</i>

Top Air 800 Series

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Bearing High Speed Bearing - Polyamide Retainer Stainless steel bearing with polyamide retainer for precision dental handpieces (3.18x6.35x2.78) 2 Required Brand: Myonic	02722300	SR144A-D27-ZS-T9H-OPT	
Replacement O-Ring Very High Temperature Deleted Item. Available while stocks last. Special o-ring for dental applications 2 Required		OR-00605-079-VBR75	
Replacement Wave Washer 4.8mm Shaft Size Additional stock available from USA subject to Prior Sale = 4719 (4.76x6.35x0.76)		W0048-T-007-008-W3-S2	
PTFE Washer-Spacer 0.13mm - half thou - thick Deleted Item. Available while stocks last. (3x6.56x0.13) 2 Required		W0030-F-007-001-PT	





Top Lite 700 Series

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Wave Washer 4.8mm Shaft Size Additional stock available from USA subject to Prior Sale = 4719 (4.76x6.35x0.76)		W0048-T-007-008-W3-S2	
Replacement O-Ring Very High Temperature Deleted Item. Available while stocks last. Special o-ring for dental applications 2 Required		OR-00605-079-VBR75	
PTFE Washer-Spacer 0.13mm - half thou - thick Deleted Item. Available while stocks last. (3x6.56x0.13) 2 Required		W0030-F-007-001-PT	
Replacement Bearing High Speed Bearing - Polyamide Retainer Stainless steel bearing with polyamide retainer for precision dental handpieces (3.18x6.35x2.78) 2 Required Brand: Myonic	02722300	SR144A-D27-ZS-T9H-OPT	

Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
<i>Not in current production</i>


Top Lite 800 Series

Position / Description / Application	Manufacturers Part	MBA Part	
PTFE Washer-Spacer 0.13mm - half thou - thick Deleted Item. Available while stocks last. (3x6.56x0.13) 2 Required		W0030-F-007-001-PT	
Replacement Bearing High Speed Bearing - Polyamide Retainer Stainless steel bearing with polyamide retainer for precision dental handpieces (3.18x6.35x2.78) 2 Required Brand: Myonic	02722300	SR144A-D27-ZS-T9H-OPT	
Replacement O-Ring Very High Temperature Deleted Item. Available while stocks last. Special o-ring for dental applications 2 Required		OR-00605-079-VBR75	
Replacement Wave Washer 4.8mm Shaft Size Additional stock available from USA subject to Prior Sale = 4719 (4.76x6.35x0.76)		W0048-T-007-008-W3-S2	

Toplight

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Spring Washer Brand: MBA	02749408	BKU69408	

Trend

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Spring Washer Brand: MBA	02749408	BKU69408	


Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

WA56

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Headgear High Precision Bearing Open Abec 7 precision special dental bearing with low-torque ribbon retainer and light oil lubricant (4x7x2) Brand: Myonic	01589600	SMR74-MC34-GR7-R-L23	
Bearing for Lower Shaft High Precision Bearing Open P6 precision bearing with low-torque cage and light oil lubricant (3x7x2)	01589400	S683-MC3-JP6-AF12	
Head Gear Complete 1:1 Brand: MBA	05431100	BKU61100	 <p style="font-size: 8px; color: red;">Head Gears, Intermediate Pieces, Middle Gears, Parts for Electric Driven Handpieces & Heads</p>
Replacement Middle Gear Complete 1:1 Brand: MBA	03821000	BKU61000	 <p style="font-size: 8px; color: red;">Head Gears, Intermediate Pieces, Middle Gears, Parts for Electric Driven Handpieces & Heads</p>
Replacement Press Button Brand: MBA	03819500	BKU69500	 <p style="font-size: 8px; color: red;">Press Button cpl. for Heads & Air Driven Handpieces</p>
Head Gear Complete 1:1 Brand: MBA	03819000	BKU69000	 <p style="font-size: 8px; color: red;">Head Gears, Intermediate Pieces, Middle Gears, Parts for Electric Driven Handpieces & Heads</p>
Bearing for Lower Shaft High Precision Bearing Shielded Option Double shielded P6 precision stainless steel bearing (3x10x4)	01577000	S623-ZZ-MC3-JP6	

WA56LT NEW

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Headgear High Precision Bearing Open Abec 5 precision special dental bearing with low-torque retainer and light oil lubricant (4x7x1.6) Brand: Myonic	05039400	SMR74D-MC3-GR5-L23	

Key

Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

WA56LT OLD

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Middle Gear

01579300

SMR55-0235-MC3-GR3-AF12

High Precision Bearing

Open Abec 3 precision bearing (2.35x5.5x2)



WA62LTA

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Middle Gear

01579300

SMR55-0235-MC3-GR3-AF12

High Precision Bearing

Open Abec 3 precision bearing (2.35x5.5x2)



WA66

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Headgear

01589600

SMR74-MC34-GR7-R-L23

High Precision Bearing

Open Abec 7 precision special dental bearing with low-torque ribbon retainer and light oil lubricant (4x7x2)

Brand: Myonic



Head Gear Complete 1:1

03819000

BKU69000

Brand: MBA



WA66LTA

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Middle Gear

01579300

SMR55-0235-MC3-GR3-AF12

High Precision Bearing

Open Abec 3 precision bearing (2.35x5.5x2)



WA67LTA

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Middle Gear

01579300

SMR55-0235-MC3-GR3-AF12

High Precision Bearing

Open Abec 3 precision bearing (2.35x5.5x2)



WA86

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Headgear

01589600

SMR74-MC34-GR7-R-L23

High Precision Bearing

Open Abec 7 precision special dental bearing with low-torque ribbon retainer and light oil lubricant (4x7x2)

Brand: Myonic



Key	Usually stocked or Short Delivery
	** Available while stocks last

Long Delivery or Large Minimum Quantities
<i>Not in current production</i>

WA956

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Headgear

01589600

SMR74-MC34-GR7-R-L23

High Precision Bearing

Open Abec 7 precision special dental bearing with low-torque ribbon retainer and light oil lubricant (4x7x2)

Brand: Myonic



WA966

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Headgear

01589600

SMR74-MC34-GR7-R-L23

High Precision Bearing

Open Abec 7 precision special dental bearing with low-torque ribbon retainer and light oil lubricant (4x7x2)

Brand: Myonic



WA969

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Middle Gear

01579600

SMR55-0235-T4HB-MC3-AF12

High Speed Bearing - Torlon Retainer

Open precision stainless bearing with high speed Torlon retainer (2.35x5.5x2)

Brand: MBA



WA975

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Headgear

01589600

SMR74-MC34-GR7-R-L23

High Precision Bearing

Open Abec 7 precision special dental bearing with low-torque ribbon retainer and light oil lubricant (4x7x2)

Brand: Myonic



WA986

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Headgear

01589600

SMR74-MC34-GR7-R-L23

High Precision Bearing

Open Abec 7 precision special dental bearing with low-torque ribbon retainer and light oil lubricant (4x7x2)

Brand: Myonic



WA988

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Headgear

01589600

SMR74-MC34-GR7-R-L23

High Precision Bearing

Open Abec 7 precision special dental bearing with low-torque ribbon retainer and light oil lubricant (4x7x2)



Brand: Myonic







Key	Usually stocked or Short Delivery
	** Available while stocks last

Long Delivery or Large Minimum Quantities
<i>Not in current production</i>

WA99

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Lower Shaft High Precision Bearing Open P6 precision bearing with low-torque cage and light oil lubricant (5x8x2)	01565800	SMR85-MC3-JP6-AF12	
Bearing for Middle Gear High Speed Bearing - Torlon Retainer Open precision stainless bearing with high speed Torlon retainer (2.35x5.5x2) Brand: MBA	01579600	SMR55-0235-T4HB-MC3-AF12	

WA99A

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Headgear High Speed Ceramic-Hybrid Bearing - Torlon Retainer ceramic-hybrid, Torlon retainer - to check Brand: MBA	05798700	BKU28700	
Bearing for Lower Shaft High Precision Bearing Open P6 precision bearing with low-torque cage and light oil lubricant (5x8x2)	01565800	SMR85-MC3-JP6-AF12	
Bearing for Headgear High Speed Ceramic-Hybrid Bearing - Torlon Retainer Shielded Option Open ceramic-hybrid special bearing for dental applications with high speed Torlon retainer (3.4x6.5x1.6) Brand: MBA	05257200	SMR6.50-3.40-CSN-ZZS-MC3-TO	 Image Coming Soon
Bearing for Headgear High Speed Ceramic-Hybrid Bearing - Torlon Retainer Open Abec 7 precision stainless ceramic-hybrid bearing with high speed Torlon retainer (4x7x2) Brand: MBA	04486000	SMR74-CSN-TH7-TO	

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

WA99LT

Position / Description / Application

Manufacturers Part

MBA Part


Bearing for Headgear

05798700

BKU28700

High Speed Ceramic-Hybrid Bearing - Torlon Retainer
ceramic-hybrid, Torlon retainer - to check

Brand: MBA




Head Gear Complete

05220300

BKU60300

For Handpiece with Wedge Type Chuck
Assembled with ceramic ball bearings, tested in master electric handpiece

Brand: MBA



Bearing for Headgear

05257200

SMR6.50-3.40-CSN-ZZS-MC3-TO

High Speed Ceramic-Hybrid Bearing - Torlon Retainer Shielded Option
Open ceramic-hybrid special bearing for dental applications with high speed Torlon retainer (3.4x6.5x1.6)

Brand: MBA



WD56

Position / Description / Application

Manufacturers Part


MBA Part

Bearing for Lower Shaft

01577000

S623-ZZ-MC3-JP6

High Precision Bearing
Double shielded P6 precision stainless steel bearing (3x10x4)




Replacement Middle Gear Complete 1:1

03403500

BKU63500

Brand: MBA



Head Gear Complete 1:1

03425000

BKU65000

Brand: MBA



WD66

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Lower Shaft

01589400

S683-MC3-JP6-AF12

High Precision Bearing
Open P6 precision bearing with low-torque cage and light oil lubricant (3x7x2)



WD969

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Lower Shaft

01589400

S683-MC3-JP6-AF12

High Precision Bearing
Open P6 precision bearing with low-torque cage and light oil lubricant (3x7x2)



Key

Usually stocked or Short Delivery

Long Delivery or Large Minimum Quantities

** Available while stocks last

Not in current production

WD999

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Lower Shaft

01589400

S683-MC3-JP6-AF12

High Precision Bearing

Open P6 precision bearing with low-torque cage and light oil lubricant (3x7x2)



WE56

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Middle Gear Complete 1:1

05852500

BKU62500W

Brand: MBA



Replacement Press Button

05843800

BKU63800

Brand: MBA



Bearing for Lower Shaft

05060600

SR2-5A-ZZ-MC3-JP6

High Precision Bearing Shielded Option

Double shielded P6 precision stainless steel bearing (3.18x7.94x3.57)



Head Gear Complete 1:1

05843300

BKU63300

Brand: MBA



Bearing for Lower Shaft

06164000

S684-MC3-JP6-AF12

High Precision Bearing

Open P6 precision bearing with low-torque cage and light oil lubricant (4x9x2.5)



Bearing for Lower Shaft

05765800

SMR63-MC3-JP6-AF12

High Precision Bearing

Open P6 precision bearing with low-torque cage and light oil lubricant (3x6x2)



Key

Usually stocked or Short Delivery

Long Delivery or Large Minimum Quantities

** Available while stocks last

Not in current production

WE56A

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Lower Shaft

05060600

SR2-5A-ZZ-MC3-JP6

High Precision Bearing

Double shielded P6 precision stainless steel bearing (3.18x7.94x3.57)



Head Gear Complete 1:1

05843300

BKU63300

Brand: MBA



WE56LEDG

Position / Description / Application

Manufacturers Part

MBA Part

Head Gear Complete 1:1

05844400

BKU64400

Brand: MBA



WE66

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Lower Shaft

05765800

SMR63-MC3-JP6-AF12

High Precision Bearing

Open P6 precision bearing with low-torque cage and light oil lubricant (3x6x2)



Head Gear Complete 1:1

05843300

BKU63300

Brand: MBA



WE99A

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Headgear

02649400

SMR74-CSN-TH7-TO

High Speed Ceramic-Hybrid Bearing - Torlon Retainer

Open Abec 7 precision stainless ceramic-hybrid bearing with high speed Torlon retainer (4x7x2)



Brand: MBA

Key	Usually stocked or Short Delivery
	** Available while stocks last

Long Delivery or Large Minimum Quantities
<i>Not in current production</i>

WE99LEDG

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Lower Shaft

05765800

SMR63-MC3-JP6-AF12

High Precision Bearing
Open P6 precision bearing with low-torque cage and light oil lubricant (3x6x2)



Bearing for Headgear

02649400

SMR74-CSN-TH7-TO

High Speed Ceramic-Hybrid Bearing - Torlon Retainer
Open Abec 7 precision stainless ceramic-hybrid bearing with high speed Torlon retainer (4x7x2)

Brand: MBA



WG56

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Middle Gear Complete 1:1

06796000

BKU69600

Brand: MBA




Replacement Middle Gear Complete 1:1

05233200

BKU63200

Brand: MBA



Replacement Press Button

4 Parts

BKU62800

Brand: MBA



Head Gear Complete 1:1

07605900

BKU65900WG

Brand: MBA



WG99A

Position / Description / Application

Manufacturers Part

MBA Part

Head Gear Complete - Standard

07473400

BKU63400M

For Handpiece with Wedge Type Chuck
Assembled with ceramic ball bearings, tested in master electric handpiece

Brand: myonic



Head Gear Complete - Premium

07473400

BKU63400

For Handpiece with Wedge Type Chuck
Premium head gear assembled with ceramic ball bearings tested in master electric handpiece

Brand: MBA



Key



Usually stocked or Short Delivery

Long Delivery or Large Minimum Quantities




**** Available while stocks last**

Not in current production


WG99LT

Position / Description / Application	Manufacturers Part	MBA Part	
Head Gear Complete - Standard For Handpiece with Wedge Type Chuck Assembled with ceramic ball bearings, tested in master electric handpiece Brand: myonic	07473400	BKU63400M	
Head Gear Complete - Premium For Handpiece with Wedge Type Chuck Premium head gear assembled with ceramic ball bearings tested in master electric handpiece Brand: MBA	07473400	BKU63400	

WI75

Position / Description / Application	Manufacturers Part	MBA Part	
Head Gear Complete 20:1 Brand: MBA	04939900	BKU69900	
Replacement Middle Gear Complete 20:1 Brand: MBA	04667600	BKU67600	
Replacement Press Button Brand: MBA	04940500	BKU60500	




WI75 LEDG

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Lower Shaft High Precision Bearing Open P6 precision bearing with low-torque cage and light oil lubricant (3x6x2)	04033500	SMR63-MC3-JP6-AF12	




Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production


WI75LEDG

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Lower Shaft High Precision Bearing Open P6 precision bearing with low-torque cage and light oil lubricant (4x9x2.5)	06164000	S684-MC3-JP6-AF12	
Bearing for Headgear High Precision Bearing Open Abec 7 precision special dental bearing with low-torque ribbon retainer and light oil lubricant (4x7x2) Brand: Myonic	04027300	SMR74-MC34-GR7-R-L23	
Bearing for Middle Gear High Precision Bearing Open Abec 3 precision bearing (2.35x5.5x2)	04733900	SMR55-0235-MC3-GR3-AF12	 Image Coming Soon

WK56

Position / Description / Application	Manufacturers Part	MBA Part	
Replacement Middle Gear Complete 1:1 Brand: MBA	06796000	BKU69600	 <small>Head Gears, Intermediate Pieces, Middle Gears, Parts for Electric Driven Handpieces & Heads</small>
Head Gear Complete 1:1 Brand: MBA	05431100	BKU61100	 <small>Head Gears, Intermediate Pieces, Middle Gears, Parts for Electric Driven Handpieces & Heads</small>
Replacement Middle Gear Complete 1:1 Brand: MBA	05233200	BKU63200	 <small>Head Gears, Intermediate Pieces, Middle Gears, Parts for Electric Driven Handpieces & Heads</small>

WK93LT

Position / Description / Application	Manufacturers Part	MBA Part	
Bearing for Lower Shaft High Precision Bearing Double shielded P6 precision stainless steel bearing (4.76x9.52x3.18)	06558000	SR166-ZS-MC3-JP6	

Key Usually stocked or Short Delivery
** Available while stocks last

Long Delivery or Large Minimum Quantities
Not in current production

WK99LT

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Lower Shaft

06558000

SR166-ZZS-MC3-JP6

High Precision Bearing

Double shielded P6 precision stainless steel bearing (4.76x9.52x3.18)



Bearing for Headgear

05257200

SMR6.50-3.40-CSN-ZZS-MC3-TO

High Speed Ceramic-Hybrid Bearing - Torlon Retainer

Open ceramic-hybrid special bearing for dental applications with high speed Torlon retainer (3.4x6.5x1.6)

Brand: MBA



WP64

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Lower Shaft

01589400

S683-MC3-JP6-AF12

High Precision Bearing

Open P6 precision bearing with low-torque cage and light oil lubricant (3x7x2)



WS75

Position / Description / Application

Manufacturers Part


MBA Part

Replacement Press Button

04940500

BKU60500

Brand: MBA



Replacement Middle Gear Complete 20:1

06025100

BKU65100

Brand: MBA



Bearing for Lower Shaft

01577000

S623-ZZ-MC3-JP6

High Precision Bearing

Double shielded P6 precision stainless steel bearing (3x10x4)



Head Gear Complete 20:1

04939900

BKU69900

Brand: MBA



Key	Usually stocked or Short Delivery
	** Available while stocks last

Long Delivery or Large Minimum Quantities
<i>Not in current production</i>

WS75 EKM

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Middle Gear Complete 20:1

04016900

BKU66900

Brand: MBA



Head Gear Complete 20:1

05101300

BKU61300

Brand: MBA



Bearing for Middle Gear

04733900

SMR55-0235-MC3-GR3-AF12

High Precision Bearing

Open Abec 3 precision bearing (2.35x5.5x2)

Brand: Myonic



WS75E KM

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Headgear

04027300

SMR74-MC34-GR7-R-L23

High Precision Bearing

Open Abec 7 precision special dental bearing with low-torque ribbon retainer and light oil lubricant (4x7x2)

Brand: Myonic



WS92E

Position / Description / Application

Manufacturers Part

MBA Part

Bearing for Headgear

04025900

SMR74-CSN-TH7-TO

High Speed Ceramic-Hybrid Bearing - Torlon Retainer

Open Abec 7 precision stainless ceramic-hybrid bearing with high speed Torlon retainer (4x7x2)

Brand: MBA



Key

Usually stocked or Short Delivery

** Available while stocks last

Long Delivery or Large Minimum Quantities

Not in current production

Friction Grip

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Bearing

SR144-D28-ZS-KC-OPT

High Speed Bearing - Phenolic Retainer

Precision dental handpiece bearing with narrow design and high speed phenolic retainer (3.18x6.35x2.38)

2 Required



Push Button

Position / Description / Application

Manufacturers Part

MBA Part

Replacement Bearing

SR144A-D27-ZS-T9H-OPT

High Speed Bearing - Polyamide Retainer

Stainless steel bearing with polyamide retainer for precision dental handpieces (3.18x6.35x2.78)

2 Required

Brand: Myonic



Key

Usually stocked or Short Delivery

** Available while stocks last

Long Delivery or Large Minimum Quantities

Not in current production



Miniature Bearings Australia
<https://minibearings.com.au>
sales@minibearings.com.au

We sell an extensive range of products with varying amounts of technical data. Please assist us to provide you with accurate information by placing your orders and enquiries online or by e-mail.

Dental Handpiece Replacement Parts