

MBA

2023.1

Knobs

Male, Female, Pointer, Cap Screw, Ball and More



	Page
Cap Screw Knobs	3-5
Female Threaded	6-20
Female Bored	21-22
Male	23-35
Pointer	36

A selection of knobs listed by thread or hole size. This catalogue is a quick reference guide to help you find parts quickly. Enter a part number into the search box on the website to obtain full details.

To find and order parts online, simply enter the part number from this catalogue into the search box on any web page.

Wing Knobs



Cap Screw Knobs
(Fit over standard cap screw head)



Star Knobs



Ball Knobs



Cap Screw Knobs

Head Diameter (A) mm (in.)	Thickness (B) mm (in.)	Colour	Style	Material	Part Number
-------------------------------	---------------------------	--------	-------	----------	-------------

Suits Cap Screw (not included) 4-40, 4-56 (2.85mm) - Use Own Screw

7.94 (0.31")	4.4	Yellow	Knurled Thumb Knob	Plastic	KM029-008-KNU-Y
7.94 (0.31")	4.4	Red	Knurled Thumb Knob	Plastic	** KM029-008-KNU-R
7.94 (0.31")	4.4	Black	Knurled Thumb Knob	Plastic	** KM029-008-KNU-B
7.94 (0.31")	4.4	Grey	Knurled Thumb Knob	Plastic	KM029-008-KNU-G

Suits Cap Screw (not included) M3 (3.00mm) - Use Own Screw

9.60 (0.38")	4.4	Red	Knurled Thumb Knob	Plastic	KM030M-010-KNU-R
9.60 (0.38")	4.4	Grey	Knurled Thumb Knob	Plastic	KM030M-010-KNU-G
9.60 (0.38")	4.4	Black	Knurled Thumb Knob	Plastic	KM030M-010-KNU-B
9.60 (0.38")	4.4	Yellow	Knurled Thumb Knob	Plastic	KM030M-010-KNU-Y

Suits Cap Screw (not included) 6-32, 6-40 (3.50mm) - Use Own Screw

9.53 (0.38")	4.8	Black	Knurled Thumb Knob	Plastic	KM035C-010-KNU-B
9.53 (0.38")	4.8	Grey	Knurled Thumb Knob	Plastic	KM035C-010-KNU-G
9.53 (0.38")	4.8	Red	Knurled Thumb Knob	Plastic	KM035C-010-KNU-R
9.53 (0.38")	4.8	Yellow	Knurled Thumb Knob	Plastic	KM035C-010-KNU-Y

Suits Cap Screw (not included) M4 (4.00mm) - Use Own Screw

13.00 (0.51")	5.5	Black	Knurled Thumb Knob	Plastic	** KM040M-013-KNU-B
13.00 (0.51")	5.5	Yellow	Knurled Thumb Knob	Plastic	KM040M-013-KNU-Y
13.00 (0.51")	5.5	Grey	Knurled Thumb Knob	Plastic	KM040M-013-KNU-G
13.00 (0.51")	5.5	Red	Knurled Thumb Knob	Plastic	KM040M-013-KNU-R
16.00 (0.63")	6.5	Yellow	Knurled Thumb Knob	Plastic	** KM050M-016-KNU-Y
16.00 (0.63")	6.5	Black	Knurled Thumb Knob	Plastic	** KM050M-016-KNU-B
16.00 (0.63")	6.5	Grey	Knurled Thumb Knob	Plastic	KM050M-016-KNU-G
16.00 (0.63")	6.5	Red	Knurled Thumb Knob	Plastic	** KM050M-016-KNU-R

Suits Cap Screw (not included) 8-32, 8-40 (4.17mm) - Use Own Screw

12.70 (0.50")	5.6	Red	Knurled Thumb Knob	Plastic	KM042-013-KNU-R
12.70 (0.50")	5.6	Black	Knurled Thumb Knob	Plastic	KM042-013-KNU-B
12.70 (0.50")	5.6	Grey	Knurled Thumb Knob	Plastic	KM042-013-KNU-G
12.70 (0.50")	5.6	Yellow	Knurled Thumb Knob	Plastic	KM042-013-KNU-Y

Suits Cap Screw (not included) 10-24, 10-32 (4.76mm) - Use Own Screw



14.29 (0.56")	8.7	Black	L Thumb Knob	Plastic	KM048-014-L-B
14.29 (0.56")	8.7	Grey	L Thumb Knob	Plastic	KM048-014-L-G
14.29 (0.56")	8.7	Red	L Thumb Knob	Plastic	KM048-014-L-R
14.29 (0.56")	8.7	Yellow	L Thumb Knob	Plastic	KM048-014-L-Y
15.88 (0.63")	6.4	Red	Knurled Thumb Knob	Plastic	KM048-016-KNU-R
15.88 (0.63")	6.4	Black	Knurled Thumb Knob	Plastic	KM048-016-KNU-B
15.88 (0.63")	6.4	Grey	Knurled Thumb Knob	Plastic	KM048-016-KNU-G
15.88 (0.63")	6.4	Yellow	Knurled Thumb Knob	Plastic	KM048-016-KNU-Y
25.40 (1.00")	6.4	Grey	Tee Thumb Knob	Plastic	KM048-025-TEE-G
25.40 (1.00")	6.4	Red	Tee Thumb Knob	Plastic	KM048-025-TEE-R
25.40 (1.00")	6.4	Black	Tee Thumb Knob	Plastic	** KM048-025-TEE-B
25.40 (1.00")	6.4	Yellow	Tee Thumb Knob	Plastic	KM048-025-TEE-Y



Suits Cap Screw (not included) M5 (5mm) - Use Own Screw

26.00 (1.02")	6.6	Black	Tee Thumb Knob	Plastic	** KM050M-026-TEE-B
26.00 (1.02")	6.6	Yellow	Tee Thumb Knob	Plastic	** KM050M-026-TEE-Y
26.00 (1.02")	6.6	Grey	Tee Thumb Knob	Plastic	** KM050M-026-TEE-G
26.00 (1.02")	6.6	Red	Tee Thumb Knob	Plastic	** KM050M-026-TEE-R

Suits Cap Screw (not included) M6 (6.00mm) - Use Own Screw

19.00 (0.75")	7.6	Yellow	Knurled Thumb Knob	Plastic	** KM060M-019-KNU-Y
19.00 (0.75")	7.6	Red	Knurled Thumb Knob	Plastic	** KM060M-019-KNU-R
19.00 (0.75")	7.6	Grey	Knurled Thumb Knob	Plastic	KM060M-019-KNU-G

 Usually stocked or Short Delivery
 ** Available while stocks last **

 Long Delivery or Large Minimum Quantities
 Not in current production



Cap Screw Knobs

Head Diameter (A) mm (in.)	Thickness (B) mm (in.)	Colour	Style	Material	Part Number
19.00 (0.75")	7.6	Black	Knurled Thumb Knob	Plastic	** KM060M-019-KNU-B
26.00 (1.02")	7.8	Grey	Knurled Thumb Knob	Plastic	KM060M-026-KNU-G
26.00 (1.02")	7.8	Red	Knurled Thumb Knob	Plastic	KM060M-026-KNU-R
26.00 (1.02")	7.8	Yellow	Knurled Thumb Knob	Plastic	KM060M-026-KNU-Y
26.00 (1.02")	7.8	Black	Knurled Thumb Knob	Plastic	KM060M-026-KNU-B
30.00 (1.18")	7.8	Grey	Tee Thumb Knob	Plastic	KM060M-030-TEE-G
30.00 (1.18")	7.8	Black	Tee Thumb Knob	Plastic	** KM060M-030-TEE-B
30.00 (1.18")	7.8	Yellow	Tee Thumb Knob	Plastic	KM060M-030-TEE-Y
30.00 (1.18")	7.8	Red	Tee Thumb Knob	Plastic	** KM060M-030-TEE-R
38.00 (1.50")	12.2	Yellow	Rosette Thumb Knob	Plastic	** KM060M-038-ROS-Y
38.00 (1.50")	12.2	Red	Rosette Thumb Knob	Plastic	KM060M-038-ROS-R
38.00 (1.50")	12.2	Grey	Rosette Thumb Knob	Plastic	KM060M-038-ROS-G
38.00 (1.50")	12.2	Black	Rosette Thumb Knob	Plastic	** KM060M-038-ROS-B

Suits Cap Screw (not included) 1/4 (6.35mm) - Use Own Screw



17.46 (0.69")	11.1	Red	L Thumb Knob	Plastic	KM064-017-L-R
17.46 (0.69")	11.1	Yellow	L Thumb Knob	Plastic	KM064-017-L-Y
17.46 (0.69")	11.1	Grey	L Thumb Knob	Plastic	KM064-017-L-G
17.46 (0.69")	11.1	Black	L Thumb Knob	Plastic	** KM064-017-L-B
19.05 (0.75")	7.9	Yellow	Knurled Thumb Knob	Plastic	KM064-019-KNU-Y
19.05 (0.75")	7.9	Black	Knurled Thumb Knob	Plastic	** KM064-019-KNU-B
19.05 (0.75")	7.9	Red	Knurled Thumb Knob	Plastic	** KM064-019-KNU-R
19.05 (0.75")	7.9	Grey	Knurled Thumb Knob	Plastic	KM064-019-KNU-G
25.40 (1.00")	7.9	Yellow	Knurled Thumb Knob	Plastic	KM064-025-KNU-Y
25.40 (1.00")	7.9	Red	Knurled Thumb Knob	Plastic	KM064-025-KNU-R
25.40 (1.00")	7.9	Black	Knurled Thumb Knob	Plastic	** KM064-025-KNU-B
25.40 (1.00")	7.9	Grey	Knurled Thumb Knob	Plastic	KM064-025-KNU-G
31.75 (1.25")	7.9	Black	Tee Thumb Knob	Plastic	KM064-032-TEE-B
31.75 (1.25")	7.9	Yellow	Tee Thumb Knob	Plastic	** KM064-032-TEE-Y
31.75 (1.25")	7.9	Red	Tee Thumb Knob	Plastic	** KM064-032-TEE-R
31.75 (1.25")	7.9	Grey	Tee Thumb Knob	Plastic	KM064-032-TEE-G
38.10 (1.50")	11.9	Yellow	Rosette Thumb Knob	Plastic	KM064-038-ROS-Y
38.10 (1.50")	11.9	Red	Rosette Thumb Knob	Plastic	** KM064-038-ROS-R
38.10 (1.50")	11.9	Grey	Rosette Thumb Knob	Plastic	KM064-038-ROS-G
38.10 (1.50")	11.9	Black	Rosette Thumb Knob	Plastic	** KM064-038-ROS-B



Suits Cap Screw (not included) 5/16 (7.94mm) - Use Own Screw

21.43 (0.84")	13.5	Yellow	L Thumb Knob	Plastic	** KM079-021-L-Y
21.43 (0.84")	13.5	Red	L Thumb Knob	Plastic	** KM079-021-L-R
21.43 (0.84")	13.5	Grey	L Thumb Knob	Plastic	** KM079-021-L-G
21.43 (0.84")	13.5	Black	L Thumb Knob	Plastic	KM079-021-L-B
25.40 (1.00")	10.3	Black	Knurled Thumb Knob	Plastic	KM079-025-KNU-B
25.40 (1.00")	10.3	Yellow	Knurled Thumb Knob	Plastic	KM079-025-KNU-Y
25.40 (1.00")	10.3	Grey	Knurled Thumb Knob	Plastic	KM079-025-KNU-G
25.40 (1.00")	10.3	Red	Knurled Thumb Knob	Plastic	KM079-025-KNU-R
38.10 (1.50")	10.3	Black	Rosette Thumb Knob	Plastic	KM079-038-ROS-B
38.10 (1.50")	10.3	Yellow	Tee Thumb Knob	Plastic	KM079-038-TEE-Y
38.10 (1.50")	10.3	Red	Tee Thumb Knob	Plastic	** KM079-038-TEE-R
38.10 (1.50")	10.3	Grey	Tee Thumb Knob	Plastic	KM079-038-TEE-G
38.10 (1.50")	10.3	Black	Tee Thumb Knob	Plastic	KM079-038-TEE-B
38.10 (1.50")	10.3	Yellow	Rosette Thumb Knob	Plastic	KM079-038-ROS-Y
38.10 (1.50")	10.3	Grey	Rosette Thumb Knob	Plastic	KM079-038-ROS-G
38.10 (1.50")	10.3	Red	Rosette Thumb Knob	Plastic	KM079-038-ROS-R

Suits Cap Screw (not included) M8 (8.00mm) - Use Own Screw

26.00 (1.02")	9.8	Black	Knurled Thumb Knob	Plastic	KM080M-026-KNU-B
26.00 (1.02")	9.8	Grey	Knurled Thumb Knob	Plastic	KM080M-026-KNU-G
26.00 (1.02")	9.8	Red	Knurled Thumb Knob	Plastic	KM080M-026-KNU-R

 Usually stocked or Short Delivery
 ** Available while stocks last **

 Long Delivery or Large Minimum Quantities
 Not in current production

Cap Screw Knobs



Head Diameter (A) mm (in.)	Thickness (B) mm (in.)	Colour	Style	Material	Part Number
26.00 (1.02")	9.8	Yellow	Knurled Thumb Knob	Plastic	KM080M-026-KNU-Y
38.00 (1.50")	10.0	Red	Rosette Thumb Knob	Plastic	KM080M-038-ROS-R
38.00 (1.50")	10.0	Yellow	Tee Thumb Knob	Plastic	KM080M-038-TEE-Y
38.00 (1.50")	10.0	Red	Tee Thumb Knob	Plastic	KM080M-038-TEE-R
38.00 (1.50")	10.0	Grey	Tee Thumb Knob	Plastic	KM080M-038-TEE-G
38.00 (1.50")	10.0	Yellow	Rosette Thumb Knob	Plastic	KM080M-038-ROS-Y
38.00 (1.50")	10.0	Grey	Rosette Thumb Knob	Plastic	KM080M-038-ROS-G
38.00 (1.50")	10.0	Black	Rosette Thumb Knob	Plastic	KM080M-038-ROS-B
38.00 (1.50")	10.0	Black	Tee Thumb Knob	Plastic	KM080M-038-TEE-B



Suits Cap Screw (not included) 3/8 (9.53mm) - Use Own Screw

38.10 (1.50")	11.9	Black	Rosette Thumb Knob	Plastic	** KM095-038-ROS-B
38.10 (1.50")	11.9	Grey	Rosette Thumb Knob	Plastic	KM095-038-ROS-G
38.10 (1.50")	11.9	Red	Rosette Thumb Knob	Plastic	KM095-038-ROS-R
38.10 (1.50")	11.9	Yellow	Rosette Thumb Knob	Plastic	KM095-038-ROS-Y
44.45 (1.75")	11.9	Red	Tee Thumb Knob	Plastic	KM095-044-TEE-R
44.45 (1.75")	11.9	Grey	Tee Thumb Knob	Plastic	KM095-044-TEE-G
44.45 (1.75")	11.9	Black	Tee Thumb Knob	Plastic	** KM095-044-TEE-B
44.45 (1.75")	11.9	Yellow	Tee Thumb Knob	Plastic	KM095-044-TEE-Y

Suits Cap Screw (not included) M10 (10.00mm) - Use Own Screw

38.00 (1.50")	12.5	Yellow	Rosette Thumb Knob	Plastic	** KM100M-038-ROS-Y
38.00 (1.50")	12.5	Red	Rosette Thumb Knob	Plastic	KM100M-038-ROS-R
38.00 (1.50")	12.5	Grey	Rosette Thumb Knob	Plastic	KM100M-038-ROS-G
38.00 (1.50")	12.5	Black	Rosette Thumb Knob	Plastic	KM100M-038-ROS-B
45.00 (1.77")	12.5	Yellow	Tee Thumb Knob	Plastic	KM100M-045-TEE-Y
45.00 (1.77")	12.5	Red	Tee Thumb Knob	Plastic	KM100M-045-TEE-R
45.00 (1.77")	12.5	Grey	Tee Thumb Knob	Plastic	KM100M-045-TEE-G
45.00 (1.77")	12.5	Black	Tee Thumb Knob	Plastic	** KM100M-045-TEE-B

 Usually stocked or Short Delivery
 ** Available while stocks last **

 Long Delivery or Large Minimum Quantities
 Not in current production



Female Knobs

Head Diameter (A) mm (in.)	Thread Length mm (in.)	Colour	Style	Knob Material	Part Number
-------------------------------	---------------------------	--------	-------	---------------	-------------

Thread Size Solid

51.05 (2.01")	21.1	Black	Six Lobe - Standard Knob	Phenolic	KF000-051-6L-ST
69.09 (2.72")	24.9	Black	Six Lobe - Standard Knob	Phenolic	KF000-069-6L-ST
82.04 (3.23")	30.0	Black	Six Lobe - Standard Knob	Phenolic	KF000-082-6L-ST
99.06 (3.90")	34.0	Black	Six Lobe - Standard Knob	Phenolic	KF000-099-6L-ST

Thread Size M3x0.5 (3.00mm Standard)

10.00 (0.39")	-	Black	Ball - Threaded Knob		KF030M-010-TPH
12.00 (0.47")	6.5		Knurled Knob	Thermoplastic	KF030M-012-KN-PH

Thread Size 6-32 UNC (3.50mm)

19.05 (0.75")	-	Black	Ball - Threaded Knob	Phenolic	KF035C-019-TPH-IN
---------------	---	-------	----------------------	----------	--------------------------

Thread Size M4x0.7 (4.00mm Standard)

12.00 (0.47")	-	Black	Ball - Threaded Knob		KF040M-012-TPH
12.00 (0.47")	10.0		Knurled Knob	Phenolic	KF040M-012-KN-PH
12.00 (0.47")	10.0		Thumb Knob		KF040M-012-THM
15.00 (0.59")	10.0		Knurled Knob	Phenolic	KF040M-015-KN-PH
16.00 (0.63")	-	Black	Ball - Threaded Knob	Phenolic	** KF040M-016-TPH-B
16.00 (0.63")	-	Black	Ball - Threaded Knob		KF040M-016-TPH-IN
16.00 (0.63")	-		Ball - Threaded Knob	Thermoplastic	KF040M-016-TTPL-MT
16.00 (0.63")	7.0		Ball - Threaded Knob	Thermoplastic	KF040M-016-TTPL-TT
16.00 (0.63")	-		Ball - Threaded Knob	Thermoplastic	KF040M-016-TTPL-BR
16.00 (0.63")	-		Ball - Threaded Knob	Steel	KF040M-016-TPST
16.00 (0.63")	7.2		Ball - Threaded Knob	Stainless Steel	KF040M-016-T303
20.00 (0.79")	-	Black	Ball - Threaded Knob	Phenolic	** KF040M-020-TPH
20.00 (0.79")	8.0		Star Knob		KF040M-020-STRF-PL
25.00 (0.98")	10.0	Black	Seven Lobe - Standard Knob	Thermoplastic	KF040M-025-7L-ST

Thread Size 8-32 UNC (4.17mm)

15.88 (0.63")	-		Ball - Threaded Knob	Aluminium	KF042C-016-TPAL
16.89 (0.66")	6.4		Ball - Threaded with Shank Knob	Phenolic	KF042-017-TPHS
19.05 (0.75")	-	Black	Ball - Threaded Knob	Phenolic	KF042C-019-TPH-IN
20.07 (0.79")	7.9	Black	Cross - Standard Knob	Phenolic	KF042C-020-CS
24.89 (0.98")	9.9	Black	Seven Lobe - Standard Knob	Thermoplastic	KF042C-025-7L-ST
25.40 (1.00")	9.5	Black	Cross - Blind Knob	Nylon	KF042C-025-CB
31.80 (1.25")	25.4	Bright Chrome	Classic Cabinet Hardware Knob	Zinc Diecast	** KF042C-032-CAB-CH
38.10 (1.50")	25.4	Bright Chrome	Indented Top Cabinet Hardware Knob	Zinc Diecast	KF042C-038-CAB-CH16

Thread Size 8-32 UNC (4.17mm) x 25.4mm

31.80 (1.25")	-	Black Nickel	Classic Cabinet Hardware Knob	Zinc Diecast	KF042C-032-CAB-BK
38.10 (1.50")	-	Bright Chrome	Indented Top Cabinet Hardware Knob	Zinc Diecast	KF042C-038-CAB-CH19

Thread Size 10-24 UNC (4.76mm)

19.05 (0.75")	-	Black	Ball - Threaded Knob	Phenolic	KF048C-019-TPH-IN
19.05 (0.75")	-		Raw Ball - Threaded - Polished Brass Knob	Brass	KF048C-019-TPBR-R
19.05 (0.75")	-		Polished Ball - Threaded - Polished Brass Knob	Brass	KF048C-019-TPBR-P
19.05 (0.75")	9.5		Ball - Threaded Knob	Steel	KF048C-019-TPST
19.05 (0.75")	9.5	Black	Three Lobe - Blind Hole - Solid Top Knob	Phenolic	KF048C-019-3L-BHST
20.07 (0.79")	7.1	Black	Four Lobe - Standard Knob	Thermoplastic	KF048C-020-4L
20.07 (0.79")	7.1	Black	Four Lobe - Through Hole Knob	Thermoplastic	KF048C-020-4L-P
20.07 (0.79")	8.9	Black	Cross - Standard Knob	Phenolic	KF048C-020-CS
24.89 (0.98")	7.1	Black	Four Lobe - Standard Knob	Thermoplastic	KF048C-025-4L
24.89 (0.98")	8.9		Ball - Threaded with Groove Knob		KF048C-025-TPLG
24.89 (0.98")	8.9		Ball - Threaded with Knurl Knob	Plastic	KF048C-025-TPLK
24.89 (0.98")	8.9	Black	Three Lobe - Standard Knob	Thermoplastic	KF048C-025-3L
25.40 (1.00")	9.5		Ball - Threaded Knob	Steel	KF048C-025-TPST

Usually stocked or Short Delivery
 ** Available while stocks last **

Long Delivery or Large Minimum Quantities
 Not in current production



Female Knobs

Head Diameter (A) mm (in.)	Thread Length mm (in.)	Colour	Style	Knob Material	Part Number
25.40 (1.00")	9.5	Black	Cross - Blind Knob	Nylon	KF048C-025-CB
29.97 (1.18")	7.1	Black	Six Lobe - Standard Knob	Thermoplastic	KF048C-030-6L-BR
31.75 (1.25")	7.9	Black	Cross - Blind Knob	Phenolic	KF048C-032-CB
31.75 (1.25")	11.1	Black	Cross - Through Hole Knob	Phenolic	KF048C-032-CHL
31.75 (1.25")	25.0		Mushroom Round - Threaded Knob	Phenolic	KF048C-032-MRP
32.00 (1.26")	7.1	Black	Cross - Standard Knob	Thermoplastic	KF048C-032-CS
32.00 (1.26")	8.9	Black	Three Lobe - Standard Knob	Thermoplastic	KF048C-032-3L
38.10 (1.50")	15.9		Ball - Threaded Knob		KF048C-038-TPST

Thread Size 10-32 UNF (4.76mm)



16.89 (0.66")	-		Ball - Threaded with Shank Knob	Phenolic	KF048F-017-TPHS
19.05 (0.75")	-	Black	Ball - Threaded Knob	Phenolic	KF048F-019-TPH-IN
19.05 (0.75")	-	Red	Ball - Threaded Knob		KF048F-019-TPH-IN-R
19.05 (0.75")	-		Polished Ball - Threaded - Polished Brass Knob	Brass	KF048F-019-TPBR-P
19.05 (0.75")	-		Raw Ball - Threaded - Polished Brass Knob	Brass	KF048F-019-TPBR-R
19.05 (0.75")	9.5		Ball - Threaded Knob	Steel	KF048F-019-TPST
19.84 (0.78")			Ball - Threaded Knob	Aluminium	KF048F-020-TPAL
20.07 (0.79")	7.1	Black	Four Lobe - Standard Knob	Thermoplastic	KF048F-020-4L
20.07 (0.79")	7.1	Black	Four Lobe - Through Hole Knob	Thermoplastic	KF048F-020-4L-P
24.89 (0.98")	8.4	Black	Seven Lobe - Standard Knob	Thermoplastic	KF048F-025-7L-SP
24.89 (0.98")	9.9	Black	Five Lobe - Standard Knob	Plastic	KF048F-025-5L-BR
24.89 (0.98")	9.9	Black	Seven Lobe - Standard Knob	Thermoplastic	KF048F-025-7L-SS
24.89 (0.98")	9.9	Black	Seven Lobe - Standard Knob	Thermoplastic	KF048F-025-7L-ST
25.40 (1.00")	-	Black	Ball - Threaded Knob	Phenolic	KF048F-025-TPH-IN
25.40 (1.00")	-	Red	Ball - Threaded Knob		KF048F-025-TPH-IN-R
25.40 (1.00")	9.5		Ball - Threaded Knob	Steel	KF048F-025-TPST
25.40 (1.00")	9.5	Black	Cross - Blind Knob	Nylon	KF048F-025-CB
28.58 (1.13")		Black	Tri - Blind Hole Knob	Phenolic	KF048F-029-TRI-BHF
28.58 (1.13")		Black	Tri - Through Hole Knob	Phenolic	** KF048F-029-TRI-PF
29.97 (1.18")	14.0	Black	Three Lobe - Soft Touch Knob	Thermoplastic	KF048F-030-3L-SFT
31.75 (1.25")	7.9	Black	Cross - Blind Knob	Phenolic	KF048F-032-CB
31.75 (1.25")	7.9	Black	Cross - Through Hole Knob	Phenolic	KF048F-032-CH
32.00 (1.26")	9.9	Black	Five Lobe - Standard Knob	Plastic	KF048F-032-5L-BR
32.00 (1.26")	9.9	Black	Seven Lobe - Standard Knob	Thermoplastic	KF048F-032-7L-ST



Thread Size M5x0.8 (5.00mm Standard)

15.00 (0.59")	10.0		Knurled Knob	Phenolic	KF050M-015-KN-PH
15.00 (0.59")	10.0		Thumb Knob		KF050M-015-THM
16.00 (0.63")	7.0		Ball - Threaded Knob	Thermoplastic	KF050M-016-TTPL-TT
20.00 (0.79")	-	Black	Ball - Threaded Knob	Phenolic	KF050M-020-TPH
20.00 (0.79")	-	Black	Ball - Threaded Knob		KF050M-020-TPH-IN
20.00 (0.79")	-		Ball - Threaded Knob	Thermoplastic	KF050M-020-TTPL-BR
20.00 (0.79")	7.5		Ball - Threaded Knob	Thermoplastic	KF050M-020-TTPL-ST
20.00 (0.79")	-		Ball - Threaded Knob	Thermoplastic	KF050M-020-TTPL-MT
20.00 (0.79")	9.0		Ball - Threaded Knob	Thermoplastic	KF050M-020-TTPL-TT
20.00 (0.79")	9.1		Ball - Threaded Knob	Stainless Steel	KF050M-020-T303
25.00 (0.98")	-	Black	Ball - Threaded Knob	Phenolic	KF050M-025-TPH-IN
25.00 (0.98")	9.0		Star Knob	Plastic	** KF050M-025-STRF-PL
25.00 (0.98")	9.5	Black	Seven Lobe - Standard Knob	Thermoplastic	KF050M-025-7L-SP
25.00 (0.98")	-	Black	Seven Lobe - Quick Acting Knob	Thermoplastic	KF050M-025-7LQA
25.00 (0.98")	10.0	Black	Seven Lobe - Standard Knob	Thermoplastic	KF050M-025-7L-ST
32.00 (1.26")	10.0	Black	Seven Lobe - Standard Knob	Thermoplastic	KF050M-032-7L-ST

Thread Size M6x1 (6.00mm Standard)

15.00 (0.59")	9.0		Knurled Knob	Phenolic	KF060M-015-KN-PH
16.00 (0.63")	-		Ball - Threaded Knob	Steel	KF060M-016-TPST

 Usually stocked or Short Delivery
 ** Available while stocks last **

 Long Delivery or Large Minimum Quantities
 Not in current production



Female Knobs

Head Diameter (A) mm (in.)	Thread Length mm (in.)	Colour	Style	Knob Material	Part Number
17.00 (0.67")	10.0		15.00 Knurled Knob	Plastic	KF060M-017-TQ
17.00 (0.67")	9.0		Thumb Knob	Plastic	** KF060M-017-THM
20.00 (0.79")	7.5		Ball - Threaded Knob	Thermoplastic	KF060M-020-TTPL-ST
20.00 (0.79")	9.0		Ball - Threaded Knob	Thermoplastic	KF060M-020-TTPL-TT
21.00 (0.83")	12.0	White	Knurled Knurled - Clean Line Knob	Duroplast	KF060M-021-CL
23.00 (0.91")	-		14.00 Knurled Knob	Plastic	KF060M-023-TQ
25.00 (0.98")	-	Black	Ball - Threaded Knob		KF060M-025-TPH
25.00 (0.98")	-	Black	Ball - Threaded Knob	Phenolic	KF060M-025-TPH-IN
25.00 (0.98")	1.0		Ball - Threaded Knob	Thermoplastic	KF060M-025-TTPL-TT
25.00 (0.98")	-		Ball - Threaded Knob	Thermoplastic	KF060M-025-TTPL-BR
25.00 (0.98")	-		Ball - Threaded Knob	Thermoplastic	KF060M-025-TTPL-MT
25.00 (0.98")	9.0		Ball - Threaded Knob	Thermoplastic	KF060M-025-TTPL-ST
25.00 (0.98")			Ball - Threaded Knob		KF060M-025-TPST
25.00 (0.98")	10.0	Black	Seven Lobe - Standard Knob	Thermoplastic	KF060M-025-7L-ST
25.00 (0.98")	11.0		Ball - Threaded Knob	Stainless Steel	KF060M-025-T303
30.00 (1.18")	18.0	Black	Six Lobe - Through Hole Knob	Thermoplastic	KF060M-030-6L-PSS
30.00 (1.18")	18.0	Black	Six Lobe - Through Hole Knob	Thermoplastic	KF060M-030-6L-PBR
30.00 (1.18")	13.5		Push-Pull Knob	Plastic	** KF060M-030-PP
31.75 (1.25")	12.7	Black	Cross - Through Hole Knob	Phenolic	KF060M-032-CH
32.00 (1.26")	9.0	Black	Five Lobe - Standard Knob	Thermoplastic	KF060M-032-5L-ST
32.00 (1.26")	9.0	Black	Five Lobe - Standard Knob	Phenolic	KF060M-032-5L-BR
32.00 (1.26")	10.0	White	Star Knobs Five Lobe - Clean Line Knob	Glass fibre	KF060M-032-5LCL
32.00 (1.26")	10.0	Black	Seven Lobe - Standard Knob	Thermoplastic	KF060M-032-7L-ST
32.00 (1.26")	-	Black	Seven Lobe - Quick Acting Knob	Thermoplastic	KF060M-032-7LQA
32.00 (1.26")	12.0	Black	Seven Lobe - Standard Knob	Thermoplastic	KF060M-032-7L-SP
32.00 (1.26")	13.5		Star Knob		KF060M-032-STRF-PL
35.00 (1.38")	-	Black	Ball - Threaded Knob	Phenolic	KF060M-035-TPH-IN
38.10 (1.50")	-	Black	Five Lobe - Hex Head Bolt Knob	Thermoplastic	KF060M-038-5LHX
40.00 (1.57")		Black	Tri Knob	Phenolic	KF060M-040-TRI-BHF
40.00 (1.57")	12.0	Black	Five Lobe - Standard Knob	Phenolic	KF060M-040-5L-ST
40.00 (1.57")	12.0		Threaded Type E Lobe Knob	303 Stainless Steel	KF060M-040-L303
40.00 (1.57")	14.0	Black	Seven Lobe - Standard Knob	Thermoplastic	KF060M-040-7L-SP
40.00 (1.57")	18.0	Black	Six Lobe - Through Hole Knob	Thermoplastic	KF060M-040-6L-PSS
40.00 (1.57")	18.0	Black	Six Lobe - Through Hole Knob	Thermoplastic	KF060M-040-6L-PBR
40.00 (1.57")	18.0		Wing - Contoured Knob	Plastic	** KF060M-040-W
44.45 (1.75")	15.9	Black	Cross - Through Hole Knob	Phenolic	KF060M-044-CH
50.00 (1.97")		Black	Tri Knob	Phenolic	KF060M-050-TRI-BHF
50.00 (1.97")	10.0		Three Lobe - Safety Knob	42.00	KF060M-050-3L-SAF
51.60 (2.03")	38.1		Mushroom Round - Threaded Knob	Phenolic	KF060M-052-MRPB

Thread Size 6.10 Unthreaded Hole

83.06 (3.27")	23.1	Black	Six Lobe - Standard Knob	Phenolic	KF061-083-6L-ST
---------------	------	-------	--------------------------	----------	------------------------

Thread Size 6.10 Unthreaded Hole with 10-32 Set Screw Hole



83.06 (3.27")	23.1	Black	Six Lobe - Standard Knob	Phenolic	KF061-083-6L-ST-GS
---------------	------	-------	--------------------------	----------	--------------------



Thread Size 1/4 inch Hex Head Bolt (not supplied)

38.10 (1.50")	-	Black	Five Lobe - Hex Head Bolt Knob	Thermoplastic	KF064-038-5LHX
---------------	---	-------	--------------------------------	---------------	----------------

Thread Size 1/4-20 UNC (6.35mm)

19.05 (0.75")	-	Red	Ball - Threaded Knob		KF064C-019-TPH-IN-R
19.05 (0.75")	-	Black	Ball - Threaded Knob	Phenolic	KF064C-019-TPH-IN
19.05 (0.75")		Black	Tri - Blind Hole Knob	ABS	KF064C-019-TRI-BHF
19.05 (0.75")		Black	Tri - Through Hole Knob	ABS	KF064C-019-TRI-PF
19.05 (0.75")	9.5	Black	Three Lobe - Blind Hole - Solid Top Knob	Phenolic	** KF064C-019-3L-BHST
20.06 (0.79")	9.9		Ball - Threaded with Knurl Knob	Plastic	KF064C-020-TPLK
20.07 (0.79")	9.7	Black	Four Lobe - Standard Knob	Thermoplastic	KF064C-020-4L



 Usually stocked or Short Delivery
 ** Available while stocks last **



 Long Delivery or Large Minimum Quantities
 Not in current production



Female Knobs

Head Diameter (A) mm (in.)	Thread Length mm (in.)	Colour	Style	Knob Material	Part Number
20.07 (0.79")	9.7	Black	Four Lobe - Through Hole Knob	Thermoplastic	KF064C-020-4L-P
20.07 (0.79")	9.9		Ball - Threaded with Groove Knob		KF064C-020-TPLG
22.10 (0.87")	9.9	Black	Six Lobe - Standard Knob	Phenolic	KF064C-022-6L-BR
24.61 (0.97")			Ball - Threaded Knob	Aluminium	KF064C-025-TPAL
24.89 (0.98")	9.7	Black	Four Lobe - Standard Knob	Thermoplastic	KF064C-025-4LA
24.89 (0.98")	9.7	Black	Four Lobe - Through Hole Knob	Thermoplastic	KF064C-025-4L-P
24.89 (0.98")	9.9		Ball - Novo-Grip Knob	Rubber	KF064C-025-NG
24.89 (0.98")	9.9		Ball - Threaded with Groove Knob		KF064C-025-TPLG
24.89 (0.98")	9.9		Ball - Threaded with Knurl Knob	Plastic	KF064C-025-TPLK
24.89 (0.98")	9.9	Black	Four Lobe - Standard Knob	Phenolic	KF064C-025-4LB
24.89 (0.98")	9.9	Black	Seven Lobe - Standard Knob	Thermoplastic	KF064C-025-7L-ST
24.89 (0.98")	10.9	Black	Three Lobe - Through Hole Knob	Thermoplastic	KF064C-025-3L-P
24.89 (0.98")	-		Knurled - Soft Touch Knob	Soft-Touch Thermoplastic	KF064C-025-KN-SFT-TP
25.40 (1.00")	-	Black	Ball - Threaded Knob	Phenolic	KF064C-025-TPH-IN
25.40 (1.00")	-	Red	Ball - Threaded Knob	Phenolic	** KF064C-025-TPH-IN-R
25.40 (1.00")	-		Polished Ball - Threaded - Polished Brass Knob	Brass	KF064C-025-TPBR-P
25.40 (1.00")	-		Raw Ball - Threaded - Polished Brass Knob	Brass	KF064C-025-TPBR-R
25.40 (1.00")		Black	Tri - Blind Hole Knob	ABS	KF064C-025-TRI-BHF
25.40 (1.00")		Black	Tri - Through Hole Knob	ABS	KF064C-025-TRI-PF
25.40 (1.00")	9.5	Black	Three Lobe - Blind Hole - Solid Top Knob	Phenolic	KF064C-025-3L-BHST
25.40 (1.00")	12.7		Ball - Threaded Knob	Steel	KF064C-025-TPST
25.40 (1.00")	12.7	Black	Cross - Blind Knob	Nylon	KF064C-025-CB
28.58 (1.13")		Black	Tri - Blind Hole Knob	Phenolic	KF064C-029-TRI-BHF
28.58 (1.13")		Black	Tri - Through Hole Knob	Phenolic	KF064C-029-TRI-PF
29.97 (1.18")	9.5	Black	Six Lobe - Standard Knob	Thermoplastic	KF064C-030-6L-SS
29.97 (1.18")	9.5	Black	Six Lobe - Standard Knob	Thermoplastic	KF064C-030-6L-BR
29.97 (1.18")	9.5	Black	Six Lobe - Through Hole Knob	Thermoplastic	KF064C-030-6L-PBR
29.97 (1.18")	9.5	Black	Six Lobe - Through Hole Knob	Thermoplastic	KF064C-030-6L-PSS
29.97 (1.18")	9.7	Black	Four Lobe - Standard Knob	Thermoplastic	KF064C-030-4L
29.97 (1.18")	9.7	Black	Four Lobe - Through Hole Knob	Thermoplastic	KF064C-030-4L-P
29.97 (1.18")	14.0	Black	Three Lobe - Soft Touch Knob	Thermoplastic	KF064C-030-3L-SFT
30.16 (1.19")	-	Black	Ball - Threaded Knob	Phenolic	KF064C-030-TPH-IN
30.16 (1.19")	-	Red	Ball - Threaded Knob		KF064C-030-TPH-IN-R
31.75 (1.25")		Black	Tri - Blind Hole Knob	Phenolic	KF064C-032-TRI-BHF
31.75 (1.25")	9.5	Black	Cross - Through Hole Knob	Nylon	KF064C-032-CH-NY
31.75 (1.25")	9.5	Black	Three Lobe - Blind Hole - Solid Top Knob	Phenolic	KF064C-032-3L-BHST
31.75 (1.25")	11.1	Black	Cross - Blind Knob	Phenolic	KF064C-032-CB
31.75 (1.25")	12.7	Black	Cross - Blind Knob	Nylon	KF064C-032-CBL
31.75 (1.25")	12.7	Black	Cross - Through Hole Knob	Phenolic	KF064C-032-CH-PH
31.75 (1.25")	25.0		Mushroom Round - Threaded Knob	Phenolic	KF064C-032-MRPB
31.75 (1.25")	-		Ball - Threaded with Shank Knob	Phenolic	KF064C-032-TPHS
32.00 (1.26")	9.5	Black	Cross - Standard Knob	Thermoplastic	KF064C-032-CS-SS
32.00 (1.26")	9.5	Black	Cross - Standard Knob	Thermoplastic	KF064C-032-CSL
32.00 (1.26")	9.5	Black	Cross - Through Hole Knob	Thermoplastic	KF064C-032-CH-TP
32.00 (1.26")	9.5	Black	Cross - Through Hole Knob	Thermoplastic	KF064C-032-CH-SS
32.00 (1.26")	9.9	Black	Cross - Standard Knob	Phenolic	KF064C-032-CS
32.00 (1.26")	9.9	Black	Five Lobe - Standard Knob	Phenolic	KF064C-032-5L-SS
32.00 (1.26")	9.9	Black	Five Lobe - Standard Knob	Plastic	KF064C-032-5L-BR10A
32.00 (1.26")	9.9	Black	Five Lobe - Standard Knob	Phenolic	KF064C-032-5L-BR10B
32.00 (1.26")	9.9	Black	Four Lobe - Standard Knob	Phenolic	KF064C-032-4L
32.00 (1.26")	9.9	Black	Seven Lobe - Standard Knob	Thermoplastic	KF064C-032-7L-ST
32.00 (1.26")	9.9	Black	Seven Lobe - Standard Knob	Thermoplastic	KF064C-032-7L-SS
32.00 (1.26")	9.9	Black	Seven Lobe - Standard Knob	Phenolic	** KF064C-032-7L-BR
32.00 (1.26")	9.9	Black	Three Lobe - Standard Knob	Thermoplastic	KF064C-032-3L
32.00 (1.26")	-		Five Lobe - Soft Touch -Through Hole Knob		KF064C-032-5LSFT-P



 Usually stocked or Short Delivery
 ** Available while stocks last **



 Long Delivery or Large Minimum Quantities
 Not in current production



Female Knobs

Head Diameter (A) mm (in.)	Thread Length mm (in.)	Colour	Style	Knob Material	Part Number
32.00 (1.26")	11.9	Black	Five Lobe - Standard Knob	Plastic	KF064C-032-5L-BR12T
32.00 (1.26")	11.9	Black	Five Lobe - Standard Knob	Plastic	KF064C-032-5L-BR12
32.00 (1.26")	11.9	Black	Seven Lobe - Standard Knob	Thermoplastic	KF064C-032-7L-SP
32.00 (1.26")	14.0	Black	Three Lobe - Through Hole Knob	Thermoplastic	KF064C-032-3L-P
33.02 (1.30")	9.9	Black	Six Lobe - Standard Knob	Phenolic	KF064C-033-6L-BRA
33.02 (1.30")	9.9	Black	Six Lobe - Standard Knob	Thermoplastic	KF064C-033-6L-BRB
34.92 (1.37")			Ball - Threaded - Soft Touch Knob	Rubber	KF064C-035-TSFT
34.93 (1.38")	-	Black	Ball - Threaded Knob	Phenolic	KF064C-035-TPH-IN
34.93 (1.38")	-	Red	Ball - Threaded Knob		KF064C-035-TPH-IN-R
34.93 (1.38")	15.9		Ball - Threaded Knob	Steel	KF064C-035-TPST
38.10 (1.50")	-	Black	Ball - Threaded Knob	Phenolic	KF064C-038-TPH
38.10 (1.50")	-		Polished Ball - Threaded - Polished Brass Knob	Brass	KF064C-038-TPBR-P
38.10 (1.50")	-		Raw Ball - Threaded - Polished Brass Knob		KF064C-038-TPBR-R
38.10 (1.50")		Black	Tri - Through Hole Knob	Phenolic	KF064C-038-TRI-PF
38.10 (1.50")	9.9	Black	Three Lobe - Standard Knob	Thermoplastic	KF064C-038-3L
38.10 (1.50")	15.9		Ball - Threaded Knob		KF064C-038-TPST
38.10 (1.50")	11.8		Ball - Threaded - Wrench Flats and Knob-Lok Knob		KF064C-038-TWFKL
38.10 (1.50")	-		Ball - Threaded with Shank Knob	Phenolic	KF064C-038-TPHS
38.61 (1.52")	12.7	Black	Five Lobe - Soft Touch Knob	Thermoplastic	KF064C-039-5LSFT
38.61 (1.52")	-	Black	Five Lobe - Soft Touch -Through Hole Knob	Thermoplastic	KF064C-039-5LSFT-P
39.88 (1.57")		Black	Six Lobe - Standard Knob	Plastic	KF064C-040-6L-SP
39.88 (1.57")	9.7	Black	Four Lobe - Standard Knob	Thermoplastic	KF064C-040-4L
39.88 (1.57")	11.9	Black	Five Lobe - Standard Knob	Phenolic	KF064C-040-5L-BR12A
39.88 (1.57")	11.9	Black	Five Lobe - Standard Knob	Plastic	KF064C-040-5L-BR12B
39.88 (1.57")	14.0	Black	Five Lobe - Standard Knob	Phenolic	KF064C-040-5L-BR14A
39.88 (1.57")	14.0	Black	Five Lobe - Standard Knob	Plastic	KF064C-040-5L-BR14B
39.88 (1.57")	14.0	Black	Seven Lobe - Standard Knob	Thermoplastic	KF064C-040-7L-SP
39.88 (1.57")	14.0	Black	Three Lobe - Through Hole Knob	Thermoplastic	KF064C-040-3L-P
39.88 (1.57")	-		Knurled - Soft Touch Knob	Soft-Touch Thermoplastic	KF064C-040-KN-SFT-TP
39.88 (1.57")	18.0	Black	Five Lobe - Standard Knob	Plastic	KF064C-040-5L-BR18
40.13 (1.58")	9.5	Black	Cross - Standard Knob	Thermoplastic	KF064C-040-CS
40.13 (1.58")	9.5	Black	Cross - Standard Knob	Thermoplastic	KF064C-040-CS-SS
40.13 (1.58")	9.5	Black	Cross - Through Hole Knob	Thermoplastic	KF064C-040-CH
40.13 (1.58")	9.5	Black	Cross - Through Hole Knob	Thermoplastic	KF064C-040-CH-SS
40.13 (1.58")	9.5	Black	Six Lobe - Standard Knob	Thermoplastic	KF064C-040-6L-SS
40.13 (1.58")	9.5	Black	Six Lobe - Standard Knob	Thermoplastic	KF064C-040-6L-BR
40.13 (1.58")	9.5	Black	Six Lobe - Through Hole Knob	Thermoplastic	KF064C-040-6L-PSS
40.13 (1.58")	9.5	Black	Six Lobe - Through Hole Knob	Thermoplastic	KF064C-040-6L-PBR
41.28 (1.63")	9.5	Black	Three Lobe - Blind Hole - Solid Top Knob	Phenolic	KF064C-041-3L-BHST
41.28 x 55.96 (1.63")	46.4		Mushroom Oval - Threaded Knob	Phenolic	KF064C-041-MOPH
42.67 (1.68")		Black	Tri - Through Hole Knob	Thermoplastic	KF064C-043-TRI-PF
44.45 (1.75")		Black	Tri - Through Hole - Knob-Lok Knob	Polypropylene	KF064C-044-TRI-PFKLK
44.45 (1.75")	11.1	Black	Cross - Blind Knob	Phenolic	KF064C-044-CB
44.45 (1.75")	12.7	Black	Cross - Blind Knob	Nylon	KF064C-044-CBL
44.45 (1.75")	12.7	Black	Cross - Through Hole Knob	Nylon	KF064C-044-CH
44.45 (1.75")	15.9	Black	Cross - Through Hole Knob	Phenolic	KF064C-044-CH-PH
44.96 (1.77")		Black	Tri - Blind Hole Knob	Thermoplastic	KF064C-045-TRI-BHF
44.96 (1.77")		Black	Tri - Through Hole Knob	Thermoplastic	KF064C-045-TRI-PF
44.96 (1.77")	17.8	Black	Three Lobe - Soft Touch Knob	Thermoplastic	KF064C-045-3L-SFT
48.51 (1.91")	12.7	Black	Five Lobe - Soft Touch Knob	Thermoplastic	KF064C-049-5LSFT
48.51 (1.91")	-	Black	Five Lobe - Soft Touch -Through Hole Knob	Thermoplastic	KF064C-049-5LSFT-P
50.04 (1.97")		Black	Six Lobe - Standard Knob	Plastic	KF064C-050-6L-SP
50.04 (1.97")	10.2		Three Lobe - Safety Knob	41.91	KF064C-050-3L-SAF
50.04 (1.97")	-		Knurled - Soft Touch Knob	Soft-Touch Thermoplastic	KF064C-050-KN-SFT-TP

 Usually stocked or Short Delivery
 ** Available while stocks last **

 Long Delivery or Large Minimum Quantities
 Not in current production

Female Knobs

Head Diameter (A) mm (in.)	Thread Length mm (in.)	Colour	Style	Knob Material	Part Number
50.80 (2.00")	9.5		Wing Knob		KF064C-051-W
51.60 (2.03")	38.1		Mushroom Round - Threaded Knob	Phenolic	KF064C-052-MRPH
57.15 (2.25")	11.1	Black	Cross - Blind Knob	Phenolic	KF064C-057-CB
57.15 (2.25")	12.7	Black	Cross - Blind Knob	Thermoplastic	KF064C-057-CBL
57.15 (2.25")	15.9	Black	Cross - Through Hole Knob	Phenolic	KF064C-057-CH
57.15 (2.25")	18.3	Black	Five Lobe - Through Hole Knob	Polypropylene	KF064C-057-5L-PB
57.15 (2.25")	25.4	Black	Five Lobe - Through Hole Knob	Polypropylene	KF064C-057-5L-PA
57.40 (2.26")	12.7	Black	Five Lobe - Soft Touch Knob	Thermoplastic	KF064C-057-5LSFT
57.40 (2.26")	-	Black	Five Lobe - Soft Touch -Through Hole Knob	Thermoplastic	KF064C-057-5LSFT-P
63.50 (2.50")	12.7	Black	Four Lobe - Soft Touch Knob	Thermoplastic	KF064C-064-4L-SFT
76.20 (3.00")	15.9	Black	Cross - Blind Knob	Thermoplastic	KF064C-076-CB
76.20 (3.00")	15.9	Black	Cross - Through Hole Knob	Thermoplastic	KF064C-076-CH-TP

Thread Size 1/4-28 UNF (6.35mm)

25.40 (1.00")	-	Black	Ball - Threaded Knob	Phenolic	KF064F-025-TPH-IN
25.40 (1.00")	-	Red	Ball - Threaded Knob	Phenolic	KF064F-025-TPH-IN-R
25.40 (1.00")	12.7		Ball - Threaded Knob	Steel	KF064F-025-TPST
34.93 (1.38")	15.9		Ball - Threaded Knob	Steel	KF064F-035-TPST
38.10 (1.50")	15.9		Ball - Threaded Knob		KF064F-038-TPST
76.20 (3.00")	15.9	Black	Cross - Through Hole Knob	Thermoplastic	KF064F-076-CH

Thread Size 7.87 Unthreaded Hole

100.08 (3.94")	31.0	Black	Six Lobe - Standard Knob	Phenolic	KF079-100-6L-ST
----------------	------	-------	--------------------------	----------	-----------------

Thread Size 7.87 Unthreaded Hole



51.05 (2.01")	21.1	Black	Six Lobe - Standard Knob	Phenolic	KF079P-051-6L-ST
---------------	------	-------	--------------------------	----------	------------------



Thread Size 5/16 inch Hex Head Bolt (not supplied)

38.10 (1.50")	-	Black	Five Lobe - Hex Head Bolt Knob	Thermoplastic	KF079-038-5LHX
---------------	---	-------	--------------------------------	---------------	----------------

Thread Size 5/16-18 UNC (7.94mm)

19.05 (0.75")		Black	Tri - Through Hole Knob	ABS	KF079C-019-TRI-PF
24.89 (0.98")	14.0		Ball - Threaded with Groove Knob		KF079C-025-TPLG
24.89 (0.98")	14.0		Ball - Threaded with Knurl Knob	Plastic	KF079C-025-TPLK
25.40 (1.00")	-	Red	Ball - Threaded Knob		KF079C-025-TPH-IN-R
25.40 (1.00")	-	Black	Ball - Threaded Knob	Phenolic	KF079C-025-TPH-IN
25.40 (1.00")	-		Polished Ball - Threaded - Polished Brass Knob	Brass	KF079C-025-TPBR-P
25.40 (1.00")	-		Raw Ball - Threaded - Polished Brass Knob	Brass	KF079C-025-TPBR-R
25.40 (1.00")		Black	Tri - Blind Hole Knob	ABS	KF079C-025-TRI-BHF
25.40 (1.00")		Black	Tri - Through Hole Knob	ABS	KF079C-025-TRI-PF
25.40 (1.00")	9.5	Black	Three Lobe - Blind Hole - Solid Top Knob	Phenolic	KF079C-025-3L-BHST
25.40 (1.00")	12.7		Ball - Threaded Knob	Steel	KF079C-025-TPST
29.97 (1.18")	11.9	Black	Six Lobe - Standard Knob	Thermoplastic	KF079C-030-6L-BR
29.97 (1.18")	11.9	Black	Six Lobe - Standard Knob	Thermoplastic	KF079C-030-6L-SS
30.16 (1.19")	-	Red	Ball - Threaded Knob	Phenolic	KF079C-030-TPH-IN-R
30.16 (1.19")	-	Black	Ball - Threaded Knob	Phenolic	KF079C-030-TPH-IN
31.75 (1.25")		Black	Tri - Blind Hole Knob	ABS	KF079C-032-TRI-BHF-ABS
31.75 (1.25")		Black	Tri - Blind Hole Knob	Phenolic	KF079C-032-TRI-BHF-PH
31.75 (1.25")			Ball - Threaded Knob		KF079C-032-TPAL
31.75 (1.25")	9.5	Black	Three Lobe - Blind Hole - Solid Top Knob	Phenolic	KF079C-032-3L-BHST
31.75 (1.25")	11.1	Black	Cross - Blind Knob	Phenolic	KF079C-032-CB
31.75 (1.25")	12.7	Black	Cross - Blind Knob	Nylon	KF079C-032-CBL
31.75 (1.25")	12.7	Black	Cross - Through Hole Knob	Phenolic	KF079C-032-CH
31.75 (1.25")	-		Ball - Threaded with Shank Knob	Phenolic	KF079C-032-TPHS
32.00 (1.26")	11.9	Black	Cross - Standard Knob	Thermoplastic	KF079C-032-CS
32.00 (1.26")	11.9	Black	Cross - Standard Knob	Thermoplastic	KF079C-032-CS-SS
32.00 (1.26")	32.0		Ball - Novo-Grip Knob	Rubber	KF079C-032-NG



 Usually stocked or Short Delivery
 ** Available while stocks last **



 Long Delivery or Large Minimum Quantities
 Not in current production



Female Knobs

Head Diameter (A) mm (in.)	Thread Length mm (in.)	Colour	Style	Knob Material	Part Number
32.00 (1.26")	32.0		Ball - Novo-Grip Knob	Rubber	KF079C-032-NG-SS
33.02 (1.30")	14.0	Black	Six Lobe - Standard Knob	Thermoplastic	KF079C-033-6L-BRA
33.02 (1.30")	14.0	Black	Six Lobe - Standard Knob	Phenolic	KF079C-033-6L-BRB
34.92 (1.37")			Ball - Threaded - Soft Touch Knob	Rubber	KF079C-035-TSFT
34.93 (1.38")	-	Black	Ball - Threaded Knob	Phenolic	KF079C-035-TPH-IN
34.93 (1.38")	-	Red	Ball - Threaded Knob		KF079C-035-TPH-IN-R
34.93 (1.38")	15.9		Ball - Threaded Knob	Steel	KF079C-035-TPST
35.05 (1.38")	14.0		Ball - Threaded with Groove Knob		KF079C-035-TPLG
35.05 (1.38")	14.0		Ball - Threaded with Knurl Knob	Plastic	KF079C-035-TPLK
38.10 (1.50")	-	Black	Ball - Threaded Knob	Phenolic	KF079C-038-TPH-IN
38.10 (1.50")		Black	Tri - Through Hole Knob	Phenolic	KF079C-038-TRI-PF
38.10 (1.50")			Ball - Threaded - Soft Touch Knob	Rubber	KF079C-038-TSFT
38.10 (1.50")	15.9		Ball - Threaded Knob		KF079C-038-TPST
38.10 (1.50")	-		Ball - Threaded with Shank Knob	Phenolic	KF079C-038-TPHS
38.61 (1.52")	12.7	Black	Five Lobe - Soft Touch Knob	Thermoplastic	KF079C-039-5LSFT
38.61 (1.52")	-	Black	Five Lobe - Soft Touch -Through Hole Knob	Thermoplastic	KF079C-039-5LSFT-P
39.88 (1.57")		Black	Six Lobe - Standard Knob	Plastic	KF079C-040-6L-SP
39.88 (1.57")	11.9	Black	Five Lobe - Standard Knob	Plastic	KF079C-040-5L-BR12
39.88 (1.57")	11.9	Black	Four Lobe - Standard Knob	Thermoplastic	KF079C-040-4L11
39.88 (1.57")	11.9	Black	Four Lobe - Through Hole Knob	Thermoplastic	KF079C-040-4L-P
39.88 (1.57")	13.0	Black	Five Lobe - Standard Knob	Phenolic	KF079C-040-5L-BR13
39.88 (1.57")	13.0	Black	Five Lobe - Standard Knob	Phenolic	KF079C-040-5L-SS
39.88 (1.57")	14.0	Black	Cross - Standard Knob	Phenolic	KF079C-040-CS
39.88 (1.57")	14.0	Black	Four Lobe - Standard Knob	Phenolic	KF079C-040-4L13
39.88 (1.57")	14.0	Black	Seven Lobe - Standard Knob	Phenolic	KF079C-040-7L-BR
39.88 (1.57")	14.0	Black	Seven Lobe - Standard Knob	Thermoplastic	KF079C-040-7L-ST
39.88 (1.57")	14.0	Black	Seven Lobe - Standard Knob	Thermoplastic	KF079C-040-7L-SS
39.88 (1.57")	14.0	Black	Seven Lobe - Standard Knob	Thermoplastic	KF079C-040-7L-SP
39.88 (1.57")	14.0	Black	Three Lobe - Standard Knob	Thermoplastic	KF079C-040-3L
39.88 (1.57")	14.0	Black	Three Lobe - Through Hole Knob	Thermoplastic	KF079C-040-3L-P
39.88 (1.57")	16.0	Black	Five Lobe - Standard Knob	Phenolic	KF079C-040-5L-BR16
39.88 (1.57")	-		Knurled - Soft Touch Knob	Soft-Touch Thermoplastic	KF079C-040-KN-SFT-TP
39.88 (1.57")	-		Five Lobe - Soft Touch -Through Hole Knob		KF079C-040-5LSFT-P
39.88 (1.57")	18.0	Black	Five Lobe - Standard Knob	Plastic	KF079C-040-5L-BR18
40.13 (1.58")	11.9	Black	Cross - Standard Knob	Thermoplastic	KF079C-040-CS-SS
40.13 (1.58")	11.9	Black	Cross - Standard Knob	Thermoplastic	KF079C-040-CSL
40.13 (1.58")	11.9	Black	Cross - Through Hole Knob	Thermoplastic	KF079C-040-CH
40.13 (1.58")	11.9	Black	Cross - Through Hole Knob	Thermoplastic	KF079C-040-CH-SS
40.13 (1.58")	11.9	Black	Six Lobe - Standard Knob	Thermoplastic	KF079C-040-6L-SS
40.13 (1.58")	11.9	Black	Six Lobe - Standard Knob	Thermoplastic	KF079C-040-6L-BR
40.13 (1.58")	11.9	Black	Six Lobe - Through Hole Knob	Thermoplastic	KF079C-040-6L-PBR
40.13 (1.58")	11.9	Black	Six Lobe - Through Hole Knob	Thermoplastic	KF079C-040-6L-PSS
41.28 (1.63")	-	Black	Ball - Threaded Knob	Phenolic	KF079C-041-TPH-IN
41.28 (1.63")	-	Red	Ball - Threaded Knob	Phenolic	KF079C-041-TPH-IN-R
41.28 x 55.96 (1.63")	46.4		Mushroom Oval - Threaded Knob	Phenolic	KF079C-041-MOPH
42.67 (1.68")		Black	Tri - Through Hole Knob	Thermoplastic	KF079C-043-TRI-PF
43.94 (1.73")	14.0	Black	Six Lobe - Standard Knob	Phenolic	KF079C-044-6L-BR
44.45 (1.75")		Black	Tri - Through Hole - Knob-Lok Knob	Polypropylene	KF079C-044-TRI-PFKLK
44.45 (1.75")	11.1	Black	Cross - Blind Knob	Phenolic	KF079C-044-CB
44.45 (1.75")	12.7	Black	Cross - Blind Knob	Nylon	KF079C-044-CBL
44.45 (1.75")	12.7	Black	Cross - Through Hole Knob	Nylon	KF079C-044-CH-NY
44.45 (1.75")	15.9	Black	Cross - Through Hole Knob	Phenolic	KF079C-044-CH-PH
44.96 (1.77")		Black	Tri - Blind Hole Knob	Thermoplastic	KF079C-045-TRI-BHF
44.96 (1.77")		Black	Tri - Through Hole Knob	Thermoplastic	KF079C-045-TRI-PF
48.51 (1.91")	12.7	Black	Five Lobe - Soft Touch Knob	Thermoplastic	KF079C-049-5LSFT

 Usually stocked or Short Delivery
 ** Available while stocks last **

 Long Delivery or Large Minimum Quantities
 Not in current production



Female Knobs



Head Diameter (A) mm (in.)	Thread Length mm (in.)	Colour	Style	Knob Material	Part Number
48.51 (1.91")	-	Black	Five Lobe - Soft Touch -Through Hole Knob	Thermoplastic	KF079C-049-5LSFT-P
50.00 (1.97")	62.0		Round - Soft Knob		KF079C-050-RSFTF
50.04 (1.97")		Black	Six Lobe - Standard Knob	Plastic	KF079C-050-6L-SP
50.04 (1.97")	11.9	Black	Cross - Standard Knob	Thermoplastic	KF079C-050-CS-SS
50.04 (1.97")	11.9	Black	Cross - Standard Knob	Thermoplastic	KF079C-050-CS
50.04 (1.97")	11.9	Black	Cross - Through Hole Knob	Thermoplastic	KF079C-050-CH-SS
50.04 (1.97")	11.9	Black	Cross - Through Hole Knob	Thermoplastic	KF079C-050-CH
50.04 (1.97")	11.9	Black	Six Lobe - Standard Knob	Thermoplastic	KF079C-050-6L-BR
50.04 (1.97")	11.9	Black	Six Lobe - Standard Knob	Thermoplastic	KF079C-050-6L-SS
50.04 (1.97")	11.9	Black	Six Lobe - Through Hole Knob	Thermoplastic	KF079C-050-6L-PBR
50.04 (1.97")	11.9	Black	Six Lobe - Through Hole Knob	Thermoplastic	KF079C-050-6L-PSS
50.04 (1.97")	11.9	Black	Four Lobe - Standard Knob	Thermoplastic	KF079C-050-4L11
50.04 (1.97")	11.9	Black	Four Lobe - Through Hole Knob	Thermoplastic	KF079C-050-4L-P
50.04 (1.97")	14.0	Black	Four Lobe - Standard Knob	Phenolic	KF079C-050-4L13
50.04 (1.97")	14.0	Black	Seven Lobe - Standard Knob	Thermoplastic	KF079C-050-7L-ST
50.04 (1.97")	14.0		Three Lobe - Safety Knob	41.91	KF079C-050-3L-SAF
50.04 (1.97")	14.0	Black	Three Lobe - Standard Knob	Thermoplastic	KF079C-050-3L
50.04 (1.97")	14.0	Black	Three Lobe - Through Hole Knob	Thermoplastic	KF079C-050-3L-P
50.04 (1.97")	16.0	Black	Five Lobe - Standard Knob	Plastic	KF079C-050-5L-BR16
50.04 (1.97")	-		Knurled - Soft Touch Knob	Soft-Touch Thermoplastic	KF079C-050-KN-SFT-TP
50.04 (1.97")	18.0	Black	Five Lobe - Standard Knob	Phenolic	KF079C-050-5L-BR18
50.04 (1.97")	18.0	Black	Seven Lobe - Standard Knob	Thermoplastic	KF079C-050-7L-SP
50.04 (1.97")	20.1	Black	Five Lobe - Standard Knob	Phenolic	KF079C-050-5L-BR20A
50.04 (1.97")	20.1	Black	Five Lobe - Standard Knob	Plastic	KF079C-050-5L-BR20B
50.80 (2.00")		Black	Tri - Through Hole Knob	Phenolic	KF079C-051-TRI-PF
50.80 (2.00")	9.5		Wing Knob	Phenolic	KF079C-051-W
51.60 (2.03")	38.1		Mushroom Round - Threaded Knob	Phenolic	KF079C-052-MRPH
57.15 (2.25")	12.7	Black	Cross - Blind Knob	Thermoplastic	KF079C-057-CB
57.15 (2.25")	12.7	Black	Cross - Blind Knob	Phenolic	KF079C-057-CBL
57.15 (2.25")	12.7	Black	Cross - Through Hole Knob	Nylon	KF079C-057-CH-NY
57.15 (2.25")	15.9	Black	Cross - Through Hole Knob	Phenolic	KF079C-057-CH
57.15 (2.25")	18.3	Black	Five Lobe - Through Hole Knob	Polypropylene	KF079C-057-5L-PB
57.15 (2.25")	25.4	Black	Five Lobe - Through Hole Knob	Polypropylene	KF079C-057-5L-PA
57.40 (2.26")	12.7	Black	Five Lobe - Soft Touch Knob	Thermoplastic	KF079C-057-5LSFT
57.40 (2.26")	-	Black	Five Lobe - Soft Touch -Through Hole Knob	Thermoplastic	KF079C-057-5LSFT-P
59.94 (2.36")	11.9	Black	Cross - Standard Knob	Thermoplastic	KF079C-060-CS-SS
59.94 (2.36")	11.9	Black	Cross - Standard Knob	Thermoplastic	KF079C-060-CS
59.94 (2.36")	11.9	Black	Six Lobe - Standard Knob	Thermoplastic	KF079C-060-6L-BR
59.94 (2.36")	11.9	Black	Six Lobe - Standard Knob	Thermoplastic	KF079C-060-6L-SS
65.02 (2.56")		Black	Tri - Blind Hole Knob	Thermoplastic	KF079C-065-TRI-BHF
65.02 (2.56")		Black	Tri - Through Hole Knob	Thermoplastic	KF079C-065-TRI-PF
76.20 (3.00")	12.7	Black	Four Lobe - Soft Touch Knob	Thermoplastic	KF079C-076-4L-SFT
76.20 (3.00")	15.9	Black	Cross - Through Hole Knob	Thermoplastic	KF079C-076-CH



Thread Size 5/16-24 UNF (7.94mm)

25.40 (1.00")	-	Black	Ball - Threaded Knob	Phenolic	KF079F-025-TPH-IN
25.40 (1.00")	-	Red	Ball - Threaded Knob	Phenolic	** KF079F-025-TPH-IN-R
25.40 (1.00")	12.7		Ball - Threaded Knob	Steel	KF079F-025-TPST
34.93 (1.38")	15.9		Ball - Threaded Knob	Steel	KF079F-035-TPST
38.10 (1.50")	15.9		Ball - Threaded Knob		KF079F-038-TPST
44.45 (1.75")	11.1	Black	Cross - Blind Knob	Phenolic	KF079F-044-CB
44.45 (1.75")	15.9	Black	Cross - Through Hole Knob	Phenolic	KF079F-044-CH
51.60 (2.03")	38.1		Mushroom Round - Threaded Knob	Phenolic	KF079F-052-MRPH

Shaft Diameter 7.94 Push On

38.10 (1.50")	14.3		Oval Tapered - Press On Knob		** KF079-038-OT-P
---------------	------	--	------------------------------	--	-------------------

 Usually stocked or Short Delivery
 ** Available while stocks last **

 Long Delivery or Large Minimum Quantities
 Not in current production



Female Knobs

Head Diameter (A) mm (in.)	Thread Length mm (in.)	Colour	Style	Knob Material	Part Number
-------------------------------	---------------------------	--------	-------	---------------	-------------

Thread Size 8.00 (H7) Press Fit (0.31")

40.00 (1.57")	12.0		Press Fit Type C Lobe Knob	303 Stainless Steel	KF080PF-040-L303
---------------	------	--	----------------------------	---------------------	------------------

Thread Size M8x1.25 (8.00mm Standard)

25.00 (0.98")	-	Black	Ball - Threaded Knob	Phenolic	KF080M-025-TPH-IN
25.00 (0.98")	1.0		Ball - Threaded Knob	Thermoplastic	KF080M-025-TTPL-TT
25.00 (0.98")	9.0		Ball - Threaded Knob	Thermoplastic	KF080M-025-TTPL-ST
26.00 (1.02")	13.0	White	Knurled Knurled - Clean Line Knob	Duroplast	KF080M-026-CL
30.00 (1.18")	-		Ball - Threaded Knob	Thermoplastic	KF080M-030-TTPL-BR
30.00 (1.18")	-		Ball - Threaded Knob	Thermoplastic	KF080M-030-TTPL-MT
30.00 (1.18")	-		Knurled Knob	Plastic	** KF080M-030-TQ
30.00 (1.18")	15.0		Lever - Threaded Bore Knob	Plastic	** KF080M-030-LVR
31.75 (1.25")	13.1	Black	Cross - Through Hole Knob	Phenolic	KF080M-032-CH
32.00 (1.26")	-	Black	Ball - Threaded Knob	Phenolic	** KF080M-032-TPH-IN
32.00 (1.26")	-	Black	Ball - Threaded Knob		KF080M-032-TPH
32.00 (1.26")	12.0		Ball - Threaded Knob	Thermoplastic	KF080M-032-TTPL-ST
32.00 (1.26")	14.5		Ball - Threaded Knob	Thermoplastic	KF080M-032-TTPL-TT
32.00 (1.26")			Ball - Threaded Knob	Steel	KF080M-032-TPST
32.00 (1.26")	14.5		Ball - Threaded Knob	Stainless Steel	KF080M-032-T303
35.00 (1.38")	-	Black	Ball - Threaded Knob	Phenolic	KF080M-035-TPH-IN
38.10 (1.50")	-	Black	Five Lobe - Hex Head Bolt Knob	Thermoplastic	KF080M-038-5LHX
39.00 (1.54")	16.0		Push-Pull Knob		KF080M-039-PP
40.00 (1.57")	11.0	Black	Five Lobe - Standard Knob	Thermoplastic	KF080M-040-5L-ST11
40.00 (1.57")	12.0		Threaded Type E Lobe Knob	303 Stainless Steel	KF080M-040-L303
40.00 (1.57")	13.0	White	Star Knobs Five Lobe - Clean Line Knob	Glass fibre	KF080M-040-5LCL
40.00 (1.57")	-	Black	Seven Lobe - Quick Acting Knob	Thermoplastic	KF080M-040-7LQA
40.00 (1.57")	14.0	Black	Five Lobe - Standard Knob	Phenolic	KF080M-040-5L-ST14
40.00 (1.57")	14.0	Black	Seven Lobe - Standard Knob	Thermoplastic	KF080M-040-7L-SP
40.00 (1.57")	14.0	Black	Seven Lobe - Standard Knob	Thermoplastic	KF080M-040-7L-ST
40.00 (1.57")	16.0		Star Knob		KF080M-040-STRF-PL
40.00 (1.57")	18.0	Black	Six Lobe - Through Hole Knob	Thermoplastic	KF080M-040-6L-PSS
40.00 (1.57")	18.0	Black	Six Lobe - Through Hole Knob	Thermoplastic	KF080M-040-6L-PBR
40.00 (1.57")	20.0		Wing - Contoured Knob		KF080M-040-W
43.00 (1.69")	15.0		Star - Soft Knob	Rubber	KF080M-043-STRF-SFT
44.00 (1.73")	13.0		Grip - Soft Knob		KF080M-044-GSC
44.45 (1.75")	15.9	Black	Cross - Through Hole Knob	Phenolic	KF080M-044-CH
50.00 (1.97")		Black	Tri Knob	Phenolic	KF080M-050-TRI-BHF
50.00 (1.97")	14.0	Black	Five Lobe - Standard Knob	Phenolic	KF080M-050-5L-ST14
50.00 (1.97")	14.0	Black	Seven Lobe - Standard Knob	Thermoplastic	KF080M-050-7L-ST
50.00 (1.97")	14.0		Three Lobe - Safety Knob	42.00	KF080M-050-3L-SAF
50.00 (1.97")	15.0		Threaded Type E Lobe Knob	303 Stainless Steel	KF080M-050-L303
50.00 (1.97")	18.0	Black	Seven Lobe - Standard Knob	Thermoplastic	KF080M-050-7L-SP
50.00 (1.97")	18.0	Black	Six Lobe - Through Hole Knob	Thermoplastic	KF080M-050-6L-PBR
50.00 (1.97")	62.0		Round - Soft Knob		KF080M-050-RSFTF
51.60 (2.03")	38.1		Mushroom Round - Threaded Knob	Phenolic	KF080M-052-MRPH
62.00 (2.44")		Black	Tri Knob	Phenolic	KF080M-062-TRI-BHF
70.00 (2.76")	25.0		Wing - Contoured Knob		KF080M-070-W
40.0 (393.66")	15.0		Star - 304 Stainless - Threaded Knob		KF080M-040-STRF-304

Thread Size 3/8 UNC or UNF Hex Head Bolt (not supplied)

47.63 (1.88")	-	Black	Five Lobe - Hex Head Bolt Knob	Thermoplastic	KF095-048-5LHX
---------------	---	-------	--------------------------------	---------------	----------------

Thread Size 3/8-16 UNC (9.53mm)

25.40 (1.00")	-	Red	Ball - Threaded Knob		KF095C-025-TPH-IN-R
25.40 (1.00")	-	Black	Ball - Threaded Knob	Phenolic	KF095C-025-TPH-IN
25.40 (1.00")	-		Polished Ball - Threaded - Polished Brass Knob	Brass	KF095C-025-TPBR-P

Usually stocked or Short Delivery
 ** Available while stocks last **

Long Delivery or Large Minimum Quantities
 Not in current production




Female Knobs

Head Diameter (A) mm (in.)	Thread Length mm (in.)	Colour	Style	Knob Material	Part Number
25.40 (1.00")	-		Raw Ball - Threaded - Polished Brass Knob	Brass	KF095C-025-TPBR-R
25.40 (1.00")		Black	Tri - Blind Hole Knob	ABS	KF095C-025-TRI-BHF
25.40 (1.00")		Black	Tri - Through Hole Knob	ABS	KF095C-025-TRI-PF
25.40 (1.00")	12.7		Ball - Threaded Knob	Steel	KF095C-025-TPST
30.16 (1.19")	-	Red	Ball - Threaded Knob	Phenolic	KF095C-030-TPH-IN-R
30.16 (1.19")	-	Black	Ball - Threaded Knob	Phenolic	KF095C-030-TPH-IN
31.75 (1.25")		Black	Tri - Blind Hole Knob	ABS	KF095C-032-TRI-BHF
31.75 (1.25")		Black	Tri - Through Hole Knob	ABS	KF095C-032-TRI-PF
31.75 (1.25")	9.5	Black	Three Lobe - Blind Hole - Solid Top Knob	Phenolic	KF095C-032-3L-BHST
31.75 (1.25")	-		Ball - Threaded with Shank Knob	Phenolic	KF095C-032-TPHS
34.92 (1.37")			Ball - Threaded - Soft Touch Knob	Rubber	KF095C-035-TSFT
34.93 (1.38")	-	Red	Ball - Threaded Knob	Phenolic	KF095C-035-TPH-IN-R
34.93 (1.38")	-	Black	Ball - Threaded Knob	Phenolic	KF095C-035-TPH-IN
34.93 (1.38")	15.9		Ball - Threaded Knob	Steel	KF095C-035-TPST
35.05 (1.38")	14.0		Ball - Threaded with Groove Knob		KF095C-035-TPLG
35.05 (1.38")	14.0		Ball - Threaded with Knurl Knob	Plastic	KF095C-035-TPLK
38.10 (1.50")	-	Black	Ball - Threaded Knob	Phenolic	KF095C-038-TPH-IN
38.10 (1.50")	-		Polished Ball - Threaded - Polished Brass Knob	Brass	KF095C-038-TPBR-P
38.10 (1.50")	-		Raw Ball - Threaded - Polished Brass Knob	Brass	KF095C-038-TPBR-R
38.10 (1.50")	-		Ball - Threaded - Soft Touch Knob	Rubber	KF095C-038-TSFT
38.10 (1.50")	15.9		Ball - Threaded Knob	Steel	KF095C-038-TPST
38.10 (1.50")	-		Ball - Threaded - Wrench Flats and Knob-Lok Knob		KF095C-038-TWFKL
38.10 (1.50")	-		Ball - Threaded with Shank Knob	Phenolic	KF095C-038-TPHS
38.61 (1.52")	12.7	Black	Five Lobe - Soft Touch Knob	Thermoplastic	KF095C-039-5LSFT
38.61 (1.52")	-	Black	Five Lobe - Soft Touch -Through Hole Knob	Thermoplastic	KF095C-039-5LSFT-P
39.69 (1.56")			Ball - Threaded Knob	Aluminium	KF095C-040-TPAL
39.88 (1.57")		Black	Six Lobe - Standard Knob	Plastic	KF095C-040-6L-SP
39.88 (1.57")	14.0	Black	Seven Lobe - Standard Knob	Thermoplastic	KF095C-040-7L-ST
39.88 (1.57")	-		Knurled - Soft Touch Knob	Soft-Touch Thermoplastic	KF095C-040-KN-SFT-TP
39.88 (1.57")	39.9		Ball - Novo-Grip Knob	Rubber	KF095C-040-NG
40.13 (1.58")	14.3	Black	Cross - Standard Knob	Thermoplastic	KF095C-040-CS
40.13 (1.58")	14.3	Black	Cross - Standard Knob	Thermoplastic	KF095C-040-CS-SS
40.13 (1.58")	14.3	Black	Six Lobe - Standard Knob	Thermoplastic	KF095C-040-6L-SS
40.13 (1.58")	14.3	Black	Six Lobe - Standard Knob	Thermoplastic	KF095C-040-6L-BR
41.28 (1.63")	-	Black	Ball - Threaded Knob	Phenolic	KF095C-041-TPH-IN
41.28 (1.63")	-	Red	Ball - Threaded Knob		KF095C-041-TPH-IN-R
41.28 (1.63")	9.5	Black	Three Lobe - Blind Hole - Solid Top Knob	Phenolic	KF095C-041-3L-BHST
41.28 x 55.96 (1.63")	46.4		Mushroom Oval - Threaded Knob	Phenolic	KF095C-041-MOPH
43.66 (1.72")	-		Ball - Threaded with Shank Knob	Phenolic	KF095C-044-TPHS
43.94 (1.73")	14.0	Black	Six Lobe - Standard Knob	Phenolic	KF095C-044-6L-BR
44.45 (1.75")		Black	Tri - Through Hole - Knob-Lok Knob	Polypropylene	KF095C-044-TRI-PFKLK
44.45 (1.75")	12.7	Black	Cross - Blind Knob	Phenolic	KF095C-044-CBL
44.45 (1.75")	12.7	Black	Cross - Blind Knob	Thermoplastic	KF095C-044-CB
44.45 (1.75")	15.9	Black	Cross - Through Hole Knob	Phenolic	KF095C-044-CH
44.45 (1.75")	-		Ball - Threaded - Lateral Grooved Knob		KF095C-044-TLG
47.62 (1.87")	-	Red	Ball - Threaded Knob	Phenolic	KF095C-048-TPH-R
47.62 (1.87")	-	Red	Ball - Threaded Knob	Phenolic	KF095C-048-TPH-IN-R
47.62 (1.87")	-	Black	Ball - Threaded Knob	Phenolic	KF095C-048-TPH-IN
47.62 (1.87")	-	Black	Ball - Threaded Knob	Phenolic	KF095C-048-TPH
47.63 (1.88")	12.7		Ball - Threaded - Recessed Top Knob	Plastic	KF095C-048-TRT
48.51 (1.91")	12.7	Black	Five Lobe - Soft Touch Knob	Thermoplastic	KF095C-049-5LSFT
48.51 (1.91")	-	Black	Five Lobe - Soft Touch -Through Hole Knob	Thermoplastic	KF095C-049-5LSFT-P
50.00 (1.97")	62.0		Round - Soft Knob		KF095C-050-RSFTF
50.04 (1.97")		Black	Six Lobe - Standard Knob	Plastic	KF095C-050-6L-SP



Usually stocked or Short Delivery
 ** Available while stocks last **



Long Delivery or Large Minimum Quantities
 Not in current production



Female Knobs

Head Diameter (A) mm (in.)	Thread Length mm (in.)	Colour	Style	Knob Material	Part Number
50.04 (1.97")	14.0	Black	Cross - Standard Knob	Phenolic	KF095C-050-CS
50.04 (1.97")	14.0	Black	Four Lobe - Standard Knob	Phenolic	KF095C-050-4LB
50.04 (1.97")	14.0	Black	Seven Lobe - Standard Knob	Thermoplastic	KF095C-050-7L-ST
50.04 (1.97")	14.0	Black	Seven Lobe - Standard Knob	Thermoplastic	KF095C-050-7L-SS
50.04 (1.97")	14.0	Black	Seven Lobe - Standard Knob	Phenolic	KF095C-050-7L-BR
50.04 (1.97")	14.0	Black	Three Lobe - Standard Knob	Thermoplastic	KF095C-050-3L
50.04 (1.97")	14.2	Black	Four Lobe - Standard Knob	Thermoplastic	KF095C-050-4LA
50.04 (1.97")	14.2	Black	Four Lobe - Through Hole Knob	Thermoplastic	KF095C-050-4L-P
50.04 (1.97")	14.3	Black	Cross - Standard Knob	Thermoplastic	KF095C-050-CS-SS
50.04 (1.97")	14.3	Black	Cross - Standard Knob	Thermoplastic	KF095C-050-CSL
50.04 (1.97")	14.3	Black	Cross - Through Hole Knob	Thermoplastic	KF095C-050-CH
50.04 (1.97")	14.3	Black	Cross - Through Hole Knob	Thermoplastic	KF095C-050-CH-SS
50.04 (1.97")	14.3	Black	Six Lobe - Standard Knob	Thermoplastic	KF095C-050-6L-BR
50.04 (1.97")	14.3	Black	Six Lobe - Standard Knob	Thermoplastic	KF095C-050-6L-SS
50.04 (1.97")	14.3	Black	Six Lobe - Through Hole Knob	Thermoplastic	KF095C-050-6L-PBR
50.04 (1.97")	14.3	Black	Six Lobe - Through Hole Knob	Thermoplastic	KF095C-050-6L-PSS
50.04 (1.97")	16.0	Black	Five Lobe - Standard Knob	Plastic	KF095C-050-5L-BR16B
50.04 (1.97")	16.0	Black	Five Lobe - Standard Knob	Plastic	KF095C-050-5L-BR16A
50.04 (1.97")	-		Knurled - Soft Touch Knob	Soft-Touch Thermoplastic	KF095C-050-KN-SFT-TP
50.04 (1.97")	17.0	Black	Five Lobe - Standard Knob	Phenolic	KF095C-050-5L-BR17
50.04 (1.97")	17.0	Black	Five Lobe - Standard Knob	Phenolic	KF095C-050-5L-SS
50.04 (1.97")	17.0		Three Lobe - Safety Knob	41.91	KF095C-050-3L-SAF
50.04 (1.97")	18.0	Black	Seven Lobe - Standard Knob	Thermoplastic	KF095C-050-7L-SP
50.04 (1.97")	-		Five Lobe - Soft Touch -Through Hole Knob		KF095C-050-5LSFT-P
50.04 (1.97")	20.1	Black	Five Lobe - Standard Knob	Plastic	KF095C-050-5L-BR20B
50.04 (1.97")	20.1	Black	Five Lobe - Standard Knob	Phenolic	KF095C-050-5L-BR20A
50.04 (1.97")	50.0		Ball - Novo-Grip Knob	Rubber	KF095C-050-NG-SS
50.80 (2.00")		Black	Tri - Blind Hole Knob	Phenolic	** KF095C-051-TRI-BHF
50.80 (2.00")		Black	Tri - Through Hole Knob	Phenolic	KF095C-051-TRI-PF
50.80 (2.00")	19.1		Ball - Threaded Knob		KF095C-051-TPST
51.60 (2.03")	38.1		Mushroom Round - Threaded Knob	Phenolic	KF095C-052-MRPH15
51.60 (2.03")	38.1		Mushroom Round - Threaded Knob	Phenolic	KF095C-052-MRPH12
55.12 (2.17")	14.0	Black	Six Lobe - Standard Knob	Phenolic	KF095C-055-6L-BR
55.12 (2.17")	22.9	Black	Three Lobe - Soft Touch Knob	Thermoplastic	KF095C-055-3L-SFT
57.15 (2.25")	12.7	Black	Cross - Blind Knob	Thermoplastic	KF095C-057-CB
57.15 (2.25")	12.7	Black	Cross - Blind Knob	Phenolic	KF095C-057-CBL
57.15 (2.25")	12.7	Black	Cross - Through Hole Knob	Nylon	KF095C-057-CH-NY
57.15 (2.25")	15.9	Black	Cross - Through Hole Knob	Phenolic	KF095C-057-CH-PH
57.15 (2.25")	18.3	Black	Five Lobe - Through Hole Knob	Polypropylene	KF095C-057-5L-PB
57.15 (2.25")	25.4	Black	Five Lobe - Through Hole Knob	Polypropylene	KF095C-057-5L-PA
57.40 (2.26")	12.7	Black	Five Lobe - Soft Touch Knob	Thermoplastic	KF095C-057-5LSFT
57.40 (2.26")	-	Black	Five Lobe - Soft Touch -Through Hole Knob	Thermoplastic	KF095C-057-5LSFT-P
59.94 (2.36")	14.2	Black	Four Lobe - Standard Knob	Thermoplastic	KF095C-060-4L
59.94 (2.36")	14.2	Black	Four Lobe - Through Hole Knob	Thermoplastic	KF095C-060-4L-P
59.94 (2.36")	14.3	Black	Cross - Standard Knob	Thermoplastic	KF095C-060-CS
59.94 (2.36")	14.3	Black	Cross - Standard Knob	Thermoplastic	KF095C-060-CS-SS
59.94 (2.36")	14.3	Black	Cross - Through Hole Knob	Thermoplastic	KF095C-060-CH
59.94 (2.36")	14.3	Black	Cross - Through Hole Knob	Thermoplastic	KF095C-060-CH-SS
59.94 (2.36")	14.3	Black	Six Lobe - Standard Knob	Thermoplastic	KF095C-060-6L-BR
59.94 (2.36")	14.3	Black	Six Lobe - Standard Knob	Thermoplastic	KF095C-060-6L-SS
59.94 (2.36")	14.3	Black	Six Lobe - Through Hole Knob	Thermoplastic	KF095C-060-6L-PBR
59.94 (2.36")	14.3	Black	Six Lobe - Through Hole Knob	Thermoplastic	KF095C-060-6L-PSS
59.94 (2.36")	17.0	Black	Five Lobe - Standard Knob	Phenolic	KF095C-060-5L-ST17
59.94 (2.36")	20.1	Black	Five Lobe - Standard Knob	Phenolic	KF095C-060-5L-ST20
62.99 (2.48")	14.0	Black	Seven Lobe - Standard Knob	Thermoplastic	KF095C-063-7L-ST

 Usually stocked or Short Delivery
 ** Available while stocks last **

 Long Delivery or Large Minimum Quantities
 Not in current production



Female Knobs

Head Diameter (A) mm (in.)	Thread Length mm (in.)	Colour	Style	Knob Material	Part Number
62.99 (2.48")	14.0	Black	Three Lobe - Standard Knob	Thermoplastic	KF095C-063-3L
62.99 (2.48")	20.1	Black	Five Lobe - Standard Knob	Plastic	KF095C-063-5L-BR20
62.99 (2.48")	22.1	Black	Seven Lobe - Standard Knob	Thermoplastic	KF095C-063-7L-SP
62.99 (2.48")	23.1	Black	Three Lobe - Through Hole Knob	Thermoplastic	KF095C-063-3L-P
62.99 (2.48")	-		Five Lobe - Soft Touch -Through Hole Knob		KF095C-063-5LSFT-P
62.99 (2.48")	25.9	Black	Five Lobe - Standard Knob	Plastic	KF095C-063-5L-BR26
63.50 (2.50")	12.7	Black	Four Lobe - Soft Touch Knob	Thermoplastic	KF095C-064-4L-SFT
65.02 (2.56")		Black	Tri - Blind Hole Knob	Thermoplastic	KF095C-065-TRI-BHF
65.02 (2.56")		Black	Tri - Through Hole Knob	Thermoplastic	KF095C-065-TRI-PF
69.09 (2.72")	24.9	Black	Six Lobe - Standard Knob	Phenolic	KF095C-069-6L-ST
76.20 (3.00")	12.7	Black	Four Lobe - Soft Touch Knob	Thermoplastic	KF095C-076-4L-SFT
76.20 (3.00")	15.9	Black	Cross - Blind Knob	Thermoplastic	KF095C-076-CB
76.20 (3.00")	15.9	Black	Cross - Through Hole Knob	Thermoplastic	KF095C-076-CH
85.09 (3.35")		Black	Tri - Blind Hole Knob	Thermoplastic	KF095C-085-TRI-BHF
85.09 (3.35")		Black	Tri - Through Hole Knob	Thermoplastic	KF095C-085-TRI-PF
104.90 (4.13")		Black	Tri - Blind Hole Knob	Thermoplastic	KF095C-105-TRI-BHF
104.90 (4.13")		Black	Tri - Through Hole Knob	Thermoplastic	KF095C-105-TRI-PF

Thread Size 3/8-24 UNF (9.53mm)

25.40 (1.00")	-	Red	Ball - Threaded Knob	Phenolic	KF095F-025-TPH-IN-R
25.40 (1.00")	-	Black	Ball - Threaded Knob	Phenolic	KF095F-025-TPH-IN
30.16 (1.19")	-	Black	Ball - Threaded Knob	Phenolic	KF095F-030-TPH-IN
30.16 (1.19")	-	Red	Ball - Threaded Knob		KF095F-030-TPH-IN-R
34.93 (1.38")	-	Red	Ball - Threaded Knob		KF095F-035-TPH-IN-R
34.93 (1.38")	-	Black	Ball - Threaded Knob	Phenolic	KF095F-035-TPH-IN
34.93 (1.38")	15.9		Ball - Threaded Knob	Steel	KF095F-035-TPST
41.28 (1.63")	-	Red	Ball - Threaded Knob		KF095F-041-TPH-IN-R
41.28 (1.63")	-	Black	Ball - Threaded Knob	Phenolic	KF095F-041-TPH-IN
41.28 x 55.96 (1.63")	46.4		Mushroom Oval - Threaded Knob	Phenolic	KF095F-041-MOPH
44.45 (1.75")	12.7	Black	Cross - Blind Knob	Phenolic	KF095F-044-CB
44.45 (1.75")	15.9	Black	Cross - Through Hole Knob	Phenolic	KF095F-044-CH
47.62 (1.87")	-	Black	Ball - Threaded Knob	Phenolic	KF095F-048-TPH
47.62 (1.87")	-	Black	Ball - Threaded Knob	Phenolic	KF095F-048-TPH-IN
47.62 (1.87")	-	Red	Ball - Threaded Knob	Phenolic	KF095F-048-TPH-IN-R
47.63 (1.88")	12.7		Ball - Threaded - Recessed Top Knob	Plastic	KF095F-048-TPST
50.80 (2.00")	19.1		Ball - Threaded Knob		KF095F-051-TPST
51.60 (2.03")	38.1		Mushroom Round - Threaded Knob	Phenolic	KF095F-052-MRPH
57.15 (2.25")	12.7	Black	Cross - Blind Knob	Phenolic	KF095F-057-CB
57.15 (2.25")	15.9	Black	Cross - Through Hole Knob	Phenolic	KF095F-057-CH
76.20 (3.00")	15.9	Black	Cross - Blind Knob	Thermoplastic	KF095F-076-CB

Shaft Diameter 9.53 Push On

50.80 (2.00")	19.1		Oval Tapered - Press On Knob	Phenolic	** KF095-051-OT-P
---------------	------	--	------------------------------	----------	-------------------

Thread Size 9.53 Unthreaded



69.09 (2.72")	24.9	Black	Six Lobe - Standard Knob	Phenolic	KF095P-069-6L-ST
---------------	------	-------	--------------------------	----------	------------------



Thread Size 10.00 (H7) Press Fit (0.39")

50.00 (1.97")	15.0		Press Fit Type C Lobe Knob	303 Stainless Steel	KF100PF-050-L303
---------------	------	--	----------------------------	---------------------	------------------

Thread Size M10x1.5 (10.00mm Standard)

25.00 (0.98")	-	Black	Ball - Threaded Knob	Phenolic	KF100M-025-TPH-IN
31.00 (1.22")	17.0	White	Knurled Knurled - Clean Line Knob	Duroplast	KF100M-031-CL
32.00 (1.26")	12.0		Ball - Threaded Knob	Thermoplastic	KF100M-032-TTPL-ST
32.00 (1.26")	14.5		Ball - Threaded Knob	Thermoplastic	KF100M-032-TTPL-TT
35.00 (1.38")	-	Black	Ball - Threaded Knob	Phenolic	KF100M-035-TPH-IN
35.00 (1.38")	-		Ball - Threaded Knob	Thermoplastic	KF100M-035-TTPL-BR

 Usually stocked or Short Delivery
 ** Available while stocks last **

 Long Delivery or Large Minimum Quantities
 Not in current production



Female Knobs

Head Diameter (A) mm (in.)	Thread Length mm (in.)	Colour	Style	Knob Material	Part Number
35.00 (1.38")	-		Ball - Threaded Knob	Thermoplastic	KF100M-035-TTPL-MT
40.00 (1.57")	-		Ball - Threaded Knob	Thermoplastic	KF100M-040-TTPL-BR
40.00 (1.57")	-		Ball - Threaded Knob	Thermoplastic	KF100M-040-TTPL-MT
40.00 (1.57")	14.0	Black	Five Lobe - Standard Knob	Phenolic	KF100M-040-5L-ST
40.00 (1.57")	14.0	Black	Seven Lobe - Standard Knob	Thermoplastic	KF100M-040-7L-ST
40.00 (1.57")	18.0		Ball - Threaded Knob	Stainless Steel	KF100M-040-T303
44.45 (1.75")	15.9	Black	Cross - Through Hole Knob	Phenolic	KF100M-044-CH
47.63 (1.88")	-	Black	Five Lobe - Hex Head Bolt Knob	Thermoplastic	KF100M-048-5LHX
48.00 (1.89")	-	Black	Ball - Threaded Knob	Phenolic	KF100M-048-TPH-IN
50.00 (1.97")	14.0	Black	Five Lobe - Standard Knob	Phenolic	KF100M-050-5L-ST14A
50.00 (1.97")	14.0	Black	Five Lobe - Standard Knob	Thermoplastic	KF100M-050-5L-ST14B
50.00 (1.97")	14.0	Black	Seven Lobe - Standard Knob	Thermoplastic	KF100M-050-7L-ST
50.00 (1.97")	15.0		Threaded Type E Lobe Knob	303 Stainless Steel	KF100M-050-L303
50.00 (1.97")	17.0	White	Star Knobs Five Lobe - Clean Line Knob	Glass fibre	KF100M-050-5LCL
50.00 (1.97")	17.0		Three Lobe - Safety Knob	42.00	KF100M-050-3L-SAF
50.00 (1.97")	18.0	Black	Seven Lobe - Standard Knob	Thermoplastic	KF100M-050-7L-SP
50.00 (1.97")	18.0	Black	Six Lobe - Through Hole Knob	Thermoplastic	KF100M-050-6L-PBR
50.00 (1.97")	18.0	Black	Six Lobe - Through Hole Knob	Thermoplastic	KF100M-050-6L-PSS
50.00 (1.97")	-	Black	Seven Lobe - Quick Acting Knob	Thermoplastic	KF100M-050-7LQA
50.00 (1.97")	21.0		Star Knob	Plastic	KF100M-050-STRF-PL
50.00 (1.97")	21.0		Push-Pull Knob		KF100M-050-PP
50.00 (1.97")	18.0		Star - 304 Stainless - Threaded Knob		KF100M-050-STRF-304
50.00 (1.97")	62.0		Round - Soft Knob		KF100M-050-RSFTF
51.60 (2.03")	38.1		Mushroom Round - Threaded Knob	Phenolic	KF100M-052-MRPH
53.00 (2.09")	18.0		Star - Soft Knob		KF100M-053-STRF-SFT
54.00 (2.13")	18.0		Grip - Soft Knob		KF100M-054-GSC
60.00 (2.36")	18.0		Threaded Type E Lobe Knob	303 Stainless Steel	KF100M-060-L303
63.00 (2.48")	14.0	Black	Seven Lobe - Standard Knob	Thermoplastic	KF100M-063-7L-ST
63.00 (2.48")	22.0	Black	Seven Lobe - Standard Knob	Thermoplastic	KF100M-063-7L-SP

Thread Size 7/16-20 UNF (11.11mm)



34.93 (1.38")	-	Black	Ball - Threaded Knob	Phenolic	KF111F-035-TPH-IN
34.93 (1.38")	-	Red	Ball - Threaded Knob	Phenolic	KF111F-035-TPH-IN-R
34.93 (1.38")	15.9		Ball - Threaded Knob	Steel	KF111F-035-TPST
41.28 (1.63")	-	Black	Ball - Threaded Knob	Phenolic	KF111F-041-TPH-IN
41.28 (1.63")	-	Red	Ball - Threaded Knob	Phenolic	KF111F-041-TPH-IN-R



Thread Size 12.00 (H7) Press Fit (0.47")

60.00 (2.36")	18.0		Press Fit Type C Lobe Knob	303 Stainless Steel	KF120PF-060-L303
---------------	------	--	----------------------------	---------------------	------------------

Thread Size M12x1.75 (12.00mm Standard)

35.00 (1.38")	-	Black	Ball - Threaded Knob	Phenolic	KF120M-035-TPH-IN
45.00 (1.77")	-		Ball - Threaded Knob	Thermoplastic	KF120M-045-TTPL-MT
48.00 (1.89")	-	Black	Ball - Threaded Knob	Phenolic	KF120M-048-TPH-IN
50.00 (1.97")	-		Ball - Threaded Knob	Thermoplastic	KF120M-050-TTPL-MT
50.00 (1.97")	18.0	Black	Seven Lobe - Standard Knob	Thermoplastic	KF120M-050-7L-ST
51.60 (2.03")	38.1		Mushroom Round - Threaded Knob	Phenolic	KF120M-052-MRPH
57.15 (2.25")	-	Black	Five Lobe - Hex Head Bolt Knob	Thermoplastic	KF120M-057-5LHX
60.00 (2.36")	18.0	Black	Six Lobe - Through Hole Knob	Thermoplastic	KF120M-060-6L-PBR
60.00 (2.36")	20.0	White	Star Knobs Five Lobe - Clean Line Knob	Glass fibre	KF120M-060-5LCL
60.00 (2.36")	22.0		Threaded Type E Lobe Knob	303 Stainless Steel	KF120M-060-L303
63.00 (2.48")	18.0	Black	Seven Lobe - Standard Knob	Thermoplastic	KF120M-063-7L-ST
63.00 (2.48")	-	Black	Seven Lobe - Quick Acting Knob	Thermoplastic	KF120M-063-7LQA
63.00 (2.48")	22.0	Black	Seven Lobe - Standard Knob	Thermoplastic	KF120M-063-7L-SP
60.0 (393.66")	22.0		Star - 304 Stainless - Threaded Knob		KF120M-060-STRF-304

 Usually stocked or Short Delivery
 ** Available while stocks last **

 Long Delivery or Large Minimum Quantities
 Not in current production

Black

Green

Red

Green

Red

Green

Red

Green

Red

Green

Red

Green

Red

Green

Red

Green

Red

Grey

Red

Green

Green

Red

Green

Red

Green

Red

Green

Red

Female Knobs

Head Diameter (A) mm (in.)	Thread Length mm (in.)	Colour	Style	Knob Material	Part Number
Thread Size 1/2-13 UNC (12.7mm)					
31.75 (1.25")		Black	Tri - Blind Hole Knob	ABS	KF127C-032-TRI-BHF
34.92 (1.37")			Ball - Threaded - Soft Touch Knob	Rubber	KF127C-035-TSFT
34.93 (1.38")	-	Black	Ball - Threaded Knob	Phenolic	KF127C-035-TPH-IN
34.93 (1.38")	-	Red	Ball - Threaded Knob		KF127C-035-TPH-IN-R
34.93 (1.38")	15.9		Ball - Threaded Knob	Steel	KF127C-035-TPST
35.05 (1.38")	18.0		Ball - Threaded with Groove Knob		KF127C-035-TPLG
35.05 (1.38")	19.1		Ball - Threaded with Knurl Knob	Plastic	KF127C-035-TPLK
38.10 (1.50")	-	Black	Ball - Threaded Knob	Phenolic	KF127C-038-TPH
38.10 (1.50")	-		Polished Ball - Threaded - Polished Brass Knob	Brass	KF127CC-038-TPBR-P
38.10 (1.50")	-		Raw Ball - Threaded - Polished Brass Knob		KF127CC-038-TPBR-R
38.10 (1.50")			Ball - Threaded - Soft Touch Knob	Rubber	KF127C-038-TSFT
38.10 (1.50")	15.9		Ball - Threaded Knob		KF127C-038-TPST
39.88 (1.57")		Black	Six Lobe - Standard Knob	Plastic	KF127C-040-6L-SP
41.28 (1.63")	-	Red	Ball - Threaded Knob	Phenolic	KF127C-041-TPH-IN-R
41.28 (1.63")	-	Black	Ball - Threaded Knob	Phenolic	KF127C-041-TPH-IN
43.66 (1.72")	-		Ball - Threaded with Shank Knob	Phenolic	KF127C-044-TPHS
44.96 (1.77")	18.0		Ball - Threaded with Groove Knob		KF127C-045-TPLG
44.96 (1.77")	19.1		Ball - Threaded with Knurl Knob	Plastic	KF127C-045-TPLK
47.62 (1.87")	-	Red	Ball - Threaded Knob		KF127C-048-TPH-IN-R
47.62 (1.87")	-	Black	Ball - Threaded Knob	Phenolic	KF127C-048-TPH-IN
47.63 (1.88")	15.9		Ball - Threaded - Recessed Top Knob	Plastic	KF127C-048-TRT
48.51 (1.91")	-	Black	Five Lobe - Soft Touch -Through Hole Knob	Thermoplastic	KF127C-049-5LSFT-P
50.00 (1.97")			Ball - Threaded Knob	Aluminium	KF127C-050-TPAL
50.04 (1.97")		Black	Six Lobe - Standard Knob	Plastic	KF127C-050-6L-SP
50.04 (1.97")	18.0	Black	Seven Lobe - Standard Knob	Thermoplastic	KF127C-050-7L-ST
50.04 (1.97")	19.1	Black	Cross - Standard Knob	Thermoplastic	KF127C-050-CS
50.04 (1.97")	19.1	Black	Cross - Standard Knob	Thermoplastic	KF127C-050-CS-SS
50.04 (1.97")	19.1	Black	Four Lobe - Standard Knob	Phenolic	KF127C-050-4L
50.04 (1.97")	19.1	Black	Six Lobe - Standard Knob	Thermoplastic	KF127C-050-6L-BR
50.04 (1.97")	19.1	Black	Six Lobe - Standard Knob	Thermoplastic	KF127C-050-6L-SS
50.04 (1.97")	50.0		Ball - Novo-Grip Knob	Rubber	KF127C-050-NG-SS
50.80 (2.00")	19.1		Ball - Threaded Knob		KF127C-051-TPST
51.60 (2.03")	38.1		Mushroom Round - Threaded Knob	Phenolic	KF127C-052-MRPH
55.12 (2.17")	19.1	Black	Six Lobe - Standard Knob	Phenolic	KF127C-055-6L-BR
55.12 (2.17")	22.9	Black	Three Lobe - Soft Touch Knob	Thermoplastic	KF127C-055-3L-SFT
57.15 (2.25")	12.7	Black	Cross - Blind Knob	Phenolic	KF127C-057-CB
57.15 (2.25")	15.9	Black	Cross - Through Hole Knob	Phenolic	KF127C-057-CH
57.40 (2.26")	12.7	Black	Five Lobe - Soft Touch Knob	Thermoplastic	KF127C-057-5LSFT
57.40 (2.26")	-	Black	Five Lobe - Soft Touch -Through Hole Knob	Thermoplastic	KF127C-057-5LSFT-P
59.94 (2.36")	17.0	Black	Five Lobe - Standard Knob	Plastic	KF127C-060-5L-BR17
59.94 (2.36")	19.1	Black	Cross - Standard Knob	Thermoplastic	KF127C-060-CS-SS
59.94 (2.36")	19.1	Black	Cross - Standard Knob	Thermoplastic	KF127C-060-CS
59.94 (2.36")	19.1	Black	Cross - Through Hole Knob	Thermoplastic	KF127C-060-CH-SS
59.94 (2.36")	19.1	Black	Cross - Through Hole Knob	Thermoplastic	KF127C-060-CH
59.94 (2.36")	19.1	Black	Four Lobe - Standard Knob	Thermoplastic	KF127C-060-4L
59.94 (2.36")	19.1	Black	Four Lobe - Through Hole Knob	Thermoplastic	KF127C-060-4L-P
59.94 (2.36")	19.1	Black	Six Lobe - Standard Knob	Thermoplastic	KF127C-060-6L-SS
59.94 (2.36")	19.1	Black	Six Lobe - Standard Knob	Thermoplastic	KF127C-060-6L-BR
59.94 (2.36")	19.1	Black	Six Lobe - Through Hole Knob	Thermoplastic	KF127C-060-6L-PSS
59.94 (2.36")	19.1	Black	Six Lobe - Through Hole Knob	Thermoplastic	KF127C-060-6L-PBR
59.94 (2.36")	20.1	Black	Five Lobe - Standard Knob	Phenolic	KF127C-060-5L-ST20
59.94 (2.36")	25.2	Black	Five Lobe - Standard Knob	Phenolic	KF127C-060-5L-ST
62.99 (2.48")	18.0	Black	Seven Lobe - Standard Knob	Thermoplastic	KF127C-063-7L-SS
62.99 (2.48")	18.0	Black	Seven Lobe - Standard Knob	Thermoplastic	KF127C-063-7L-ST

Usually stocked or Short Delivery
 ** Available while stocks last **

Long Delivery or Large Minimum Quantities
 Not in current production



Female Knobs

Head Diameter (A) mm (in.)	Thread Length mm (in.)	Colour	Style	Knob Material	Part Number
62.99 (2.48")	19.1	Black	Cross - Standard Knob	Phenolic	KF127C-063-CS
62.99 (2.48")	19.1	Black	Seven Lobe - Standard Knob	Phenolic	KF127C-063-7L-BR
62.99 (2.48")	19.1	Black	Three Lobe - Standard Knob	Thermoplastic	KF127C-063-3L
62.99 (2.48")	20.1	Black	Five Lobe - Standard Knob	Plastic	KF127C-063-5L-BR20
62.99 (2.48")	22.1	Black	Seven Lobe - Standard Knob	Thermoplastic	KF127C-063-7L-SP
62.99 (2.48")	-		Five Lobe - Soft Touch -Through Hole Knob		KF127C-063-5LSFT-P
62.99 (2.48")	25.9	Black	Five Lobe - Standard Knob	Plastic	KF127C-063-5L-BR26
63.50 (2.50")	15.9	Black	Four Lobe - Soft Touch Knob	Thermoplastic	KF127C-064-4L-SFT
65.02 (2.56")		Black	Tri - Through Hole Knob	Thermoplastic	KF127C-065-TRI-PF
66.04 (2.60")	19.1	Black	Six Lobe - Standard Knob	Phenolic	KF127C-066-6L-BR
69.85 (2.75")	20.1	Black	Five Lobe - Standard Knob	Phenolic	KF127C-070-5L-ST20
69.85 (2.75")	25.2	Black	Five Lobe - Standard Knob	Phenolic	KF127C-070-5L-ST25
76.20 (3.00")	15.9	Black	Four Lobe - Soft Touch Knob	Thermoplastic	KF127C-076-4L-SFT
80.01 (3.15")	19.1	Black	Cross - Standard Knob	Phenolic	KF127C-080-CS
80.01 (3.15")	19.1	Black	Four Lobe - Standard Knob	Thermoplastic	KF127C-080-4L
80.01 (3.15")	19.1	Black	Four Lobe - Through Hole Knob	Thermoplastic	KF127C-080-4L-P
82.04 (3.23")	30.0	Black	Six Lobe - Standard Knob	Phenolic	KF127C-082-6L-ST
85.09 (3.35")		Black	Tri - Blind Hole Knob	Thermoplastic	KF127C-085-TRI-BHF
85.09 (3.35")		Black	Tri - Through Hole Knob	Thermoplastic	KF127C-085-TRI-PF
104.90 (4.13")		Black	Tri - Blind Hole Knob	Thermoplastic	KF127C-105-TRI-BHF
104.90 (4.13")		Black	Tri - Through Hole Knob	Thermoplastic	KF127C-105-TRI-PF
124.97 (4.92")		Black	Tri - Blind Hole Knob	Thermoplastic	KF127C-125-TRI-BHF
124.97 (4.92")		Black	Tri - Through Hole Knob	Thermoplastic	KF127C-125-TRI-PF

Thread Size 1/2-13 UNC (12.7mm) Moulded

44.45 (1.75")	-		Ball - Threaded - Lateral Grooved Knob		KF127C-044-TLG
---------------	---	--	--	--	----------------

Thread Size 12.70 Through Hole

82.04 (3.23")	30.0	Black	Six Lobe - Standard Knob	Phenolic	KF127P-082-6L-ST
99.06 (3.90")	34.0	Black	Six Lobe - Standard Knob	Phenolic	KF127P-099-6L-ST

Thread Size 1/2-20 UNF (12.7mm)



34.93 (1.38")	-	Black	Ball - Threaded Knob	Phenolic	KF127F-035-TPH-IN-A
34.93 (1.38")	-	Red	Ball - Threaded Knob	Phenolic	KF127F-035-TPH-IN-BR-R
34.93 (1.38")	15.9		Ball - Threaded Knob	Steel	KF127F-035-TPST
38.10 (1.50")	15.9		Ball - Threaded Knob		KF127F-038-TPST
41.28 (1.63")	-	Red	Ball - Threaded Knob	Phenolic	KF127F-041TPH-IN-BR-R
41.28 (1.63")	-	Black	Ball - Threaded Knob	Phenolic	KF127F-041-TPH-IN-A
47.62 (1.87")	-	Red	Ball - Threaded Knob	Phenolic	KF127F-048-TPH-IN-BR-R
47.62 (1.87")	-	Black	Ball - Threaded Knob	Phenolic	KF127F-048-TPH-IN-A
50.80 (2.00")	19.1		Ball - Threaded Knob		KF127F-051-TPST
57.15 (2.25")	12.7	Black	Cross - Blind Knob	Phenolic	KF127F-057-CB
57.15 (2.25")	15.9	Black	Cross - Through Hole Knob	Phenolic	KF127F-057-CH



Thread Size 5/8-11 UNC (15.88mm)

50.80 (2.00")	19.1		Ball - Threaded Knob		KF159C-051-TPST
62.99 (2.48")	18.0	Black	Seven Lobe - Standard Knob	Thermoplastic	KF159C-063-7L-ST
62.99 (2.48")	22.1	Black	Seven Lobe - Standard Knob	Thermoplastic	KF159C-063-7L-SP
80.01 (3.15")	23.9	Black	Four Lobe - Standard Knob	Thermoplastic	KF159C-080-4L
80.01 (3.15")	23.9	Black	Four Lobe - Through Hole Knob	Thermoplastic	KF159C-080-4L-P
84.84 (3.34")	21.8	Black	Five Lobe - Standard Knob	Phenolic	KF159C-085-5LF
104.90 (4.13")		Black	Tri - Blind Hole Knob	Thermoplastic	KF159C-105-TRI-BHF
104.90 (4.13")		Black	Tri - Through Hole Knob	Thermoplastic	KF159C-105-TRI-PF
124.97 (4.92")		Black	Tri - Through Hole Knob	Thermoplastic	KF159C-125-TRI-PF

Thread Size 5/8-18 UNF (15.88mm)



47.62 (1.87")	-	Black	Ball - Threaded Knob	Phenolic	KF159F-048-TPH
---------------	---	-------	----------------------	----------	----------------



 Usually stocked or Short Delivery
 ** Available while stocks last **

 Long Delivery or Large Minimum Quantities
 Not in current production

Female Knobs

Head Diameter (A) mm (in.)	Thread Length mm (in.)	Colour	Style	Knob Material	Part Number
47.62 (1.87")	-	Red	Ball - Threaded Knob	Phenolic	KF159F-048-TPH-R
50.80 (2.00")	19.1		Ball - Threaded Knob		KF159F-051-TPST
Thread Size M16x2 (16.00mm Standard)					
48.00 (1.89")	-	Black	Ball - Threaded Knob	Phenolic	KF160M-048-TPH-IN
63.00 (2.48")	18.0	Black	Seven Lobe - Standard Knob	Thermoplastic	KF160M-063-7L-ST
63.00 (2.48")	22.0	Black	Seven Lobe - Standard Knob	Thermoplastic	KF160M-063-7L-SP

 Usually stocked or Short Delivery
 ** Available while stocks last **

 Long Delivery or Large Minimum Quantities
 Not in current production



Female Knobs - Bored

Diameter (D) mm (in.)	Thread Depth (h) mm (in.)		Material	Part Number
--------------------------	------------------------------	--	----------	-------------

Hole Size 10.00 (H7) Press Fit (0.39")

50.0 (0.39")	18.0		Star - 304 Stainless - Press Fit Knob	KF100PF-050-STRF-304
--------------	------	--	---------------------------------------	----------------------

Hole Size 12.00 (H7) Press Fit (0.47")

60.0 (0.47")	22.0		Star - 304 Stainless - Press Fit Knob	KF120PF-060-STRF-304
--------------	------	--	---------------------------------------	----------------------

Hole Size 8.00 (H7) Press Fit (0.31")

40.0 (0.31")	15.0		Star - 304 Stainless - Press Fit Knob	KF080PF-040-STRF-304
--------------	------	--	---------------------------------------	----------------------

Hole Size 3.20 Push On

25.40 (1.00")	9.5		Precision - Knurled Knob	KF032-025-PKN-S
25.40 (1.00")	10.4		Precision - Knurled Knob	Steel KF032-025-PKN-C
38.10 (1.50")	10.4		Precision - Knurled Knob	Steel KF032-038-PKN-C
38.10 (1.50")	9.5		Precision - Knurled Knob	KF032-038-PKN-S
50.80 (2.00")	10.4		Precision - Knurled Knob	KF032-051-PKN-C
50.80 (2.00")	9.5		Precision - Knurled Knob	KF032-051-PKN-S

Hole Size 4.00 Push On

16.00 (0.63")	-	Black	Ball - Knock On Knob	Phenolic ** KF040-016-KOPH
---------------	---	-------	----------------------	----------------------------

Hole Size 4.76 Push On

19.05 (0.75")	-	Black	Ball - Knock On Knob	Phenolic KF048-019-KOPH
25.40 (1.00")	10.4		Precision - Knurled Knob	KF048-025-PKN-C
25.40 (1.00")	10.3		Precision - Knurled Knob	KF048-025-PKN-S
38.10 (1.50")	10.4		Precision - Knurled Knob	KF048-038-PKN-C
38.10 (1.50")	10.3		Precision - Knurled Knob	KF048-038-PKN-S
50.80 (2.00")	10.4		Precision - Knurled Knob	KF048-051-PKN-C
50.80 (2.00")	10.3		Precision - Knurled Knob	KF048-051-PKN-S

Hole Size 5.00 Push On

20.00 (0.79")	-	Black	Ball - Knock On Knob	KF050-020-KOPH
---------------	---	-------	----------------------	----------------

Hole Size 6.00 Push On

20.00 (0.79")	13.5		Lever - Through Bore Knob	KF060M-020-LVR
---------------	------	--	---------------------------	----------------

Hole Size 6.00 Knock On

25.00 (0.98")	-	Black	Ball - Knock On Knob	KF060-025-KOPH
---------------	---	-------	----------------------	----------------

Hole Size 6.35 Knock On

19.05 (0.75")	-	Black	Ball - Knock On Knob	Phenolic KF064-019-KOPH
25.40 (1.00")	-	Black	Ball - Knock On Knob	Phenolic KF064-025-KOPH
31.75 (1.25")	-	Black	Ball - Knock On Knob	Phenolic KF064-032-KOPH

Hole Size 6.35 Push On

22.23 (0.88")	15.9		Lever - Through Bore Knob	Phenolic KF064-022-LVR
25.40 (1.00")	11.1		Precision - Knurled Knob	KF064-025-PKN-S
25.40 (1.00")	10.4		Precision - Knurled Knob	KF064-025-PKN-C
38.10 (1.50")	11.1		Precision - Knurled Knob	KF064-038-PKN-S
38.10 (1.50")	10.4		Precision - Knurled Knob	KF064-038-PKN-C
50.80 (2.00")	11.1		Precision - Knurled Knob	KF064-051-PKN-S
50.80 (2.00")	10.4		Precision - Knurled Knob	KF064-051-PKN-C

Hole Size 7.94 Knock On



25.40 (1.00")	-	Black	Ball - Knock On Knob	Phenolic KF079-025-KOPH
---------------	---	-------	----------------------	--------------------------------



Hole Size 7.94 Push On

28.58 (1.13")	14.3		Lever - Through Bore Knob	Phenolic KF079-029-LVR
---------------	------	--	---------------------------	-------------------------------

Hole Size 8.00 Knock On

32.00 (1.26")	-	Black	Ball - Knock On Knob	KF080-032-KOPH
---------------	---	-------	----------------------	----------------



 Usually stocked or Short Delivery
 ** Available while stocks last **



 Long Delivery or Large Minimum Quantities
 Not in current production



Female Knobs - Bored

Diameter (D) mm (in.)	Thread Depth (h) mm (in.)		Material	Part Number
Hole Size 9.53 Knock On				
31.75 (1.25")	-	Black	Ball - Knock On Knob	Phenolic KF095-032-KOPH
38.10 (1.50")	-	Black	Ball - Knock On Knob	Phenolic KF095-038-KOPH
Hole Size 9.53 Push On				
34.93 (1.38")	19.1		Lever - Through Bore Knob	Phenolic KF095-035-LVR
Hole Size 12.70 Knock On				
38.10 (1.50")	-	Black	Ball - Knock On Knob	Phenolic KF127-038-KOPH
44.45 (1.75")	-	Black	Ball - Knock On Knob	Phenolic KF127-044-KOPH
50.80 (2.00")	-	Black	Ball - Knock On Knob	Phenolic KF127-051-KOPH
Hole Size 12.70 Push On				
34.93 (1.38")	19.1		Lever - Through Bore Knob	Phenolic KF127-035-LVR
Hole Size 15.88 Knock On				
44.45 (1.75")	-	Black	Ball - Knock On Knob	Phenolic KF159-044-KOPH
50.80 (2.00")	-	Black	Ball - Knock On Knob	Phenolic KF159-051-KOPH

 Usually stocked or Short Delivery
 ** Available while stocks last **

 Long Delivery or Large Minimum Quantities
 Not in current production



Male Knobs

Head Diameter (A) mm (in.)	Thread Length mm (in.)	Colour	Style	Knob Material	Part Number
-------------------------------	---------------------------	--------	-------	---------------	-------------

Thread Size Solid

128.78 (5.07")	34.0	Black	Six Lobe - Standard Knob	Phenolic	KM000-129-6L34-ST
----------------	------	-------	--------------------------	----------	--------------------------

Thread Size 4-40 UNC (2.85mm)

7.94 (0.31")	6.4	Black	Knurled Thumb - With Cap Screw Knob	Plastic	** KM029C-008-0635-KNU-B
7.94 (0.31")	6.4	Yellow	Knurled Thumb - With Cap Screw Knob		KM029C-008-0635-KNU-Y
7.94 (0.31")	6.4	Red	Knurled Thumb - With Cap Screw Knob		KM029C-008-0635-KNU-R
7.94 (0.31")	6.4	Grey	Knurled Thumb - With Cap Screw Knob	Plastic	** KM029C-008-0635-KNU-G
7.94 (0.31")	12.7	Red	Knurled Thumb - With Cap Screw Knob		KM029C-008-1270-KNU-R
7.94 (0.31")	12.7	Black	Knurled Thumb - With Cap Screw Knob	Plastic	** KM029C-008-1270-KNU-B
7.94 (0.31")	12.7	Yellow	Knurled Thumb - With Cap Screw Knob		KM029C-008-1270-KNU-Y
7.94 (0.31")	12.7	Grey	Knurled Thumb - With Cap Screw Knob		KM029C-008-1270-KNU-G
7.94 (0.31")	19.1	Black	Knurled Thumb - With Cap Screw Knob		KM029C-008-1905-KNU-B
7.94 (0.31")	19.1	Grey	Knurled Thumb - With Cap Screw Knob		KM029C-008-1905-KNU-G
7.94 (0.31")	19.1	Yellow	Knurled Thumb - With Cap Screw Knob		KM029C-008-1905-KNU-Y
7.94 (0.31")	19.1	Red	Knurled Thumb - With Cap Screw Knob		KM029C-008-1905-KNU-R

Thread Size 6-32 UNC (3.50mm)

9.53 (0.38")	6.4	Yellow	Knurled Thumb - With Cap Screw Knob		KM035C-010-0635-KNU-Y
9.53 (0.38")	6.4	Red	Knurled Thumb - With Cap Screw Knob	Plastic	** KM035C-010-0635-KNU-R
9.53 (0.38")	6.4	Grey	Knurled Thumb - With Cap Screw Knob		KM035C-010-0635-KNU-G
9.53 (0.38")	6.4	Black	Knurled Thumb - With Cap Screw Knob	Plastic	** KM035C-010-0635-KNU-B
9.53 (0.38")	12.7	Red	Knurled Thumb - With Cap Screw Knob	Plastic	** KM035C-010-1270-KNU-R
9.53 (0.38")	12.7	Grey	Knurled Thumb - With Cap Screw Knob		KM035C-010-1270-KNU-G
9.53 (0.38")	12.7	Black	Knurled Thumb - With Cap Screw Knob	Plastic	** KM035C-010-1270-KNU-B
9.53 (0.38")	12.7	Yellow	Knurled Thumb - With Cap Screw Knob		KM035C-010-1270-KNU-Y
9.53 (0.38")	19.1	Grey	Knurled Thumb - With Cap Screw Knob		KM035C-010-1905-KNU-G
9.53 (0.38")	19.1	Red	Knurled Thumb - With Cap Screw Knob		KM035C-010-1905-KNU-R
9.53 (0.38")	19.1	Black	Knurled Thumb - With Cap Screw Knob	Plastic	KM035C-010-1905-KNU-B
9.53 (0.38")	19.1	Yellow	Knurled Thumb - With Cap Screw Knob		KM035C-010-1905-KNU-Y

Thread Size M4x0.7 (4.00mm Standard)

13.00 (0.51")	8.0	Black	Knurled Knob	Polypropylene Head - 4.8 Grade Steel Shank	KM040M-013-KPC08
13.00 (0.51")	10.0	Black	Knurled Knob	Polypropylene Head - 4.8 Grade Steel Shank	KM040M-013-KPC10
13.00 (0.51")	12.0	Black	Knurled Knob	Polypropylene Head - 4.8 Grade Steel Shank	KM040M-013-KPC12
13.00 (0.51")	18.0	Black	Knurled Knob	Polypropylene Head - 4.8 Grade Steel Shank	KM040M-013-KPC18
15.00 (0.59")	10.0		Knurled Knob	Phenolic Plastic - Steel Inserts	KM040M-015-TQ
18.00 (0.71")	20.0		Knurled Knob	Phenolic	** KM040M-018-TQ
20.00 (0.79")	10.0		Star Knob		KM040M-020-STR-PL

Thread Size 8-32 UNC (4.17mm)

12.70 (0.50")	9.5	Yellow	Knurled Thumb - With Cap Screw Knob		KM042C-013-0953-KNU-Y
12.70 (0.50")	9.5	Red	Knurled Thumb - With Cap Screw Knob		KM042C-013-0953-KNU-R
12.70 (0.50")	9.5	Grey	Knurled Thumb - With Cap Screw Knob		KM042C-013-0953-KNU-G
12.70 (0.50")	9.5	Black	Knurled Thumb - With Cap Screw Knob		KM042C-013-0953-KNU-B
12.70 (0.50")	12.7	Yellow	Knurled Thumb - With Cap Screw Knob		KM042C-013-1270-KNU-Y
12.70 (0.50")	12.7	Red	Knurled Thumb - With Cap Screw Knob		KM042C-013-1270-KNU-R
12.70 (0.50")	12.7	Grey	Knurled Thumb - With Cap Screw Knob		KM042C-013-1270-KNU-G
12.70 (0.50")	12.7	Black	Knurled Thumb - With Cap Screw Knob		KM042C-013-1270-KNU-B
12.70 (0.50")	19.1	Black	Knurled Thumb - With Cap Screw Knob		KM042C-013-1905-KNU-B
12.70 (0.50")	19.1	Yellow	Knurled Thumb - With Cap Screw Knob		KM042C-013-1905-KNU-Y
12.70 (0.50")	19.1	Red	Knurled Thumb - With Cap Screw Knob		KM042C-013-1905-KNU-R

Usually stocked or Short Delivery
 ** Available while stocks last **

Long Delivery or Large Minimum Quantities
 Not in current production







Male Knobs

Head Diameter (A) mm (in.)	Thread Length mm (in.)	Colour	Style	Knob Material	Part Number
12.70 (0.50")	19.1	Grey	Knurled Thumb - With Cap Screw Knob		KM042C-013-1905-KNU-G
12.70 (0.50")	25.4	Yellow	Knurled Thumb - With Cap Screw Knob		KM042C-013-2540-KNU-Y
12.70 (0.50")	25.4	Black	Knurled Thumb - With Cap Screw Knob		KM042C-013-2540-KNU-B
12.70 (0.50")	25.4	Red	Knurled Thumb - With Cap Screw Knob		KM042C-013-2540-KNU-R
12.70 (0.50")	25.4	Grey	Knurled Thumb - With Cap Screw Knob		KM042C-013-2540-KNU-G
19.05 (0.75")	12.7		Knurled Knob	Phenolic	KM042C-019-KN-PH

Thread Size 10-24 UNC (4.76mm)

14.29 (0.56")	9.5	Grey	L Thumb - With Cap Screw Knob		KM048C-014-0953-L-G
14.29 (0.56")	9.5	Red	L Thumb - With Cap Screw Knob		KM048C-014-0953-L-R
14.29 (0.56")	9.5	Black	L Thumb - With Cap Screw Knob		KM048C-014-0953-L-B
14.29 (0.56")	9.5	Yellow	L Thumb - With Cap Screw Knob		KM048C-014-0953-L-Y
14.29 (0.56")	12.7	Red	L Thumb - With Cap Screw Knob		KM048C-014-1270-L-R
14.29 (0.56")	12.7	Grey	L Thumb - With Cap Screw Knob		KM048C-014-1270-L-G
14.29 (0.56")	12.7	Yellow	L Thumb - With Cap Screw Knob		KM048C-014-1270-L-Y
14.29 (0.56")	12.7	Black	L Thumb - With Cap Screw Knob		KM048C-014-1270-L-B
14.29 (0.56")	19.1	Yellow	L Thumb - With Cap Screw Knob		KM048C-014-1905-L-Y
14.29 (0.56")	19.1	Red	L Thumb - With Cap Screw Knob		KM048C-014-1905-L-R
14.29 (0.56")	19.1	Grey	L Thumb - With Cap Screw Knob		KM048C-014-1905-L-G
14.29 (0.56")	19.1	Black	L Thumb - With Cap Screw Knob		KM048C-014-1905-L-B
14.29 (0.56")	25.4	Grey	L Thumb - With Cap Screw Knob		KM048C-014-2540-L-G
14.29 (0.56")	25.4	Red	L Thumb - With Cap Screw Knob		KM048C-014-2540-L-R
14.29 (0.56")	25.4	Yellow	L Thumb - With Cap Screw Knob		KM048C-014-2540-L-Y
14.29 (0.56")	25.4	Black	L Thumb - With Cap Screw Knob		KM048C-014-2540-L-B
15.88 (0.63")	9.5	Yellow	Knurled Thumb - With Cap Screw Knob		KM048C-016-0953-KNU-Y
15.88 (0.63")	9.5	Red	Knurled Thumb - With Cap Screw Knob		KM048C-016-0953-KNU-R
15.88 (0.63")	9.5	Grey	Knurled Thumb - With Cap Screw Knob		KM048C-016-0953-KNU-G
15.88 (0.63")	9.5	Black	Knurled Thumb - With Cap Screw Knob	Plastic	KM048C-016-0953-KNU-B
15.88 (0.63")	12.7	Red	Knurled Thumb - With Cap Screw Knob		KM048C-016-1270-KNU-R
15.88 (0.63")	12.7	Grey	Knurled Thumb - With Cap Screw Knob		KM048C-016-1270-KNU-G
15.88 (0.63")	12.7	Black	Knurled Thumb - With Cap Screw Knob		KM048C-016-1270-KNU-B
15.88 (0.63")	12.7	Yellow	Knurled Thumb - With Cap Screw Knob		KM048C-016-1270-KNU-Y
15.88 (0.63")	19.1	Black	Knurled Thumb - With Cap Screw Knob	Plastic	** KM048C-016-1905-KNU-B
15.88 (0.63")	19.1	Yellow	Knurled Thumb - With Cap Screw Knob		KM048C-016-1905-KNU-Y
15.88 (0.63")	19.1	Grey	Knurled Thumb - With Cap Screw Knob		KM048C-016-1905-KNU-G
15.88 (0.63")	19.1	Red	Knurled Thumb - With Cap Screw Knob		KM048C-016-1905-KNU-R
15.88 (0.63")	25.4	Red	Knurled Thumb - With Cap Screw Knob		KM048C-016-2540-KNU-R
15.88 (0.63")	25.4	Yellow	Knurled Thumb - With Cap Screw Knob		KM048C-016-2540-KNU-Y
15.88 (0.63")	25.4	Grey	Knurled Thumb - With Cap Screw Knob		KM048C-016-2540-KNU-G
15.88 (0.63")	25.4	Black	Knurled Thumb - With Cap Screw Knob		KM048C-016-2540-KNU-B
20.07 (0.79")	19.1	Black	Four Lobe - Standard Knob	Phenolic	KM048C-020-4L19
24.89 (0.98")	19.1	Black	Three Lobe - Standard Knob	Thermoplastic	KM048C-025-3L
25.40 (1.00")	9.5	Yellow	Tee Thumb - With Cap Screw Knob		KM048C-025-0953-TEE-Y
25.40 (1.00")	9.5	Red	Tee Thumb - With Cap Screw Knob		KM048C-025-0953-TEE-R
25.40 (1.00")	9.5	Grey	Tee Thumb - With Cap Screw Knob		KM048C-025-0953-TEE-G
25.40 (1.00")	9.5	Black	Tee Thumb - With Cap Screw Knob		KM048C-025-0953-TEE-B
25.40 (1.00")	12.7	Red	Tee Thumb - With Cap Screw Knob		KM048C-025-1270-TEE-R
25.40 (1.00")	12.7	Grey	Tee Thumb - With Cap Screw Knob		KM048C-025-1270-TEE-G
25.40 (1.00")	12.7	Black	Tee Thumb - With Cap Screw Knob		KM048C-025-1270-TEE-B
25.40 (1.00")	12.7	Yellow	Tee Thumb - With Cap Screw Knob		KM048C-025-1270-TEE-Y
25.40 (1.00")	19.1	Black	Tee Thumb - With Cap Screw Knob		KM048C-025-1905-TEE-B
25.40 (1.00")	19.1	Red	Tee Thumb - With Cap Screw Knob		KM048C-025-1905-TEE-R
25.40 (1.00")	19.1	Yellow	Tee Thumb - With Cap Screw Knob		KM048C-025-1905-TEE-Y
25.40 (1.00")	19.1	Grey	Tee Thumb - With Cap Screw Knob		KM048C-025-1905-TEE-G
25.40 (1.00")	25.4	Yellow	Tee Thumb - With Cap Screw Knob		KM048C-025-2540-TEE-Y
25.40 (1.00")	25.4	Black	Tee Thumb - With Cap Screw Knob		KM048C-025-2540-TEE-B
25.40 (1.00")	25.4	Grey	Tee Thumb - With Cap Screw Knob		KM048C-025-2540-TEE-G

 Usually stocked or Short Delivery
 ** Available while stocks last **

 Long Delivery or Large Minimum Quantities
 Not in current production



Male Knobs

Head Diameter (A) mm (in.)	Thread Length mm (in.)	Colour	Style	Knob Material	Part Number
25.40 (1.00")	25.4	Red	Tee Thumb - With Cap Screw Knob		KM048C-025-2540-TEE-R
31.75 (1.25")	19.1		Cross - Standard Knob	Black Thermoplastic	KM048C-032-CS19

Thread Size 10-32 UNF (4.76mm)



25.00 (0.98")	10.0	Black	Seven Lobe Knob	Thermoplastic	KM-048F025-7L10-S4
25.00 (0.98")	10.0	Black	Seven Lobe Knob	Thermoplastic	KM-048F025-7L10-ST
25.00 (0.98")	12.7	Black	Five Lobe - Soft Touch Knob	Technopolymer	KM048F-025-5LSFT13-ST
25.00 (0.98")	19.1	Black	Five Lobe - Soft Touch Knob	Technopolymer	KM048F-025-5LSFT19-ST
25.00 (0.98")	20.0	Black	Seven Lobe Knob	Thermoplastic	KM-048F025-7L20-ST
25.00 (0.98")	20.0	Black	Seven Lobe Knob	Thermoplastic	KM-048F025-7L20-S4
28.58 (1.13")	11.1	Black	Tri Knob	Phenolic	KM048F-029-TRI-BHM
29.97 (1.18")	12.7	Black	Three Lobe - Soft Touch Knob	Thermoplastic	KM048F-030-3L-SFT
29.97 (1.18")	25.4	Black	Three Lobe - Soft Touch Knob	Thermoplastic	KM048F-030-3LL-SFT
31.75 (1.25")	19.1		Cross - Standard Knob	Black Thermoplastic	KM048F-032-CS19



Thread Size M5x0.8 (5.00mm Standard)


15.00 (0.59")	8.0	Black	Knurled Knob	Polypropylene Head - 4.8 Grade Steel Shank	KM050M-015-KPC08
15.00 (0.59")	10.0	Black	Knurled Knob	Polypropylene Head - 4.8 Grade Steel Shank	KM050M-015-KPC10
15.00 (0.59")	12.0	Black	Knurled Knob	Polypropylene Head - 4.8 Grade Steel Shank	KM050M-015-KPC12
15.00 (0.59")	16.0	Black	Knurled Knob	Polypropylene Head - 4.8 Grade Steel Shank	KM050M-015-KPC16
22.00 (0.87")	20.0		Knurled Knob	Phenolic Plastic - Steel Inserts	KM050M-022-TQ
25.00 (0.98")	10.0	Black	Seven Lobe Knob	Thermoplastic	KM-050M-025-7L10-ST
25.00 (0.98")	10.0		Star Knob		KM050M-025-STR-PL
25.00 (0.98")	20.0	Black	Seven Lobe Knob	Thermoplastic	KM-050M-025-7L20-ST
25.00 (0.98")	30.0	Black	Seven Lobe Knob	Thermoplastic	KM-050M-025-7L30-ST

Thread Size M6x1 (6.00mm Standard)

15.00 (0.59")	8.0	Black	Knurled Knob	Polypropylene Head - 4.8 Grade Steel Shank	KM060M-015-KPC08
15.00 (0.59")	10.0	Black	Knurled Knob	Polypropylene Head - 4.8 Grade Steel Shank	KM060M-015-KPC10
15.00 (0.59")	12.0	Black	Knurled Knob	Polypropylene Head - 4.8 Grade Steel Shank	KM060M-015-KPC12
15.00 (0.59")	16.0	Black	Knurled Knob	Polypropylene Head - 4.8 Grade Steel Shank	KM060M-015-KPC16
23.00 (0.91")	20.0		Knurled Knob	Phenolic Plastic - Steel Inserts	KM060M-023-TQ
25.00 (0.98")	10.0	Black	Seven Lobe Knob	Thermoplastic	KM-060M-025-7L10-ST
25.00 (0.98")	20.0	Black	Seven Lobe Knob	Thermoplastic	KM-060M-025-7L20-ST
25.00 (0.98")	20.0		Star Knob	Plastic	KM060M-025-STR-PL
25.00 (0.98")	30.0	Black	Seven Lobe Knob	Thermoplastic	KM-060M-025-7L30-ST
26.00 (1.02")	25.0		Knurled Knob	Phenolic Plastic - Steel Inserts	KM060M-026-TQ
28.00 (1.10")	15.0		Wing Knob		KM060M-028-W
30.00 (1.18")	20.0		Knurled Knob	Phenolic Plastic - Steel Inserts	KM060M-030-TQ
32.00 (1.26")	10.0	Black	Seven Lobe Knob	Thermoplastic	KM-060M-032-7L10-ST
32.00 (1.26")	12.0	Black	Five Lobe - Standard Knob	Phenolic	KM060M-032-5L12
32.00 (1.26")	15.0	Black	Five Lobe - Standard Knob	Thermoplastic	KM060M-032-5L15
32.00 (1.26")	15.0		Star Knob	Plastic	KM060M-032-STR-PL
32.00 (1.26")	18.0	Black	Five Lobe - Standard Knob	Phenolic	KM060M-032-5L18
32.00 (1.26")	20.0	Black	Seven Lobe Knob	Thermoplastic	KM-060M-032-7L20-ST
32.00 (1.26")	30.0	Black	Seven Lobe Knob	Thermoplastic	KM-060M-032-7L30-ST

 Usually stocked or Short Delivery
 ** Available while stocks last **

 Long Delivery or Large Minimum Quantities
 Not in current production



Male Knobs

Head Diameter (A) mm (in.)	Thread Length mm (in.)	Colour	Style	Knob Material	Part Number
40.00 (1.57")	15.0	Black	Tri Knob	Phenolic	KM060M-040-TRI-BHM
40.00 (1.57")	18.0	Black	Five Lobe - Standard Knob	Phenolic	KM060M-040-5L18
40.00 (1.57")	20.0		Wing Knob		KM060M-040-W
50.00 (1.97")	15.0		Three Lobe - Safety Knob	Plastic	KM060M-050-3L-SAF15
50.00 (1.97")	20.0		Three Lobe - Safety Knob		KM060M-050-3L-SAF20
50.00 (1.97")	30.0		Three Lobe - Safety Knob		KM060M-050-3L-SAF30
50.00 (1.97")	40.0		Three Lobe - Safety Knob		KM060M-050-3L-SAF40

Thread Size 1/4-20 UNC (6.35mm)

17.46 (0.69")	12.7	Grey	L Thumb - With Cap Screw Knob		KM064C-017-1270-L-G
17.46 (0.69")	12.7	Black	L Thumb - With Cap Screw Knob		KM064C-017-1270-L-B
17.46 (0.69")	12.7	Red	L Thumb - With Cap Screw Knob		KM064C-017-1270-L-R
17.46 (0.69")	12.7	Yellow	L Thumb - With Cap Screw Knob		KM064C-017-1270-L-Y
17.46 (0.69")	19.1	Black	L Thumb - With Cap Screw Knob		KM064C-017-1905-L-B
17.46 (0.69")	19.1	Grey	L Thumb - With Cap Screw Knob		KM064C-017-1905-L-G
17.46 (0.69")	19.1	Red	L Thumb - With Cap Screw Knob		KM064C-017-1905-L-R
17.46 (0.69")	19.1	Yellow	L Thumb - With Cap Screw Knob		KM064C-017-1905-L-Y
17.46 (0.69")	25.4	Black	L Thumb - With Cap Screw Knob	Plastic	KM064C-017-2540-L-B
17.46 (0.69")	25.4	Grey	L Thumb - With Cap Screw Knob		KM064C-017-2540-L-G
17.46 (0.69")	25.4	Red	L Thumb - With Cap Screw Knob		KM064C-017-2540-L-R
17.46 (0.69")	25.4	Yellow	L Thumb - With Cap Screw Knob		KM064C-017-2540-L-Y
17.46 (0.69")	38.1	Black	L Thumb - With Cap Screw Knob		KM064C-017-3810-L-B
17.46 (0.69")	38.1	Yellow	L Thumb - With Cap Screw Knob		KM064C-017-3810-L-Y
17.46 (0.69")	38.1	Grey	L Thumb - With Cap Screw Knob		KM064C-017-3810-L-G
17.46 (0.69")	38.1	Red	L Thumb - With Cap Screw Knob		KM064C-017-3810-L-R
19.05 (0.75")	12.7	Yellow	Knurled Thumb - With Cap Screw Knob		KM064C-019-1270-KNU-Y
19.05 (0.75")	12.7	Black	Knurled Thumb - With Cap Screw Knob		KM064C-019-1270-KNU-B
19.05 (0.75")	12.7	Red	Knurled Thumb - With Cap Screw Knob		KM064C-019-1270-KNU-R
19.05 (0.75")	12.7	Grey	Knurled Thumb - With Cap Screw Knob		KM064C-019-1270-KNU-G
19.05 (0.75")	19.1	Grey	Knurled Thumb - With Cap Screw Knob		KM064C-019-1905-KNU-G
19.05 (0.75")	19.1	Yellow	Knurled Thumb - With Cap Screw Knob		KM064C-019-1905-KNU-Y
19.05 (0.75")	19.1	Black	Knurled Thumb - With Cap Screw Knob		KM064C-019-1905-KNU-B
19.05 (0.75")	19.1	Red	Knurled Thumb - With Cap Screw Knob		KM064C-019-1905-KNU-R
19.05 (0.75")	25.4	Black	Knurled Thumb - With Cap Screw Knob	Plastic	KM064C-019-2540-KNU-B
19.05 (0.75")	25.4	Yellow	Knurled Thumb - With Cap Screw Knob		KM064C-019-2540-KNU-Y
19.05 (0.75")	25.4	Red	Knurled Thumb - With Cap Screw Knob		KM064C-019-2540-KNU-R
19.05 (0.75")	25.4	Grey	Knurled Thumb - With Cap Screw Knob		KM064C-019-2540-KNU-G
19.05 (0.75")	38.1	Grey	Knurled Thumb - With Cap Screw Knob	Plastic	** KM064C-019-3810-KNU-G
19.05 (0.75")	38.1	Black	Knurled Thumb - With Cap Screw Knob	Plastic	KM064C-019-3810-KNU-B
19.05 (0.75")	38.1	Yellow	Knurled Thumb - With Cap Screw Knob		KM064C-019-3810-KNU-Y
19.05 (0.75")	38.1	Red	Knurled Thumb - With Cap Screw Knob		KM064C-019-3810-KNU-R
20.07 (0.79")	13.0	Black	Four Lobe - Standard Knob	Thermoplastic	KM064C-020-4L13
20.07 (0.79")	24.9	Black	Four Lobe - Standard Knob	Thermoplastic	KM064C-020-4L25
22.10 (0.87")	19.1	Black	Six Lobe - Standard Knob	Phenolic	KM064C-022-6L19-SP
24.89 (0.98")	12.7	Black	Three Lobe - Standard Knob	Thermoplastic	KM064C-025-3L
24.89 (0.98")	13.0	Black	Four Lobe - Standard Knob	Thermoplastic	KM064C-025-4L13
24.89 (0.98")	19.1	Black	Four Lobe - Standard Knob	Phenolic	KM064C-025-4L19
24.89 (0.98")	19.1	Black	Three Lobe - Standard Knob	Thermoplastic	KM064C-025-3LL
24.89 (0.98")	20.1		Ball - Novo-Grip Knob	Rubber	KM064C-025-NG
24.89 (0.98")	24.9	Black	Four Lobe - Standard Knob	Thermoplastic	KM064C-025-4L25
24.89 (0.98")	30.0		Ball - Novo-Grip Knob	Rubber	KM064C-025-NGL
24.89 (0.98")	30.0		Ball - Novo-Grip Knob	Rubber	KM064C-025-NG-SS
25.00 (0.98")	20.0	Black	Seven Lobe Knob	Thermoplastic	KM-064C-025-7L20-ST
25.00 (0.98")	30.0	Black	Seven Lobe Knob	Thermoplastic	KM-064C-025-7L30-ST
25.40 (1.00")	12.7	Red	Knurled Thumb - With Cap Screw Knob		KM064C-025-1270-KNU-R
25.40 (1.00")	12.7	Grey	Knurled Thumb - With Cap Screw Knob		KM064C-025-1270-KNU-G
25.40 (1.00")	12.7	Black	Knurled Thumb - With Cap Screw Knob		KM064C-025-1270-KNU-B



Usually stocked or Short Delivery
 ** Available while stocks last **



Long Delivery or Large Minimum Quantities
 Not in current production



Male Knobs

Head Diameter (A) mm (in.)	Thread Length mm (in.)	Colour	Style	Knob Material	Part Number
25.40 (1.00")	12.7	Yellow	Knurled Thumb - With Cap Screw Knob		KM064C-025-1270-KNU-Y
25.40 (1.00")	19.1	Black	Knurled Thumb - With Cap Screw Knob	Plastic	KM064C-025-1905-KNU-B
25.40 (1.00")	19.1	Yellow	Knurled Thumb - With Cap Screw Knob		KM064C-025-1905-KNU-Y
25.40 (1.00")	19.1	Grey	Knurled Thumb - With Cap Screw Knob		KM064C-025-1905-KNU-G
25.40 (1.00")	19.1	Red	Knurled Thumb - With Cap Screw Knob		KM064C-025-1905-KNU-R
25.40 (1.00")	25.4	Yellow	Knurled Thumb - With Cap Screw Knob		KM064C-025-2540-KNU-Y
25.40 (1.00")	25.4	Black	Knurled Thumb - With Cap Screw Knob		KM064C-025-2540-KNU-B
25.40 (1.00")	25.4	Red	Knurled Thumb - With Cap Screw Knob		KM064C-025-2540-KNU-R
25.40 (1.00")	25.4	Grey	Knurled Thumb - With Cap Screw Knob		KM064C-025-2540-KNU-G
25.40 (1.00")	38.1	Black	Knurled Thumb - With Cap Screw Knob		KM064C-025-3810-KNU-B
25.40 (1.00")	38.1	Grey	Knurled Thumb - With Cap Screw Knob	Plastic	** KM064C-025-3810-KNU-G
25.40 (1.00")	38.1	Red	Knurled Thumb - With Cap Screw Knob		KM064C-025-3810-KNU-R
25.40 (1.00")	38.1	Yellow	Knurled Thumb - With Cap Screw Knob		KM064C-025-3810-KNU-Y
28.58 (1.13")	12.7	Black	Tri Knob	Phenolic	KM064C-029-TRI-BHM
29.97 (1.18")	12.7	Black	Three Lobe - Soft Touch Knob	Thermoplastic	KM064C-030-3L-SFT
29.97 (1.18")	13.0	Black	Four Lobe - Standard Knob	Thermoplastic	KM064C-030-4L13
29.97 (1.18")	24.9	Black	Four Lobe - Standard Knob	Thermoplastic	KM064C-030-4L25
29.97 (1.18")	25.4	Black	Three Lobe - Soft Touch Knob	Thermoplastic	KM064C-030-3LL-SFT
30.00 (1.18")	13.0	Black	Six Lobe - Standard Knob	Thermoplastic	KM064C-030-6L13-S4
30.00 (1.18")	13.0	Black	Six Lobe - Standard Knob	Thermoplastic	KM064C-030-6L13-ST
30.00 (1.18")	25.0	Black	Six Lobe - Standard Knob	Thermoplastic	KM064C-030-6L25-ST
30.00 (1.18")	25.0	Black	Six Lobe - Standard Knob	Thermoplastic	KM064C-030-6L25-S4
31.75 (1.25")	12.7	Red	Tee Thumb - With Cap Screw Knob		KM064C-032-1270-TEE-R
31.75 (1.25")	12.7	Grey	Tee Thumb - With Cap Screw Knob		KM064C-032-1270-TEE-G
31.75 (1.25")	12.7	Yellow	Tee Thumb - With Cap Screw Knob		KM064C-032-1270-TEE-Y
31.75 (1.25")	12.7	Black	Tee Thumb - With Cap Screw Knob		KM064C-032-1270-TEE-B
31.75 (1.25")	19.1	Red	Tee Thumb - With Cap Screw Knob		KM064C-032-1905-TEE-R
31.75 (1.25")	19.1	Grey	Tee Thumb - With Cap Screw Knob		KM064C-032-1905-TEE-G
31.75 (1.25")	19.1	Black	Tee Thumb - With Cap Screw Knob		KM064C-032-1905-TEE-B
31.75 (1.25")	19.1	Yellow	Tee Thumb - With Cap Screw Knob		KM064C-032-1905-TEE-Y
31.75 (1.25")	25.4		Cross - Standard Knob	Black Thermoplastic	KM064C-032-CSP-SS25
31.75 (1.25")	25.4		Cross - Standard Knob	Black Thermoplastic	KM064C-032-CSP25
31.75 (1.25")	25.4	Black	Tee Thumb - With Cap Screw Knob		KM064C-032-2540-TEE-B
31.75 (1.25")	25.4	Grey	Tee Thumb - With Cap Screw Knob		KM064C-032-2540-TEE-G
31.75 (1.25")	25.4	Red	Tee Thumb - With Cap Screw Knob		KM064C-032-2540-TEE-R
31.75 (1.25")	25.4	Yellow	Tee Thumb - With Cap Screw Knob		KM064C-032-2540-TEE-Y
31.75 (1.25")	38.1	Black	Tee Thumb - With Cap Screw Knob		KM064C-032-3810-TEE-B
31.75 (1.25")	38.1	Yellow	Tee Thumb - With Cap Screw Knob		KM064C-032-3810-TEE-Y
31.75 (1.25")	38.1	Grey	Tee Thumb - With Cap Screw Knob		KM064C-032-3810-TEE-G
31.75 (1.25")	38.1	Red	Tee Thumb - With Cap Screw Knob		KM064C-032-3810-TEE-R
32.00 (1.26")	12.7	Black	Three Lobe - Standard Knob	Thermoplastic	KM064C-032-3L
32.00 (1.26")	13.0		Cross - Standard Knob	Black Thermoplastic	KM064C-032-CSTS13
32.00 (1.26")	13.0		Cross - Standard Knob	Black Thermoplastic	KM064C-032-CSTS-SS13
32.00 (1.26")	19.1	Black	Four Lobe - Standard Knob	Phenolic	KM064C-032-4L19
32.00 (1.26")	24.9		Cross - Standard Knob	Black Thermoplastic	KM064C-032-CST-SS25
32.00 (1.26")	24.9		Cross - Standard Knob	Black Thermoplastic	KM064C-032-CST25
32.00 (1.26")	25.4	Black	Four Lobe - Standard Knob	Phenolic	KM064C-032-4L25A
32.00 (1.26")	25.4	Black	Four Lobe - Standard Knob	Phenolic	KM064C-032-4L25B
32.00 (1.26")	31.8	Black	Four Lobe - Standard Knob	Phenolic	KM064C-032-4L32
32.00 (1.26")	31.8	Black	Six Lobe - Standard Knob	Phenolic	KM064C-032-6L32-SP
32.00 (1.26")	12.7	Black	Five Lobe - Soft Touch Knob	Technopolymer	KM064C-032-5LSFT13-ST
32.00 (1.26")	12.7	Black	Five Lobe - Standard Knob	Phenolic	KM064C-032-5L13-S4
32.00 (1.26")	19.1	Black	Five Lobe - Soft Touch Knob	Technopolymer	KM064C-032-5LSFT19-ST
32.00 (1.26")	19.1	Black	Five Lobe - Standard Knob	Glass Fibre reinforced Technopolymer	KM064C-032-5L19-ST
32.00 (1.26")	19.1	Black	Five Lobe - Standard Knob	Phenolic	KM064C-032-5L19-S4

 Usually stocked or Short Delivery
 ** Available while stocks last **

 Long Delivery or Large Minimum Quantities
 Not in current production







Male Knobs

Head Diameter (A) mm (in.)	Thread Length mm (in.)	Colour	Style	Knob Material	Part Number
32.00 (1.26")	20.0	Black	Seven Lobe Knob	Thermoplastic	KM-064C-032-7L20-S4
32.00 (1.26")	20.0	Black	Seven Lobe Knob	Thermoplastic	KM-064C-032-7L20-ST
32.00 (1.26")	25.4	Black	Five Lobe - Soft Touch Knob	Technopolymer	KM064C-032-5LSFT25-ST
32.00 (1.26")	25.4	Black	Five Lobe - Standard Knob	Glass Fibre reinforced Technopolymer	KM064C-032-5L25-ST
32.00 (1.26")	25.4	Black	Five Lobe - Standard Knob	Phenolic	KM064C-032-5L25-S4
32.00 (1.26")	30.0	Black	Seven Lobe Knob	Thermoplastic	KM-064C-032-7L30-S4
32.00 (1.26")	30.0	Black	Seven Lobe Knob	Thermoplastic	KM-064C-032-7L30-ST
33.02 (1.30")	12.7	Black	Six Lobe - Standard Knob	Phenolic	KM064C-033-6L13-SP
33.02 (1.30")	19.1	Black	Six Lobe - Standard Knob	Phenolic	KM064C-033-6L19-SP
33.02 (1.30")	25.4	Black	Six Lobe - Standard Knob	Phenolic	KM064C-033-6L25-SP
33.02 (1.30")	31.8	Black	Six Lobe - Standard Knob	Thermoplastic	KM064C-033-6L32-SP
38.10 (1.50")	14.3	Black	Tri Knob	Phenolic	KM064C-038-TRI-BHM
38.10 (1.50")	12.7	Black	Rosette Thumb - With Cap Screw Knob	Plastic	** KM064C-038-1270-ROS-B
38.10 (1.50")	12.7	Grey	Rosette Thumb - With Cap Screw Knob		KM064C-038-1270-ROS-G
38.10 (1.50")	12.7	Red	Rosette Thumb - With Cap Screw Knob		KM064C-038-1270-ROS-R
38.10 (1.50")	12.7	Yellow	Rosette Thumb - With Cap Screw Knob		KM064C-038-1270-ROS-Y
38.10 (1.50")	19.1	Red	Rosette Thumb - With Cap Screw Knob		KM064C-038-1905-ROS-R
38.10 (1.50")	19.1	Grey	Rosette Thumb - With Cap Screw Knob		KM064C-038-1905-ROS-G
38.10 (1.50")	19.1	Yellow	Rosette Thumb - With Cap Screw Knob		KM064C-038-1905-ROS-Y
38.10 (1.50")	19.1	Black	Rosette Thumb - With Cap Screw Knob		KM064C-038-1905-ROS-B
38.10 (1.50")	25.4	Black	Rosette Thumb - With Cap Screw Knob		KM064C-038-2540-ROS-B
38.10 (1.50")	25.4	Grey	Rosette Thumb - With Cap Screw Knob		KM064C-038-2540-ROS-G
38.10 (1.50")	25.4	Red	Rosette Thumb - With Cap Screw Knob		KM064C-038-2540-ROS-R
38.10 (1.50")	25.4	Yellow	Rosette Thumb - With Cap Screw Knob		KM064C-038-2540-ROS-Y
38.10 (1.50")	38.1	Yellow	Rosette Thumb - With Cap Screw Knob		KM064C-038-3810-ROS-Y
38.10 (1.50")	38.1	Black	Rosette Thumb - With Cap Screw Knob	Plastic	KM064C-038-3810-ROS-B
38.10 (1.50")	38.1	Grey	Rosette Thumb - With Cap Screw Knob	Plastic	** KM064C-038-3810-ROS-G
38.10 (1.50")	38.1	Red	Rosette Thumb - With Cap Screw Knob		KM064C-038-3810-ROS-R
38.61 (1.52")	12.7	Black	Five Lobe - Soft Touch Knob	Thermoplastic	KM064C-039-5L-SFT13-ST
38.61 (1.52")	25.4	Black	Five Lobe - Soft Touch Knob	Thermoplastic	KM064C-039-5L-SFT25-ST
39.88 (1.57")	24.9	Black	Four Lobe - Standard Knob	Thermoplastic	KM064C-040-4L25
39.88 (1.57")	31.8	Black	Four Lobe - Standard Knob	Phenolic	KM064C-040-4L32
39.88 (1.57")	31.8	Black	Three Lobe - Standard Knob	Thermoplastic	KM064C-040-3L
40.00 (1.57")	12.7	Black	Five Lobe - Soft Touch Knob	Technopolymer	KM064C-040-5LSFT13-ST
40.00 (1.57")	25.0	Black	Six Lobe - Standard Knob	Thermoplastic	KM064C-040-6L25-ST
40.00 (1.57")	25.0	Black	Six Lobe - Standard Knob	Thermoplastic	KM064C-040-6L25-S4
40.00 (1.57")	25.4	Black	Five Lobe - Soft Touch Knob	Technopolymer	KM064C-040-5LSFT25-ST
40.13 (1.58")	24.9		Cross - Standard Knob	Black Thermoplastic	KM064C-040-CS25
40.13 (1.58")	24.9		Cross - Standard Knob	Black Thermoplastic	KM064C-040-CS-SS25
44.45 (1.75")	12.7		Cross - Standard Knob	Black Thermoplastic	KM064C-044-CS13
44.45 (1.75")	25.4		Cross - Standard Knob	Black Thermoplastic	KM064C-044-CSL25
44.96 (1.77")	24.9	Black	Tri Knob	Thermoplastic	KM064C-045-TRI-BHM
48.51 (1.91")	12.7	Black	Five Lobe - Soft Touch Knob	Thermoplastic	KM064C-049-5L-SFT13-ST
48.51 (1.91")	25.4	Black	Five Lobe - Soft Touch Knob	Thermoplastic	KM064C-049-5L-SFT25-ST
50.04 (1.97")	19.1		Three Lobe - Safety Knob		KM064C-050-3L-SAF19
50.04 (1.97")	25.4		Three Lobe - Safety Knob		KM064C-050-3L-SAF25
50.04 (1.97")	38.1		Three Lobe - Safety Knob		KM064C-050-3L-SAF38
55.12 (2.17")	25.4	Black	Three Lobe - Soft Touch Knob	Thermoplastic	KM064C-055-3L-SFT
57.15 (2.25")	12.7	Black	Five Lobe - Soft Touch Knob	Thermoplastic	KM064C-057-5L-SFT13-ST
57.15 (2.25")	25.4	Black	Five Lobe - Soft Touch Knob	Thermoplastic	KM064C-057-5L-SFT25-ST

Thread Size 7.87 Unthreaded Hole

130.05 (5.12")	30.0	Black	Six Lobe - Standard Knob	Phenolic	KM079-130-6L30-ST
----------------	------	-------	--------------------------	----------	--------------------------



 Usually stocked or Short Delivery
 ** Available while stocks last **



 Long Delivery or Large Minimum Quantities
 Not in current production



Male Knobs

Head Diameter (A) mm (in.)	Thread Length mm (in.)	Colour	Style	Knob Material	Part Number
Thread Size 5/16-18 BSW (7.94mm)					
19.05 (0.75")	24.9	Black	Tri Knob	Thermoplastic	KM079W-019-TRI-BHM
Thread Size 5/16-18 UNC (7.94mm)					
21.43 (0.84")	12.7	Black	L Thumb - With Cap Screw Knob		KM079C-021-1270-L-B
21.43 (0.84")	12.7	Grey	L Thumb - With Cap Screw Knob		KM079C-021-1270-L-G
21.43 (0.84")	12.7	Red	L Thumb - With Cap Screw Knob		KM079C-021-1270-L-R
21.43 (0.84")	12.7	Yellow	L Thumb - With Cap Screw Knob		KM079C-021-1270-L-Y
21.43 (0.84")	19.1	Yellow	L Thumb - With Cap Screw Knob		KM079C-021-1905-L-Y
21.43 (0.84")	19.1	Black	L Thumb - With Cap Screw Knob		KM079C-021-1905-L-B
21.43 (0.84")	19.1	Red	L Thumb - With Cap Screw Knob		KM079C-021-1905-L-R
21.43 (0.84")	19.1	Grey	L Thumb - With Cap Screw Knob		KM079C-021-1905-L-G
21.43 (0.84")	25.4	Black	L Thumb - With Cap Screw Knob		KM079C-021-2540-L-B
21.43 (0.84")	25.4	Grey	L Thumb - With Cap Screw Knob		KM079C-021-2540-L-G
21.43 (0.84")	25.4	Red	L Thumb - With Cap Screw Knob		KM079C-021-2540-L-R
21.43 (0.84")	25.4	Yellow	L Thumb - With Cap Screw Knob		KM079C-021-2540-L-Y
21.43 (0.84")	38.1	Black	L Thumb - With Cap Screw Knob		KM079C-021-3810-L-B
21.43 (0.84")	38.1	Grey	L Thumb - With Cap Screw Knob		KM079C-021-3810-L-G
21.43 (0.84")	38.1	Red	L Thumb - With Cap Screw Knob		KM079C-021-3810-L-R
21.43 (0.84")	38.1	Yellow	L Thumb - With Cap Screw Knob		KM079C-021-3810-L-Y
25.40 (1.00")	12.7	Yellow	Knurled Thumb - With Cap Screw Knob		KM079C-025-1270-KNU-Y
25.40 (1.00")	12.7	Red	Knurled Thumb - With Cap Screw Knob		KM079C-025-1270-KNU-R
25.40 (1.00")	12.7	Black	Knurled Thumb - With Cap Screw Knob		KM079C-025-1270-KNU-B
25.40 (1.00")	12.7	Grey	Knurled Thumb - With Cap Screw Knob		KM079C-025-1270-KNU-G
25.40 (1.00")	19.1	Black	Knurled Thumb - With Cap Screw Knob		KM079C-025-1905-KNU-B
25.40 (1.00")	19.1	Red	Knurled Thumb - With Cap Screw Knob		KM079C-025-1905-KNU-R
25.40 (1.00")	19.1	Yellow	Knurled Thumb - With Cap Screw Knob		KM079C-025-1905-KNU-Y
25.40 (1.00")	19.1	Grey	Knurled Thumb - With Cap Screw Knob		KM079C-025-1905-KNU-G
25.40 (1.00")	25.4	Grey	Knurled Thumb - With Cap Screw Knob		KM079C-025-2540-KNU-G
25.40 (1.00")	25.4	Yellow	Knurled Thumb - With Cap Screw Knob		KM079C-025-2540-KNU-Y
25.40 (1.00")	25.4	Red	Knurled Thumb - With Cap Screw Knob		KM079C-025-2540-KNU-R
25.40 (1.00")	25.4	Black	Knurled Thumb - With Cap Screw Knob		KM079C-025-2540-KNU-B
25.40 (1.00")	38.1	Black	Knurled Thumb - With Cap Screw Knob		KM079C-025-3810-KNU-B
25.40 (1.00")	38.1	Red	Knurled Thumb - With Cap Screw Knob		KM079C-025-3810-KNU-R
25.40 (1.00")	38.1	Yellow	Knurled Thumb - With Cap Screw Knob		KM079C-025-3810-KNU-Y
25.40 (1.00")	38.1	Grey	Knurled Thumb - With Cap Screw Knob		KM079C-025-3810-KNU-G
31.75 (1.25")	25.4		Cross - Standard Knob	Black Thermoplastic	KM079C-032-CS25
31.75 (1.25")	25.4		Cross - Standard Knob	Black Thermoplastic	KM079C-032-CS-SS25
32.00 (1.26")	39.9		Ball - Novo-Grip Knob	Rubber	KM079C-032-NG
32.00 (1.26")	20.0	Black	Seven Lobe Knob	Thermoplastic	KM-079C-032-7L20-ST
32.00 (1.26")	40.0	Black	Seven Lobe Knob	Thermoplastic	KM-079C-032-7L40-ST
33.02 (1.30")	19.1	Black	Six Lobe - Standard Knob	Phenolic	KM079C-033-6L19-SP
33.02 (1.30")	25.4	Black	Six Lobe - Standard Knob	Phenolic	KM079C-033-6L25-SP
33.02 (1.30")	38.1	Black	Six Lobe - Standard Knob	Phenolic	KM079C-033-6L38-SP
33.02 (1.30")	44.5	Black	Six Lobe - Standard Knob	Thermoplastic	KM079C-033-6L44-SP
38.10 (1.50")	19.1	Black	Tri Knob	Phenolic	KM079C-038-TRI-BHM
38.10 (1.50")	12.7	Black	Tee Thumb - With Cap Screw Knob		KM079C-038-1270-TEE-B
38.10 (1.50")	12.7	Yellow	Tee Thumb - With Cap Screw Knob		KM079C-038-1270-TEE-Y
38.10 (1.50")	12.7	Grey	Tee Thumb - With Cap Screw Knob		KM079C-038-1270-TEE-G
38.10 (1.50")	12.7	Yellow	Rosette Thumb - With Cap Screw Knob		KM079C-038-1270-ROS-Y
38.10 (1.50")	12.7	Red	Rosette Thumb - With Cap Screw Knob		KM079C-038-1270-ROS-R
38.10 (1.50")	12.7	Grey	Rosette Thumb - With Cap Screw Knob		KM079C-038-1270-ROS-G
38.10 (1.50")	12.7	Black	Rosette Thumb - With Cap Screw Knob		KM079C-038-1270-ROS-B
38.10 (1.50")	12.7	Red	Tee Thumb - With Cap Screw Knob		KM079C-038-1270-TEE-R
38.10 (1.50")	19.1	Red	Tee Thumb - With Cap Screw Knob		KM079C-038-1905-TEE-R
38.10 (1.50")	19.1	Grey	Tee Thumb - With Cap Screw Knob		KM079C-038-1905-TEE-G



 Usually stocked or Short Delivery
 ** Available while stocks last **



 Long Delivery or Large Minimum Quantities
 Not in current production



Male Knobs

Head Diameter (A) mm (in.)	Thread Length mm (in.)	Colour	Style	Knob Material	Part Number
38.10 (1.50")	19.1	Black	Rosette Thumb - With Cap Screw Knob		KM079C-038-1905-ROS-B
38.10 (1.50")	19.1	Grey	Rosette Thumb - With Cap Screw Knob		KM079C-038-1905-ROS-G
38.10 (1.50")	19.1	Red	Rosette Thumb - With Cap Screw Knob		KM079C-038-1905-ROS-R
38.10 (1.50")	19.1	Yellow	Rosette Thumb - With Cap Screw Knob		KM079C-038-1905-ROS-Y
38.10 (1.50")	19.1	Yellow	Tee Thumb - With Cap Screw Knob		KM079C-038-1905-TEE-Y
38.10 (1.50")	19.1	Black	Tee Thumb - With Cap Screw Knob	Plastic	KM079C-038-1905-TEE-B
38.10 (1.50")	20.1		Cross - Standard Knob	Black Thermoplastic	KM079C-038-CS20
38.10 (1.50")	25.4	Grey	Tee Thumb - With Cap Screw Knob		KM079C-038-2540-TEE-G
38.10 (1.50")	25.4	Red	Tee Thumb - With Cap Screw Knob		KM079C-038-2540-TEE-R
38.10 (1.50")	25.4	Black	Rosette Thumb - With Cap Screw Knob		KM079C-038-2540-ROS-B
38.10 (1.50")	25.4	Grey	Rosette Thumb - With Cap Screw Knob		KM079C-038-2540-ROS-G
38.10 (1.50")	25.4	Red	Rosette Thumb - With Cap Screw Knob		KM079C-038-2540-ROS-R
38.10 (1.50")	25.4	Yellow	Rosette Thumb - With Cap Screw Knob		KM079C-038-2540-ROS-Y
38.10 (1.50")	25.4	Black	Tee Thumb - With Cap Screw Knob		KM079C-038-2540-TEE-B
38.10 (1.50")	25.4	Yellow	Tee Thumb - With Cap Screw Knob		KM079C-038-2540-TEE-Y
38.10 (1.50")	38.1	Yellow	Tee Thumb - With Cap Screw Knob		KM079C-038-3810-TEE-Y
38.10 (1.50")	38.1	Black	Tee Thumb - With Cap Screw Knob		KM079C-038-3810-TEE-B
38.10 (1.50")	38.1	Grey	Tee Thumb - With Cap Screw Knob		KM079C-038-3810-TEE-G
38.10 (1.50")	38.1	Red	Rosette Thumb - With Cap Screw Knob		KM079C-038-3810-ROS-R
38.10 (1.50")	38.1	Grey	Rosette Thumb - With Cap Screw Knob		KM079C-038-3810-ROS-G
38.10 (1.50")	38.1	Yellow	Rosette Thumb - With Cap Screw Knob		KM079C-038-3810-ROS-Y
38.10 (1.50")	38.1	Black	Rosette Thumb - With Cap Screw Knob		KM079C-038-3810-ROS-B
38.10 (1.50")	38.1	Red	Tee Thumb - With Cap Screw Knob		KM079C-038-3810-TEE-R
38.61 (1.52")	25.4	Black	Five Lobe - Soft Touch Knob	Thermoplastic	KM079C-039-5L-SFT25-ST
38.61 (1.52")	38.1	Black	Five Lobe - Soft Touch Knob	Thermoplastic	KM079C-039-5L-SFT38-ST
39.88 (1.57")	19.1	Black	Three Lobe - Standard Knob	Thermoplastic	KM079C-040-3LS
39.88 (1.57")	24.9	Black	Four Lobe - Standard Knob	Thermoplastic	KM079C-040-4L25A
39.88 (1.57")	25.4	Black	Four Lobe - Standard Knob	Phenolic	KM079C-040-4L25B
39.88 (1.57")	25.4	Black	Three Lobe - Standard Knob	Thermoplastic	KM079C-040-3L
39.88 (1.57")	31.8	Black	Four Lobe - Standard Knob	Phenolic	KM079C-040-4L32
39.88 (1.57")	38.1	Black	Four Lobe - Standard Knob	Phenolic	KM079C-040-4L38
39.88 (1.57")	38.1	Black	Six Lobe - Standard Knob	Phenolic	KM079C-040-6L38-SP
39.88 (1.57")	38.1	Black	Three Lobe - Standard Knob	Thermoplastic	KM079C-040-3LL
40.00 (1.57")	19.1	Black	Five Lobe - Soft Touch Knob	Technopolymer	KM079C-040-5LSFT19-ST
40.00 (1.57")	19.1	Black	Five Lobe - Standard Knob	Glass Fibre reinforced Technopolymer	KM079C-040-5L19-ST
40.00 (1.57")	19.1	Black	Five Lobe - Standard Knob	Phenolic	KM079C-040-5L19-S4
40.00 (1.57")	19.1	Black	Six Lobe - Standard Knob	Thermoplastic	KM079C-040-6L19-S4
40.00 (1.57")	20.0	Black	Seven Lobe Knob	Thermoplastic	KM-079C-040-7L20-ST
40.00 (1.57")	20.0	Black	Seven Lobe Knob	Thermoplastic	KM-079C-040-7L20-S4
40.00 (1.57")	20.0	Black	Six Lobe - Standard Knob	Thermoplastic	KM079C-040-6L20-ST
40.00 (1.57")	25.0	Black	Six Lobe - Standard Knob	Thermoplastic	KM079C-040-6L25-S4
40.00 (1.57")	25.0	Black	Six Lobe - Standard Knob	Thermoplastic	KM079C-040-6L25-ST
40.00 (1.57")	25.4	Black	Five Lobe - Soft Touch Knob	Technopolymer	KM079C-040-5LSFT25-ST
40.00 (1.57")	25.4	Black	Five Lobe - Standard Knob	Phenolic	KM079C-040-5L25-S4
40.00 (1.57")	25.4	Black	Five Lobe - Standard Knob	Glass Fibre reinforced Technopolymer	KM079C-040-5L25-ST
40.00 (1.57")	31.8	Black	Five Lobe - Standard Knob	Phenolic	KM079C-040-5L32-S4
40.00 (1.57")	40.0	Black	Seven Lobe Knob	Thermoplastic	KM-079C-040-7L40-ST
40.00 (1.57")	40.0	Black	Seven Lobe Knob	Thermoplastic	KM-079C-040-7L40-S4
40.13 (1.58")	19.1		Cross - Standard Knob	Black Thermoplastic	KM079C-040-CS-SS19
40.13 (1.58")	24.9		Cross - Standard Knob	Black Thermoplastic	KM079C-040-CSL-SS25
40.13 (1.58")	24.9		Cross - Standard Knob	Black Thermoplastic	KM079C-040-CS25
43.94 (1.73")	31.8	Black	Six Lobe - Standard Knob	Phenolic	KM079C-044-6L32-SP
44.45 (1.75")	12.7		Cross - Standard Knob	Black Thermoplastic	KM079C-044-CSS13
44.45 (1.75")	25.4		Cross - Standard Knob	Black Thermoplastic	KM079C-044-CS25

 Usually stocked or Short Delivery
 ** Available while stocks last **

 Long Delivery or Large Minimum Quantities
 Not in current production







Male Knobs

Head Diameter (A) mm (in.)	Thread Length mm (in.)	Colour	Style	Knob Material	Part Number
44.45 (1.75")	50.8		Cross - Standard Knob	Black Thermoplastic	KM079C-044-CSL51
44.96 (1.77")	24.9	Black	Tri Knob	Thermoplastic	KM079C-045-TRI-BHM
48.51 (1.91")	25.4	Black	Five Lobe - Soft Touch Knob	Thermoplastic	KM079C-049-5L-SFT25-ST
48.51 (1.91")	38.1	Black	Five Lobe - Soft Touch Knob	Thermoplastic	KM079C-049-5L-SFT38-ST
50.00 (1.97")	25.0	Black	Six Lobe - Standard Knob	Thermoplastic	KM079C-050-6L25-S4
50.00 (1.97")	25.0	Black	Six Lobe - Standard Knob	Thermoplastic	KM079C-050-6L25-ST
50.00 (1.97")	25.4	Black	Five Lobe - Soft Touch Knob	Technopolymer	KM079C-050-5LSFT25-ST
50.00 (1.97")	30.0	Black	Six Lobe - Standard Knob	Thermoplastic	KM079C-050-6L30-ST
50.00 (1.97")	31.8	Black	Six Lobe - Standard Knob	Thermoplastic	KM079C-050-6L32-S4
50.00 (1.97")	38.1	Black	Five Lobe - Soft Touch Knob	Technopolymer	KM079C-050-5LSFT38-ST
50.00 (1.97")	62.0		Round - Soft Knob	Rubber	KM079C-050-R-SFT
50.04 (1.97")	19.1		Three Lobe - Safety Knob		KM079C-050-3L-SAF19
50.04 (1.97")	24.9		Cross - Standard Knob	Black Thermoplastic	KM079C-050-CS25
50.04 (1.97")	24.9		Cross - Standard Knob	Black Thermoplastic	KM079C-050-CS-SS25
50.04 (1.97")	24.9	Black	Four Lobe - Standard Knob	Thermoplastic	KM079C-050-4L25
50.04 (1.97")	25.4		Three Lobe - Safety Knob		KM079C-050-3L-SAF25
50.04 (1.97")	25.4	Black	Three Lobe - Standard Knob	Thermoplastic	KM079C-050-3L
50.04 (1.97")	30.0		Cross - Standard Knob	Black Thermoplastic	KM079C-050-CSL30
50.04 (1.97")	31.8		Cross - Standard Knob	Black Thermoplastic	KM079C-050-CSL-SS32
50.04 (1.97")	38.1	Black	Four Lobe - Standard Knob	Phenolic	KM079C-050-4L38
50.04 (1.97")	38.1		Three Lobe - Safety Knob		KM079C-050-3L-SAF38
50.04 (1.97")	44.5	Black	Three Lobe - Standard Knob	Thermoplastic	KM079C-050-3LL
50.80 (2.00")	19.1	Black	Tri Knob	Phenolic	KM079C-051-TRI-BHM
55.12 (2.17")	25.4	Black	Three Lobe - Soft Touch Knob	Thermoplastic	KM079C-055-3L-SFT
57.15 (2.25")	12.7		Cross - Standard Knob	Black Thermoplastic	KM079C-057-CS-NY13
57.15 (2.25")	25.4	Black	Five Lobe - Soft Touch Knob	Thermoplastic	KM079C-057-5L-SFT25-ST
65.02 (2.56")	24.9	Black	Tri Knob	Thermoplastic	KM079C-065-TRI-BHM
85.09 (3.35")	30.0	Black	Tri Knob	Thermoplastic	KM079C-085-TRI-BHM

Thread Size M8x1.25 (8.00mm Standard)

32.00 (1.26")	15.0	Black	Seven Lobe Knob	Thermoplastic	KM-080M-032-7L15-ST
32.00 (1.26")	16.0	Black	Five Lobe - Standard Knob	Phenolic	KM080M-032-5L16
32.00 (1.26")	20.0	Black	Seven Lobe Knob	Thermoplastic	KM-080M-032-7L20-ST
32.00 (1.26")	24.0	Black	Five Lobe - Standard Knob	Phenolic	KM080M-032-5L24
32.00 (1.26")	30.0	Black	Seven Lobe Knob	Thermoplastic	KM-080M-032-7L30-ST
40.00 (1.57")	20.0	Black	Tri Knob	Phenolic	KM080M-040-TRI-BHM
40.00 (1.57")	15.0	Black	Seven Lobe Knob	Thermoplastic	KM-080M-040-7L15-ST
40.00 (1.57")	16.0	Black	Five Lobe - Standard Knob	Thermoplastic	KM080M-040-5L16A
40.00 (1.57")	16.0	Black	Five Lobe - Standard Knob	Phenolic	KM080M-040-5L16B
40.00 (1.57")	20.0	Black	Five Lobe - Standard Knob	Phenolic	KM080M-040-5L20
40.00 (1.57")	20.0		Star Knob	Plastic	KM080M-040-STR-PL
40.00 (1.57")	20.0		Wing Knob		KM080M-040-W
40.00 (1.57")	24.0	Black	Five Lobe - Standard Knob	Phenolic	KM080M-040-5L24
43.00 (1.69")	16.0		Star - Soft Knob		KM080M-043-STR-SFT16
43.00 (1.69")	25.0		Star - Soft Knob		KM080M-043-STR-SFT25
44.00 (1.73")	30.0		Grip - Soft Knob		KM080M-044-GSA
44.00 (1.73")	16.0		Grip - Soft Knob		KM080M-044-GSB
50.00 (1.97")	15.0		Three Lobe - Safety Knob		KM080M-050-3L-SAF15
50.00 (1.97")	16.0	Black	Five Lobe - Standard Knob	Phenolic	KM080M-050-5L16
50.00 (1.97")	20.0		Three Lobe - Safety Knob		KM080M-050-3L-SAF20
50.00 (1.97")	24.0	Black	Five Lobe - Standard Knob	Phenolic	KM080M-050-5L24
50.00 (1.97")	33.0		Three Lobe - Safety Knob		KM080M-050-3L-SAF33
50.00 (1.97")	47.0		Three Lobe - Safety Knob		KM080M-050-3L-SAF47
50.00 (1.97")	62.0		Round - Soft Knob		KM080M-050-R-SFT
70.00 (2.76")	30.0		Wing Knob	Plastic	** KM080M-070-W

 Usually stocked or Short Delivery
 ** Available while stocks last **

 Long Delivery or Large Minimum Quantities
 Not in current production







Male Knobs

Head Diameter (A) mm (in.)	Thread Length mm (in.)	Colour	Style	Knob Material	Part Number
-------------------------------	---------------------------	--------	-------	---------------	-------------

Thread Size 3/8-16 UNC (9.53mm)

38.10 (1.50")	19.1	Black	Rosette Thumb - With Cap Screw Knob		KM095C-038-1905-ROS-B
38.10 (1.50")	19.1	Grey	Rosette Thumb - With Cap Screw Knob		KM095C-038-1905-ROS-G
38.10 (1.50")	19.1	Red	Rosette Thumb - With Cap Screw Knob		KM095C-038-1905-ROS-R
38.10 (1.50")	19.1	Yellow	Rosette Thumb - With Cap Screw Knob		KM095C-038-1905-ROS-Y
38.10 (1.50")	25.4	Black	Rosette Thumb - With Cap Screw Knob		KM095C-038-2540-ROS-B
38.10 (1.50")	25.4	Grey	Rosette Thumb - With Cap Screw Knob		KM095C-038-2540-ROS-G
38.10 (1.50")	25.4	Red	Rosette Thumb - With Cap Screw Knob		KM095C-038-2540-ROS-R
38.10 (1.50")	25.4	Yellow	Rosette Thumb - With Cap Screw Knob		KM095C-038-2540-ROS-Y
38.10 (1.50")	38.1	Yellow	Rosette Thumb - With Cap Screw Knob		KM095C-038-3810-ROS-Y
38.10 (1.50")	38.1	Red	Rosette Thumb - With Cap Screw Knob		KM095C-038-3810-ROS-R
38.10 (1.50")	38.1	Black	Rosette Thumb - With Cap Screw Knob		KM095C-038-3810-ROS-B
38.10 (1.50")	38.1	Grey	Rosette Thumb - With Cap Screw Knob		KM095C-038-3810-ROS-G
39.88 (1.57")	20.1		Ball - Novo-Grip Knob	Rubber	KM095C-040-NG
39.88 (1.57")	25.4	Black	Three Lobe - Standard Knob	Thermoplastic	KM095C-040-3L
39.88 (1.57")	38.1	Black	Three Lobe - Standard Knob	Thermoplastic	KM095C-040-3LL
44.45 (1.75")	12.7		Cross - Standard Knob	Black Thermoplastic	KM095C-044-CS-NY13
44.45 (1.75")	19.1	Yellow	Tee Thumb - With Cap Screw Knob		KM095C-044-1905-TEE-Y
44.45 (1.75")	19.1	Red	Tee Thumb - With Cap Screw Knob		KM095C-044-1905-TEE-R
44.45 (1.75")	19.1	Black	Tee Thumb - With Cap Screw Knob		KM095C-044-1905-TEE-B
44.45 (1.75")	19.1	Grey	Tee Thumb - With Cap Screw Knob		KM095C-044-1905-TEE-G
44.45 (1.75")	25.4		Cross - Standard Knob	Black Thermoplastic	KM095C-044-CS-PH25
44.45 (1.75")	25.4	Black	Tee Thumb - With Cap Screw Knob		KM095C-044-2540-TEE-B
44.45 (1.75")	25.4	Grey	Tee Thumb - With Cap Screw Knob		KM095C-044-2540-TEE-G
44.45 (1.75")	25.4	Red	Tee Thumb - With Cap Screw Knob		KM095C-044-2540-TEE-R
44.45 (1.75")	25.4	Yellow	Tee Thumb - With Cap Screw Knob		KM095C-044-2540-TEE-Y
44.45 (1.75")	38.1	Yellow	Tee Thumb - With Cap Screw Knob		KM095C-044-3810-TEE-Y
44.45 (1.75")	38.1	Grey	Tee Thumb - With Cap Screw Knob		KM095C-044-3810-TEE-G
44.45 (1.75")	38.1	Red	Tee Thumb - With Cap Screw Knob		KM095C-044-3810-TEE-R
44.45 (1.75")	38.1	Black	Tee Thumb - With Cap Screw Knob		KM095C-044-3810-TEE-B
44.45 (1.75")	50.8		Cross - Standard Knob	Black Thermoplastic	KM095C-044-CSL-PH51
50.00 (1.97")	62.0		Round - Soft Knob	Rubber	KM095C-050-R-SFT
50.04 (1.97")	20.1		Ball - Novo-Grip Knob	Rubber	KM095C-050-NG
50.04 (1.97")	24.9		Cross - Standard Knob	Black Thermoplastic	KM095C-050-CS-NYSS25
50.04 (1.97")	24.9		Cross - Standard Knob	Black Thermoplastic	KM095C-050-CS25
50.04 (1.97")	24.9	Black	Four Lobe - Standard Knob	Thermoplastic	KM095C-050-4L25
50.04 (1.97")	25.4		Three Lobe - Safety Knob		KM095C-050-3L-SAF25
50.04 (1.97")	25.4	Black	Three Lobe - Standard Knob	Thermoplastic	KM095C-050-3LS
50.04 (1.97")	35.1		Cross - Standard Knob	Black Thermoplastic	KM095C-050-CS35
50.04 (1.97")	38.1		Cross - Standard Knob	Black Thermoplastic	KM095C-050-CS-SS38
50.04 (1.97")	38.1	Black	Four Lobe - Standard Knob	Phenolic	KM095C-050-4L38B
50.04 (1.97")	38.1	Black	Four Lobe - Standard Knob	Phenolic	KM095C-050-4L38A
50.04 (1.97")	38.1		Three Lobe - Safety Knob		KM095C-050-3L-SAF38
50.04 (1.97")	38.1	Black	Three Lobe - Standard Knob	Thermoplastic	KM095C-050-3L
50.04 (1.97")	50.8	Black	Three Lobe - Standard Knob	Thermoplastic	KM095C-050-3LL
57.15 (2.25")	12.7		Cross - Standard Knob	Black Thermoplastic	KM095C-057-CS-NY13
57.15 (2.25")	25.4		Cross - Standard Knob	Black Thermoplastic	KM095C-057-CS-SS25
57.15 (2.25")	25.4		Cross - Standard Knob	Black Thermoplastic	KM095C-057-CS-PH25
57.15 (2.25")	38.1		Cross - Standard Knob	Black Thermoplastic	KM095C-057-CS-SS38
57.15 (2.25")	38.1		Cross - Standard Knob	Black Thermoplastic	KM095C-057-CS-NY38
57.15 (2.25")	38.1		Cross - Standard Knob	Black Thermoplastic	KM095C-057-CS-PH38
57.15 (2.25")	50.8		Cross - Standard Knob	Black Thermoplastic	KM095C-057-CS-SS51
57.15 (2.25")	50.8		Cross - Standard Knob	Black Thermoplastic	KM095C-057-CS-PH51
57.15 (2.25")	63.5		Cross - Standard Knob	Black Thermoplastic	KM095C-057-CS-PH64
59.94 (2.36")	24.9		Cross - Standard Knob	Black Thermoplastic	KM095C-060-CS25
59.94 (2.36")	24.9		Cross - Standard Knob	Black Thermoplastic	KM095C-060-CS-SS25

 Usually stocked or Short Delivery
 ** Available while stocks last **

 Long Delivery or Large Minimum Quantities
 Not in current production



Male Knobs



Head Diameter (A) mm (in.)	Thread Length mm (in.)	Colour	Style	Knob Material	Part Number
59.94 (2.36")	24.9	Black	Four Lobe - Standard Knob	Thermoplastic	KM095C-060-4L25
59.94 (2.36")	35.1		Cross - Standard Knob	Black Thermoplastic	KM095C-060-CS35
59.94 (2.36")	38.1		Cross - Standard Knob	Black Thermoplastic	KM095C-060-CS-SS38
62.99 (2.48")	44.5	Black	Four Lobe - Standard Knob	Phenolic	KM095C-063-4L44
65.02 (2.56")	24.9	Black	Tri Knob	Thermoplastic	KM095C-065-TRI-BHM
80.01 (3.15")	24.9	Black	Four Lobe - Standard Knob	Thermoplastic	KM095C-080-4L25
85.09 (3.35")	30.0	Black	Tri Knob	Thermoplastic	KM095C-085-TRI-BHM
104.90 (4.13")	30.0	Black	Tri Knob	Thermoplastic	KM095C-105-TRI-BHM



Thread Size 3/8-16 BSW (9.53mm)

57.00 (2.24")	25.4		Tri Knob	Polypropylene	KM095W-057-TRI-BHM
---------------	------	--	----------	---------------	--------------------

Thread Size 3/8-16 UNC (9.53mm)

38.61 (1.52")	25.4	Black	Five Lobe - Soft Touch Knob	Thermoplastic	KM095C-039-5L-SFT25-ST
38.61 (1.52")	38.1	Black	Five Lobe - Soft Touch Knob	Thermoplastic	KM095C-039-5L-SFT38-ST
40.00 (1.57")	20.0	Black	Seven Lobe Knob	Thermoplastic	KM-095C-040-7L20-ST
40.00 (1.57")	40.0	Black	Seven Lobe Knob	Thermoplastic	KM-095C-040-7L40-ST
43.94 (1.73")	25.4	Black	Six Lobe - Standard Knob	Phenolic	KM095C-044-6L25-SP
43.94 (1.73")	31.8	Black	Six Lobe - Standard Knob	Phenolic	KM095C-044-6L32-SP
43.94 (1.73")	44.5	Black	Six Lobe - Standard Knob	Phenolic	KM095C-044-6L44-SP
48.51 (1.91")	25.4	Black	Five Lobe - Soft Touch Knob	Thermoplastic	KM095C-049-5L-SFT25-ST
48.51 (1.91")	38.1	Black	Five Lobe - Soft Touch Knob	Thermoplastic	KM095C-049-5L-SFT38-ST
50.00 (1.97")	20.0	Black	Five Lobe Knob	Thermoplastic	KM095C-050-5L20-ST
50.00 (1.97")	20.0	Black	Seven Lobe Knob	Thermoplastic	KM-095C-050-7L20-ST
50.00 (1.97")	25.0	Black	Six Lobe - Standard Knob	Thermoplastic	KM095C-050-6L25-S4
50.00 (1.97")	25.0	Black	Six Lobe - Standard Knob	Thermoplastic	KM095C-050-6L25-ST
50.00 (1.97")	25.4	Black	Five Lobe - Soft Touch Knob	Technopolymer	KM095C-050-5LSFT25-ST
50.00 (1.97")	25.4	Black	Five Lobe - Standard Knob	Glass Fibre reinforced Technopolymer	KM095C-050-5L25-ST
50.00 (1.97")	25.4	Black	Five Lobe - Standard Knob	Phenolic	KM095C-050-5L25-S4
50.00 (1.97")	31.8	Black	Five Lobe - Standard Knob	Phenolic	KM095C-050-5L32-S4
50.00 (1.97")	31.8	Black	Six Lobe - Standard Knob	Thermoplastic	KM095C-050-6L32-S4
50.00 (1.97")	35.0	Black	Six Lobe - Standard Knob	Thermoplastic	KM095C-050-6L35-ST
50.00 (1.97")	38.1	Black	Five Lobe - Soft Touch Knob	Technopolymer	KM095C-050-5LSFT38-ST
50.00 (1.97")	38.1	Black	Five Lobe - Standard Knob	Glass Fibre reinforced Technopolymer	KM095C-050-5L38-ST
50.00 (1.97")	38.1	Black	Five Lobe - Standard Knob	Phenolic	KM095C-050-5L38-S4
50.00 (1.97")	40.0	Black	Seven Lobe Knob	Thermoplastic	KM-095C-050-7L40-ST
50.00 (1.97")	40.0	Black	Seven Lobe Knob	Thermoplastic	KM-095C-050-7L40-S4
50.00 (1.97")	50.8	Black	Five Lobe - Standard Knob	Phenolic	KM095C-050-5L51-S4
50.04 (1.97")	44.5	Black	Six Lobe - Standard Knob	Phenolic	KM095C-050-6L44-SP
55.12 (2.17")	38.1	Black	Six Lobe - Standard Knob	Phenolic	KM095C-055-6L38-SP
57.15 (2.25")	25.4	Black	Five Lobe - Soft Touch Knob	Thermoplastic	KM095C-057-5L-SFT25-ST
57.15 (2.25")	38.1	Black	Five Lobe - Soft Touch Knob	Thermoplastic	KM095C-057-5L-SFT38-ST
60.00 (2.36")	25.0	Black	Six Lobe - Standard Knob	Thermoplastic	KM095C-060-6L25-S4
60.00 (2.36")	25.0	Black	Six Lobe - Standard Knob	Thermoplastic	KM095C-060-6L25-ST
60.00 (2.36")	31.8	Black	Six Lobe - Standard Knob	Thermoplastic	KM095C-060-6L32-S4
60.00 (2.36")	35.0	Black	Six Lobe - Standard Knob	Thermoplastic	KM095C-060-6L35-ST
63.00 (2.48")	20.0	Black	Five Lobe Knob	Thermoplastic	KM095C-063-5L20-S4
63.00 (2.48")	20.0	Black	Seven Lobe Knob	Thermoplastic	KM-095C-063-7L20-ST
63.00 (2.48")	31.8	Black	Five Lobe - Soft Touch Knob	Technopolymer	KM095C-063-5LSFT32-ST
63.00 (2.48")	40.0	Black	Five Lobe Knob	Thermoplastic	KM095C-063-5L40-ST
63.00 (2.48")	40.0	Black	Five Lobe Knob	Thermoplastic	KM095C-063-5L40-S4
63.00 (2.48")	40.0	Black	Seven Lobe Knob	Thermoplastic	KM-095C-063-7L40-ST
63.00 (2.48")	50.8	Black	Five Lobe - Soft Touch Knob	Technopolymer	KM095C-063-5LSFT51-ST



 Usually stocked or Short Delivery
 ** Available while stocks last **



 Long Delivery or Large Minimum Quantities
 Not in current production



Male Knobs

Head Diameter (A) mm (in.)	Thread Length mm (in.)	Colour	Style	Knob Material	Part Number
Thread Size 3/8-16 BSW (9.53mm)					
50.80 (2.00")	19.1	Black	Tri Knob	Phenolic	KM095W-051-TRI-BHM
Thread Size M10x1.5 (10.00mm Standard)					
40.00 (1.57")	15.0	Black	Seven Lobe Knob	Thermoplastic	KM-100M-040-7L15-ST
40.00 (1.57")	20.0	Black	Seven Lobe Knob	Thermoplastic	KM-100M-040-7L20-ST
40.00 (1.57")	30.0	Black	Seven Lobe Knob	Thermoplastic	KM-100M-040-7L30-ST
50.00 (1.97")	15.0	Black	Seven Lobe Knob	Thermoplastic	KM-100M-050-7L15-ST
50.00 (1.97")	20.0	Black	Five Lobe - Standard Knob	Thermoplastic	** KM100M-050-5L20
50.00 (1.97")	20.0		Three Lobe - Safety Knob		KM100M-050-3L-SAF20
50.00 (1.97")	30.0	Black	Five Lobe - Standard Knob	Phenolic	KM100M-050-5L30
50.00 (1.97")	30.0	Black	Seven Lobe Knob	Thermoplastic	KM-100M-050-7L30-ST
50.00 (1.97")	30.0		Star Knob		KM100M-050-STR-PL
50.00 (1.97")	30.0		Three Lobe - Safety Knob		KM100M-050-3L-SAF30
50.00 (1.97")	40.0		Three Lobe - Safety Knob		KM100M-050-3L-SAF40
50.00 (1.97")	62.0		Round - Soft Knob		KM100M-050-R-SFT
53.00 (2.09")	20.0		Star - Soft Knob		KM100M-053-STR-SFT20
53.00 (2.09")	30.0		Star - Soft Knob		KM100M-053-STR-SFT30
54.00 (2.13")	30.0		Grip - Soft Knob		KM100M-054-GSA
54.00 (2.13")	20.0		Grip - Soft Knob		KM100M-054-GSB
57.00 (2.24")	30.0		Tri Knob	Polypropylene	** KM100M-057-TRI-BHM
63.00 (2.48")	20.0	Black	Seven Lobe Knob	Thermoplastic	KM-100M-063-7L20-ST
63.00 (2.48")	30.0	Black	Seven Lobe Knob	Thermoplastic	KM-100M-063-7L30-ST
Thread Size M12x1.75 (12.00mm Standard)					
50.00 (1.97")	15.0	Black	Seven Lobe Knob	Thermoplastic	KM-120M-050-7L15-ST
50.00 (1.97")	20.0	Black	Seven Lobe Knob	Thermoplastic	KM-120M-050-7L20-ST
50.00 (1.97")	30.0	Black	Seven Lobe Knob	Thermoplastic	KM-120M-050-7L30-ST
63.00 (2.48")	20.0	Black	Seven Lobe Knob	Thermoplastic	KM-120M-063-7L20-ST
63.00 (2.48")	30.0	Black	Seven Lobe Knob	Thermoplastic	KM-120M-063-7L30-ST
Thread Size 1/2-13 UNC (12.7mm)					
50.00 (1.97")	30.0	Black	Seven Lobe Knob	Thermoplastic	KM-127C-050-7L30-ST
50.00 (1.97")	60.0	Black	Seven Lobe Knob	Thermoplastic	KM-127C-050-7L60-ST
50.04 (1.97")	30.0		Ball - Novo-Grip Knob	Rubber	KM127C-050-NG
50.04 (1.97")	38.1	Black	Four Lobe - Standard Knob	Phenolic	KM127C-050-4L38
50.04 (1.97")	39.9		Ball - Novo-Grip Knob	Rubber	KM127C-050-NG-SS
50.04 (1.97")	50.8	Black	Four Lobe - Standard Knob	Phenolic	KM127C-050-4L51
55.12 (2.17")	38.1	Black	Six Lobe - Standard Knob	Phenolic	KM127C-055-6L38-SP
55.12 (2.17")	50.8	Black	Six Lobe - Standard Knob	Phenolic	KM127C-055-6L51-SP
57.15 (2.25")	25.4		Cross - Standard Knob	Black Thermoplastic	KM127C-057-CS-PH25
57.15 (2.25")	38.1		Cross - Standard Knob	Black Thermoplastic	KM127C-057-CS-PH38
57.15 (2.25")	50.8		Cross - Standard Knob	Black Thermoplastic	KM127C-057-CS-PH51
57.15 (2.25")	63.5		Cross - Standard Knob	Black Thermoplastic	KM127C-057-CS-PH64
59.94 (2.36")	24.9		Cross - Standard Knob	Black Thermoplastic	KM127C-060-CS25
59.94 (2.36")	24.9		Cross - Standard Knob	Black Thermoplastic	KM127C-060-CS-SS25
59.94 (2.36")	24.9	Black	Four Lobe - Standard Knob	Thermoplastic	KM127C-060-4L25
59.94 (2.36")	35.1		Cross - Standard Knob	Black Thermoplastic	KM127C-060-CS35
59.94 (2.36")	38.1		Cross - Standard Knob	Black Thermoplastic	KM127C-060-CS-SS38
60.00 (2.36")	25.0	Black	Six Lobe - Standard Knob	Thermoplastic	KM127C-060-6L25-ST
60.00 (2.36")	25.0	Black	Six Lobe - Standard Knob	Thermoplastic	KM127C-060-6L25-S4
60.00 (2.36")	31.8	Black	Six Lobe - Standard Knob	Thermoplastic	KM127C-060-6L32-S4
60.00 (2.36")	35.0	Black	Six Lobe - Standard Knob	Thermoplastic	KM127C-060-6L35-ST
60.00 (2.36")	38.1	Black	Five Lobe - Standard Knob	Glass Fibre reinforced Technopolymer	KM127C-060-5L38-ST
62.99 (2.48")	38.1	Black	Three Lobe - Standard Knob	Thermoplastic	KM127C-063-3L

 Usually stocked or Short Delivery
 ** Available while stocks last **

 Long Delivery or Large Minimum Quantities
 Not in current production



Male Knobs



Head Diameter (A) mm (in.)	Thread Length mm (in.)	Colour	Style	Knob Material	Part Number
62.99 (2.48")	44.5	Black	Four Lobe - Standard Knob	Phenolic	KM127C-063-4L44
62.99 (2.48")	50.8	Black	Six Lobe - Standard Knob	Phenolic	KM127C-063-6L51-SP
63.00 (2.48")	30.0	Black	Five Lobe Knob	Thermoplastic	KM127C-063-5L30-ST
63.00 (2.48")	30.0	Black	Seven Lobe Knob	Thermoplastic	KM-127C-063-7L30-ST
63.00 (2.48")	38.1	Black	Five Lobe - Soft Touch Knob	Technopolymer	KM127C-063-5LSFT38-ST
63.00 (2.48")	60.0	Black	Five Lobe Knob	Thermoplastic	KM127C-063-5L60-ST
63.00 (2.48")	60.0	Black	Seven Lobe Knob	Thermoplastic	KM-127C-063-7L60-ST
65.02 (2.56")	24.9	Black	Tri Knob	Thermoplastic	KM127C-065-TRI-BHM
66.04 (2.60")	38.1	Black	Six Lobe - Standard Knob	Phenolic	KM127C-066-6L38-SP
66.04 (2.60")	50.8	Black	Six Lobe - Standard Knob	Phenolic	KM127C-066-6L51-SP
80.01 (3.15")	30.0	Black	Four Lobe - Standard Knob	Thermoplastic	KM127C-080-4L30
80.01 (3.15")	35.1	Black	Four Lobe - Standard Knob	Thermoplastic	KM127C-080-4L35
80.01 (3.15")	50.8	Black	Four Lobe - Standard Knob	Phenolic	KM127C-080-4L51
85.09 (3.35")	30.0	Black	Tri Knob	Thermoplastic	KM127C-085-TRI-BHM
104.90 (4.13")	30.0	Black	Tri Knob	Thermoplastic	KM127C-105-TRI-BHM
124.97 (4.92")	30.0	Black	Tri Knob	Thermoplastic	KM127C-125-TRI-BHM



Thread Size 5/8-11 UNC (15.88mm)

80.01 (3.15")	30.0	Black	Four Lobe - Standard Knob	Thermoplastic	KM159C-080-4L30
80.01 (3.15")	35.1	Black	Four Lobe - Standard Knob	Thermoplastic	KM159C-080-4L35
104.90 (4.13")	30.0	Black	Tri Knob	Thermoplastic	KM159C-105-TRI-BHM
124.97 (4.92")	30.0	Black	Tri Knob	Thermoplastic	KM159C-125-TRI-BHM

Thread Size M16x2 (16.00mm Standard)

63.00 (2.48")	30.0	Black	Seven Lobe Knob	Thermoplastic	KM-160M-063-7L30-ST
---------------	------	-------	-----------------	---------------	----------------------------

 Usually stocked or Short Delivery
 ** Available while stocks last **

 Long Delivery or Large Minimum Quantities
 Not in current production



Pointer Knobs

Height
mm (in.)

Thread Length

Colour

Style

Material

Part Number

Diameter 12.00 Spline

16.00 (0.63")	-	Black	Pointer - Skirted Knob	Plastic	KPT-12-SK
---------------	---	-------	------------------------	---------	-----------

Diameter 13.00 Spline

18.00 (0.71")	-	Grey and Yellow	Pointer - 18T Spline Type Knob	Plastic	KPT-13-18T-GY
18.00 (0.71")	-	Grey and White	Pointer - 18T Spline Type Knob	Plastic	KPT-13-18T-GW
18.00 (0.71")	-	Grey and Blue	Pointer - 18T Spline Type Knob	Plastic	KPT-13-18T-GB
18.00 (0.71")	-	Grey and Green	Pointer - 18T Spline Type Knob	Plastic	KPT-13-18T-GG
18.00 (0.71")	-	Grey and Red	Pointer - 18T Spline Type Knob	Plastic	KPT-13-18T-GR

Diameter 15.00 Spline

14.00 (0.55")	-	Black	Pointer - 18T Spline Type Knob	Plastic	KPT-15-18T-BK
---------------	---	-------	--------------------------------	---------	---------------

Diameter 16.00 Spline

14.00 (0.55")	-	Black Anodised	Pointer - Black Aluminium Knob	Aluminium	KPT-16-ALB
14.00 (0.55")	-	Aluminium	Pointer - Brushed Aluminium Knob		KPT-16-ALN

Diameter 19.00 Spline

19.00 (0.75")	32.0	Black with White Striped Pointer	Pointer - Arrow Top Knob	Plastic	** KPT-19-AT
---------------	------	----------------------------------	--------------------------	---------	--------------

Approx Base Diameter 20.00 Spline

18.00 (0.71")	-	Silver and Black	Pointer - Aluminium and Plastic Knob		KPT-20-AP
---------------	---	------------------	--------------------------------------	--	-----------

Diameter 20.00 Spline

16.00 (0.63")	-	Black	Pointer - 18T Spline Type Knob	Plastic	KPT-20-18T-BK
16.00 (0.63")	-	Black	Pointer - Skirted Knob	Plastic	KPT-20-SK
18.00 (0.71")	-	Red	Pointer - Coloured Cap Knob	Plastic	KPT-20-CC-RED
18.00 (0.71")	-	White	Pointer - Coloured Cap Knob	Plastic	KPT-20-CC-WHI
18.00 (0.71")	-	Green	Pointer - Coloured Cap Knob	Plastic	KPT-20-CC-GRN
18.00 (0.71")	-	Blue	Pointer - Coloured Cap Knob	Plastic	KPT-20-CC-BLU
18.00 (0.71")	-	Black	Pointer - Coloured Cap Knob	Plastic	KPT-20-CC-BLK
18.00 (0.71")	-	Yellow	Pointer - Coloured Cap Knob	Plastic	KPT-20-CC-YLW
18.00 (0.71")	-	Grey	Pointer - Coloured Cap Knob	Plastic	KPT-20-CC-GRY

Diameter 22.00 Spline

14.00 (0.55")	-	Black Anodised	Pointer - Black Aluminium Knob		KPT-22-ALB
14.00 (0.55")	-	Aluminium	Pointer - Brushed Aluminium Knob		KPT-22-ALN

Diameter 23.00 Spline

14.00 (0.55")	-	Black	Pointer - Skirted Knob	Plastic	KPT-23-SK
---------------	---	-------	------------------------	---------	-----------

Diameter 24.00 Spline

20.00 (0.79")	-	Black	Pointer - Skirted Knob	Plastic	KPT-24-SK
---------------	---	-------	------------------------	---------	-----------

Approx Base Diameter 27.00 Spline

15.00 (0.59")	-	Silver and Black	Pointer - Aluminium and Plastic Knob	Aluminium	KPT-27-AP
---------------	---	------------------	--------------------------------------	-----------	-----------

Diameter 29.00 Spline

14.00 (0.55")	-	Black Anodised	Pointer - Black Aluminium Knob	Aluminium	KPT-29-ALB
18.00 (0.71")	-	Silver / Black	Pointer - Skirted - Numbered Knob	Plastic	KPT-29-SKN

Approx Base Diameter 32.00 Spline

17.00 (0.67")	-	Silver and Black	Pointer - Aluminium and Plastic Knob	Aluminium	KPT-32-AP
---------------	---	------------------	--------------------------------------	-----------	-----------

Diameter 35.00 Spline

19.00 (0.75")	-	Black	Pointer - Skirted Knob	Plastic	** KPT-35-SK
---------------	---	-------	------------------------	---------	--------------

Diameter 36.00 Spline

23.50 (0.93")	-	Silver / Black	Pointer - Skirted - Numbered Knob	Plastic	KPT-36-SKN
---------------	---	----------------	-----------------------------------	---------	------------



Usually stocked or Short Delivery

** Available while stocks last **



Long Delivery or Large Minimum Quantities



Not in current production

1

2

3

4

5

6

7

8

9

Pointer Knobs

Height
mm (in.)

Thread Length

Colour

Style

Material

Part Number

Approx Base Diameter 45.00 Spline

20.00 (0.79")

-

Silver and Black

Pointer - Aluminium and Plastic Knob

KPT-45-AP



Usually stocked or Short Delivery



** Available while stocks last **



Long Delivery or Large Minimum Quantities



Not in current production



NOTES

Cap Screw Knobs are designed to be pressed tightly onto the head of a standard socket head cap screw, turning the screw into a thumb screw.

Cap screw knobs are available in several different styles. Refer to the style column in the catalogue.

There is a small range of blank (unbored) 6 lobe star knobs at the end of the female threaded knobs section that you can drill and tap to suit your own thread size.



Distributed By

Miniature Bearings Australia
<http://www.minibearings.com.au>
sales@minibearings.com.au

Resellers: Please place your contact sticker over our details

Avoid verbal communication

We sell an extensive range of products with varying amounts of technical data. Please assist us to provide you with accurate information by placing your orders and enquiries online or by e-mail.

Knobs

