

MBA

2023.1

Poly Vee Belts and Pulleys

Longitudinally ribbed belts and pulleys



INDEX

Poly Vee Belts	3-8
Poly Vee Pulleys	
- QD Bushing Type	9
- Through Bore	10
QD Bushings	11-22

Poly Vee belts have multiple longitudinal ribs. The grooves run along the length of the belt, as distinct from timing belts where the grooves run from edge to edge. They transmit high torque from a compact design.

To find and order parts online, simply enter the part number from this catalogue into the search box on any web page.

Poly Vee Belt Cross
Section



QD
Bushes

**Note! QD bushes are not interchangeable
with Taperlock bushes**



10 Groove
Poly Vee Pulley







Poly Vee Pulleys
Selection



Poly Vee Belts



Pitch Length mm (in.)	Ribs	Section	Part Number
203.2 mm Pitch Length			
203.20 (8.00")	6	J	BPV-J-06-0203
203.20 (8.00")	10	J	BPV-J-10-0203
203.20 (8.00")	16	J	BPV-J-16-0203
215.9 mm Pitch Length			
215.90 (8.50")	6	J	BPV-J-06-0216
215.90 (8.50")	10	J	BPV-J-10-0216
215.90 (8.50")	16	J	BPV-J-16-0216
228.6 mm Pitch Length			
228.60 (9.00")	6	J	BPV-J-06-0229
228.60 (9.00")	10	J	BPV-J-10-0229
228.60 (9.00")	16	J	BPV-J-16-0229
241.3 mm Pitch Length			
241.30 (9.50")	6	J	BPV-J-06-0241
241.30 (9.50")	10	J	BPV-J-10-0241
241.30 (9.50")	16	J	BPV-J-16-0241
254.0 mm Pitch Length			
254.00 (10.00")	6	J	BPV-J-06-0254
254.00 (10.00")	10	J	BPV-J-10-0254
254.00 (10.00")	16	J	BPV-J-16-0254
266.7 mm Pitch Length			
266.70 (10.50")	6	J	BPV-J-06-0267
266.70 (10.50")	10	J	BPV-J-10-0267
266.70 (10.50")	16	J	BPV-J-16-0267
279.4 mm Pitch Length			
279.40 (11.00")	6	J	BPV-J-06-0279
279.40 (11.00")	10	J	BPV-J-10-0279
279.40 (11.00")	16	J	BPV-J-16-0279
304.8 mm Pitch Length			
304.80 (12.00")	6	J	BPV-J-06-0305
304.80 (12.00")	10	J	BPV-J-10-0305
304.80 (12.00")	16	J	BPV-J-16-0305
330.2 mm Pitch Length			
330.20 (13.00")	6	J	BPV-J-06-0330
330.20 (13.00")	10	J	BPV-J-10-0330
330.20 (13.00")	16	J	BPV-J-16-0330
355.6 mm Pitch Length			
355.60 (14.00")	6	J	BPV-J-06-0356
355.60 (14.00")	10	J	BPV-J-10-0356
355.60 (14.00")	16	J	BPV-J-16-0356
381.0 mm Pitch Length			
381.00 (15.00")	6	J	BPV-J-06-0381
381.00 (15.00")	10	J	BPV-J-10-0381
381.00 (15.00")	16	J	BPV-J-16-0381
406.4 mm Pitch Length			
406.40 (16.00")	6	J	BPV-J-06-0406
406.40 (16.00")	10	J	BPV-J-10-0406
406.40 (16.00")	16	J	BPV-J-16-0406
431.8 mm Pitch Length			
431.80 (17.00")	6	J	BPV-J-06-0432
431.80 (17.00")	10	J	BPV-J-10-0432
431.80 (17.00")	16	J	BPV-J-16-0432
457.2 mm Pitch Length			
457.20 (18.00")	6	J	BPV-J-06-0457
457.20 (18.00")	10	J	BPV-J-10-0457
457.20 (18.00")	16	J	BPV-J-16-0457



 Usually stocked or Short Delivery
 ** Available while stocks last **

 Long Delivery or Large Minimum Quantities
 Not in current production

Poly Vee Belts



Pitch Length mm (in.)	Ribs	Section	Part Number
482.6 mm Pitch Length			
482.60 (19.00")	6	J	BPV-J-06-0483
482.60 (19.00")	10	J	BPV-J-10-0483
482.60 (19.00")	16	J	BPV-J-16-0483
508.0 mm Pitch Length			
508.00 (20.00")	6	J	BPV-J-06-0508
508.00 (20.00")	10	J	BPV-J-10-0508
508.00 (20.00")	16	J	BPV-J-16-0508
533.4 mm Pitch Length			
533.40 (21.00")	6	J	BPV-J-06-0533
533.40 (21.00")	10	J	BPV-J-10-0533
533.40 (21.00")	16	J	BPV-J-16-0533
558.8 mm Pitch Length			
558.80 (22.00")	6	J	BPV-J-06-0559
558.80 (22.00")	10	J	BPV-J-10-0559
558.80 (22.00")	16	J	BPV-J-16-0559
584.2 mm Pitch Length			
584.20 (23.00")	6	J	BPV-J-06-0584
584.20 (23.00")	10	J	BPV-J-10-0584
584.20 (23.00")	16	J	BPV-J-16-0584
609.6 mm Pitch Length			
609.60 (24.00")	6	J	BPV-J-06-0610
609.60 (24.00")	10	J	BPV-J-10-0610
609.60 (24.00")	16	J	BPV-J-16-0610
660.4 mm Pitch Length			
660.40 (26.00")	6	J	BPV-J-06-0660
660.40 (26.00")	10	J	BPV-J-10-0660
660.40 (26.00")	16	J	BPV-J-16-0660
685.8 mm Pitch Length			
685.80 (27.00")	6	J	BPV-J-06-0686
685.80 (27.00")	10	J	BPV-J-10-0686
685.80 (27.00")	16	J	BPV-J-16-0686
711.2 mm Pitch Length			
711.20 (28.00")	6	J	BPV-J-06-0711
711.20 (28.00")	10	J	BPV-J-10-0711
711.20 (28.00")	16	J	BPV-J-16-0711
723.9 mm Pitch Length			
723.90 (28.50")	6	J	BPV-J-06-0724
723.90 (28.50")	10	J	BPV-J-10-0724
723.90 (28.50")	16	J	BPV-J-16-0724
736.6 mm Pitch Length			
736.60 (29.00")	6	J	BPV-J-06-0737
736.60 (29.00")	10	J	BPV-J-10-0737
736.60 (29.00")	16	J	BPV-J-16-0737
762.0 mm Pitch Length			
762.00 (30.00")	6	J	BPV-J-06-0762
762.00 (30.00")	10	J	BPV-J-10-0762
762.00 (30.00")	16	J	BPV-J-16-0762
787.4 mm Pitch Length			
787.40 (31.00")	6	J	BPV-J-06-0787
787.40 (31.00")	10	J	BPV-J-10-0787
787.40 (31.00")	16	J	BPV-J-16-0787
812.8 mm Pitch Length			
812.80 (32.00")	6	J	BPV-J-06-0813
812.80 (32.00")	10	J	BPV-J-10-0813
812.80 (32.00")	16	J	BPV-J-16-0813



 Usually stocked or Short Delivery
 ** Available while stocks last **

 Long Delivery or Large Minimum Quantities
 Not in current production

Poly Vee Belts



Pitch Length mm (in.)	Ribs	Section	Part Number
838.2 mm Pitch Length			
838.20 (33.00")	6	J	BPV-J-06-0838
838.20 (33.00")	10	J	BPV-J-10-0838
838.20 (33.00")	16	J	BPV-J-16-0838
863.6 mm Pitch Length			
863.60 (34.00")	6	J	BPV-J-06-0864
863.60 (34.00")	10	J	BPV-J-10-0864
863.60 (34.00")	16	J	BPV-J-16-0864
889.0 mm Pitch Length			
889.00 (35.00")	6	J	BPV-J-06-0889
889.00 (35.00")	10	J	BPV-J-10-0889
889.00 (35.00")	16	J	BPV-J-16-0889
914.4 mm Pitch Length			
914.40 (36.00")	6	J	BPV-J-06-0914
914.40 (36.00")	10	J	BPV-J-10-0914
914.40 (36.00")	16	J	BPV-J-16-0914
939.8 mm Pitch Length			
939.80 (37.00")	6	J	BPV-J-06-0940
939.80 (37.00")	10	J	BPV-J-10-0940
939.80 (37.00")	16	J	BPV-J-16-0940
952.5 mm Pitch Length			
952.50 (37.50")	6	J	BPV-J-06-0953
952.50 (37.50")	10	J	BPV-J-10-0953
952.50 (37.50")	16	J	BPV-J-16-0953
965.2 mm Pitch Length			
965.20 (38.00")	6	J	BPV-J-06-0965
965.20 (38.00")	10	J	BPV-J-10-0965
965.20 (38.00")	16	J	BPV-J-16-0965
990.6 mm Pitch Length			
990.60 (39.00")	6	J	BPV-J-06-0991
990.60 (39.00")	10	J	BPV-J-10-0991
990.60 (39.00")	16	J	BPV-J-16-0991
1016.0 mm Pitch Length			
1016.00 (40.00")	6	J	BPV-J-06-1016
1016.00 (40.00")	10	J	BPV-J-10-1016
1016.00 (40.00")	16	J	BPV-J-16-1016
1041.4 mm Pitch Length			
1041.40 (41.00")	6	J	BPV-J-06-1041
1041.40 (41.00")	10	J	BPV-J-10-1041
1041.40 (41.00")	16	J	BPV-J-16-1041
1054.1 mm Pitch Length			
1054.10 (41.50")	6	J	BPV-J-06-1054
1054.10 (41.50")	10	J	BPV-J-10-1054
1054.10 (41.50")	16	J	BPV-J-16-1054
1066.8 mm Pitch Length			
1066.80 (42.00")	6	J	BPV-J-06-1067
1066.80 (42.00")	10	J	BPV-J-10-1067
1066.80 (42.00")	16	J	BPV-J-16-1067
1092.2 mm Pitch Length			
1092.20 (43.00")	6	J	BPV-J-06-1092
1092.20 (43.00")	10	J	BPV-J-10-1092
1092.20 (43.00")	16	J	BPV-J-16-1092
1104.9 mm Pitch Length			
1104.90 (43.50")	6	J	BPV-J-06-1105
1104.90 (43.50")	10	J	BPV-J-10-1105
1104.90 (43.50")	16	J	BPV-J-16-1105



 Usually stocked or Short Delivery
 ** Available while stocks last **

 Long Delivery or Large Minimum Quantities
 Not in current production

Poly Vee Belts



Pitch Length mm (in.)	Ribs	Section	Part Number
1117.6 mm Pitch Length			
1117.60 (44.00")	6	J	BPV-J-06-1118
1117.60 (44.00")	10	J	BPV-J-10-1118
1117.60 (44.00")	16	J	BPV-J-16-1118
1130.3 mm Pitch Length			
1130.30 (44.50")	6	J	BPV-J-06-1130
1130.30 (44.50")	10	J	BPV-J-10-1130
1130.30 (44.50")	16	J	BPV-J-16-1130
1143.0 mm Pitch Length			
1143.00 (45.00")	6	J	BPV-J-06-1143
1143.00 (45.00")	10	J	BPV-J-10-1143
1143.00 (45.00")	16	J	BPV-J-16-1143
1168.4 mm Pitch Length			
1168.40 (46.00")	6	J	BPV-J-06-1168
1168.40 (46.00")	10	J	BPV-J-10-1168
1168.40 (46.00")	16	J	BPV-J-16-1168
1193.8 mm Pitch Length			
1193.80 (47.00")	6	J	BPV-J-06-1194
1193.80 (47.00")	10	J	BPV-J-10-1194
1193.80 (47.00")	16	J	BPV-J-16-1194
1219.2 mm Pitch Length			
1219.20 (48.00")	6	J	BPV-J-06-1219
1219.20 (48.00")	10	J	BPV-J-10-1219
1219.20 (48.00")	16	J	BPV-J-16-1219
1244.6 mm Pitch Length			
1244.60 (49.00")	6	J	BPV-J-06-1245
1244.60 (49.00")	10	J	BPV-J-10-1245
1244.60 (49.00")	16	J	BPV-J-16-1245
1270.0 mm Pitch Length			
1270.00 (50.00")	6	J	BPV-J-06-1270
1270.00 (50.00")	10	J	BPV-J-10-1270
1270.00 (50.00")	16	J	BPV-J-16-1270
1282.7 mm Pitch Length			
1282.70 (50.50")	6	J	BPV-J-06-1283
1282.70 (50.50")	10	J	BPV-J-10-1283
1282.70 (50.50")	16	J	BPV-J-16-1283
1295.4 mm Pitch Length			
1295.40 (51.00")	6	J	BPV-J-06-1295
1295.40 (51.00")	10	J	BPV-J-10-1295
1295.40 (51.00")	16	J	BPV-J-16-1295
1320.8 mm Pitch Length			
1320.80 (52.00")	6	J	BPV-J-06-1321
1320.80 (52.00")	10	J	BPV-J-10-1321
1320.80 (52.00")	16	J	BPV-J-16-1321
1346.2 mm Pitch Length			
1346.20 (53.00")	6	J	BPV-J-06-1346
1346.20 (53.00")	10	J	BPV-J-10-1346
1346.20 (53.00")	16	J	BPV-J-16-1346
1371.6 mm Pitch Length			
1371.60 (54.00")	6	J	BPV-J-06-1372
1371.60 (54.00")	10	J	BPV-J-10-1372
1371.60 (54.00")	16	J	BPV-J-16-1372
1397.0 mm Pitch Length			
1397.00 (55.00")	6	J	BPV-J-06-1397
1397.00 (55.00")	10	J	BPV-J-10-1397
1397.00 (55.00")	16	J	BPV-J-16-1397



 Usually stocked or Short Delivery
 ** Available while stocks last **

 Long Delivery or Large Minimum Quantities
 Not in current production

Poly Vee Belts



Pitch Length mm (in.)	Ribs	Section	Part Number
1422.4 mm Pitch Length			
1422.40 (56.00")	6	J	BPV-J-06-1422
1422.40 (56.00")	10	J	BPV-J-10-1422
1422.40 (56.00")	16	J	BPV-J-16-1422
1460.5 mm Pitch Length			
1460.50 (57.50")	6	J	BPV-J-06-1461
1460.50 (57.50")	10	J	BPV-J-10-1461
1460.50 (57.50")	16	J	BPV-J-16-1461
1473.2 mm Pitch Length			
1473.20 (58.00")	6	J	BPV-J-06-1473
1473.20 (58.00")	10	J	BPV-J-10-1473
1473.20 (58.00")	16	J	BPV-J-16-1473
1549.4 mm Pitch Length			
1549.40 (61.00")	6	J	BPV-J-06-1549
1549.40 (61.00")	10	J	BPV-J-10-1549
1549.40 (61.00")	16	J	BPV-J-16-1549
1587.5 mm Pitch Length			
1587.50 (62.50")	6	J	BPV-J-06-1588
1587.50 (62.50")	10	J	BPV-J-10-1588
1587.50 (62.50")	16	J	BPV-J-16-1588
1600.2 mm Pitch Length			
1600.20 (63.00")	6	J	BPV-J-06-1600
1600.20 (63.00")	10	J	BPV-J-10-1600
1600.20 (63.00")	16	J	BPV-J-16-1600
1625.6 mm Pitch Length			
1625.60 (64.00")	6	J	BPV-J-06-1626
1625.60 (64.00")	10	J	BPV-J-10-1626
1625.60 (64.00")	16	J	BPV-J-16-1626
1651.0 mm Pitch Length			
1651.00 (65.00")	6	J	BPV-J-06-1651
1651.00 (65.00")	10	J	BPV-J-10-1651
1651.00 (65.00")	16	J	BPV-J-16-1651
1663.7 mm Pitch Length			
1663.70 (65.50")	6	J	BPV-J-06-1664
1663.70 (65.50")	10	J	BPV-J-10-1664
1663.70 (65.50")	16	J	BPV-J-16-1664
1701.8 mm Pitch Length			
1701.80 (67.00")	6	J	BPV-J-06-1702
1701.80 (67.00")	10	J	BPV-J-10-1702
1701.80 (67.00")	16	J	BPV-J-16-1702
1752.6 mm Pitch Length			
1752.60 (69.00")	6	J	BPV-J-06-1753
1752.60 (69.00")	10	J	BPV-J-10-1753
1752.60 (69.00")	16	J	BPV-J-16-1753
1778.0 mm Pitch Length			
1778.00 (70.00")	6	J	BPV-J-06-1778
1778.00 (70.00")	10	J	BPV-J-10-1778
1778.00 (70.00")	16	J	BPV-J-16-1778
1854.2 mm Pitch Length			
1854.20 (73.00")	6	J	BPV-J-06-1854
1854.20 (73.00")	10	J	BPV-J-10-1854
1854.20 (73.00")	16	J	BPV-J-16-1854
1905.0 mm Pitch Length			
1905.00 (75.00")	6	J	BPV-J-06-1905
1905.00 (75.00")	10	J	BPV-J-10-1905
1905.00 (75.00")	16	J	BPV-J-16-1905



 Usually stocked or Short Delivery
 ** Available while stocks last **

 Long Delivery or Large Minimum Quantities
 Not in current production

Poly Vee Belts



Pitch Length mm (in.)	Ribs	Section	Part Number
1930.4 mm Pitch Length			
1930.40 (76.00")	6	J	BPV-J-06-1930
1930.40 (76.00")	10	J	BPV-J-10-1930
1930.40 (76.00")	16	J	BPV-J-16-1930
1955.8 mm Pitch Length			
1955.80 (77.00")	6	J	BPV-J-06-1956
1955.80 (77.00")	10	J	BPV-J-10-1956
1955.80 (77.00")	16	J	BPV-J-16-1956
1968.5 mm Pitch Length			
1968.50 (77.50")	6	J	BPV-J-06-1969
1968.50 (77.50")	10	J	BPV-J-10-1969
1968.50 (77.50")	16	J	BPV-J-16-1969
1981.2 mm Pitch Length			
1981.20 (78.00")	6	J	BPV-J-06-1981
1981.20 (78.00")	10	J	BPV-J-10-1981
1981.20 (78.00")	16	J	BPV-J-16-1981
1993.9 mm Pitch Length			
1993.90 (78.50")	6	J	BPV-J-06-1994
1993.90 (78.50")	10	J	BPV-J-10-1994
1993.90 (78.50")	16	J	BPV-J-16-1994
2019.3 mm Pitch Length			
2019.30 (79.50")	6	J	BPV-J-06-2019
2019.30 (79.50")	10	J	BPV-J-10-2019
2019.30 (79.50")	16	J	BPV-J-16-2019
2082.8 mm Pitch Length			
2082.80 (82.00")	6	J	BPV-J-06-2083
2082.80 (82.00")	10	J	BPV-J-10-2083
2082.80 (82.00")	16	J	BPV-J-16-2083
2209.8 mm Pitch Length			
2209.80 (87.00")	6	J	BPV-J-06-2210
2209.80 (87.00")	10	J	BPV-J-10-2210
2209.80 (87.00")	16	J	BPV-J-16-2210
2286.0 mm Pitch Length			
2286.00 (90.00")	6	J	BPV-J-06-2286
2286.00 (90.00")	10	J	BPV-J-10-2286
2286.00 (90.00")	16	J	BPV-J-16-2286
2336.8 mm Pitch Length			
2336.80 (92.00")	6	J	BPV-J-06-2337
2336.80 (92.00")	10	J	BPV-J-10-2337
2336.80 (92.00")	16	J	BPV-J-16-2337
2489.2 mm Pitch Length			
2489.20 (98.00")	6	J	BPV-J-06-2489
2489.20 (98.00")	10	J	BPV-J-10-2489
2489.20 (98.00")	16	J	BPV-J-16-2489



 Usually stocked or Short Delivery
 ** Available while stocks last **

 Long Delivery or Large Minimum Quantities
 Not in current production

Poly Vee Pulleys - Suit QD Bushes



Outside Diameter (OD) mm (in.)	QD Bush	Grooves	Pitch Diameter (PD) mm (in.)	Part Number
50.8 mm Outside Diameter (OD)				
50.80 (2.00")	JA	6	51.56 (2.03")	PPV-J-051-QJA
53.8 mm Outside Diameter (OD)				
53.85 (2.12")	JA	6	54.61 (2.15")	PPV-J-054-QJA
56.9 mm Outside Diameter (OD)				
56.90 (2.24")	JA	6	57.66 (2.27")	PPV-J-057-QJA
59.9 mm Outside Diameter (OD)				
59.94 (2.36")	JA	6	60.71 (2.39")	PPV-J-100-QJA
63.5 mm Outside Diameter (OD)				
63.50 (2.50")	JA	6	64.26 (2.53")	PPV-J-104-QJA
67.3 mm Outside Diameter (OD)				
67.31 (2.65")	JA	6	68.07 (2.68")	PPV-J-107-QJA
71.1 mm Outside Diameter (OD)				
71.12 (2.80")	JA	6	71.88 (2.83")	PPV-J-071-QJA
76.2 mm Outside Diameter (OD)				
76.20 (3.00")	JA	6	76.96 (3.03")	PPV-J-076-QJA
76.20 (3.00")	SH	16	76.96 (3.03")	PPV-J-076-QSH
80.0 mm Outside Diameter (OD)				
80.01 (3.15")	JA	6	80.77 (3.18")	PPV-J-080-QJA
80.01 (3.15")	SH	16	80.77 (3.18")	PPV-J-080-QSH
85.1 mm Outside Diameter (OD)				
85.09 (3.35")	JA	6	85.85 (3.38")	PPV-J-085-QJA
85.09 (3.35")	SH	10	85.85 (3.38")	PPV-J-085-QSH
114.3 mm Outside Diameter (OD)				
114.30 (4.50")	SH	6	115.06 (4.53")	PPV-J-114-QSH
152.4 mm Outside Diameter (OD)				
152.40 (6.00")	SH	6	153.16 (6.03")	PPV-J-152-QSH



 Usually stocked or Short Delivery
 ** Available while stocks last **

 Long Delivery or Large Minimum Quantities
 Not in current production

Poly Vee Pulleys - Through Bore

Outside Diameter (OD) mm (in.)	Bore mm (in.)	Grooves	Pitch Diameter (PD) mm (in.)	Part Number
38.1 mm Outside Diameter (OD)				
38.10 (1.50")	12.700 (0.50")	6	38.86 (1.53")	PPV-J-038-06-0127
38.10 (1.50")	12.700 (0.50")	10	38.86 (1.53")	PPV-J-038-10-0127
38.10 (1.50")	12.700 (0.50")	16	38.86 (1.53")	PPV-J-038-16-0127
38.10 (1.50")	15.875 (0.63")	6	38.86 (1.53")	PPV-J-038-06-0159
38.10 (1.50")	15.875 (0.63")	10	38.86 (1.53")	PPV-J-038-10-0159
38.10 (1.50")	15.875 (0.63")	16	38.86 (1.53")	PPV-J-038-16-0159
38.10 (1.50")	19.050 (0.75")	6	38.86 (1.53")	PPV-J-038-06-0191
38.10 (1.50")	19.050 (0.75")	10	38.86 (1.53")	PPV-J-038-10-0191
38.10 (1.50")	19.050 (0.75")	16	38.86 (1.53")	PPV-J-038-16-0191
40.6 mm Outside Diameter (OD)				
40.64 (1.60")	12.700 (0.50")	6	41.40 (1.63")	PPV-J-041-06-0127
40.64 (1.60")	12.700 (0.50")	10	41.40 (1.63")	PPV-J-041-10-0127
40.64 (1.60")	12.700 (0.50")	16	41.40 (1.63")	PPV-J-041-16-0127
40.64 (1.60")	15.875 (0.63")	6	41.40 (1.63")	PPV-J-041-06-0159
40.64 (1.60")	15.875 (0.63")	10	41.40 (1.63")	PPV-J-041-10-0159
40.64 (1.60")	15.875 (0.63")	16	41.40 (1.63")	PPV-J-041-16-0159
40.64 (1.60")	19.050 (0.75")	6	41.40 (1.63")	PPV-J-041-06-0191
40.64 (1.60")	19.050 (0.75")	10	41.40 (1.63")	PPV-J-041-10-0191
40.64 (1.60")	19.050 (0.75")	16	41.40 (1.63")	PPV-J-041-16-0191
43.2 mm Outside Diameter (OD)				
43.18 (1.70")	12.700 (0.50")	6	43.94 (1.73")	PPV-J-043-06-0127
43.18 (1.70")	12.700 (0.50")	10	43.94 (1.73")	PPV-J-043-10-0127
43.18 (1.70")	12.700 (0.50")	16	43.94 (1.73")	PPV-J-043-16-0127
45.7 mm Outside Diameter (OD)				
45.72 (1.80")	12.700 (0.50")	6	46.48 (1.83")	PPV-J-046-06-0127
45.72 (1.80")	12.700 (0.50")	10	46.48 (1.83")	PPV-J-046-10-0127
45.72 (1.80")	12.700 (0.50")	16	46.48 (1.83")	PPV-J-046-16-0127
45.72 (1.80")	15.875 (0.63")	6	46.48 (1.83")	PPV-J-046-06-0159
45.72 (1.80")	15.875 (0.63")	10	46.48 (1.83")	PPV-J-046-10-0159
45.72 (1.80")	15.875 (0.63")	16	46.48 (1.83")	PPV-J-046-16-0159
45.72 (1.80")	19.050 (0.75")	6	46.48 (1.83")	PPV-J-046-06-0191
45.72 (1.80")	19.050 (0.75")	10	46.48 (1.83")	PPV-J-046-10-0191
45.72 (1.80")	19.050 (0.75")	16	46.48 (1.83")	PPV-J-046-16-0191
48.3 mm Outside Diameter (OD)				
48.26 (1.90")	12.700 (0.50")	6	49.02 (1.93")	PPV-J-048-06-0127
48.26 (1.90")	12.700 (0.50")	10	49.02 (1.93")	PPV-J-048-10-0127
48.26 (1.90")	12.700 (0.50")	16	49.02 (1.93")	PPV-J-048-16-0127
48.26 (1.90")	15.875 (0.63")	6	49.02 (1.93")	PPV-J-048-06-0159
48.26 (1.90")	15.875 (0.63")	10	49.02 (1.93")	PPV-J-048-10-0159
48.26 (1.90")	15.875 (0.63")	16	49.02 (1.93")	PPV-J-048-16-0159
48.26 (1.90")	22.225 (0.88")	6	49.02 (1.93")	PPV-J-048-06-0222
48.26 (1.90")	22.225 (0.88")	10	49.02 (1.93")	PPV-J-048-10-0222
48.26 (1.90")	22.225 (0.88")	16	49.02 (1.93")	PPV-J-048-16-0222

 Usually stocked or Short Delivery
 ** Available while stocks last **

 Long Delivery or Large Minimum Quantities
 Not in current production

QD Bushings

Bore mm (in.)	Series	Flange OD (D) mm (in.)	Bolt Circle Dia. mm (in.)	Part Number
12.0 mm Bore				
12.000 (0.47")	JA	50.50 (1.99")	42.29 (1.66")	QD-JA-0120
12.7 mm Bore				
12.700 (0.50")	JA	50.50 (1.99")	42.29 (1.66")	QD-JA-0127
12.700 (0.50")	L	63.50 (2.50")	50.80 (2.00")	** QD-L-0127
12.700 (0.50")	SH	68.28 (2.69")	57.15 (2.25")	QD-SH-0127
12.700 (0.50")	SDS	80.98 (3.19")	68.28 (2.69")	QD-SDS-0127
12.700 (0.50")	SD	80.98 (3.19")	68.28 (2.69")	QD-SD-0127
12.700 (0.50")	SK	98.43 (3.88")	84.15 (3.31")	QD-SK-0127
12.700 (0.50")	SF	117.48 (4.63")	98.43 (3.88")	QD-SF-0127
14.3 mm Bore				
14.288 (0.56")	JA	50.50 (1.99")	42.29 (1.66")	QD-JA-0143
14.288 (0.56")	SH	68.28 (2.69")	57.15 (2.25")	QD-SH-0143
14.288 (0.56")	SD	80.98 (3.19")	68.28 (2.69")	QD-SD-0143
14.288 (0.56")	SDS	80.98 (3.19")	68.28 (2.69")	QD-SDS-0143
14.288 (0.56")	SK	98.43 (3.88")	84.15 (3.31")	QD-SK-0143
14.288 (0.56")	SF	117.48 (4.63")	98.43 (3.88")	QD-SF-0143
15.0 mm Bore				
15.000 (0.59")	JA	50.50 (1.99")	42.29 (1.66")	QD-JA-0150
15.9 mm Bore				
15.875 (0.63")	JA	50.50 (1.99")	42.29 (1.66")	QD-JA-0159
15.875 (0.63")	SH	68.28 (2.69")	57.15 (2.25")	QD-SH-0159
15.875 (0.63")	SD	80.98 (3.19")	68.28 (2.69")	QD-SD-0159
15.875 (0.63")	SDS	80.98 (3.19")	68.28 (2.69")	QD-SDS-0159
15.875 (0.63")	SK	98.43 (3.88")	84.15 (3.31")	QD-SK-0159
15.875 (0.63")	SF	117.48 (4.63")	98.43 (3.88")	QD-SF-0159
16.0 mm Bore				
16.000 (0.63")	JA	50.50 (1.99")	42.29 (1.66")	QD-JA-0160
17.5 mm Bore				
17.463 (0.69")	JA	50.50 (1.99")	42.29 (1.66")	QD-JA-0175
17.463 (0.69")	SH	68.28 (2.69")	57.15 (2.25")	QD-SH-0175
17.463 (0.69")	SDS	80.98 (3.19")	68.28 (2.69")	QD-SDS-0175
17.463 (0.69")	SD	80.98 (3.19")	68.28 (2.69")	QD-SD-0175
17.463 (0.69")	SK	98.43 (3.88")	84.15 (3.31")	QD-SK-0175
17.463 (0.69")	SF	117.48 (4.63")	98.43 (3.88")	QD-SF-0175
19.0 mm Bore				
19.000 (0.75")	JA	50.50 (1.99")	42.29 (1.66")	QD-JA-0190
19.1 mm Bore				
19.050 (0.75")	L	41.28 (1.63")	63.50 (2.50")	** QD-L-0191
19.050 (0.75")	JA	50.50 (1.99")	42.29 (1.66")	QD-JA-0191
19.050 (0.75")	SH	68.28 (2.69")	57.15 (2.25")	QD-SH-0191
19.050 (0.75")	SDS	80.98 (3.19")	68.28 (2.69")	QD-SDS-0191
19.050 (0.75")	SD	80.98 (3.19")	68.28 (2.69")	QD-SD-0191
19.050 (0.75")	SK	98.43 (3.88")	84.15 (3.31")	QD-SK-0191
19.050 (0.75")	SF	117.48 (4.63")	98.43 (3.88")	QD-SF-0191
20.0 mm Bore				
20.000 (0.79")	JA	50.50 (1.99")	42.29 (1.66")	QD-JA-0200
20.6 mm Bore				
20.638 (0.81")	JA	50.50 (1.99")	42.29 (1.66")	QD-JA-0206
20.638 (0.81")	SH	68.28 (2.69")	57.15 (2.25")	QD-SH-0206
20.638 (0.81")	SDS	80.98 (3.19")	68.28 (2.69")	QD-SDS-0206
20.638 (0.81")	SD	80.98 (3.19")	68.28 (2.69")	QD-SD-0206
20.638 (0.81")	SK	98.43 (3.88")	84.15 (3.31")	QD-SK-0206
20.638 (0.81")	SF	117.48 (4.63")	98.43 (3.88")	QD-SF-0206
22.0 mm Bore				
22.000 (0.87")	JA	50.50 (1.99")	42.29 (1.66")	QD-JA-0220
22.000 (0.87")	SH	68.28 (2.69")	57.15 (2.25")	QD-SH-0220

Usually stocked or Short Delivery
 ** Available while stocks last **

Long Delivery or Large Minimum Quantities
 Not in current production

QD Bushings



Bore mm (in.)	Series	Flange OD (D) mm (in.)	Bolt Circle Dia. mm (in.)	Part Number
22.2 mm Bore				
22.225 (0.88")	JA	50.50 (1.99")	42.29 (1.66")	QD-JA-0222
22.225 (0.88")	SH	68.28 (2.69")	57.15 (2.25")	QD-SH-0222
22.225 (0.88")	SDS	80.98 (3.19")	68.28 (2.69")	QD-SDS-0222
22.225 (0.88")	SD	80.98 (3.19")	68.28 (2.69")	QD-SD-0222
22.225 (0.88")	SK	98.43 (3.88")	84.15 (3.31")	QD-SK-0222
22.225 (0.88")	SF	117.48 (4.63")	98.43 (3.88")	QD-SF-0222
22.225 (0.88")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0222
23.8 mm Bore				
23.813 (0.94")	JA	50.50 (1.99")	42.29 (1.66")	QD-JA-0238
23.813 (0.94")	SH	68.28 (2.69")	57.15 (2.25")	QD-SH-0238
23.813 (0.94")	SD	80.98 (3.19")	68.28 (2.69")	QD-SD-0238
23.813 (0.94")	SDS	80.98 (3.19")	68.28 (2.69")	QD-SDS-0238
23.813 (0.94")	SK	98.43 (3.88")	84.15 (3.31")	QD-SK-0238
23.813 (0.94")	SF	117.48 (4.63")	98.43 (3.88")	QD-SF-0238
23.813 (0.94")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0238
24.0 mm Bore				
24.000 (0.94")	JA	50.50 (1.99")	42.29 (1.66")	QD-JA-0240
24.000 (0.94")	SH	68.28 (2.69")	57.15 (2.25")	QD-SH-0240
25.0 mm Bore				
25.000 (0.98")	SDS	80.98 (3.19")	68.28 (2.69")	QD-SDS-0250
25.4 mm Bore				
25.400 (1.00")	L	41.28 (1.63")	63.50 (2.50")	** QD-L-0254
25.400 (1.00")	JA	50.50 (1.99")	42.29 (1.66")	QD-JA-0254
25.400 (1.00")	SH	68.28 (2.69")	57.15 (2.25")	QD-SH-0254
25.400 (1.00")	SD	80.98 (3.19")	68.28 (2.69")	QD-SD-0254
25.400 (1.00")	SDS	80.98 (3.19")	68.28 (2.69")	QD-SDS-0254
25.400 (1.00")	SK	98.43 (3.88")	84.15 (3.31")	QD-SK-0254
25.400 (1.00")	SF	117.48 (4.63")	98.43 (3.88")	QD-SF-0254
25.400 (1.00")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0254
27.0 mm Bore				
26.988 (1.06")	JA	50.50 (1.99")	42.29 (1.66")	QD-JA-0269
26.988 (1.06")	SH	68.28 (2.69")	57.15 (2.25")	QD-SH-0269
26.988 (1.06")	SD	80.98 (3.19")	68.28 (2.69")	QD-SD-0269
26.988 (1.06")	SDS	80.98 (3.19")	68.28 (2.69")	QD-SDS-0269
26.988 (1.06")	SK	98.43 (3.88")	84.15 (3.31")	QD-SK-0269
26.988 (1.06")	SF	117.48 (4.63")	98.43 (3.88")	QD-SF-0269
26.988 (1.06")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0269
28.0 mm Bore				
28.000 (1.10")	JA	50.50 (1.99")	42.29 (1.66")	QD-JA-0280
28.000 (1.10")	SH	68.28 (2.69")	57.15 (2.25")	QD-SH-0280
28.000 (1.10")	SDS	80.98 (3.19")	68.28 (2.69")	QD-SDS-0280
28.000 (1.10")	SF	117.48 (4.63")	98.43 (3.88")	QD-SF-0280
28.6 mm Bore				
28.575 (1.13")	JA	50.50 (1.99")	42.29 (1.66")	QD-JA-0286
28.575 (1.13")	SH	68.28 (2.69")	57.15 (2.25")	QD-SH-0286
28.575 (1.13")	SD	80.98 (3.19")	68.28 (2.69")	QD-SD-0286
28.575 (1.13")	SDS	80.98 (3.19")	68.28 (2.69")	QD-SDS-0286
28.575 (1.13")	SK	98.43 (3.88")	84.15 (3.31")	QD-SK-0286
28.575 (1.13")	SF	117.48 (4.63")	98.43 (3.88")	QD-SF-0286
28.575 (1.13")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0286



Usually stocked or Short Delivery
 ** Available while stocks last **

Long Delivery or Large Minimum Quantities
 Not in current production

QD Bushings



Bore mm (in.)	Series	Flange OD (D) mm (in.)	Bolt Circle Dia. mm (in.)	Part Number
30.2 mm Bore				
30.163 (1.19")	JA	50.50 (1.99")	42.29 (1.66")	QD-JA-0302
30.163 (1.19")	SH	68.28 (2.69")	57.15 (2.25")	QD-SH-0302
30.163 (1.19")	SDS	80.98 (3.19")	68.28 (2.69")	QD-SDS-0302
30.163 (1.19")	SD	80.98 (3.19")	68.28 (2.69")	QD-SD-0302
30.163 (1.19")	SK	98.43 (3.88")	84.15 (3.31")	QD-SK-0302
30.163 (1.19")	SF	117.48 (4.63")	98.43 (3.88")	QD-SF-0302
30.163 (1.19")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0302
31.8 mm Bore				
31.750 (1.25")	JA	50.50 (1.99")	42.29 (1.66")	QD-JA-0318
31.750 (1.25")	SH	68.28 (2.69")	57.15 (2.25")	QD-SH-0318
31.750 (1.25")	SD	80.98 (3.19")	68.28 (2.69")	QD-SD-0318
31.750 (1.25")	SDS	80.98 (3.19")	68.28 (2.69")	QD-SDS-0318
31.750 (1.25")	SK	98.43 (3.88")	84.15 (3.31")	QD-SK-0318
31.750 (1.25")	SF	117.48 (4.63")	98.43 (3.88")	QD-SF-0318
31.750 (1.25")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0318
32.0 mm Bore				
32.000 (1.26")	SH	68.28 (2.69")	57.15 (2.25")	QD-SH-0320
32.000 (1.26")	SK	98.43 (3.88")	84.15 (3.31")	QD-SK-0320
33.3 mm Bore				
33.338 (1.31")	SH	68.28 (2.69")	57.15 (2.25")	QD-SH-0333
33.338 (1.31")	SD	80.98 (3.19")	68.28 (2.69")	QD-SD-0333
33.338 (1.31")	SDS	80.98 (3.19")	68.28 (2.69")	QD-SDS-0333
33.338 (1.31")	SK	98.43 (3.88")	84.15 (3.31")	QD-SK-0333
33.338 (1.31")	SF	117.48 (4.63")	98.43 (3.88")	QD-SF-0333
33.338 (1.31")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0333
34.9 mm Bore				
34.925 (1.38")	SH	68.28 (2.69")	57.15 (2.25")	QD-SH-0349
34.925 (1.38")	SD	80.98 (3.19")	68.28 (2.69")	QD-SD-0349
34.925 (1.38")	SDS	80.98 (3.19")	68.28 (2.69")	QD-SDS-0349
34.925 (1.38")	SK	98.43 (3.88")	84.15 (3.31")	QD-SK-0349
34.925 (1.38")	SF	117.48 (4.63")	98.43 (3.88")	QD-SF-0349
34.925 (1.38")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0349
35.0 mm Bore				
35.000 (1.38")	SH	68.28 (2.69")	57.15 (2.25")	QD-SH-0350
35.000 (1.38")	SD	80.98 (3.19")	68.28 (2.69")	QD-SD-0350
35.000 (1.38")	SK	98.43 (3.88")	84.15 (3.31")	QD-SK-0350
35.000 (1.38")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0350
36.0 mm Bore				
36.000 (1.42")	N	260.35 (10.25")	215.90 (8.50")	QD-N-0360
36.5 mm Bore				
36.513 (1.44")	SH	68.28 (2.69")	57.15 (2.25")	QD-SH-0365
36.513 (1.44")	SD	80.98 (3.19")	68.28 (2.69")	QD-SD-0365
36.513 (1.44")	SDS	80.98 (3.19")	68.28 (2.69")	QD-SDS-0365
36.513 (1.44")	SK	98.43 (3.88")	84.15 (3.31")	QD-SK-0365
36.513 (1.44")	SF	117.48 (4.63")	98.43 (3.88")	QD-SF-0365
36.513 (1.44")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0365
38.0 mm Bore				
38.000 (1.50")	SH	68.28 (2.69")	57.15 (2.25")	QD-SH-0380
38.000 (1.50")	SDS	80.98 (3.19")	68.28 (2.69")	QD-SDS-0380



 Usually stocked or Short Delivery
 ** Available while stocks last **

 Long Delivery or Large Minimum Quantities
 Not in current production

QD Bushings

Bore mm (in.)	Series	Flange OD (D) mm (in.)	Bolt Circle Dia. mm (in.)	Part Number
38.1 mm Bore				
38.100 (1.50")	SH	68.28 (2.69")	57.15 (2.25")	QD-SH-0381
38.100 (1.50")	SD	80.98 (3.19")	68.28 (2.69")	QD-SD-0381
38.100 (1.50")	SDS	80.98 (3.19")	68.28 (2.69")	QD-SDS-0381
38.100 (1.50")	SK	98.43 (3.88")	84.15 (3.31")	QD-SK-0381
38.100 (1.50")	SF	117.48 (4.63")	98.43 (3.88")	QD-SF-0381
38.100 (1.50")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0381
38.100 (1.50")	J	184.15 (7.25")	158.75 (6.25")	QD-J-0381
39.7 mm Bore				
39.688 (1.56")	SH	68.28 (2.69")	57.15 (2.25")	QD-SH-0397
39.688 (1.56")	SDS	80.98 (3.19")	68.28 (2.69")	QD-SDS-0397
39.688 (1.56")	SD	80.98 (3.19")	68.28 (2.69")	QD-SD-0397
39.688 (1.56")	SK	98.43 (3.88")	84.15 (3.31")	QD-SK-0397
39.688 (1.56")	SF	117.48 (4.63")	98.43 (3.88")	QD-SF-0397
39.688 (1.56")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0397
39.688 (1.56")	J	184.15 (7.25")	158.75 (6.25")	QD-J-0397
40.0 mm Bore				
40.000 (1.57")	SK	98.43 (3.88")	84.15 (3.31")	QD-SK-0400
40.000 (1.57")	SF	117.48 (4.63")	98.43 (3.88")	QD-SF-0400
41.3 mm Bore				
41.275 (1.63")	SH	68.28 (2.69")	57.15 (2.25")	QD-SH-0413
41.275 (1.63")	SDS	80.98 (3.19")	68.28 (2.69")	QD-SDS-0413
41.275 (1.63")	SD	80.98 (3.19")	68.28 (2.69")	QD-SD-0413
41.275 (1.63")	SK	98.43 (3.88")	84.15 (3.31")	QD-SK-0413
41.275 (1.63")	SF	117.48 (4.63")	98.43 (3.88")	QD-SF-0413
41.275 (1.63")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0413
41.275 (1.63")	J	184.15 (7.25")	158.75 (6.25")	QD-J-0413
42.0 mm Bore				
42.000 (1.65")	SD	80.98 (3.19")	68.28 (2.69")	QD-SD-0420
42.000 (1.65")	SDS	80.98 (3.19")	68.28 (2.69")	QD-SDS-0420
42.000 (1.65")	SK	98.43 (3.88")	84.15 (3.31")	QD-SK-0420
42.9 mm Bore				
42.863 (1.69")	SH	68.28 (2.69")	57.15 (2.25")	QD-SH-0429
42.863 (1.69")	SDS	80.98 (3.19")	68.28 (2.69")	QD-SDS-0429
42.863 (1.69")	SD	80.98 (3.19")	68.28 (2.69")	QD-SD-0429
42.863 (1.69")	SK	98.43 (3.88")	84.15 (3.31")	QD-SK-0429
42.863 (1.69")	SF	117.48 (4.63")	98.43 (3.88")	QD-SF-0429
42.863 (1.69")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0429
42.863 (1.69")	J	184.15 (7.25")	158.75 (6.25")	QD-J-0429
44.5 mm Bore				
44.450 (1.75")	SD	80.98 (3.19")	68.28 (2.69")	QD-SD-0445
44.450 (1.75")	SDS	80.98 (3.19")	68.28 (2.69")	QD-SDS-0445
44.450 (1.75")	SK	98.43 (3.88")	84.15 (3.31")	QD-SK-0445
44.450 (1.75")	SF	117.48 (4.63")	98.43 (3.88")	QD-SF-0445
44.450 (1.75")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0445
44.450 (1.75")	J	184.15 (7.25")	158.75 (6.25")	QD-J-0445
46.0 mm Bore				
46.038 (1.81")	SDS	80.98 (3.19")	68.28 (2.69")	QD-SDS-0461
46.038 (1.81")	SD	80.98 (3.19")	68.28 (2.69")	QD-SD-0461
46.038 (1.81")	SK	98.43 (3.88")	84.15 (3.31")	QD-SK-0461
46.038 (1.81")	SF	117.48 (4.63")	98.43 (3.88")	QD-SF-0461
46.038 (1.81")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0461
46.038 (1.81")	J	184.15 (7.25")	158.75 (6.25")	QD-J-0461

 Usually stocked or Short Delivery
 ** Available while stocks last **

 Long Delivery or Large Minimum Quantities
 Not in current production

QD Bushings

Bore mm (in.)	Series	Flange OD (D) mm (in.)	Bolt Circle Dia. mm (in.)	Part Number
47.6 mm Bore				
47.625 (1.88")	SD	80.98 (3.19")	68.28 (2.69")	QD-SD-0476
47.625 (1.88")	SDS	80.98 (3.19")	68.28 (2.69")	QD-SDS-0476
47.625 (1.88")	SK	98.43 (3.88")	84.15 (3.31")	QD-SK-0476
47.625 (1.88")	SF	117.48 (4.63")	98.43 (3.88")	QD-SF-0476
47.625 (1.88")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0476
47.625 (1.88")	J	184.15 (7.25")	158.75 (6.25")	QD-J-0476
48.0 mm Bore				
48.000 (1.89")	SK	98.43 (3.88")	84.15 (3.31")	QD-SK-0480
49.2 mm Bore				
49.213 (1.94")	SDS	80.98 (3.19")	68.28 (2.69")	QD-SDS-0492
49.213 (1.94")	SD	80.98 (3.19")	68.28 (2.69")	QD-SD-0492
49.213 (1.94")	SK	98.43 (3.88")	84.15 (3.31")	QD-SK-0492
49.213 (1.94")	SF	117.48 (4.63")	98.43 (3.88")	QD-SF-0492
49.213 (1.94")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0492
49.213 (1.94")	J	184.15 (7.25")	158.75 (6.25")	QD-J-0492
50.0 mm Bore				
50.000 (1.97")	SF	117.48 (4.63")	98.43 (3.88")	QD-SF-0500
50.8 mm Bore				
50.800 (2.00")	SDS	80.98 (3.19")	68.28 (2.69")	QD-SDS-0508
50.800 (2.00")	SD	80.98 (3.19")	68.28 (2.69")	QD-SD-0508
50.800 (2.00")	SK	98.43 (3.88")	84.15 (3.31")	QD-SK-0508
50.800 (2.00")	SF	117.48 (4.63")	98.43 (3.88")	QD-SF-0508
50.800 (2.00")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0508
50.800 (2.00")	J	184.15 (7.25")	158.75 (6.25")	QD-J-0508
50.800 (2.00")	M	228.60 (9.00")	200.03 (7.88")	QD-M-0508
52.4 mm Bore				
52.388 (2.06")	SK	98.43 (3.88")	84.15 (3.31")	QD-SK-0524
52.388 (2.06")	SF	117.48 (4.63")	98.43 (3.88")	QD-SF-0524
52.388 (2.06")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0524
52.388 (2.06")	J	184.15 (7.25")	158.75 (6.25")	QD-J-0524
52.388 (2.06")	M	228.60 (9.00")	200.03 (7.88")	QD-M-0524
54.0 mm Bore				
53.975 (2.13")	SK	98.43 (3.88")	84.15 (3.31")	QD-SK-0539
53.975 (2.13")	SF	117.48 (4.63")	98.43 (3.88")	QD-SF-0539
53.975 (2.13")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0539
53.975 (2.13")	J	184.15 (7.25")	158.75 (6.25")	QD-J-0539
53.975 (2.13")	M	228.60 (9.00")	200.03 (7.88")	QD-M-0539
55.0 mm Bore				
55.000 (2.17")	SK	98.43 (3.88")	84.15 (3.31")	QD-SK-0550
55.000 (2.17")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0550
55.6 mm Bore				
55.563 (2.19")	SK	98.43 (3.88")	84.15 (3.31")	QD-SK-0556
55.563 (2.19")	SF	117.48 (4.63")	98.43 (3.88")	QD-SF-0556
55.563 (2.19")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0556
55.563 (2.19")	J	184.15 (7.25")	158.75 (6.25")	QD-J-0556
55.563 (2.19")	M	228.60 (9.00")	200.03 (7.88")	QD-M-0556
57.2 mm Bore				
57.150 (2.25")	SK	98.43 (3.88")	84.15 (3.31")	QD-SK-0572
57.150 (2.25")	SF	117.48 (4.63")	98.43 (3.88")	QD-SF-0572
57.150 (2.25")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0572
57.150 (2.25")	J	184.15 (7.25")	158.75 (6.25")	QD-J-0572
57.150 (2.25")	M	228.60 (9.00")	200.03 (7.88")	QD-M-0572



Usually stocked or Short Delivery

** Available while stocks last **





Long Delivery or Large Minimum Quantities





Not in current production

QD Bushings

Bore mm (in.)	Series	Flange OD (D) mm (in.)	Bolt Circle Dia. mm (in.)	Part Number
58.7 mm Bore				
58.738 (2.31")	SK	98.43 (3.88")	84.15 (3.31")	QD-SK-0587
58.738 (2.31")	SF	117.48 (4.63")	98.43 (3.88")	QD-SF-0587
58.738 (2.31")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0587
58.738 (2.31")	J	184.15 (7.25")	158.75 (6.25")	QD-J-0587
58.738 (2.31")	M	228.60 (9.00")	200.03 (7.88")	QD-M-0587
60.0 mm Bore				
60.000 (2.36")	SF	117.48 (4.63")	98.43 (3.88")	QD-SF-0600
60.000 (2.36")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0600
60.000 (2.36")	J	184.15 (7.25")	158.75 (6.25")	QD-J-0600
60.3 mm Bore				
60.325 (2.38")	SK	98.43 (3.88")	84.15 (3.31")	QD-SK-0603
60.325 (2.38")	SF	117.48 (4.63")	98.43 (3.88")	QD-SF-0603
60.325 (2.38")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0603
60.325 (2.38")	J	184.15 (7.25")	158.75 (6.25")	QD-J-0603
60.325 (2.38")	M	228.60 (9.00")	200.03 (7.88")	QD-M-0603
61.9 mm Bore				
61.913 (2.44")	SK	98.43 (3.88")	84.15 (3.31")	QD-SK-0619
61.913 (2.44")	SF	117.48 (4.63")	98.43 (3.88")	QD-SF-0619
61.913 (2.44")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0619
61.913 (2.44")	J	184.15 (7.25")	158.75 (6.25")	QD-J-0619
61.913 (2.44")	M	228.60 (9.00")	200.03 (7.88")	QD-M-0619
61.913 (2.44")	N	260.35 (10.25")	215.90 (8.50")	QD-N-0619
63.5 mm Bore				
63.500 (2.50")	SK	98.43 (3.88")	84.15 (3.31")	QD-SK-0635
63.500 (2.50")	SF	117.48 (4.63")	98.43 (3.88")	QD-SF-0635
63.500 (2.50")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0635
63.500 (2.50")	J	184.15 (7.25")	158.75 (6.25")	QD-J-0635
63.500 (2.50")	M	228.60 (9.00")	200.03 (7.88")	QD-M-0635
63.500 (2.50")	N	260.35 (10.25")	215.90 (8.50")	QD-N-0635
65.1 mm Bore				
65.088 (2.56")	SK	98.43 (3.88")	84.15 (3.31")	QD-SK-0651
65.088 (2.56")	SF	117.48 (4.63")	98.43 (3.88")	QD-SF-0651
65.088 (2.56")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0651
65.088 (2.56")	J	184.15 (7.25")	158.75 (6.25")	QD-J-0651
65.088 (2.56")	M	228.60 (9.00")	200.03 (7.88")	QD-M-0651
65.088 (2.56")	N	260.35 (10.25")	215.90 (8.50")	QD-N-0651
66.7 mm Bore				
66.675 (2.63")	SK	98.43 (3.88")	84.15 (3.31")	QD-SK-0667
66.675 (2.63")	SF	117.48 (4.63")	98.43 (3.88")	QD-SF-0667
66.675 (2.63")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0667
66.675 (2.63")	J	184.15 (7.25")	158.75 (6.25")	QD-J-0667
66.675 (2.63")	M	228.60 (9.00")	200.03 (7.88")	QD-M-0667
66.675 (2.63")	N	260.35 (10.25")	215.90 (8.50")	QD-N-0667
68.3 mm Bore				
68.263 (2.69")	SF	117.48 (4.63")	98.43 (3.88")	QD-SF-0683
68.263 (2.69")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0683
68.263 (2.69")	J	184.15 (7.25")	158.75 (6.25")	QD-J-0683
68.263 (2.69")	M	228.60 (9.00")	200.03 (7.88")	QD-M-0683
68.263 (2.69")	N	260.35 (10.25")	215.90 (8.50")	QD-N-0683
69.9 mm Bore				
69.850 (2.75")	SF	117.48 (4.63")	98.43 (3.88")	QD-SF-0699
69.850 (2.75")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0699
69.850 (2.75")	J	184.15 (7.25")	158.75 (6.25")	QD-J-0699
69.850 (2.75")	M	228.60 (9.00")	200.03 (7.88")	QD-M-0699
69.850 (2.75")	N	260.35 (10.25")	215.90 (8.50")	QD-N-0699

 Usually stocked or Short Delivery
 ** Available while stocks last **

 Long Delivery or Large Minimum Quantities
 Not in current production

QD Bushings



Bore mm (in.)	Series	Flange OD (D) mm (in.)	Bolt Circle Dia. mm (in.)	Part Number
71.4 mm Bore				
71.438 (2.81")	SF	117.48 (4.63")	98.43 (3.88")	QD-SF-0714
71.438 (2.81")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0714
71.438 (2.81")	J	184.15 (7.25")	158.75 (6.25")	QD-J-0714
71.438 (2.81")	M	228.60 (9.00")	200.03 (7.88")	QD-M-0714
71.438 (2.81")	N	260.35 (10.25")	215.90 (8.50")	QD-N-0714
73.0 mm Bore				
73.025 (2.88")	SF	117.48 (4.63")	98.43 (3.88")	QD-SF-0731
73.025 (2.88")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0731
73.025 (2.88")	J	184.15 (7.25")	158.75 (6.25")	QD-J-0731
73.025 (2.88")	M	228.60 (9.00")	200.03 (7.88")	QD-M-0731
73.025 (2.88")	N	260.35 (10.25")	215.90 (8.50")	QD-N-0731
74.6 mm Bore				
74.613 (2.94")	SF	117.48 (4.63")	98.43 (3.88")	QD-SF-0746
74.613 (2.94")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0746
74.613 (2.94")	J	184.15 (7.25")	158.75 (6.25")	QD-J-0746
74.613 (2.94")	M	228.60 (9.00")	200.03 (7.88")	QD-M-0746
74.613 (2.94")	N	260.35 (10.25")	215.90 (8.50")	QD-N-0746
74.613 (2.94")	P	298.45 (11.75")	254.00 (10.00")	QD-P-0746
75.0 mm Bore				
75.000 (2.95")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0750
75.000 (2.95")	J	184.15 (7.25")	158.75 (6.25")	QD-J-0750
76.2 mm Bore				
76.200 (3.00")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0762
76.200 (3.00")	J	184.15 (7.25")	158.75 (6.25")	QD-J-0762
76.200 (3.00")	M	228.60 (9.00")	200.03 (7.88")	QD-M-0762
76.200 (3.00")	N	260.35 (10.25")	215.90 (8.50")	QD-N-0762
76.200 (3.00")	P	298.45 (11.75")	254.00 (10.00")	QD-P-0762
77.8 mm Bore				
77.788 (3.06")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0778
77.788 (3.06")	J	184.15 (7.25")	158.75 (6.25")	QD-J-0778
77.788 (3.06")	M	228.60 (9.00")	200.03 (7.88")	QD-M-0778
77.788 (3.06")	N	260.35 (10.25")	215.90 (8.50")	QD-N-0778
77.788 (3.06")	P	298.45 (11.75")	254.00 (10.00")	QD-P-0778
79.4 mm Bore				
79.375 (3.13")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0794
79.375 (3.13")	J	184.15 (7.25")	158.75 (6.25")	QD-J-0794
79.375 (3.13")	M	228.60 (9.00")	200.03 (7.88")	QD-M-0794
79.375 (3.13")	N	260.35 (10.25")	215.90 (8.50")	QD-N-0794
79.375 (3.13")	P	298.45 (11.75")	254.00 (10.00")	QD-P-0794
80.0 mm Bore				
80.000 (3.15")	M	228.60 (9.00")	200.03 (7.88")	QD-M-0800
80.000 (3.15")	N	260.35 (10.25")	215.90 (8.50")	QD-N-0800
81.0 mm Bore				
80.963 (3.19")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0809
80.963 (3.19")	J	184.15 (7.25")	158.75 (6.25")	QD-J-0809
80.963 (3.19")	M	228.60 (9.00")	200.03 (7.88")	QD-M-0809
80.963 (3.19")	N	260.35 (10.25")	215.90 (8.50")	QD-N-0809
80.963 (3.19")	P	298.45 (11.75")	254.00 (10.00")	QD-P-0809
82.6 mm Bore				
82.550 (3.25")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0826
82.550 (3.25")	J	184.15 (7.25")	158.75 (6.25")	QD-J-0826
82.550 (3.25")	M	228.60 (9.00")	200.03 (7.88")	QD-M-0826
82.550 (3.25")	N	260.35 (10.25")	215.90 (8.50")	QD-N-0826
82.550 (3.25")	P	298.45 (11.75")	254.00 (10.00")	QD-P-0826



Usually stocked or Short Delivery
 ** Available while stocks last **

Long Delivery or Large Minimum Quantities
 Not in current production

QD Bushings

Bore mm (in.)	Series	Flange OD (D) mm (in.)	Bolt Circle Dia. mm (in.)	Part Number
84.1 mm Bore				
84.138 (3.31")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0841
84.138 (3.31")	J	184.15 (7.25")	158.75 (6.25")	QD-J-0841
84.138 (3.31")	M	228.60 (9.00")	200.03 (7.88")	QD-M-0841
84.138 (3.31")	N	260.35 (10.25")	215.90 (8.50")	QD-N-0841
84.138 (3.31")	P	298.45 (11.75")	254.00 (10.00")	QD-P-0841
85.7 mm Bore				
85.725 (3.38")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0857
85.725 (3.38")	J	184.15 (7.25")	158.75 (6.25")	QD-J-0857
85.725 (3.38")	M	228.60 (9.00")	200.03 (7.88")	QD-M-0857
85.725 (3.38")	N	260.35 (10.25")	215.90 (8.50")	QD-N-0857
85.725 (3.38")	P	298.45 (11.75")	254.00 (10.00")	QD-P-0857
87.3 mm Bore				
87.313 (3.44")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0873
87.313 (3.44")	J	184.15 (7.25")	158.75 (6.25")	QD-J-0873
87.313 (3.44")	M	228.60 (9.00")	200.03 (7.88")	QD-M-0873
87.313 (3.44")	N	260.35 (10.25")	215.90 (8.50")	QD-N-0873
87.313 (3.44")	P	298.45 (11.75")	254.00 (10.00")	QD-P-0873
88.9 mm Bore				
88.900 (3.50")	E	152.40 (6.00")	127.00 (5.00")	QD-E-0889
88.900 (3.50")	J	184.15 (7.25")	158.75 (6.25")	QD-J-0889
88.900 (3.50")	M	228.60 (9.00")	200.03 (7.88")	QD-M-0889
88.900 (3.50")	N	260.35 (10.25")	215.90 (8.50")	QD-N-0889
88.900 (3.50")	P	298.45 (11.75")	254.00 (10.00")	QD-P-0889
90.5 mm Bore				
90.488 (3.56")	J	184.15 (7.25")	158.75 (6.25")	QD-J-0905
90.488 (3.56")	M	228.60 (9.00")	200.03 (7.88")	QD-M-0905
90.488 (3.56")	N	260.35 (10.25")	215.90 (8.50")	QD-N-0905
90.488 (3.56")	P	298.45 (11.75")	254.00 (10.00")	QD-P-0905
92.1 mm Bore				
92.075 (3.63")	J	184.15 (7.25")	158.75 (6.25")	QD-J-0921
92.075 (3.63")	M	228.60 (9.00")	200.03 (7.88")	QD-M-0921
92.075 (3.63")	N	260.35 (10.25")	215.90 (8.50")	QD-N-0921
92.075 (3.63")	P	298.45 (11.75")	254.00 (10.00")	QD-P-0921
93.7 mm Bore				
93.663 (3.69")	J	184.15 (7.25")	158.75 (6.25")	QD-J-0937
93.663 (3.69")	M	228.60 (9.00")	200.03 (7.88")	QD-M-0937
93.663 (3.69")	N	260.35 (10.25")	215.90 (8.50")	QD-N-0937
93.663 (3.69")	P	298.45 (11.75")	254.00 (10.00")	QD-P-0937
95.3 mm Bore				
95.250 (3.75")	J	184.15 (7.25")	158.75 (6.25")	QD-J-0953
95.250 (3.75")	M	228.60 (9.00")	200.03 (7.88")	QD-M-0953
95.250 (3.75")	N	260.35 (10.25")	215.90 (8.50")	QD-N-0953
95.250 (3.75")	P	298.45 (11.75")	254.00 (10.00")	QD-P-0953
96.8 mm Bore				
96.838 (3.81")	J	184.15 (7.25")	158.75 (6.25")	QD-J-0968
96.838 (3.81")	M	228.60 (9.00")	200.03 (7.88")	QD-M-0968
96.838 (3.81")	N	260.35 (10.25")	215.90 (8.50")	QD-N-0968
96.838 (3.81")	P	298.45 (11.75")	254.00 (10.00")	QD-P-0968
98.4 mm Bore				
98.425 (3.88")	J	184.15 (7.25")	158.75 (6.25")	QD-J-0984
98.425 (3.88")	M	228.60 (9.00")	200.03 (7.88")	QD-M-0984
98.425 (3.88")	N	260.35 (10.25")	215.90 (8.50")	QD-N-0984
98.425 (3.88")	P	298.45 (11.75")	254.00 (10.00")	QD-P-0984
100.0 mm Bore				
100.000 (3.94")	N	260.35 (10.25")	215.90 (8.50")	QD-N-1000

 Usually stocked or Short Delivery
 ** Available while stocks last **

 Long Delivery or Large Minimum Quantities
 Not in current production

QD Bushings



Bore mm (in.)	Series	Flange OD (D) mm (in.)	Bolt Circle Dia. mm (in.)	Part Number
100.0 mm Bore				
100.013 (3.94")	J	184.15 (7.25")	158.75 (6.25")	QD-J-1001
100.013 (3.94")	M	228.60 (9.00")	200.03 (7.88")	QD-M-1001
100.013 (3.94")	N	260.35 (10.25")	215.90 (8.50")	QD-N-1001
100.013 (3.94")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1001
101.6 mm Bore				
101.600 (4.00")	J	184.15 (7.25")	158.75 (6.25")	QD-J-1016
101.600 (4.00")	M	228.60 (9.00")	200.03 (7.88")	QD-M-1016
101.600 (4.00")	N	260.35 (10.25")	215.90 (8.50")	QD-N-1016
101.600 (4.00")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1016
103.2 mm Bore				
103.188 (4.06")	J	184.15 (7.25")	158.75 (6.25")	QD-J-1032
103.188 (4.06")	M	228.60 (9.00")	200.03 (7.88")	QD-M-1032
103.188 (4.06")	N	260.35 (10.25")	215.90 (8.50")	QD-N-1032
103.188 (4.06")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1032
104.8 mm Bore				
104.775 (4.13")	J	184.15 (7.25")	158.75 (6.25")	QD-J-1048
104.775 (4.13")	M	228.60 (9.00")	200.03 (7.88")	QD-M-1048
104.775 (4.13")	N	260.35 (10.25")	215.90 (8.50")	QD-N-1048
104.775 (4.13")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1048
106.4 mm Bore				
106.363 (4.19")	J	184.15 (7.25")	158.75 (6.25")	QD-J-1064
106.363 (4.19")	M	228.60 (9.00")	200.03 (7.88")	QD-M-1064
106.363 (4.19")	N	260.35 (10.25")	215.90 (8.50")	QD-N-1064
106.363 (4.19")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1064
108.0 mm Bore				
107.950 (4.25")	J	184.15 (7.25")	158.75 (6.25")	QD-J-1080
107.950 (4.25")	M	228.60 (9.00")	200.03 (7.88")	QD-M-1080
107.950 (4.25")	N	260.35 (10.25")	215.90 (8.50")	QD-N-1080
107.950 (4.25")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1080
109.5 mm Bore				
109.538 (4.31")	J	184.15 (7.25")	158.75 (6.25")	QD-J-1095
109.538 (4.31")	M	228.60 (9.00")	200.03 (7.88")	QD-M-1095
109.538 (4.31")	N	260.35 (10.25")	215.90 (8.50")	QD-N-1095
109.538 (4.31")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1095
111.1 mm Bore				
111.125 (4.38")	J	184.15 (7.25")	158.75 (6.25")	QD-J-1111
111.125 (4.38")	M	228.60 (9.00")	200.03 (7.88")	QD-M-1111
111.125 (4.38")	N	260.35 (10.25")	215.90 (8.50")	QD-N-1111
111.125 (4.38")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1111
112.7 mm Bore				
112.713 (4.44")	J	184.15 (7.25")	158.75 (6.25")	QD-J-1127
112.713 (4.44")	M	228.60 (9.00")	200.03 (7.88")	QD-M-1127
112.713 (4.44")	N	260.35 (10.25")	215.90 (8.50")	QD-N-1127
112.713 (4.44")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1127
114.3 mm Bore				
114.300 (4.50")	J	184.15 (7.25")	158.75 (6.25")	QD-J-1143
114.300 (4.50")	M	228.60 (9.00")	200.03 (7.88")	QD-M-1143
114.300 (4.50")	N	260.35 (10.25")	215.90 (8.50")	QD-N-1143
114.300 (4.50")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1143
115.9 mm Bore				
115.888 (4.56")	J	184.15 (7.25")	158.75 (6.25")	QD-J-1159
115.888 (4.56")	M	228.60 (9.00")	200.03 (7.88")	QD-M-1159
115.888 (4.56")	N	260.35 (10.25")	215.90 (8.50")	QD-N-1159
115.888 (4.56")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1159



Usually stocked or Short Delivery
 ** Available while stocks last **

Long Delivery or Large Minimum Quantities
 Not in current production

QD Bushings

Bore mm (in.)	Series	Flange OD (D) mm (in.)	Bolt Circle Dia. mm (in.)	Part Number
117.5 mm Bore				
117.475 (4.63")	J	184.15 (7.25")	158.75 (6.25")	QD-J-1175
117.475 (4.63")	M	228.60 (9.00")	200.03 (7.88")	QD-M-1175
117.475 (4.63")	N	260.35 (10.25")	215.90 (8.50")	QD-N-1175
117.475 (4.63")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1175
119.1 mm Bore				
119.063 (4.69")	M	228.60 (9.00")	200.03 (7.88")	QD-M-1191
119.063 (4.69")	N	260.35 (10.25")	215.90 (8.50")	QD-N-1191
119.063 (4.69")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1191
120.7 mm Bore				
120.650 (4.75")	M	228.60 (9.00")	200.03 (7.88")	QD-M-1207
120.650 (4.75")	N	260.35 (10.25")	215.90 (8.50")	QD-N-1207
120.650 (4.75")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1207
122.2 mm Bore				
122.238 (4.81")	M	228.60 (9.00")	200.03 (7.88")	QD-M-1222
122.238 (4.81")	N	260.35 (10.25")	215.90 (8.50")	QD-N-1222
122.238 (4.81")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1222
123.8 mm Bore				
123.825 (4.88")	M	228.60 (9.00")	200.03 (7.88")	QD-M-1238
123.825 (4.88")	N	260.35 (10.25")	215.90 (8.50")	QD-N-1238
123.825 (4.88")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1238
125.4 mm Bore				
125.413 (4.94")	M	228.60 (9.00")	200.03 (7.88")	QD-M-1254
125.413 (4.94")	N	260.35 (10.25")	215.90 (8.50")	QD-N-1254
125.413 (4.94")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1254
127.0 mm Bore				
127.000 (5.00")	M	228.60 (9.00")	200.03 (7.88")	QD-M-1270
127.000 (5.00")	N	260.35 (10.25")	215.90 (8.50")	QD-N-1270
127.000 (5.00")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1270
128.6 mm Bore				
128.588 (5.06")	M	228.60 (9.00")	200.03 (7.88")	QD-M-1286
128.588 (5.06")	N	260.35 (10.25")	215.90 (8.50")	QD-N-1286
128.588 (5.06")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1286
130.2 mm Bore				
130.175 (5.13")	M	228.60 (9.00")	200.03 (7.88")	QD-M-1302
130.175 (5.13")	N	260.35 (10.25")	215.90 (8.50")	QD-N-1302
130.175 (5.13")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1302
131.8 mm Bore				
131.763 (5.19")	M	228.60 (9.00")	200.03 (7.88")	QD-M-1318
131.763 (5.19")	N	260.35 (10.25")	215.90 (8.50")	QD-N-1318
131.763 (5.19")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1318
133.4 mm Bore				
133.350 (5.25")	M	228.60 (9.00")	200.03 (7.88")	QD-M-1334
133.350 (5.25")	N	260.35 (10.25")	215.90 (8.50")	QD-N-1334
133.350 (5.25")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1334
134.9 mm Bore				
134.938 (5.31")	M	228.60 (9.00")	200.03 (7.88")	QD-M-1349
134.938 (5.31")	N	260.35 (10.25")	215.90 (8.50")	QD-N-1349
134.938 (5.31")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1349
136.5 mm Bore				
136.525 (5.38")	M	228.60 (9.00")	200.03 (7.88")	QD-M-1365
136.525 (5.38")	N	260.35 (10.25")	215.90 (8.50")	QD-N-1365
136.525 (5.38")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1365
138.1 mm Bore				
138.113 (5.44")	M	228.60 (9.00")	200.03 (7.88")	QD-M-1381
138.113 (5.44")	N	260.35 (10.25")	215.90 (8.50")	QD-N-1381
138.113 (5.44")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1381

 Usually stocked or Short Delivery
 ** Available while stocks last **

 Long Delivery or Large Minimum Quantities
 Not in current production

QD Bushings

Bore mm (in.)	Series	Flange OD (D) mm (in.)	Bolt Circle Dia. mm (in.)	Part Number
139.7 mm Bore				
139.700 (5.50")	M	228.60 (9.00")	200.03 (7.88")	QD-M-1397
139.700 (5.50")	N	260.35 (10.25")	215.90 (8.50")	QD-N-1397
139.700 (5.50")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1397
141.3 mm Bore				
141.288 (5.56")	N	260.35 (10.25")	215.90 (8.50")	QD-N-1413
141.288 (5.56")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1413
142.9 mm Bore				
142.875 (5.63")	N	260.35 (10.25")	215.90 (8.50")	QD-N-1429
142.875 (5.63")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1429
144.5 mm Bore				
144.463 (5.69")	N	260.35 (10.25")	215.90 (8.50")	QD-N-1445
144.463 (5.69")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1445
146.1 mm Bore				
146.050 (5.75")	N	260.35 (10.25")	215.90 (8.50")	QD-N-1461
146.050 (5.75")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1461
147.6 mm Bore				
147.638 (5.81")	N	260.35 (10.25")	215.90 (8.50")	QD-N-1476
147.638 (5.81")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1476
149.2 mm Bore				
149.225 (5.88")	N	260.35 (10.25")	215.90 (8.50")	QD-N-1492
149.225 (5.88")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1492
150.8 mm Bore				
150.810 (5.94")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1508
152.4 mm Bore				
152.400 (6.00")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1524
154.0 mm Bore				
153.988 (6.06")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1540
155.6 mm Bore				
155.575 (6.13")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1556
157.2 mm Bore				
157.163 (6.19")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1572
158.8 mm Bore				
158.750 (6.25")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1588
160.3 mm Bore				
160.338 (6.31")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1603
161.9 mm Bore				
161.925 (6.38")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1619
163.5 mm Bore				
163.513 (6.44")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1635
165.1 mm Bore				
165.100 (6.50")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1651
166.7 mm Bore				
166.688 (6.56")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1667
168.3 mm Bore				
168.275 (6.63")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1683
169.9 mm Bore				
169.863 (6.69")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1699
171.5 mm Bore				
171.450 (6.75")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1715
173.0 mm Bore				
173.038 (6.81")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1730
174.6 mm Bore				
174.625 (6.88")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1746
176.2 mm Bore				
176.213 (6.94")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1762



Usually stocked or Short Delivery

** Available while stocks last **





Long Delivery or Large Minimum Quantities





Not in current production

QD Bushings

Bore mm (in.)	Series	Flange OD (D) mm (in.)	Bolt Circle Dia. mm (in.)	Part Number
177.8 mm Bore				
177.800 (7.00")	P	298.45 (11.75")	254.00 (10.00")	QD-P-1778

 Usually stocked or Short Delivery
 ** Available while stocks last **

 Long Delivery or Large Minimum Quantities
 Not in current production

NOTES



Distributed By

Miniature Bearings Australia
<http://www.minibearings.com.au>
sales@minibearings.com.au

Resellers: Please place your contact sticker over our details

Avoid verbal communication

We sell an extensive range of products with varying amounts of technical data. Please assist us to provide you with accurate information by placing your orders and enquiries online or by e-mail.

Poly Vee Belts & Pulleys