

MBA

2024.2

Shaft Collars - All types

Includes standard, split and miscellaneous types in size order



All shaft collars listed in order of size showing the various styles available for each.

This listing is designed as a quick guide to help you to find the most readily available parts. Please contact us if the size you require is not listed.

To find and order parts online, simply enter the part number from this catalogue into the search box on any web page.

1 Piece Split
(Clamp Type)



2 Piece Split
(Clamp Type)



Solid Carbon Steel
(Standard)



Solid Stainless Steel
(Standard)



Shaft Collars



Outside Diameter mm (in.)	Width mm (in.)	Material	Style	Part Number
1.984mm (0.078 in.) Inside Diameter				
5.60 (0.22")	3.1 (0.12")	Stainless Steel	Standard	COL-00198-006-03-S3
5.60 (0.22")	3.1 (0.12")	303 Stainless Steel	With Integral Shim	COL-00198-006-03-IS-S3
2.000mm (0.079 in.) Inside Diameter				
9.00 (0.35")	3.5 (0.14")	303 Stainless Steel	Standard	COL-00200-009-04-S3
9.00 (0.35")	3.5 (0.14")	Steel, Cadmium Plated	Standard	COL-00200-009-03-CC
9.00 (0.35")	4.0 (0.16")	Steel, Cadmium Plated	Standard	COL-00200-009-04-CC
2.381mm (0.094 in.) Inside Diameter				
6.40 (0.25")	3.1 (0.12")	Stainless Steel	Standard	COL-00238-006-03-S3
6.40 (0.25")	3.1 (0.12")	303 Stainless Steel	With Integral Shim	COL-00237-006-03-IS-S3
2.500mm (0.098 in.) Inside Diameter				
9.00 (0.35")	4.0 (0.16")	303 Stainless Steel	Standard	COL-00250-009-04-S3
3.000mm (0.118 in.) Inside Diameter				
7.00 (0.28")	5.0 (0.20")	304 Stainless Steel	Standard	COL-00300-007-05-S4
7.00 (0.28")	5.0 (0.20")	Steel - Electroless Nickel Plated	Standard	COL-00300-007-07-ENP
7.00 (0.28")	5.0 (0.20")	Steel - Black Oxide	Standard	COL-00300-007-05-BO
7.00 (0.28")	5.0 (0.20")	Steel, Cadmium Plated	Standard	COL-00300-007-05-CC
7.00 (0.28")	6.0 (0.24")	Aluminum	Standard	COL-00300-007-07-AL
7.00 (0.28")	6.0 (0.24")	304 Stainless Steel	Standard	COL-00300-007-06-S4
8.00 (0.31")	4.0 (0.16")	303 Stainless Steel	With Integral Shim	COL-00300-008-04-IS-S3
9.00 (0.35")	5.0 (0.20")	Stainless 303	Standard	COL-00300-009-05-S3
9.00 (0.35")	5.0 (0.20")	Steel, Cadmium Plated	Standard	COL-00300-009-05-CC
10.00 (0.39")	6.0 (0.24")	Nylon	Standard - Nylon	COL-00300-010-06-NY
10.00 (0.39")	6.0 (0.24")	Stainless 303	Standard	COL-00300-010-06-S3
10.00 (0.39")	20.0 (0.79")	Mild Steel	Long Series - Mild Steel	COL-00300-010-20-LS-MS
11.00 (0.43")	7.0 (0.28")	303 Stainless Steel	Fairloc	COL-00300-011-07-FC-S3
11.00 (0.43")	7.0 (0.28")	Brass-Black Oxide Finish	Fairloc	COL-00300-011-07-FC-BRB
15.00 (0.59")	8.0 (0.31")	304 Stainless Steel	Clamp Type - One Piece	COL-00300-015-08-1C-S4
15.00 (0.59")	8.0 (0.31")	304 Stainless Steel	Clamp Type - Two Piece	COL-00300-015-08-2C-S4
15.00 (0.59")	10.0 (0.39")	304 Stainless Steel with Urethane Pad	Clamp Type - One Piece	COL-00300-015-10-1C-S4P
15.00 (0.59")	10.0 (0.39")	Carbon Steel Black-Chromate with Urethane Pad	Clamp Type - One Piece	COL-00300-015-10-1C-CBP
16.00 (0.63")	9.0 (0.35")	303 Stainless Steel	Clamp Type - One Piece	COL-00300-016-09-1C-S3
16.00 (0.63")	9.0 (0.35")	Steel	Clamp Type - One Piece	COL-00300-016-09-1C-CS
16.00 (0.63")	9.0 (0.35")	303 Stainless	Clamp Type - Two Piece	COL-00300-016-09-2C-S3
16.00 (0.63")	9.0 (0.35")	Steel	Clamp Type - Two Piece	COL-00300-016-09-2C-CS
3.048mm (0.120 in.) Inside Diameter				
7.90 (0.31")	4.6 (0.18")	Stainless Steel	Standard	COL-00305-008-05-S3
11.00 (0.43")	7.0 (0.28")	Brass With Black Ox	Fairloc	COL-00305-011-07-FC-BRB
11.00 (0.43")	7.0 (0.28")	Stainless Steel	Fairloc	COL-00305-011-07-FC-S3
3.175mm (0.125 in.) Inside Diameter				
7.90 (0.31")	4.6 (0.18")	Stainless Steel	Standard	COL-00317-008-05-S3
7.90 (0.31")	4.6 (0.18")	303 Stainless Steel	With Integral Shim	COL-00317-008-05-IS-S3
9.50 (0.37")	6.4 (0.25")	Stainless Steel	Standard	COL-00318-010-06-S3
9.50 (0.37")	6.4 (0.25")	Carbon Steel	Standard	COL-00318-010-06-CS-B
9.50 (0.37")	6.4 (0.25")	Carbon Steel	Standard	COL-00318-010-06-CS-A
9.53 (0.38")	6.4 (0.25")	Stainless 304	Standard	COL-00318-010-06-S4
9.53 (0.38")	6.4 (0.25")	Steel, Black Oxide Coated	Standard	COL-00318-010-06-CBO
9.53 (0.38")	6.4 (0.25")	Steel, Zinc Plated	Standard	COL-00318-009-06-CC



Usually stocked or Short Delivery
 ** Available while stocks last **

Long Delivery or Large Minimum Quantities
 Not in current production

Shaft Collars

Outside Diameter mm (in.)	Width mm (in.)	Material	Style	Part Number
3.175mm (0.125 in.) Inside Diameter				
11.00 (0.43")	7.0 (0.28")	Stainless Steel	Fairloc	COL-00318-011-07-FC-S3
11.00 (0.43")	7.0 (0.28")	Brass With Black Ox	Fairloc	COL-00318-011-07-FC-BRB
12.70 (0.50")	6.4 (0.25")	Stainless Steel	Clamp Type - One Piece	COL-00318-013-06-1C-S3
12.70 (0.50")	6.4 (0.25")	Steel	Clamp Type - One Piece	COL-00318-013-06-1C-CS
14.20 (0.56")	23.9 (0.94")	ABS Plastic	Gripfast	COL-00318-014-24-GF-AB
15.88 (0.63")	7.9 (0.31")	Steel, Black Oxide Coated	Clamp Type - One Piece	COL-00318-016-08-1C-CBO
15.88 (0.63")	7.9 (0.31")	304 Stainless Steel	Clamp Type - Two Piece	COL-00318-016-08-2C-S4
15.88 (0.63")	7.9 (0.31")	Steel, Black Oxide Coated	Clamp Type - Two Piece	COL-00318-016-08-2C-CBO
3.969mm (0.156 in.) Inside Diameter				
7.90 (0.31")	4.6 (0.18")	Stainless Steel	Standard	COL-00396-008-05-S3
7.90 (0.31")	4.6 (0.18")	303 Stainless Steel	With Integral Shim	COL-00396-008-05-IS-S3
4.000mm (0.157 in.) Inside Diameter				
8.00 (0.31")	5.0 (0.20")	304 Stainless Steel	Standard	COL-00400-008-05-S4
8.00 (0.31")	5.0 (0.20")	Steel, Cadmium Plated	Standard	COL-00400-008-05-CC
8.00 (0.31")	5.0 (0.20")	Carbon Steel	Standard	COL-00400-008-05-CS
8.00 (0.31")	5.0 (0.20")	Steel - Black Oxide	Standard	COL-00400-008-05-BO
8.00 (0.31")	5.0 (0.20")	Steel - Electroless Nickel Plated	Standard	COL-00400-008-08-ENP
10.00 (0.39")	5.0 (0.20")	303 Stainless Steel	With Integral Shim	COL-00400-010-05-IS-S3
11.00 (0.43")	5.0 (0.20")	303 Stainless Steel	Standard	COL-00400-011-05-S3
11.00 (0.43")	5.0 (0.20")	Steel, Cadmium Plated	Standard	COL-00400-011-05-CC
12.00 (0.47")	6.0 (0.24")	Aluminum	Standard	COL-00400-012-12-AL
12.00 (0.47")	6.0 (0.24")	Nylon	Standard - Nylon	COL-00400-012-06-NY
12.00 (0.47")	6.0 (0.24")	304 Stainless Steel	Standard	COL-00400-012-06-S4
12.00 (0.47")	6.0 (0.24")	Steel - Black Oxide	Standard	COL-00400-012-06-BO
12.00 (0.47")	6.0 (0.24")	Steel - Electroless Nickel Plated	Standard	COL-00400-012-12-ENP
12.00 (0.47")	8.0 (0.31")	Steel - Nickel Chrome Plated	Standard	COL-00400-012-12-NCP
12.00 (0.47")	8.0 (0.31")	Steel - Trivalent Chromate Plated	Standard	COL-00400-012-12-TCP
12.50 (0.49")	7.0 (0.28")	Brass-Black Oxide Finish	Fairloc	COL-00400-013-07-FC-BRB
12.50 (0.49")	7.0 (0.28")	303 Stainless Steel	Fairloc	COL-00400-013-07-FC-S3
14.00 (0.55")	6.0 (0.24")	303 Stainless Steel	Standard	COL-00400-014-06-S3
14.00 (0.55")	20.0 (0.79")	Mild Steel	Long Series - Mild Steel	COL-00400-014-20-LS-MS
14.20 (0.56")	23.9 (0.94")	ABS Plastic	Gripfast	COL-00400-014-24-GF-AB
15.00 (0.59")	8.0 (0.31")	304 Stainless Steel	Clamp Type - One Piece	COL-00400-015-08-1C-S4
15.00 (0.59")	8.0 (0.31")	304 Stainless Steel	Clamp Type - Two Piece	COL-00400-015-08-2C-S4
15.00 (0.59")	10.0 (0.39")	304 Stainless Steel with Urethane Pad	Clamp Type - One Piece	COL-00400-015-10-1C-S4P
15.00 (0.59")	10.0 (0.39")	Carbon Steel Black-Chromate with Urethane Pad	Clamp Type - One Piece	COL-00400-015-10-1C-CBP
16.00 (0.63")	9.0 (0.35")	303 Stainless Steel	Clamp Type - One Piece	COL-00400-016-09-1C-S3
16.00 (0.63")	9.0 (0.35")	Steel 12L14 (9SMn Pb36)	Clamp Type - One Piece	COL-00400-016-09-1C-CS
16.00 (0.63")	9.0 (0.35")	303 Stainless	Clamp Type - Two Piece	COL-00400-016-09-2C-S3
16.00 (0.63")	9.0 (0.35")	Steel 12L14 (9SMn Pb36)	Clamp Type - Two Piece	COL-00400-016-09-2C-CS
4.763mm (0.188 in.) Inside Diameter				
9.50 (0.37")	5.6 (0.22")	Stainless 303	Standard	** COL-00476-010-06-S3
9.50 (0.37")	5.6 (0.22")	303 Stainless Steel	With Integral Shim	COL-00475-010-06-IS-S3
11.10 (0.44")	6.4 (0.25")	Stainless 303	Standard	COL-00476-011-06-S3
11.10 (0.44")	6.4 (0.25")	Carbon Steel	Standard	COL-00476-011-06-CS
11.10 (0.44")	6.4 (0.25")	Steel, Zinc Plated	Standard	COL-00476-011-06-CZ
11.11 (0.44")	6.4 (0.25")	Stainless 304	Standard	COL-00476-011-06-S4

 Usually stocked or Short Delivery
 ** Available while stocks last **

 Long Delivery or Large Minimum Quantities
 Not in current production

Shaft Collars

Outside Diameter mm (in.)	Width mm (in.)	Material	Style	Part Number
4.763mm (0.188 in.) Inside Diameter				
11.11 (0.44")	6.4 (0.25")	Steel, Black Oxide Coated	Standard	COL-00476-011-06-CBO
12.60 (0.50")	7.0 (0.28")	Brass With Black Ox	Fairloc	COL-00476-013-07-FC-BRB
12.60 (0.50")	7.0 (0.28")	Stainless Steel	Fairloc	COL-00476-013-07-FC-S3
14.20 (0.56")	23.9 (0.94")	ABS Plastic	Gripfast	COL-00476-014-24-GF-AB
15.88 (0.63")	7.9 (0.31")	Steel, Black Oxide Coated	Clamp Type - One Piece	COL-00476-016-08-1C-CBO
15.88 (0.63")	7.9 (0.31")	304 Stainless Steel	Clamp Type - Two Piece	COL-00476-016-08-2C-S4
15.88 (0.63")	7.9 (0.31")	Steel, Black Oxide Coated	Clamp Type - Two Piece	COL-00476-016-08-2C-CBO
15.90 (0.63")	7.9 (0.31")	Stainless Steel	Clamp Type - One Piece	COL-00475-016-08-1C-S3
15.90 (0.63")	7.9 (0.31")	Steel	Clamp Type - One Piece	COL-00475-016-08-1C-CS
15.90 (0.63")	7.9 (0.31")	Steel	Clamp Type - Two Piece	COL-00476-016-08-2C-CS
5.000mm (0.197 in.) Inside Diameter				
10.00 (0.39")	6.0 (0.24")	Steel, Cadmium Plated	Standard	COL-00500-010-06-CC
11.00 (0.43")	5.0 (0.20")	304 Stainless Steel	Standard	COL-00500-011-05-S4
11.00 (0.43")	5.0 (0.20")	Steel - Electroless Nickel Plated	Standard	COL-00500-011-11-ENP
11.00 (0.43")	5.0 (0.20")	Steel - Black Oxide	Standard	COL-00500-011-05-BO
11.00 (0.43")	6.0 (0.24")	303 Stainless Steel	Standard	COL-00500-011-06-S3
11.00 (0.43")	6.0 (0.24")	Steel, Cadmium Plated	Standard	COL-00500-011-06-CC
12.00 (0.47")	5.0 (0.20")	303 Stainless Steel	With Integral Shim	COL-00500-012-05-IS-S3
14.00 (0.55")	6.0 (0.24")	Aluminum	Standard	COL-00500-014-14-AL
14.00 (0.55")	6.0 (0.24")	304 Stainless Steel	Standard	COL-00500-014-06-S4
14.00 (0.55")	6.0 (0.24")	Steel - Electroless Nickel Plated	Standard	COL-00500-014-14-ENP
14.00 (0.55")	6.0 (0.24")	Steel - Black Oxide	Standard	COL-00500-014-06-BO
14.00 (0.55")	8.0 (0.31")	Nylon	Standard - Nylon	COL-00500-014-08-NY
14.00 (0.55")	8.0 (0.31")	Steel - Trivalent Chromate Plated	Standard	COL-00500-014-14-TCP
14.00 (0.55")	8.0 (0.31")	Steel - Nickel Chrome Plated	Standard	COL-00500-014-14-NCP
14.20 (0.56")	23.9 (0.94")	ABS Plastic	Gripfast	COL-00500-014-24-GF-AB
15.00 (0.59")	24.0 (0.94")	Mild Steel	Long Series - Mild Steel	COL-00500-015-24-LS-MS
16.00 (0.63")	6.0 (0.24")	303 Stainless Steel	Standard	COL-00500-016-06-S3
16.00 (0.63")	9.0 (0.35")	303 Stainless Steel	Clamp Type - One Piece	COL-00500-016-09-1C-S3
16.00 (0.63")	9.0 (0.35")	Steel	Clamp Type - One Piece	COL-00500-016-09-1C-CS
16.00 (0.63")	9.0 (0.35")	303 Stainless	Clamp Type - Two Piece	COL-00500-016-09-2C-S3
16.00 (0.63")	9.0 (0.35")	Steel	Clamp Type - Two Piece	COL-00500-016-09-2C-CS
16.00 (0.63")	9.0 (0.35")	Brass-Black Oxide Finish	Fairloc	COL-00500-016-09-FC-BRB
16.00 (0.63")	9.0 (0.35")	303 Stainless Steel	Fairloc	COL-00500-016-09-FC-S3
18.00 (0.71")	9.0 (0.35")	Steel	Clamp Type - One Piece	** COL-00500-018-09-1C-CS
20.00 (0.79")	8.0 (0.31")	304 Stainless Steel	Clamp Type - One Piece	COL-00500-020-08-1C-S4
20.00 (0.79")	8.0 (0.31")	304 Stainless Steel	Clamp Type - Two Piece	COL-00500-020-08-2C-S4
20.00 (0.79")	12.0 (0.47")	304 Stainless Steel with Urethane Pad	Clamp Type - One Piece	COL-00500-020-12-1C-S4P
20.00 (0.79")	12.0 (0.47")	Carbon Steel Black-Chromate with Urethane Pad	Clamp Type - One Piece	COL-00500-020-12-1C-CBP
6.000mm (0.236 in.) Inside Diameter				
10.00 (0.39")	19.1 (0.75")	Carbon Steel	Clamp Type - Long	COL-00600-010-19-LC-S3
12.00 (0.47")	5.0 (0.20")	304 Stainless Steel	Standard	COL-00600-012-05-S4
12.00 (0.47")	5.0 (0.20")	Steel - Electroless Nickel Plated	Standard	COL-00600-012-12-ENP
12.00 (0.47")	5.0 (0.20")	Steel - Black Oxide	Standard	COL-00600-012-05-BO
12.00 (0.47")	6.0 (0.24")	303 Stainless Steel	With Integral Shim	COL-00600-012-06-IS-S3
12.00 (0.47")	8.0 (0.31")	Steel, Zinc Plated	Standard	COL-00600-012-08-CZ

Usually stocked or Short Delivery
 ** Available while stocks last **

Long Delivery or Large Minimum Quantities
 Not in current production

Shaft Collars

Outside Diameter mm (in.)	Width mm (in.)	Material	Style	Part Number
6.000mm (0.236 in.) Inside Diameter				
12.00 (0.47")	8.0 (0.31")	Steel, Low Carbon	Standard	COL-00600-012-08-CS
15.00 (0.59")	6.0 (0.24")	Aluminum	Standard	COL-00600-015-15-AL
15.00 (0.59")	6.0 (0.24")	304 Stainless Steel	Standard	COL-00600-015-06-S4
15.00 (0.59")	6.0 (0.24")	Steel - Electroless Nickel Plated	Standard	COL-00600-015-15-ENP
15.00 (0.59")	6.0 (0.24")	Steel - Black Oxide	Standard	COL-00600-015-06-BO
15.00 (0.59")	8.0 (0.31")	Nylon	Standard - Nylon	COL-00600-015-08-NY
15.90 (0.63")	12.0 (0.47")	303 Stainless Steel	Stroke Adjustment - 303 Stainless	COL-00600-016-12-ADJ-S3
15.90 (0.63")	12.0 (0.47")	Carbon Steel, Black Oxide	Stroke Adjustment	COL-00600-016-12-ADJ-CB
16.00 (0.63")	6.0 (0.24")	303 Stainless Steel	Standard	COL-00600-016-06-S3
16.00 (0.63")	8.0 (0.31")	303 Stainless Steel	Standard	COL-00600-016-08-S3
16.00 (0.63")	8.0 (0.31")	Steel, Cadmium Plated	Standard	COL-00600-016-08-CC
16.00 (0.63")	9.0 (0.35")	303 Stainless Steel	Clamp Type - One Piece	COL-00600-016-09-1C-S3
16.00 (0.63")	9.0 (0.35")	Steel	Clamp Type - One Piece	COL-00600-016-09-1C-CS
16.00 (0.63")	9.0 (0.35")	303 Stainless	Clamp Type - Two Piece	COL-00600-016-09-2C-S3
16.00 (0.63")	9.0 (0.35")	Steel	Clamp Type - Two Piece	COL-00600-016-09-2C-CS
16.00 (0.63")	9.0 (0.35")	Brass-Black Oxide Finish	Fairloc	COL-00600-016-09-FC-BRB
16.00 (0.63")	9.0 (0.35")	303 Stainless Steel	Fairloc	COL-00600-016-09-FC-S3
16.00 (0.63")	9.0 (0.35")	Stainless Steel	Hinged	COL-00600-016-09-HG-S3
16.00 (0.63")	9.0 (0.35")	Carbon Steel	Hinged	COL-00600-016-09-HG-CS
16.00 (0.63")	10.0 (0.39")	304 Stainless Steel	Standard	COL-00600-016-10-S4
16.00 (0.63")	10.0 (0.39")	Steel - Nickel Chrome Plated	Standard	COL-00600-016-16-NCP
16.00 (0.63")	10.0 (0.39")	Steel - Trivalent Chromate Plated	Standard	COL-00600-016-16-TCP
16.00 (0.63")	10.0 (0.39")	Steel - Black Oxide	Standard	COL-00600-016-10-BO
16.00 (0.63")	10.0 (0.39")	Steel - Electroless Nickel Plated	Standard	COL-00600-016-16-ENP
16.00 (0.63")	24.0 (0.94")	Mild Steel	Long Series - Mild Steel	COL-00600-016-24-LS-MS
18.10 (0.71")	25.4 (1.00")	ABS Plastic	Gripfast	COL-00600-018-25-GF-AB
20.00 (0.79")	8.0 (0.31")	Aluminium	Clamp Type - One Piece	COL-00600-020-08-1C-AL
20.00 (0.79")	8.0 (0.31")	304 Stainless Steel	Clamp Type - One Piece	COL-00600-020-08-1C-S4
20.00 (0.79")	8.0 (0.31")	304 Stainless Steel	Clamp Type - Two Piece	COL-00600-020-08-2C-S4
20.00 (0.79")	8.0 (0.31")	Aluminium	Clamp Type - Two Piece	COL-00600-020-08-2C-AL
20.00 (0.79")	10.0 (0.39")	Aluminium	Clamp Type - One Piece	COL-00600-020-10-1C-AL
20.00 (0.79")	12.0 (0.47")	304 Stainless Steel with Urethane Pad	Clamp Type - One Piece	COL-00600-020-12-1C-S4P
20.00 (0.79")	12.0 (0.47")	Carbon Steel Black-Chromate with Urethane Pad	Clamp Type - One Piece	COL-00600-020-12-1C-CBP
6.110mm (0.241 in.) Inside Diameter				
12.70 (0.50")	6.4 (0.25")	Stainless Steel	Standard	COL-00611-013-06-S3
12.70 (0.50")	6.4 (0.25")	303 Stainless Steel	With Integral Shim	COL-00611-013-06-IS-S3
6.350mm (0.250 in.) Inside Diameter				
12.70 (0.50")	6.4 (0.25")	Stainless Steel	Standard	COL-00635-013-06-S3
12.70 (0.50")	6.4 (0.25")	303 Stainless Steel	With Integral Shim	COL-00635-013-06-IS-S3
12.70 (0.50")	7.1 (0.28")	Stainless 304	Standard	COL-00635-013-07-S4
12.70 (0.50")	7.1 (0.28")	Stainless 303	Standard	COL-00635-013-07-S3
12.70 (0.50")	7.1 (0.28")	Steel, Black Oxide Coated	Standard	COL-00635-013-07-CBO
12.70 (0.50")	7.1 (0.28")	Steel, Zinc Plated	Standard	COL-00635-013-07-CZ
12.70 (0.50")	7.9 (0.31")	Stainless 303	Standard	COL-00635-013-08-S3
12.70 (0.50")	7.9 (0.31")	Zinc Plated Steel	Standard	COL-00635-013-08-CZ
15.88 (0.63")	7.9 (0.31")	304 Stainless Steel	Clamp Type - Two Piece	COL-00635-016-08-2C-S4

Usually stocked or Short Delivery
 ** Available while stocks last **

Long Delivery or Large Minimum Quantities
 Not in current production

Shaft Collars



Outside Diameter mm (in.)	Width mm (in.)	Material	Style	Part Number
6.350mm (0.250 in.) Inside Diameter				
15.88 (0.63")	7.9 (0.31")	Steel, Black Oxide Coated	Clamp Type - Two Piece	COL-00635-016-08-2C-CBO
16.00 (0.63")	9.0 (0.35")	Brass With Black Ox	Fairloc	COL-00635-016-09-FC-BRB
16.00 (0.63")	9.0 (0.35")	Stainless Steel	Fairloc	COL-00635-016-09-FC-S3
17.46 (0.69")	7.9 (0.31")	Aluminium	Clamp Type - One Piece	COL-00635-017-08-1C-AL
17.46 (0.69")	7.9 (0.31")	304 Stainless Steel	Clamp Type - One Piece	COL-00635-017-08-1C-S4
17.46 (0.69")	7.9 (0.31")	Steel, Black Oxide Coated	Clamp Type - One Piece	COL-00635-017-08-1C-CBO
17.50 (0.69")	7.9 (0.31")	Steel	Clamp Type - One Piece	COL-00635-017-08-1C-CS
17.50 (0.69")	7.9 (0.31")	303 Stainless	Clamp Type - Two Piece	COL-00635-017-08-2C-S3
17.50 (0.69")	7.9 (0.31")	Steel	Clamp Type - Two Piece	COL-00635-017-08-2C-CS
18.50 (0.73")	25.4 (1.00")		Fastlock	COL-00635-019-25-FL-S3
18.80 (0.74")	25.4 (1.00")	304 Stainless Steel	Gripfast	COL-00635-019-25-GF-S4
18.90 (0.74")	25.7 (1.01")	ABS Plastic	Gripfast	COL-00635-019-26-GF-AB
20.70 (0.81")	6.4 (0.25")	303 Stainless	Hex Bore - Two Piece	COH-00635-021-06-2P-S3
20.70 (0.81")	6.4 (0.25")	Mild Steel	Hex Bore - Two Piece	COH-00635-021-06-2P-CS
27.00 (1.06")	7.9 (0.31")	Aluminium	Clamp Type - One Piece	COL-00635-027-08-1C-AL
27.00 (1.06")	7.9 (0.31")	Stainless Steel	Clamp Type - One Piece	COL-00635-027-08-1C-S3
7.000mm (0.276 in.) Inside Diameter				
12.00 (0.47")	8.0 (0.31")	Steel, Cadmium Plated	Standard	** COL-00700-012-08-CC
16.00 (0.63")	6.0 (0.24")	303 Stainless Steel	With Integral Shim	COL-00700-016-06-IS-S3
16.00 (0.63")	8.0 (0.31")	303 Stainless Steel	Standard	COL-00700-016-08-S3
16.00 (0.63")	8.0 (0.31")	Steel, Cadmium Plated	Standard	COL-00700-016-08-CC
7.938mm (0.313 in.) Inside Diameter				
12.70 (0.50")	6.4 (0.25")	303 Stainless Steel	With Integral Shim	COL-00793-013-06-IS-S3
14.30 (0.56")	7.1 (0.28")	Stainless Steel	Standard	COL-00793-014-07-S3
15.88 (0.63")	7.9 (0.31")	Stainless 304	Standard	COL-00794-016-08-S4
15.88 (0.63")	7.9 (0.31")	Steel, Black Oxide Coated	Standard	COL-00794-016-08-CBO
15.88 (0.63")	7.9 (0.31")	Steel, Zinc Plated	Standard	COL-00794-016-08-CZ
15.90 (0.63")	8.7 (0.34")	Carbon Steel	Standard	COL-00794-016-09-CS
17.46 (0.69")	7.9 (0.31")	Aluminium	Clamp Type - One Piece	COL-00794-017-08-1C-AL
17.46 (0.69")	7.9 (0.31")	304 Stainless Steel	Clamp Type - One Piece	COL-00794-017-08-1C-S4
17.46 (0.69")	7.9 (0.31")	Steel, Black Oxide Coated	Clamp Type - One Piece	COL-00794-017-08-1C-CBO
17.46 (0.69")	7.9 (0.31")	304 Stainless Steel	Clamp Type - Two Piece	COL-00794-017-08-2C-S4
17.46 (0.69")	7.9 (0.31")	Steel, Black Oxide Coated	Clamp Type - Two Piece	COL-00794-017-08-2C-CBO
17.50 (0.69")	7.9 (0.31")	Steel	Clamp Type - One Piece	COL-00793-017-08-1C-CS
17.50 (0.69")	7.9 (0.31")	Steel	Clamp Type - Two Piece	COL-00794-017-08-2C-CS
18.50 (0.73")	25.4 (1.00")		Fastlock	COL-00794-019-25-FL-S3
18.80 (0.74")	25.4 (1.00")	304 Stainless Steel	Gripfast	COL-00794-019-25-GF-S4
18.90 (0.74")	25.7 (1.01")	ABS Plastic	Gripfast	COL-00794-019-26-GF-AB
20.70 (0.81")	6.4 (0.25")	303 Stainless	Hex Bore - One Piece	COH-00794-021-06-1P-S3
20.70 (0.81")	6.4 (0.25")	Mild Steel	Hex Bore - Two Piece	COH-00794-021-06-2P-CS
22.10 (0.87")	11.0 (0.43")	Stainless Steel	Fairloc	COL-00794-022-11-FC-S3
22.10 (0.87")	11.0 (0.43")	Brass With Black Ox	Fairloc	COL-00794-022-11-FC-BRB
27.00 (1.06")	7.9 (0.31")	Stainless Steel	Clamp Type - One Piece	COL-00793-027-08-1C-S3
44.50 (1.75")	12.7 (0.50")	Steel	Clamp Type - One Piece	COL-00793-044-13-1C-CS
8.000mm (0.315 in.) Inside Diameter				
14.00 (0.55")	5.0 (0.20")	304 Stainless Steel	Standard	COL-00800-014-05-S4
14.00 (0.55")	5.0 (0.20")	Steel - Black Oxide	Standard	COL-00800-014-05-BO



Usually stocked or Short Delivery
 ** Available while stocks last **

Long Delivery or Large Minimum Quantities
 Not in current production

Shaft Collars

Outside Diameter mm (in.)	Width mm (in.)	Material	Style	Part Number
8.000mm (0.315 in.) Inside Diameter				
14.00 (0.55")	5.0 (0.20")	Steel - Electroless Nickel Plated	Standard	COL-00800-014-14-ENP
16.00 (0.63")	6.0 (0.24")	Aluminum	Standard	COL-00800-016-16-AL
16.00 (0.63")	6.0 (0.24")	304 Stainless Steel	Standard	COL-00800-016-06-S4
16.00 (0.63")	6.0 (0.24")	Steel - Electroless Nickel Plated	Standard	COL-00800-016-16-ENP
16.00 (0.63")	6.0 (0.24")	Steel - Black Oxide	Standard	COL-00800-016-06-BO
16.00 (0.63")	6.0 (0.24")	303 Stainless Steel	With Integral Shim	COL-00800-016-06-IS-S3
16.00 (0.63")	8.0 (0.31")	Stainless 303	Standard	COL-00800-016-08-S3
16.00 (0.63")	8.0 (0.31")	Steel, Zinc Plated	Standard	COL-00800-016-08-CZ
18.00 (0.71")	8.0 (0.31")	Nylon	Standard - Nylon	COL-00800-018-08-NY
18.00 (0.71")	9.0 (0.35")	303 Stainless Steel	Clamp Type - One Piece	COL-00800-018-09-1C-S3
18.00 (0.71")	9.0 (0.35")	Steel	Clamp Type - One Piece	COL-00800-018-09-1C-CS
18.00 (0.71")	9.0 (0.35")	303 Stainless	Clamp Type - Two Piece	COL-00800-018-09-2C-S3
18.00 (0.71")	9.0 (0.35")	Steel	Clamp Type - Two Piece	COL-00800-018-09-2C-CS
18.00 (0.71")	9.0 (0.35")	Stainless Steel	Hinged	COL-00800-018-09-HG-S3
18.00 (0.71")	9.0 (0.35")	Carbon Steel	Hinged	COL-00800-018-09-HG-CS
18.00 (0.71")	10.0 (0.39")	304 Stainless Steel	Standard	COL-00800-018-10-S4
18.00 (0.71")	10.0 (0.39")	Steel - Nickel Chrome Plated	Standard	COL-00800-018-18-NCP
18.00 (0.71")	10.0 (0.39")	Steel - Trivalent Chromate Plated	Standard	COL-00800-018-18-TCP
18.00 (0.71")	10.0 (0.39")	Steel - Electroless Nickel Plated	Standard	COL-00800-018-18-ENP
18.00 (0.71")	10.0 (0.39")	Steel - Black Oxide	Standard	COL-00800-018-10-BO
19.00 (0.75")	12.0 (0.47")	303 Stainless Steel	Stroke Adjustment - 303 Stainless	COL-00800-019-12-ADJ-S3
19.00 (0.75")	12.0 (0.47")	Carbon Steel, Black Oxide	Stroke Adjustment	COL-00800-019-12-ADJ-CB
20.00 (0.79")	8.0 (0.31")	303 Stainless Steel	Standard	COL-00800-020-08-S3
20.00 (0.79")	30.0 (1.18")	Mild Steel	Long Series - Mild Steel	COL-00800-020-30-LS-MS
22.00 (0.87")	11.0 (0.43")	Brass-Black Oxide Finish	Fairloc	COL-00800-022-11-FC-BRB
22.00 (0.87")	11.0 (0.43")	303 Stainless Steel	Fairloc	COL-00800-022-11-FC-S3
25.00 (0.98")	8.0 (0.31")	Aluminium	Clamp Type - One Piece	COL-00800-025-08-1C-AL
25.00 (0.98")	8.0 (0.31")	304 Stainless Steel	Clamp Type - One Piece	COL-00800-025-08-1C-S4
25.00 (0.98")	8.0 (0.31")	304 Stainless Steel	Clamp Type - Two Piece	COL-00800-025-08-2C-S4
25.00 (0.98")	8.0 (0.31")	Aluminium	Clamp Type - Two Piece	COL-00800-025-08-2C-AL
25.00 (0.98")	10.0 (0.39")	Aluminium	Clamp Type - One Piece	COL-00800-025-10-1C-AL
25.00 (0.98")	10.0 (0.39")	Aluminium	Clamp Type - Two Piece	COL-00800-025-10-2C-AL
28.10 (1.11")	26.8 (1.06")	ABS Plastic	Gripfast	COL-00800-028-27-GF-AB
30.00 (1.18")	18.0 (0.71")	304 Stainless Steel with Urethane Pad	Clamp Type - One Piece	COL-00800-030-18-1C-S4P
30.00 (1.18")	18.0 (0.71")	Carbon Steel Black-Chromate with Urethane Pad	Clamp Type - One Piece	COL-00800-030-18-2C-CBP
30.00 (1.18")	18.0 (0.71")	Carbon Steel Black-Chromate with Urethane Pad	Clamp Type - One Piece	COL-00800-030-18-1C-CBP
9.000mm (0.354 in.) Inside Diameter				
18.00 (0.71")	10.0 (0.39")	Steel, Cadmium Plated	Standard	COL-00900-018-10-CC
20.00 (0.79")	10.0 (0.39")	Stainless 303	Standard	** COL-00900-020-10-S3
20.00 (0.79")	10.0 (0.39")	Steel, Cadmium Plated	Standard	COL-00900-020-10-CC
24.00 (0.94")	9.0 (0.35")	303 Stainless Steel	Clamp Type - One Piece	COL-00900-024-09-1C-S3
24.00 (0.94")	9.0 (0.35")	Steel	Clamp Type - One Piece	COL-00900-024-09-1C-CS
24.00 (0.94")	9.0 (0.35")	303 Stainless	Clamp Type - Two Piece	COL-00900-024-09-2C-S3
24.00 (0.94")	9.0 (0.35")	Steel	Clamp Type - Two Piece	COL-00900-024-09-2C-CS
24.00 (0.94")	9.0 (0.35")	Stainless Steel	Hinged	COL-00900-024-09-HG-S3
24.00 (0.94")	9.0 (0.35")	Carbon Steel	Hinged	COL-00900-024-09-HG-CS

 Usually stocked or Short Delivery
 ** Available while stocks last **

 Long Delivery or Large Minimum Quantities
 Not in current production

Shaft Collars



Outside Diameter mm (in.)	Width mm (in.)	Material	Style	Part Number
9.525mm (0.375 in.) Inside Diameter				
19.05 (0.75")	9.5 (0.37")	Stainless 304	Standard	COL-00953-019-10-S4
19.05 (0.75")	9.5 (0.37")	Steel, Black Oxide Coated	Standard	COL-00953-019-10-CBO
19.10 (0.75")	9.4 (0.37")	Stainless Steel	Standard	COL-00952-019-09-S3
19.10 (0.75")	9.5 (0.37")	Carbon Steel	Standard	COL-00953-019-10-CS
19.10 (0.75")	9.5 (0.37")	303 Stainless Steel	With Integral Shim	COL-00952-019-10-IS-S3
21.60 (0.85")	45.2 (1.78")		Fastlock	COL-00953-022-45-FL-S3
22.10 (0.87")	11.0 (0.43")	Stainless Steel	Fairloc	COL-00953-022-11-FC-S3
22.10 (0.87")	11.0 (0.43")	Brass With Black Ox	Fairloc	COL-00953-022-11-FC-BRB
22.20 (0.87")	8.7 (0.34")	Stainless Steel	Clamp Type - One Piece	COL-00953-022-09-1C-S3
22.20 (0.87")	8.7 (0.34")	Steel	Clamp Type - One Piece	COL-00953-022-09-1C-CS
22.20 (0.87")	8.7 (0.34")	303 Stainless	Clamp Type - Two Piece	COL-00953-022-09-2C-S3
22.20 (0.87")	8.7 (0.34")	Aluminium	Clamp Type - Two Piece	COL-00953-022-09-2C-AL
22.20 (0.87")	8.7 (0.34")	Steel	Clamp Type - Two Piece	COL-00953-022-09-2C-CS
22.23 (0.88")	8.7 (0.34")	Aluminium	Clamp Type - One Piece	COL-00953-022-09-1C-AL
22.23 (0.88")	8.7 (0.34")	Steel, Black Oxide Coated	Clamp Type - One Piece	COL-00953-022-09-1C-CBO
22.23 (0.88")	9.5 (0.37")	304 Stainless Steel	Clamp Type - One Piece	COL-00953-022-10-1C-S4
22.23 (0.88")	9.5 (0.37")	304 Stainless Steel	Clamp Type - Two Piece	COL-00953-022-10-2C-S4
22.23 (0.88")	9.5 (0.37")	Steel, Black Oxide Coated	Clamp Type - Two Piece	COL-00953-022-10-2C-CBO
27.00 (1.06")	7.9 (0.31")	303 Stainless	Hex Bore - One Piece	COH-00953-027-08-1P-S3
27.00 (1.06")	8.0 (0.31")	Mild Steel	Hex Bore - One Piece	COH-00953-027-08-1P-AB
27.00 (1.06")	8.0 (0.31")	Stainless Steel	Hinged	COL-00953-027-08-HG-S3
28.10 (1.11")	26.5 (1.04")	ABS Plastic	Gripfast	COL-00953-028-27-GF-AB
28.30 (1.11")	27.9 (1.10")	304 Stainless Steel	Gripfast	COL-00953-028-28-GF-S4
10.000mm (0.394 in.) Inside Diameter				
12.70 (0.50")	25.4 (1.00")	Carbon Steel	Clamp Type - Long	COL-01000-013-25-LC-S3
16.00 (0.63")	5.0 (0.20")	304 Stainless Steel	Standard	COL-01000-016-05-S4
16.00 (0.63")	5.0 (0.20")	Steel - Electroless Nickel Plated	Standard	COL-01000-016-16-ENP
16.00 (0.63")	5.0 (0.20")	Steel - Black Oxide	Standard	COL-01000-016-05-BO
18.00 (0.71")	6.0 (0.24")	Aluminum	Standard	COL-01000-018-18-AL
18.00 (0.71")	6.0 (0.24")	304 Stainless Steel	Standard	COL-01000-018-06-S4
18.00 (0.71")	6.0 (0.24")	Steel - Black Oxide	Standard	COL-01000-018-06-BO
18.00 (0.71")	6.0 (0.24")	Steel - Electroless Nickel Plated	Standard	COL-01000-018-18-ENP
19.00 (0.75")	10.0 (0.39")	303 Stainless Steel	With Integral Shim	COL-01000-019-10-IS-S3
20.00 (0.79")	8.0 (0.31")	Nylon	Standard - Nylon	COL-01000-020-08-NY
20.00 (0.79")	8.0 (0.31")	303 Stainless Steel	Standard	COL-01000-020-08-S3
20.00 (0.79")	10.0 (0.39")	Carbon Steel	D-Bore	COD-01000-020-10-CS
20.00 (0.79")	10.0 (0.39")	Stainless 303	Standard	COL-01000-020-10-S3
20.00 (0.79")	10.0 (0.39")	304 Stainless Steel	Standard	COL-01000-020-10-S4
20.00 (0.79")	10.0 (0.39")	Steel, Zinc Plated	Standard	COL-01000-020-10-CZ
20.00 (0.79")	10.0 (0.39")	Steel - Black Oxide	Standard	COL-01000-020-10-BO
20.00 (0.79")	10.0 (0.39")	Steel - Nickel Chrome Plated	Standard	COL-01000-020-20-NCP
20.00 (0.79")	10.0 (0.39")	Steel - Trivalent Chromate Plated	Standard	COL-01000-020-20-TCP
20.00 (0.79")	10.0 (0.39")	Steel, Black Oxide Coated	Standard	COL-01000-020-10-CBO
20.00 (0.79")	10.0 (0.39")	Steel - Electroless Nickel Plated	Standard	COL-01000-020-20-ENP
20.00 (0.79")	30.0 (1.18")	Mild Steel	Long Series - Mild Steel	COL-01000-020-30-LS-MS
22.00 (0.87")	45.0 (1.77")		Fastlock	COL-01000-022-45-FL-S3
22.20 (0.87")	12.0 (0.47")	303 Stainless Steel	Stroke Adjustment - 303 Stainless	COL-01000-022-12-ADJ-S3



Usually stocked or Short Delivery
 ** Available while stocks last **

Long Delivery or Large Minimum Quantities
 Not in current production

Shaft Collars

Outside Diameter mm (in.)	Width mm (in.)	Material	Style	Part Number
10.000mm (0.394 in.) Inside Diameter				
22.20 (0.87")	12.0 (0.47")	Carbon Steel, Black Oxide	Stroke Adjustment	COL-01000-022-12-ADJ-CB
24.00 (0.94")	9.0 (0.35")	303 Stainless Steel	Clamp Type - One Piece	COL-01000-024-09-1C-S3
24.00 (0.94")	9.0 (0.35")	Steel	Clamp Type - One Piece	COL-01000-024-09-1C-CS
24.00 (0.94")	9.0 (0.35")	303 Stainless	Clamp Type - Two Piece	COL-01000-024-09-2C-S3
24.00 (0.94")	9.0 (0.35")	Steel	Clamp Type - Two Piece	COL-01000-024-09-2C-CS
24.00 (0.94")	9.0 (0.35")	Stainless Steel	Hinged	COL-01000-024-09-HG-S3
24.00 (0.94")	9.0 (0.35")	Carbon Steel	Hinged	COL-01000-024-09-HG-CS
25.00 (0.98")	11.0 (0.43")	Brass-Black Oxide Finish	Fairloc	COL-01000-025-11-FC-BRB
25.00 (0.98")	11.0 (0.43")	303 Stainless Steel	Fairloc	COL-01000-025-11-FC-S3
28.10 (1.11")	26.8 (1.06")	ABS Plastic	Gripfast	COL-01000-028-27-GF-AB
30.00 (1.18")	8.0 (0.31")	Aluminium	Clamp Type - One Piece	COL-01000-030-08-1C-AL
30.00 (1.18")	8.0 (0.31")	Aluminium	Clamp Type - Two Piece	COL-01000-030-08-2C-AL
30.00 (1.18")	10.0 (0.39")	Aluminium	Clamp Type - One Piece	COL-01000-030-10-1C-AL
30.00 (1.18")	10.0 (0.39")	304 Stainless Steel	Clamp Type - One Piece	COL-01000-030-10-1C-S4
30.00 (1.18")	10.0 (0.39")	304 Stainless Steel	Clamp Type - Two Piece	COL-01000-030-10-2C-S4
30.00 (1.18")	10.0 (0.39")	Aluminium	Clamp Type - Two Piece	COL-01000-030-10-2C-AL
35.00 (1.38")	18.0 (0.71")	304 Stainless Steel with Urethane Pad	Clamp Type - One Piece	COL-01000-035-18-1C-S4P
35.00 (1.38")	18.0 (0.71")	Carbon Steel Black-Chromate with Urethane Pad	Clamp Type - One Piece	COL-01000-035-18-1C-CBP
35.00 (1.38")	18.0 (0.71")	Carbon Steel Black-Chromate with Urethane Pad	Clamp Type - Two Piece	COL-01000-035-18-2C-CBP
11.000mm (0.433 in.) Inside Diameter				
20.00 (0.79")	10.0 (0.39")	Steel, Zinc Plated	Standard	COL-01100-020-10-CC
28.00 (1.10")	11.0 (0.43")	303 Stainless Steel	Clamp Type - One Piece	COL-01100-028-11-1C-S3
28.00 (1.10")	11.0 (0.43")	Steel 12L14 (9SMn Pb36)	Clamp Type - One Piece	COL-01100-028-11-1C-CS
28.00 (1.10")	11.0 (0.43")	303 Stainless	Clamp Type - Two Piece	COL-01100-028-11-2C-S3
28.00 (1.10")	11.0 (0.43")	Steel 12L14 (9SMn Pb36)	Clamp Type - Two Piece	COL-01100-028-11-2C-CS
11.113mm (0.438 in.) Inside Diameter				
22.20 (0.87")	11.1 (0.44")	Stainless 303	Standard	COL-01111-022-11-S3
22.20 (0.87")	11.1 (0.44")	Carbon Steel	Standard	COL-01111-022-11-CS
22.20 (0.87")	11.1 (0.44")	Steel, Zinc Plated	Standard	COL-01111-022-11-CZ
22.23 (0.88")	11.1 (0.44")	Stainless 304	Standard	COL-01111-022-11-S4
22.23 (0.88")	11.1 (0.44")	Steel, Black Oxide Coated	Standard	COL-01111-022-11-CBO
23.80 (0.94")	9.5 (0.37")	Steel	Clamp Type - One Piece	COL-01110-024-10-1C-CS
23.80 (0.94")	9.5 (0.37")	303 Stainless	Clamp Type - Two Piece	COL-01111-024-10-2C-S3
23.80 (0.94")	9.5 (0.37")	Steel	Clamp Type - Two Piece	COL-01111-024-10-2C-CS
23.81 (0.94")	9.5 (0.37")	304 Stainless Steel	Clamp Type - One Piece	COL-01111-024-10-1C-S4
23.81 (0.94")	9.5 (0.37")	Steel, Black Oxide Coated	Clamp Type - One Piece	COL-01111-024-10-1C-CBO
23.81 (0.94")	9.5 (0.37")	304 Stainless Steel	Clamp Type - Two Piece	COL-01111-024-10-2C-S4
23.81 (0.94")	9.5 (0.37")	Steel, Black Oxide Coated	Clamp Type - Two Piece	COL-01111-024-10-2C-CBO
33.30 (1.31")	9.5 (0.37")	Aluminium	Clamp Type - One Piece	COL-01110-033-10-1C-AL
33.30 (1.31")	9.5 (0.37")	Stainless Steel	Clamp Type - One Piece	COL-01110-033-10-1C-S3
12.000mm (0.472 in.) Inside Diameter				
19.00 (0.75")	10.0 (0.39")	303 Stainless Steel	With Integral Shim	COL-01200-019-10-IS-S3
19.00 (0.75")	31.8 (1.25")	Carbon Steel	Clamp Type - Long	COL-01200-019-32-LC-S3
20.00 (0.79")	6.0 (0.24")	304 Stainless Steel	Standard	COL-01200-020-06-S4
20.00 (0.79")	6.0 (0.24")	Steel - Black Oxide	Standard	COL-01200-020-06-BO
20.00 (0.79")	6.0 (0.24")	Steel - Electroless Nickel Plated	Standard	COL-01200-020-20-ENP

 Usually stocked or Short Delivery
 ** Available while stocks last **

 Long Delivery or Large Minimum Quantities
 Not in current production

Shaft Collars



Outside Diameter mm (in.)	Width mm (in.)	Material	Style	Part Number
12.000mm (0.472 in.) Inside Diameter				
22.00 (0.87")	8.0 (0.31")	Aluminum	Standard	COL-01200-022-22-AL
22.00 (0.87")	8.0 (0.31")	Nylon	Standard - Nylon	COL-01200-022-08-NY
22.00 (0.87")	8.0 (0.31")	304 Stainless Steel	Standard	COL-01200-022-08-S4
22.00 (0.87")	8.0 (0.31")	Steel - Electroless Nickel Plated	Standard	COL-01200-022-22-ENP
22.00 (0.87")	8.0 (0.31")	Steel - Black Oxide	Standard	COL-01200-022-08-BO
22.00 (0.87")	12.0 (0.47")	Steel, Cadmium Plated	Standard	COL-01200-022-12-CC
22.00 (0.87")	12.0 (0.47")	Steel, Black Oxide Coated	Standard	COL-01200-022-12-CBO
24.00 (0.94")	10.0 (0.39")	Carbon Steel	D-Bore	COD-01200-024-10-CS
24.00 (0.94")	12.0 (0.47")	303 Stainless Steel	Standard	COL-01200-024-12-S3
24.00 (0.94")	12.0 (0.47")	Steel, Cadmium Plated	Standard	COL-01200-024-12-CC
25.00 (0.98")	11.0 (0.43")	303 Stainless Steel	Fairloc	COL-01200-025-11-FC-S3
25.00 (0.98")	11.0 (0.43")	Brass-Black Oxide Finish	Fairloc	COL-01200-025-11-FC-BRB
26.00 (1.02")	10.0 (0.39")	304 Stainless Steel	Standard	COL-01200-026-10-S4
26.00 (1.02")	10.0 (0.39")	Steel - Black Oxide	Standard	COL-01200-026-10-BO
26.00 (1.02")	10.0 (0.39")	Steel - Electroless Nickel Plated	Standard	COL-01200-026-26-ENP
26.00 (1.02")	10.0 (0.39")	Steel - Nickel Chrome Plated	Standard	COL-01200-026-26-NCP
26.00 (1.02")	10.0 (0.39")	Steel - Trivalent Chromate Plated	Standard	COL-01200-026-26-TCP
28.00 (1.10")	10.0 (0.39")	303 Stainless Steel	Standard	COL-01200-028-10-S3
28.00 (1.10")	11.0 (0.43")	303 Stainless Steel	Clamp Type - One Piece	COL-01200-028-11-1C-S3
28.00 (1.10")	11.0 (0.43")	Steel	Clamp Type - One Piece	COL-01200-028-11-1C-CS
28.00 (1.10")	11.0 (0.43")	304 Stainless Steel	Clamp Type - Two Piece	COL-01200-028-11-2C-S4
28.00 (1.10")	11.0 (0.43")	Steel	Clamp Type - Two Piece	COL-01200-028-11-2C-CS
28.00 (1.10")	11.0 (0.43")	Stainless Steel	Hinged	COL-01200-028-11-HG-S3
28.00 (1.10")	11.0 (0.43")	Carbon Steel	Hinged	COL-01200-028-11-HG-CS
28.00 (1.10")	36.0 (1.42")	Mild Steel	Long Series - Mild Steel	COL-01200-028-36-LS-MS
28.10 (1.11")	26.5 (1.04")	ABS Plastic	Gripfast	COL-01200-028-27-GF-AB
28.60 (1.13")	19.1 (0.75")	303 Stainless Steel	Stroke Adjustment - 303 Stainless	COL-01200-029-19-ADJ-S3
28.60 (1.13")	19.1 (0.75")	Carbon Steel, Black Oxide	Stroke Adjustment	COL-01200-029-19-ADJ-CB
30.00 (1.18")	8.0 (0.31")	Aluminium	Clamp Type - One Piece	COL-01200-030-08-1C-AL
30.00 (1.18")	8.0 (0.31")	Aluminium	Clamp Type - Two Piece	COL-01200-030-08-2C-AL
30.00 (1.18")	10.0 (0.39")	Aluminium	Clamp Type - One Piece	COL-01200-030-10-1C-AL
30.00 (1.18")	10.0 (0.39")	304 Stainless Steel	Clamp Type - One Piece	COL-01200-030-10-1C-S4
30.00 (1.18")	10.0 (0.39")	304 Stainless Steel	Clamp Type - Two Piece	COL-01200-030-10-2C-S4
30.00 (1.18")	10.0 (0.39")	Aluminium	Clamp Type - Two Piece	COL-01200-030-10-2C-AL
35.00 (1.38")	18.0 (0.71")	304 Stainless Steel with Urethane Pad	Clamp Type - One Piece	COL-01200-035-18-1C-S4P
35.00 (1.38")	18.0 (0.71")	Carbon Steel Black-Chromate with Urethane Pad	Clamp Type - One Piece	COL-01200-035-18-2C-CBP
35.00 (1.38")	18.0 (0.71")	Carbon Steel Black-Chromate with Urethane Pad	Clamp Type - One Piece	COL-01200-035-18-1C-CBP
12.700mm (0.500 in.) Inside Diameter				
25.00 (0.98")	11.0 (0.43")	Stainless Steel	Fairloc	COL-01270-025-11-FC-S3
25.00 (0.98")	11.0 (0.43")	Brass With Black Ox	Fairloc	COL-01270-025-11-FC-BRB
25.40 (1.00")	11.1 (0.44")	Stainless 304	Standard	COL-01270-025-11-S4
25.40 (1.00")	11.1 (0.44")	Steel, Zinc Plated	Standard	COL-01270-025-11-CZ
25.40 (1.00")	11.1 (0.44")	Plain Steel	Standard	COL-01270-025-11-C
25.40 (1.00")	11.1 (0.44")	Steel, Black Oxide Coated	Standard	COL-01270-025-11-CBO
25.40 (1.00")	11.1 (0.44")	Carbon Steel	Standard	COL-01270-025-11-CS
25.40 (1.00")	11.1 (0.44")	303 Stainless Steel	With Integral Shim	COL-01269-025-11-IS-S3



Usually stocked or Short Delivery
 ** Available while stocks last **

Long Delivery or Large Minimum Quantities
 Not in current production

Shaft Collars

Outside Diameter mm (in.)	Width mm (in.)	Material	Style	Part Number
12.700mm (0.500 in.) Inside Diameter				
25.40 (1.00")	12.7 (0.50")	Stainless Steel	Standard	COL-01270-025-13-S3
27.90 (1.10")	45.2 (1.78")		Fastlock	COL-01270-028-45-FL-S3
28.10 (1.11")	26.5 (1.04")	ABS Plastic	Gripfast	COL-01270-028-27-GF-AB
28.30 (1.11")	27.9 (1.10")	304 Stainless Steel	Gripfast	COL-01270-028-28-GF-S4
28.58 (1.13")	10.3 (0.41")	304 Stainless Steel	Clamp Type - One Piece	COL-01270-029-10-1C-S4
28.58 (1.13")	10.3 (0.41")	Steel, Black Oxide Coated	Clamp Type - One Piece	COL-01270-029-10-1C-CBO
28.58 (1.13")	10.3 (0.41")	304 Stainless Steel	Clamp Type - Two Piece	COL-01270-029-10-2C-S4
28.58 (1.13")	10.3 (0.41")	Steel, Black Oxide Coated	Clamp Type - Two Piece	COL-01270-029-10-2C-CBO
28.60 (1.13")	8.7 (0.34")	Aluminium	Clamp Type - Two Piece	COL-01270-029-09-2C-AL
28.60 (1.13")	10.0 (0.39")	316 Stainless Steel	Clamp Type - One Piece	COL-01270-029-10-1C-S6
28.60 (1.13")	10.0 (0.39")	316 Stainless Steel	Clamp Type - Two Piece - 316 Stainless Steel	COL-01270-029-10-2C-S6
28.60 (1.13")	10.0 (0.39")	316 Stainless Steel	Standard	COL-01270-029-10-S6
28.60 (1.13")	10.3 (0.41")	Aluminium	Clamp Type - One Piece	COL-01270-029-10-1C-AL
28.60 (1.13")	10.3 (0.41")	Steel	Clamp Type - One Piece	COL-01270-029-10-1C-CS
28.60 (1.13")	10.3 (0.41")	303 Stainless	Clamp Type - Two Piece	COL-01270-029-10-2C-S3
28.60 (1.13")	10.3 (0.41")	Steel	Clamp Type - Two Piece	COL-01270-029-10-2C-CS
31.80 (1.25")	9.5 (0.37")	303 Stainless	Hex Bore - One Piece	COH-01270-032-10-1P-S3
31.80 (1.25")	9.5 (0.37")	Mild Steel	Hex Bore - One Piece	COH-01270-032-10-1P-CS
31.80 (1.25")	9.5 (0.37")	303 Stainless	Hex Bore - Two Piece	COH-01270-032-10-2P-S3
31.80 (1.25")	9.5 (0.37")	Mild Steel	Hex Bore - Two Piece	COH-01270-032-10-2P-CS
31.80 (1.25")	9.5 (0.37")	Carbon Steel	Hinged	COL-01270-032-10-HG-CS
13.000mm (0.512 in.) Inside Diameter				
20.00 (0.79")	6.0 (0.24")	304 Stainless Steel	Standard	COL-01300-020-06-S4
20.00 (0.79")	6.0 (0.24")	Steel - Black Oxide	Standard	COL-01300-020-06-BO
20.00 (0.79")	6.0 (0.24")	Steel - Electroless Nickel Plated	Standard	COL-01300-020-20-ENP
22.00 (0.87")	8.0 (0.31")	Aluminum	Standard	COL-01300-022-22-AL
22.00 (0.87")	8.0 (0.31")	304 Stainless Steel	Standard	COL-01300-022-08-S4
22.00 (0.87")	8.0 (0.31")	Steel - Black Oxide	Standard	COL-01300-022-08-BO
22.00 (0.87")	8.0 (0.31")	Steel - Electroless Nickel Plated	Standard	COL-01300-022-22-ENP
26.00 (1.02")	10.0 (0.39")	304 Stainless Steel	Standard	COL-01300-026-10-S4
26.00 (1.02")	10.0 (0.39")	Steel - Black Oxide	Standard	COL-01300-026-10-BO
26.00 (1.02")	10.0 (0.39")	Steel - Electroless Nickel Plated	Standard	COL-01300-026-26-ENP
26.00 (1.02")	10.0 (0.39")	Steel - Nickel Chrome Plated	Standard	COL-01300-026-26-NCP
26.00 (1.02")	10.0 (0.39")	Steel - Trivalent Chromate Plated	Standard	COL-01300-026-26-TCP
28.10 (1.11")	26.8 (1.06")	ABS Plastic	Gripfast	COL-01300-028-27-GF-AB
30.00 (1.18")	10.0 (0.39")	304 Stainless Steel	Clamp Type - One Piece	COL-01300-030-10-1C-S4
30.00 (1.18")	10.0 (0.39")	304 Stainless Steel	Clamp Type - Two Piece	COL-01300-030-10-2C-S4
30.00 (1.18")	11.0 (0.43")	Steel, Black Oxide Coated	Clamp Type - Two Piece	COL-01300-030-11-2C-CBO
35.00 (1.38")	18.0 (0.71")	304 Stainless Steel with Urethane Pad	Clamp Type - One Piece	COL-01300-035-18-1C-S4P
35.00 (1.38")	18.0 (0.71")	Carbon Steel Black-Chromate with Urethane Pad	Clamp Type - One Piece	COL-01300-035-18-1C-CBP
14.000mm (0.551 in.) Inside Diameter				
25.00 (0.98")	12.0 (0.47")	Steel, Cadmium Plated	Standard	COL-01400-025-12-CC
26.00 (1.02")	12.0 (0.47")	304 Stainless Steel	Standard	COL-01400-026-12-S4
26.00 (1.02")	12.0 (0.47")	Steel - Trivalent Chromate Plated	Standard	COL-01400-026-26-TCP
26.00 (1.02")	12.0 (0.47")	Steel - Nickel Chrome Plated	Standard	COL-01400-026-26-NCP
26.00 (1.02")	12.0 (0.47")	Steel - Electroless Nickel Plated	Standard	COL-01400-026-26-ENP

 Usually stocked or Short Delivery
 ** Available while stocks last **

 Long Delivery or Large Minimum Quantities
 Not in current production

Shaft Collars

Outside Diameter mm (in.)	Width mm (in.)	Material	Style	Part Number
14.000mm (0.551 in.) Inside Diameter				
26.00 (1.02")	12.0 (0.47")	Steel - Black Oxide	Standard	COL-01400-026-12-BO
28.00 (1.10")	12.0 (0.47")	Carbon Steel	D-Bore	COD-01400-028-12-CS
30.00 (1.18")	11.0 (0.43")	303 Stainless Steel	Clamp Type - One Piece	COL-01400-030-11-1C-S3
30.00 (1.18")	11.0 (0.43")	Steel 12L14 (9SMn Pb36)	Clamp Type - One Piece	COL-01400-030-11-1C-CS
30.00 (1.18")	11.0 (0.43")	303 Stainless	Clamp Type - Two Piece	COL-01400-030-11-2C-S3
30.00 (1.18")	11.0 (0.43")	Steel 12L14 (9SMn Pb36)	Clamp Type - Two Piece	COL-01400-030-11-2C-CS
30.00 (1.18")	11.0 (0.43")	Stainless Steel	Hinged	COL-01400-030-11-HG-S3
30.00 (1.18")	11.0 (0.43")	Carbon Steel	Hinged	COL-01400-030-11-HG-CS
35.60 (1.40")	37.1 (1.46")	ABS Plastic	Gripfast	COL-01400-036-37-GF-AB
14.288mm (0.563 in.) Inside Diameter				
25.40 (1.00")	11.1 (0.44")	Stainless 303	Standard	COL-01429-025-11-S3
25.40 (1.00")	11.1 (0.44")	Stainless 304	Standard	COL-01429-025-11-S4
25.40 (1.00")	11.1 (0.44")	Steel, Zinc Plated	Standard	COL-01429-025-11-CZ
25.40 (1.00")	11.1 (0.44")	Zinc Plated Steel	Standard	COL-01431-025-11-CZ
25.40 (1.00")	11.1 (0.44")	Steel, Black Oxide Coated	Standard	COL-01429-025-11-CBO
31.80 (1.25")	11.1 (0.44")	Steel	Clamp Type - One Piece	COL-01428-032-11-1C-CS
31.80 (1.25")	11.1 (0.44")	303 Stainless	Clamp Type - Two Piece	COL-01429-032-11-2C-S3
31.80 (1.25")	11.1 (0.44")	Steel	Clamp Type - Two Piece	COL-01429-032-11-2C-CS
33.34 (1.31")	11.1 (0.44")	Steel, Black Oxide Coated	Clamp Type - One Piece	COL-01429-033-11-1C-CBO
33.34 (1.31")	11.1 (0.44")	304 Stainless Steel	Clamp Type - Two Piece	COL-01429-033-11-2C-S4
33.34 (1.31")	11.1 (0.44")	Steel, Black Oxide Coated	Clamp Type - Two Piece	COL-01429-033-11-2C-CBO
15.000mm (0.591 in.) Inside Diameter				
24.00 (0.94")	6.0 (0.24")	304 Stainless Steel	Standard	COL-01500-024-06-S4
24.00 (0.94")	6.0 (0.24")	Steel - Black Oxide	Standard	COL-01500-024-06-BO
24.00 (0.94")	6.0 (0.24")	Steel - Electroless Nickel Plated	Standard	COL-01500-024-24-ENP
25.00 (0.98")	8.0 (0.31")	Aluminum	Standard	COL-01500-025-25-AL
25.00 (0.98")	8.0 (0.31")	304 Stainless Steel	Standard	COL-01500-025-08-S4
25.00 (0.98")	8.0 (0.31")	Steel - Black Oxide	Standard	COL-01500-025-08-BO
25.00 (0.98")	8.0 (0.31")	Steel - Electroless Nickel Plated	Standard	COL-01500-025-25-ENP
25.00 (0.98")	12.0 (0.47")	Steel, Cadmium Plated	Standard	COL-01500-025-12-CC
25.00 (0.98")	12.0 (0.47")	Steel, Zinc Plated	Standard	COL-01500-025-12-CZ
28.00 (1.10")	10.0 (0.39")	Nylon	Standard - Nylon	COL-01500-028-10-NY
28.00 (1.10")	10.0 (0.39")	303 Stainless Steel	Standard	COL-01500-028-10-S3
28.00 (1.10")	12.0 (0.47")	304 Stainless Steel	Standard	COL-01500-028-12-S4
28.00 (1.10")	12.0 (0.47")	Steel - Electroless Nickel Plated	Standard	COL-01500-028-28-ENP
28.00 (1.10")	12.0 (0.47")	Steel - Black Oxide	Standard	COL-01500-028-12-BO
28.00 (1.10")	12.0 (0.47")	Steel - Trivalent Chromate Plated	Standard	COL-01500-028-28-TCP
28.00 (1.10")	12.0 (0.47")	Steel - Nickel Chrome Plated	Standard	COL-01500-028-28-NCP
28.00 (1.10")	36.0 (1.42")	Mild Steel	Long Series - Mild Steel	COL-01500-028-36-LS-MS
28.00 (1.10")	45.0 (1.77")		Fastlock	COL-01500-028-45-FL-S3
30.00 (1.18")	12.0 (0.47")	Carbon Steel	D-Bore	COD-01500-030-12-CS
30.00 (1.18")	14.0 (0.55")	303 Stainless Steel	Fairloc	COL-01500-030-14-FC-S3
30.00 (1.18")	14.0 (0.55")	Brass-Black Oxide Finish	Fairloc	COL-01500-030-14-FC-BRB
32.00 (1.26")	12.0 (0.47")	303 Stainless Steel	With Integral Shim	COL-01500-032-12-IS-S3
34.00 (1.34")	10.0 (0.39")	Aluminium	Clamp Type - One Piece	COL-01500-034-10-1C-AL
34.00 (1.34")	10.0 (0.39")	Aluminium	Clamp Type - Two Piece	COL-01500-034-10-2C-AL
34.00 (1.34")	13.0 (0.51")	303 Stainless Steel	Clamp Type - One Piece	COL-01500-034-13-1C-S3

Usually stocked or Short Delivery
 ** Available while stocks last **

Long Delivery or Large Minimum Quantities
 Not in current production

Shaft Collars

Outside Diameter mm (in.)	Width mm (in.)	Material	Style	Part Number
15.000mm (0.591 in.) Inside Diameter				
34.00 (1.34")	13.0 (0.51")	Steel	Clamp Type - One Piece	COL-01500-034-13-1C-CS
34.00 (1.34")	13.0 (0.51")	303 Stainless	Clamp Type - Two Piece	COL-01500-034-13-2C-S3
34.00 (1.34")	13.0 (0.51")	Steel	Clamp Type - Two Piece	COL-01500-034-13-2C-CS
34.00 (1.34")	13.0 (0.51")	Stainless Steel	Hinged	COL-01500-034-13-HG-S3
34.00 (1.34")	13.0 (0.51")	Carbon Steel	Hinged	COL-01500-034-13-HG-CS
35.00 (1.38")	12.0 (0.47")	Aluminium	Clamp Type - One Piece	COL-01500-035-12-1C-AL
35.00 (1.38")	12.0 (0.47")	304 Stainless Steel	Clamp Type - One Piece	COL-01500-035-12-1C-S4
35.00 (1.38")	12.0 (0.47")	304 Stainless Steel	Clamp Type - Two Piece	COL-01500-035-12-2C-S4
35.00 (1.38")	12.0 (0.47")	Aluminium	Clamp Type - Two Piece	COL-01500-035-12-2C-AL
40.00 (1.57")	18.0 (0.71")	304 Stainless Steel with Urethane Pad	Clamp Type - One Piece	COL-01500-040-18-1C-S4P
40.00 (1.57")	18.0 (0.71")	Carbon Steel Black-Chromate with Urethane Pad	Clamp Type - One Piece	COL-01500-040-18-1C-CBP
40.00 (1.57")	18.0 (0.71")	Carbon Steel Black-Chromate with Urethane Pad	Clamp Type - One Piece	COL-01500-040-18-2C-CBP
15.875mm (0.625 in.) Inside Diameter				
27.90 (1.10")	45.2 (1.78")		Fastlock	COL-01588-028-45-FL-S3
28.58 (1.13")	12.7 (0.50")	Stainless 303	Standard	COL-01588-029-13-S3
28.58 (1.13")	12.7 (0.50")	Steel, Black Oxide Coated	Standard	COL-01588-029-13-CBO
28.60 (1.13")	12.7 (0.50")	Carbon Steel	Standard	COL-01588-029-13-CS
28.60 (1.13")	12.7 (0.50")	Steel, Zinc Plated	Standard	COL-01588-029-13-CZ
30.00 (1.18")	14.0 (0.55")	Brass With Black Ox	Fairloc	COL-01588-030-14-FC-BRB
30.00 (1.18")	14.0 (0.55")	Stainless Steel	Fairloc	COL-01588-030-14-FC-S3
31.80 (1.25")	12.7 (0.50")	303 Stainless Steel	With Integral Shim	COL-01587-032-13-IS-S3
33.30 (1.31")	10.3 (0.41")	Aluminium	Clamp Type - Two Piece	COL-01588-033-10-2C-AL
33.30 (1.31")	11.1 (0.44")	Aluminium	Clamp Type - One Piece	COL-01588-033-11-1C-AL
33.30 (1.31")	11.1 (0.44")	316 Stainless Steel	Clamp Type - One Piece	COL-01588-033-11-1C-S6
33.30 (1.31")	11.1 (0.44")	Steel	Clamp Type - One Piece	COL-01588-033-11-1C-CS
33.30 (1.31")	11.1 (0.44")	303 Stainless	Clamp Type - Two Piece	COL-01588-033-11-2C-S3
33.30 (1.31")	11.1 (0.44")	316 Stainless Steel	Clamp Type - Two Piece - 316 Stainless Steel	COL-01588-033-11-2C-S6
33.30 (1.31")	11.1 (0.44")	316 Stainless Steel	Standard	COL-01588-033-11-S6
33.34 (1.31")	11.1 (0.44")	304 Stainless Steel	Clamp Type - One Piece	COL-01588-033-11-1C-S4
33.34 (1.31")	11.1 (0.44")	Steel, Black Oxide Coated	Clamp Type - One Piece	COL-01588-033-11-1C-CBO
33.34 (1.31")	11.1 (0.44")	304 Stainless Steel	Clamp Type - Two Piece	COL-01588-033-11-2C-S4
33.34 (1.31")	11.1 (0.44")	Steel, Black Oxide Coated	Clamp Type - Two Piece	COL-01588-033-11-2C-CBO
34.90 (1.37")	11.1 (0.44")	Steel	Clamp Type - Two Piece	COL-01588-035-11-2C-CS
35.60 (1.40")	37.1 (1.46")	ABS Plastic	Gripfast	COL-01588-036-37-GF-AB
35.60 (1.40")	38.1 (1.50")	304 Stainless Steel	Gripfast	COL-01588-036-38-GF-S4
38.10 (1.50")	10.3 (0.41")	303 Stainless	Hex Bore - One Piece	COH-01588-038-10-1P-S3
38.10 (1.50")	10.3 (0.41")	303 Stainless	Hex Bore - Two Piece	COH-01588-038-10-2P-S3
38.10 (1.50")	10.3 (0.41")	Mild Steel	Hex Bore - Two Piece	COH-01588-038-10-2P-CS
38.10 (1.50")	11.1 (0.44")	Carbon Steel	Hinged	COL-01588-038-11-HG-CS
16.000mm (0.630 in.) Inside Diameter				
22.00 (0.87")	38.1 (1.50")	Carbon Steel	Clamp Type - Long	COL-01600-022-38-LC-S3
24.00 (0.94")	6.0 (0.24")	304 Stainless Steel	Standard	COL-01600-024-06-S4
24.00 (0.94")	6.0 (0.24")	Steel - Electroless Nickel Plated	Standard	COL-01600-024-24-ENP
24.00 (0.94")	6.0 (0.24")	Steel - Black Oxide	Standard	COL-01600-024-06-BO
28.00 (1.10")	8.0 (0.31")	304 Stainless Steel	Standard	COL-01600-028-08-S4

Usually stocked or Short Delivery
 ** Available while stocks last **

Long Delivery or Large Minimum Quantities
 Not in current production

Shaft Collars

Outside Diameter mm (in.)	Width mm (in.)	Material	Style	Part Number
16.000mm (0.630 in.) Inside Diameter				
28.00 (1.10")	8.0 (0.31")	Steel - Black Oxide	Standard	COL-01600-028-08-BO
28.00 (1.10")	8.0 (0.31")	Steel - Electroless Nickel Plated	Standard	COL-01600-028-28-ENP
28.00 (1.10")	10.0 (0.39")	Aluminum	Standard	COL-01600-028-28-AL
28.00 (1.10")	12.0 (0.47")	Steel, Black Oxide Coated	Standard	COL-01600-028-12-CBO
28.00 (1.10")	12.0 (0.47")	Steel, Cadmium Plated	Standard	COL-01600-028-12-CC
28.00 (1.10")	12.0 (0.47")	Steel - Nickel Chrome Plated	Standard	COL-01600-028-28-NCP
28.00 (1.10")	12.0 (0.47")	Steel - Trivalent Chromate Plated	Standard	COL-01600-028-28-TCP
28.00 (1.10")	45.0 (1.77")		Fastlock	COL-01600-028-45-FL-S3
30.00 (1.18")	10.0 (0.39")	Nylon	Standard - Nylon	COL-01600-030-10-NY
32.00 (1.26")	12.0 (0.47")	303 Stainless Steel	With Integral Shim	COL-01600-032-12-IS-S3
32.00 (1.26")	14.0 (0.55")	Carbon Steel	D-Bore	COD-01600-032-14-CS
33.30 (1.31")	19.1 (0.75")	303 Stainless Steel	Stroke Adjustment - 303 Stainless	COL-01600-033-19-ADJ-S3
33.30 (1.31")	19.1 (0.75")	Carbon Steel, Black Oxide	Stroke Adjustment	COL-01600-033-19-ADJ-CB
34.00 (1.34")	13.0 (0.51")	303 Stainless Steel	Clamp Type - One Piece	COL-01600-034-13-1C-S3
34.00 (1.34")	13.0 (0.51")	Steel	Clamp Type - One Piece	COL-01600-034-13-1C-CS
34.00 (1.34")	13.0 (0.51")	303 Stainless	Clamp Type - Two Piece	COL-01600-034-13-2C-S3
34.00 (1.34")	13.0 (0.51")	Steel	Clamp Type - Two Piece	COL-01600-034-13-2C-CS
34.00 (1.34")	13.0 (0.51")	Stainless Steel	Hinged	COL-01600-034-13-HG-S3
34.00 (1.34")	13.0 (0.51")	Carbon Steel	Hinged	COL-01600-034-13-HG-CS
35.00 (1.38")	10.0 (0.39")	Aluminium	Clamp Type - One Piece	COL-01600-035-10-1C-AL
35.00 (1.38")	10.0 (0.39")	Aluminium	Clamp Type - Two Piece	COL-01600-035-10-2C-AL
35.00 (1.38")	12.0 (0.47")	Aluminium	Clamp Type - One Piece	COL-01600-035-12-1C-AL
35.00 (1.38")	12.0 (0.47")	304 Stainless Steel	Clamp Type - One Piece	COL-01600-035-12-1C-S4
35.00 (1.38")	12.0 (0.47")	304 Stainless Steel	Clamp Type - Two Piece	COL-01600-035-12-2C-S4
35.00 (1.38")	12.0 (0.47")	Aluminium	Clamp Type - Two Piece	COL-01600-035-12-2C-AL
35.60 (1.40")	37.1 (1.46")	ABS Plastic	Gripfast	COL-01600-036-37-GF-AB
38.00 (1.50")	13.0 (0.51")	Steel, Black Oxide Coated	Clamp Type - Two Piece	COL-01600-038-13-2C-CBO
40.00 (1.57")	18.0 (0.71")	304 Stainless Steel with Urethane Pad	Clamp Type - One Piece	COL-01600-040-18-1C-S4P
40.00 (1.57")	18.0 (0.71")	Carbon Steel Black-Chromate with Urethane Pad	Clamp Type - One Piece	COL-01600-040-18-1C-CBP
17.000mm (0.669 in.) Inside Diameter				
30.00 (1.18")	10.0 (0.39")	304 Stainless Steel	Standard	COL-01700-030-10-S4
30.00 (1.18")	10.0 (0.39")	Steel - Electroless Nickel Plated	Standard	COL-01700-030-30-ENP
30.00 (1.18")	10.0 (0.39")	Steel - Black Oxide	Standard	COL-01700-030-10-BO
32.00 (1.26")	12.0 (0.47")	304 Stainless Steel	Standard	COL-01700-032-12-S4
32.00 (1.26")	12.0 (0.47")	Steel - Black Oxide	Standard	COL-01700-032-12-BO
32.00 (1.26")	12.0 (0.47")	Steel - Electroless Nickel Plated	Standard	COL-01700-032-32-ENP
32.00 (1.26")	12.0 (0.47")	Steel - Nickel Chrome Plated	Standard	COL-01700-032-32-NCP
32.00 (1.26")	12.0 (0.47")	Steel - Trivalent Chromate Plated	Standard	COL-01700-032-32-TCP
36.00 (1.42")	13.0 (0.51")	303 Stainless Steel	Clamp Type - One Piece	COL-01700-036-13-1C-S3
36.00 (1.42")	13.0 (0.51")	Steel 12L14 (9SMn Pb36)	Clamp Type - One Piece	COL-01700-036-13-1C-CS
36.00 (1.42")	13.0 (0.51")	303 Stainless	Clamp Type - Two Piece	COL-01700-036-13-2C-S3
36.00 (1.42")	13.0 (0.51")	Steel 12L14 (9SMn Pb36)	Clamp Type - Two Piece	COL-01700-036-13-2C-CS
38.00 (1.50")	13.0 (0.51")	Steel	Clamp Type - One Piece	COL-01700-038-13-1C-CS
38.00 (1.50")	13.0 (0.51")	Steel	Clamp Type - Two Piece	COL-01700-038-13-2C-CS
40.00 (1.57")	15.0 (0.59")	304 Stainless Steel	Clamp Type - One Piece	COL-01700-040-15-1C-S4
40.00 (1.57")	15.0 (0.59")	304 Stainless Steel	Clamp Type - Two Piece	COL-01700-040-15-2C-S4

Usually stocked or Short Delivery
 ** Available while stocks last **

Long Delivery or Large Minimum Quantities
 Not in current production

Shaft Collars

Outside Diameter mm (in.)	Width mm (in.)	Material	Style	Part Number
17.000mm (0.669 in.) Inside Diameter				
40.00 (1.57")	18.0 (0.71")	304 Stainless Steel with Urethane Pad	Clamp Type - One Piece	COL-01700-040-18-1C-S4P
40.00 (1.57")	18.0 (0.71")	Carbon Steel Black-Chromate with Urethane Pad	Clamp Type - One Piece	COL-01700-040-18-1C-CBP
17.463mm (0.688 in.) Inside Diameter				
31.75 (1.25")	14.3 (0.56")	Stainless 304	Standard	COL-01746-032-14-S4
31.75 (1.25")	14.3 (0.56")	Steel, Black Oxide Coated	Standard	COL-01746-032-14-CBO
31.80 (1.25")	14.3 (0.56")	Stainless 303	Standard	COL-01746-032-14-S3
31.80 (1.25")	14.3 (0.56")	Steel, Zinc Plated	Standard	COL-01746-032-14-CZ
38.10 (1.50")	11.1 (0.44")	Steel	Clamp Type - Two Piece	COL-01746-038-11-2C-CS
38.10 (1.50")	12.7 (0.50")	304 Stainless Steel	Clamp Type - Two Piece	COL-01746-038-13-2C-S4
38.10 (1.50")	12.7 (0.50")	Steel, Black Oxide Coated	Clamp Type - Two Piece	COL-01746-038-13-2C-CBO
18.000mm (0.709 in.) Inside Diameter				
32.00 (1.26")	12.0 (0.47")	303 Stainless Steel	Standard	COL-01800-032-12-S3
32.00 (1.26")	15.0 (0.59")	304 Stainless Steel	Standard	COL-01800-032-15-S4
32.00 (1.26")	15.0 (0.59")	Steel - Nickel Chrome Plated	Standard	COL-01800-032-32-NCP
32.00 (1.26")	15.0 (0.59")	Steel - Electroless Nickel Plated	Standard	COL-01800-032-32-ENP
32.00 (1.26")	15.0 (0.59")	Steel - Black Oxide	Standard	COL-01800-032-15-BO
32.00 (1.26")	15.0 (0.59")	Steel - Trivalent Chromate Plated	Standard	COL-01800-032-32-TCP
32.00 (1.26")	40.0 (1.57")	Mild Steel	Long Series - Mild Steel	COL-01800-032-40-LS-MS
36.00 (1.42")	13.0 (0.51")	303 Stainless Steel	Clamp Type - One Piece	COL-01800-036-13-1C-S3
36.00 (1.42")	13.0 (0.51")	Steel	Clamp Type - One Piece	COL-01800-036-13-1C-CS
36.00 (1.42")	13.0 (0.51")	303 Stainless	Clamp Type - Two Piece	COL-01800-036-13-2C-S3
36.00 (1.42")	13.0 (0.51")	Steel	Clamp Type - Two Piece	COL-01800-036-13-2C-CS
36.00 (1.42")	14.0 (0.55")	Carbon Steel	D-Bore	COD-01800-036-14-CS
36.00 (1.42")	15.0 (0.59")	Stainless Steel	Hinged	COL-01800-036-15-HG-S3
36.00 (1.42")	15.0 (0.59")	Carbon Steel	Hinged	COL-01800-036-15-HG-CS
45.00 (1.77")	15.0 (0.59")	304 Stainless Steel	Clamp Type - One Piece	COL-01800-045-15-1C-S4
45.00 (1.77")	15.0 (0.59")	304 Stainless Steel	Clamp Type - Two Piece	COL-01800-045-15-2C-S4
45.00 (1.77")	18.0 (0.71")	304 Stainless Steel with Urethane Pad	Clamp Type - One Piece	COL-01800-045-18-1C-S4P
45.00 (1.77")	18.0 (0.71")	Carbon Steel Black-Chromate with Urethane Pad	Clamp Type - One Piece	COL-01800-045-18-1C-CBP
19.000mm (0.748 in.) Inside Diameter				
38.00 (1.50")	14.0 (0.55")	303 Stainless Steel	With Integral Shim	COL-01900-038-14-IS-S3
40.00 (1.57")	15.0 (0.59")	303 Stainless Steel	Clamp Type - One Piece	COL-01900-040-15-1C-S3
40.00 (1.57")	15.0 (0.59")	Steel 12L14 (9SMn Pb36)	Clamp Type - One Piece	COL-01900-040-15-1C-CS
40.00 (1.57")	15.0 (0.59")	303 Stainless Steel	Clamp Type - Two Piece	COL-01900-040-15-2C-S3
40.00 (1.57")	15.0 (0.59")	Steel 12L14 (9SMn Pb36)	Clamp Type - Two Piece	COL-01900-040-15-2C-CS
19.050mm (0.750 in.) Inside Diameter				
31.20 (1.23")	45.2 (1.78")		Fastlock	COL-01905-031-45-FL-S3
31.75 (1.25")	14.3 (0.56")	Nylon	Standard - Nylon	COL-01905-032-14-NY
31.75 (1.25")	14.3 (0.56")	Stainless 304	Standard	COL-01905-032-14-S4
31.75 (1.25")	14.3 (0.56")	Plain Steel	Standard	COL-01905-032-14-C
31.75 (1.25")	14.3 (0.56")	Steel, Black Oxide Coated	Standard	COL-01905-032-14-CBO
31.80 (1.25")	14.3 (0.56")	Steel, Zinc Plated	Standard	COL-01905-032-14-CZ
35.60 (1.40")	37.1 (1.46")	ABS Plastic	Gripfast	COL-01905-036-37-GF-AB
35.60 (1.40")	38.1 (1.50")	304 Stainless Steel	Gripfast	COL-01905-036-38-GF-S4
38.00 (1.50")	16.0 (0.63")	Brass With Black Ox	Fairloc	COL-01905-038-16-FC-BRB
38.00 (1.50")	16.0 (0.63")	Stainless Steel	Fairloc	COL-01905-038-16-FC-S3

Usually stocked or Short Delivery
 ** Available while stocks last **

Long Delivery or Large Minimum Quantities
 Not in current production

Shaft Collars

Outside Diameter mm (in.)	Width mm (in.)	Material	Style	Part Number
19.050mm (0.750 in.) Inside Diameter				
38.10 (1.50")	11.1 (0.44")	Aluminium	Clamp Type - Two Piece	COL-01905-038-11-2C-AL
38.10 (1.50")	12.7 (0.50")	Aluminium	Clamp Type - One Piece	COL-01905-038-13-1C-AL
38.10 (1.50")	12.7 (0.50")	Stainless Steel	Clamp Type - One Piece	COL-01905-038-13-1C-S3
38.10 (1.50")	12.7 (0.50")	304 Stainless Steel	Clamp Type - One Piece	COL-01905-038-13-1C-S4
38.10 (1.50")	12.7 (0.50")	316 Stainless Steel	Clamp Type - One Piece	COL-01905-038-13-1C-S6
38.10 (1.50")	12.7 (0.50")	Steel, Black Oxide Coated	Clamp Type - One Piece	COL-01905-038-13-1C-CBO
38.10 (1.50")	12.7 (0.50")	Steel	Clamp Type - One Piece	COL-01905-038-13-1C-CS
38.10 (1.50")	12.7 (0.50")	303 Stainless	Clamp Type - Two Piece	COL-01905-038-13-2C-S3
38.10 (1.50")	12.7 (0.50")	304 Stainless Steel	Clamp Type - Two Piece	COL-01905-038-13-2C-S4
38.10 (1.50")	12.7 (0.50")	316 Stainless Steel	Clamp Type - Two Piece - 316 Stainless Steel	COL-01905-038-13-2C-S6
38.10 (1.50")	12.7 (0.50")	Steel, Black Oxide Coated	Clamp Type - Two Piece	COL-01905-038-13-2C-CBO
38.10 (1.50")	12.7 (0.50")	316 Stainless Steel	Standard	COL-01905-038-13-S6
38.10 (1.50")	14.3 (0.56")	303 Stainless Steel	With Integral Shim	COL-01904-038-14-IS-S3
41.30 (1.63")	12.7 (0.50")	Steel	Clamp Type - Two Piece	COL-01905-041-13-2C-CS
44.50 (1.75")	12.7 (0.50")	Stainless Steel	Hinged	** COL-01905-044-13-HG-S3
44.50 (1.75")	12.7 (0.50")	Carbon Steel	Hinged	COL-01905-044-13-HG-CS
47.60 (1.87")	12.7 (0.50")	303 Stainless	Hex Bore - One Piece	COH-01905-048-13-1P-S3
47.60 (1.87")	12.7 (0.50")	Mild Steel	Hex Bore - One Piece	COH-01905-048-13-1P-CS
47.60 (1.87")	12.7 (0.50")	303 Stainless	Hex Bore - Two Piece	COH-01905-048-13-2P-S3
47.60 (1.87")	12.7 (0.50")	Mild Steel	Hex Bore - Two Piece	COH-01905-048-13-2P-CS
20.000mm (0.787 in.) Inside Diameter				
28.00 (1.10")	50.8 (2.00")	Carbon Steel	Clamp Type - Long	COL-02000-028-51-LC-S3
30.00 (1.18")	7.0 (0.28")	304 Stainless Steel	Standard	COL-02000-030-07-S4
30.00 (1.18")	7.0 (0.28")	Steel - Electroless Nickel Plated	Standard	COL-02000-030-30-ENP
30.00 (1.18")	7.0 (0.28")	Steel - Black Oxide	Standard	COL-02000-030-07-BO
32.00 (1.26")	10.0 (0.39")	Aluminum	Standard	COL-02000-032-32-AL
32.00 (1.26")	10.0 (0.39")	304 Stainless Steel	Standard	COL-02000-032-10-S4
32.00 (1.26")	10.0 (0.39")	Steel - Black Oxide	Standard	COL-02000-032-10-BO
32.00 (1.26")	10.0 (0.39")	Steel - Electroless Nickel Plated	Standard	COL-02000-032-32-ENP
32.00 (1.26")	12.0 (0.47")	303 Stainless Steel	Standard	COL-02000-032-12-S3
32.00 (1.26")	14.0 (0.55")	Steel, Black Oxide Coated	Standard	COL-02000-032-14-CBO
32.00 (1.26")	14.0 (0.55")	Steel, Zinc Plated	Standard	COL-02000-032-14-CZ
32.00 (1.26")	15.0 (0.59")	Steel - Trivalent Chromate Plated	Standard	COL-02000-032-32-TCP
32.00 (1.26")	15.0 (0.59")	Steel - Nickel Chrome Plated	Standard	COL-02000-032-32-NCP
32.00 (1.26")	40.0 (1.57")	Mild Steel	Long Series - Mild Steel	COL-02000-032-40-LS-MS
34.00 (1.34")	12.0 (0.47")	Nylon	Standard - Nylon	COL-02000-034-12-NY
35.60 (1.40")	37.1 (1.46")	ABS Plastic	Gripfast	COL-02000-036-37-GF-AB
37.00 (1.46")	45.0 (1.77")		Fastlock	COL-02000-037-45-FL-S3
38.00 (1.50")	14.0 (0.55")	303 Stainless Steel	With Integral Shim	COL-02000-038-14-IS-S3
38.00 (1.50")	16.0 (0.63")	Brass-Black Oxide Finish	Fairloc	COL-02000-038-16-FC-BRB
38.00 (1.50")	16.0 (0.63")	303 Stainless Steel	Fairloc	COL-02000-038-16-FC-S3
38.10 (1.50")	22.2 (0.87")	303 Stainless Steel	Stroke Adjustment - 303 Stainless	COL-02000-038-22-ADJ-S3
38.10 (1.50")	22.2 (0.87")	Carbon Steel, Black Oxide	Stroke Adjustment	COL-02000-038-22-ADJ-CB
40.00 (1.57")	12.0 (0.47")	Aluminium	Clamp Type - One Piece	COL-02000-040-12-1C-AL
40.00 (1.57")	12.0 (0.47")	Aluminium	Clamp Type - Two Piece	COL-02000-040-12-2C-AL
40.00 (1.57")	15.0 (0.59")	303 Stainless Steel	Clamp Type - One Piece	COL-02000-040-15-1C-S3
40.00 (1.57")	15.0 (0.59")	Steel	Clamp Type - One Piece	COL-02000-040-15-1C-CS

Usually stocked or Short Delivery
 ** Available while stocks last **

Long Delivery or Large Minimum Quantities
 Not in current production

Shaft Collars

Outside Diameter mm (in.)	Width mm (in.)	Material	Style	Part Number
20.000mm (0.787 in.) Inside Diameter				
40.00 (1.57")	15.0 (0.59")	303 Stainless	Clamp Type - Two Piece	COL-02000-040-15-2C-S3
40.00 (1.57")	15.0 (0.59")	Steel	Clamp Type - Two Piece	COL-02000-040-15-2C-CS
40.00 (1.57")	15.0 (0.59")	Steel, Black Oxide Coated	Clamp Type - Two Piece	COL-02000-040-15-2C-CBO
40.00 (1.57")	15.0 (0.59")	Stainless Steel	Hinged	COL-02000-040-15-HG-S3
40.00 (1.57")	15.0 (0.59")	Carbon Steel	Hinged	COL-02000-040-15-HG-CS
40.00 (1.57")	16.0 (0.63")	Carbon Steel	D-Bore	COD-02000-040-16-CS
45.00 (1.77")	15.0 (0.59")	Aluminium	Clamp Type - One Piece	COL-02000-045-15-1C-AL
45.00 (1.77")	15.0 (0.59")	304 Stainless Steel	Clamp Type - One Piece	COL-02000-045-15-1C-S4
45.00 (1.77")	15.0 (0.59")	304 Stainless Steel	Clamp Type - Two Piece	COL-02000-045-15-2C-S4
45.00 (1.77")	15.0 (0.59")	Aluminium	Clamp Type - Two Piece	COL-02000-045-15-2C-AL
45.00 (1.77")	20.0 (0.79")	304 Stainless Steel with Urethane Pad	Clamp Type - One Piece	COL-02000-045-20-1C-S4P
45.00 (1.77")	20.0 (0.79")	Carbon Steel Black-Chromate with Urethane Pad	Clamp Type - One Piece	COL-02000-045-20-1C-CBP
45.00 (1.77")	20.0 (0.79")	Carbon Steel Black-Chromate with Urethane Pad	Clamp Type - One Piece	COL-02000-045-20-2C-CBP
20.638mm (0.813 in.) Inside Diameter				
33.34 (1.31")	14.3 (0.56")	Stainless 304	Standard	COL-02064-033-14-S4
33.34 (1.31")	14.3 (0.56")	Steel, Black Oxide Coated	Standard	COL-02064-033-14-CBO
38.10 (1.50")	14.3 (0.56")	Stainless 303	Standard	COL-02064-038-14-S3
38.10 (1.50")	14.3 (0.56")	Steel, Zinc Plated	Standard	COL-02064-038-14-CZ
41.28 (1.63")	12.7 (0.50")	Steel, Black Oxide Coated	Clamp Type - One Piece	COL-02064-041-13-1C-CBO
41.28 (1.63")	12.7 (0.50")	Steel, Black Oxide Coated	Clamp Type - Two Piece	COL-02064-041-13-2C-CBO
41.30 (1.63")	12.7 (0.50")	Steel	Clamp Type - Two Piece	COL-02064-041-13-2C-CS
22.000mm (0.866 in.) Inside Diameter				
37.00 (1.46")	45.0 (1.77")		Fastlock	COL-02200-037-45-FL-S3
38.00 (1.50")	18.0 (0.71")	304 Stainless Steel	Standard	COL-02200-038-18-S4
38.00 (1.50")	18.0 (0.71")	Steel - Black Oxide	Standard	COL-02200-038-18-BO
38.00 (1.50")	18.0 (0.71")	Steel - Electroless Nickel Plated	Standard	COL-02200-038-38-ENP
38.00 (1.50")	18.0 (0.71")	Steel - Trivalent Chromate Plated	Standard	COL-02200-038-38-TCP
38.00 (1.50")	18.0 (0.71")	Steel - Nickel Chrome Plated	Standard	COL-02200-038-38-NCP
40.00 (1.57")	15.0 (0.59")	Mild Steel	Standard	COL-02200-040-15-MS
40.00 (1.57")	54.0 (2.13")	Mild Steel	Long Series - Mild Steel	COL-02200-040-54-LS-MS
42.00 (1.65")	15.0 (0.59")	303 Stainless Steel	Clamp Type - One Piece	COL-02200-042-15-1C-S3
42.00 (1.65")	15.0 (0.59")	Steel 12L14 (9SMn Pb36)	Clamp Type - One Piece	COL-02200-042-15-1C-CS
42.00 (1.65")	15.0 (0.59")	303 Stainless Steel	Clamp Type - Two Piece	COL-02200-042-15-2C-S3
42.00 (1.65")	15.0 (0.59")	Steel 12L14 (9SMn Pb36)	Clamp Type - Two Piece	COL-02200-042-15-2C-CS
47.20 (1.86")	50.9 (2.00")	ABS Plastic	Gripfast	COL-02200-047-51-GF-AB
22.225mm (0.875 in.) Inside Diameter				
36.80 (1.45")	45.2 (1.78")		Fastlock	COL-02223-037-45-FL-S3
38.10 (1.50")	14.3 (0.56")	Stainless 304	Standard	COL-02223-038-14-S4
38.10 (1.50")	14.3 (0.56")	Steel, Zinc Plated	Standard	COL-02223-038-14-CZ
38.10 (1.50")	14.3 (0.56")	Steel, Black Oxide Coated	Standard	COL-02223-038-14-CBO
41.28 (1.63")	12.7 (0.50")	304 Stainless Steel	Clamp Type - One Piece	COL-02223-041-13-1C-S4
41.28 (1.63")	12.7 (0.50")	Steel, Black Oxide Coated	Clamp Type - One Piece	COL-02223-041-13-1C-CBO
41.28 (1.63")	12.7 (0.50")	304 Stainless Steel	Clamp Type - Two Piece	COL-02223-041-13-2C-S4
41.28 (1.63")	12.7 (0.50")	Aluminium	Clamp Type - Two Piece	COL-02223-041-13-2C-AL
41.28 (1.63")	12.7 (0.50")	Steel, Black Oxide Coated	Clamp Type - Two Piece	COL-02223-041-13-2C-CBO
41.30 (1.63")	12.7 (0.50")	Aluminium	Clamp Type - One Piece	COL-02223-041-13-1C-AL

Usually stocked or Short Delivery
 ** Available while stocks last **

Long Delivery or Large Minimum Quantities
 Not in current production

Shaft Collars



Outside Diameter mm (in.)	Width mm (in.)	Material	Style	Part Number
22.225mm (0.875 in.) Inside Diameter				
41.30 (1.63")	12.7 (0.50")	Stainless Steel	Clamp Type - One Piece	COL-02223-041-13-1C-S3
41.30 (1.63")	12.7 (0.50")	Steel	Clamp Type - One Piece	COL-02223-041-13-1C-CS
41.30 (1.63")	12.7 (0.50")	303 Stainless	Clamp Type - Two Piece	COL-02223-041-13-2C-S3
41.30 (1.63")	12.7 (0.50")	Steel	Clamp Type - Two Piece	COL-02223-041-13-2C-CS
47.20 (1.86")	50.9 (2.00")	ABS Plastic	Gripfast	COL-02223-047-51-GF-AB
47.40 (1.87")	50.8 (2.00")	304 Stainless Steel	Gripfast	COL-02223-047-51-GF-S4
47.60 (1.87")	12.7 (0.50")	Stainless Steel	Hinged	COL-02223-048-13-HG-S3
47.60 (1.87")	12.7 (0.50")	Carbon Steel	Hinged	COL-02223-048-13-HG-CS
50.90 (2.00")	12.7 (0.50")	Mild Steel	Hex Bore - One Piece	COH-02223-051-13-1P-CS
50.90 (2.00")	12.7 (0.50")	Mild Steel	Hex Bore - Two Piece	COH-02223-051-13-2P-CS
23.813mm (0.938 in.) Inside Diameter				
41.28 (1.63")	14.3 (0.56")	Stainless 304	Standard	COL-02381-041-14-S4
41.28 (1.63")	14.3 (0.56")	Steel, Zinc Plated	Standard	COL-02381-041-14-CZ
44.45 (1.75")	12.7 (0.50")	Steel, Black Oxide Coated	Clamp Type - Two Piece	COL-02381-044-13-2C-CBO
44.50 (1.75")	12.7 (0.50")	303 Stainless	Clamp Type - Two Piece	COL-02381-044-13-2C-S3
44.50 (1.75")	12.7 (0.50")	Steel	Clamp Type - Two Piece	COL-02381-044-13-2C-CS
24.000mm (0.945 in.) Inside Diameter				
40.00 (1.57")	15.0 (0.59")	Mild Steel	Standard	COL-02400-040-15-MS
40.00 (1.57")	54.0 (2.13")	Mild Steel	Long Series - Mild Steel	COL-02400-040-54-LS-MS
45.00 (1.77")	15.0 (0.59")	303 Stainless Steel	Clamp Type - One Piece	COL-02400-045-15-1C-S3
45.00 (1.77")	15.0 (0.59")	Steel 12L14 (9SMn Pb36)	Clamp Type - One Piece	COL-02400-045-15-1C-CS
45.00 (1.77")	15.0 (0.59")	303 Stainless	Clamp Type - Two Piece	COL-02400-045-15-2C-S3
45.00 (1.77")	15.0 (0.59")	Steel 12L14 (9SMn Pb36)	Clamp Type - Two Piece	COL-02400-045-15-2C-CS
25.000mm (0.984 in.) Inside Diameter				
37.00 (1.46")	45.0 (1.77")		Fastlock	COL-02500-037-45-FL-S3
38.00 (1.50")	12.0 (0.47")	Aluminum	Standard	COL-02500-038-38-AL
38.00 (1.50")	12.0 (0.47")	Nylon	Standard - Nylon	COL-02500-038-12-NY
38.00 (1.50")	12.0 (0.47")	304 Stainless Steel	Standard	COL-02500-038-12-S4
38.00 (1.50")	12.0 (0.47")	Steel - Electroless Nickel Plated	Standard	COL-02500-038-38-ENP
38.00 (1.50")	12.0 (0.47")	Steel - Black Oxide	Standard	COL-02500-038-12-BO
40.00 (1.57")	15.0 (0.59")	Mild Steel	Standard	COL-02500-040-15-MS
40.00 (1.57")	16.0 (0.63")	304 Stainless Steel	Standard	COL-02500-040-16-S4
40.00 (1.57")	54.0 (2.13")	Mild Steel	Long Series - Mild Steel	COL-02500-040-54-LS-MS
42.00 (1.65")	18.0 (0.71")	304 Stainless Steel	Standard	COL-02500-042-18-S4
42.00 (1.65")	18.0 (0.71")	Steel - Trivalent Chromate Plated	Standard	COL-02500-042-42-TCP
42.00 (1.65")	18.0 (0.71")	Steel - Electroless Nickel Plated	Standard	COL-02500-042-42-ENP
42.00 (1.65")	18.0 (0.71")	Steel - Black Oxide	Standard	COL-02500-042-18-BO
44.50 (1.75")	22.2 (0.87")	303 Stainless Steel	Stroke Adjustment - 303 Stainless	COL-02500-045-22-ADJ-S3
44.50 (1.75")	22.2 (0.87")	Carbon Steel, Black Oxide	Stroke Adjustment	COL-02500-045-22-ADJ-CB
45.00 (1.77")	12.0 (0.47")	Aluminium	Clamp Type - One Piece	COL-02500-045-12-1C-AL
45.00 (1.77")	12.0 (0.47")	Aluminium	Clamp Type - Two Piece	COL-02500-045-12-2C-AL
45.00 (1.77")	15.0 (0.59")	303 Stainless Steel	Clamp Type - One Piece	COL-02500-045-15-1C-S3
45.00 (1.77")	15.0 (0.59")	Steel	Clamp Type - One Piece	COL-02500-045-15-1C-CS
45.00 (1.77")	15.0 (0.59")	303 Stainless	Clamp Type - Two Piece	COL-02500-045-15-2C-S3
45.00 (1.77")	15.0 (0.59")	Steel	Clamp Type - Two Piece	COL-02500-045-15-2C-CS
45.00 (1.77")	15.0 (0.59")	Stainless Steel	Hinged	COL-02500-045-15-HG-S3
45.00 (1.77")	15.0 (0.59")	Carbon Steel	Hinged	COL-02500-045-15-HG-CS



Usually stocked or Short Delivery
 ** Available while stocks last **

Long Delivery or Large Minimum Quantities
 Not in current production

Shaft Collars

Outside Diameter mm (in.)	Width mm (in.)	Material	Style	Part Number
25.000mm (0.984 in.) Inside Diameter				
47.20 (1.86")	50.9 (2.00")	ABS Plastic	Gripfast	COL-02500-047-51-GF-AB
50.00 (1.97")	15.0 (0.59")	Aluminium	Clamp Type - One Piece	COL-02500-050-15-1C-AL
50.00 (1.97")	15.0 (0.59")	304 Stainless Steel	Clamp Type - One Piece	COL-02500-050-15-1C-S4
50.00 (1.97")	15.0 (0.59")	304 Stainless Steel	Clamp Type - Two Piece	COL-02500-050-15-2C-S4
50.00 (1.97")	15.0 (0.59")	Aluminium	Clamp Type - Two Piece	COL-02500-050-15-2C-AL
50.00 (1.97")	20.0 (0.79")	304 Stainless Steel with Urethane Pad	Clamp Type - One Piece	COL-02500-050-20-1C-S4P
50.00 (1.97")	20.0 (0.79")	Carbon Steel Black-Chromate with Urethane Pad	Clamp Type - One Piece	COL-02500-050-20-2C-CBP
50.00 (1.97")	20.0 (0.79")	Carbon Steel Black-Chromate with Urethane Pad	Clamp Type - One Piece	COL-02500-050-20-1C-CBP
25.400mm (1.000 in.) Inside Diameter				
36.80 (1.45")	45.2 (1.78")		Fastlock	COL-02540-037-45-FL-S3
41.28 (1.63")	15.9 (0.63")	Nylon	Standard - Nylon	COL-02540-041-16-NY
41.28 (1.63")	15.9 (0.63")	Stainless 304	Standard	COL-02540-041-16-S4
41.28 (1.63")	15.9 (0.63")	Steel, Black Oxide Coated	Standard	COL-02540-041-16-CBO
41.30 (1.63")	15.9 (0.63")	Stainless 303	Standard	COL-02540-041-16-S3
41.30 (1.63")	15.9 (0.63")	Steel, Zinc Plated	Standard	COL-02540-041-16-CZ
44.45 (1.75")	12.7 (0.50")	Aluminium	Clamp Type - One Piece	COL-02540-044-13-1C-AL
44.45 (1.75")	12.7 (0.50")	304 Stainless Steel	Clamp Type - One Piece	COL-02540-044-13-1C-S4
44.45 (1.75")	12.7 (0.50")	Steel, Black Oxide Coated	Clamp Type - One Piece	COL-02540-044-13-1C-CBO
44.45 (1.75")	12.7 (0.50")	304 Stainless Steel	Clamp Type - Two Piece	COL-02540-044-13-2C-S4
44.45 (1.75")	12.7 (0.50")	Aluminium	Clamp Type - Two Piece	COL-02540-044-13-2C-AL
44.45 (1.75")	12.7 (0.50")	Steel, Black Oxide Coated	Clamp Type - Two Piece	COL-02540-044-13-2C-CBO
44.50 (1.75")	12.7 (0.50")	316 Stainless Steel	Clamp Type - One Piece	COL-02540-044-13-1C-S6
44.50 (1.75")	12.7 (0.50")	Stainless Steel	Clamp Type - One Piece	COL-02540-044-13-1C-S3
44.50 (1.75")	12.7 (0.50")	Steel	Clamp Type - One Piece	COL-02540-044-13-1C-CS
44.50 (1.75")	12.7 (0.50")	303 Stainless	Clamp Type - Two Piece	COL-02540-044-13-2C-S3
44.50 (1.75")	12.7 (0.50")	316 Stainless Steel	Clamp Type - Two Piece - 316 Stainless Steel	COL-02540-044-13-2C-S6
44.50 (1.75")	12.7 (0.50")	Steel	Clamp Type - Two Piece	COL-02540-044-13-2C-CS
44.50 (1.75")	12.7 (0.50")	316 Stainless Steel	Standard	COL-02540-044-13-S6
47.20 (1.86")	50.9 (2.00")	ABS Plastic	Gripfast	COL-02540-047-51-GF-AB
47.40 (1.87")	50.8 (2.00")	304 Stainless Steel	Gripfast	COL-02540-047-51-GF-S4
50.80 (2.00")	12.7 (0.50")	Stainless Steel	Hinged	COL-02540-051-13-HG-S3
50.80 (2.00")	12.7 (0.50")	Carbon Steel	Hinged	COL-02540-051-13-HG-CS
50.80 (2.00")	15.9 (0.63")	303 Stainless Steel	With Integral Shim	COL-02539-051-16-IS-S3
54.00 (2.13")	12.7 (0.50")	303 Stainless	Hex Bore - One Piece	COH-02540-054-13-1P-S3
54.00 (2.13")	12.7 (0.50")	Mild Steel	Hex Bore - One Piece	COH-02540-054-13-1P-CS
54.00 (2.13")	12.7 (0.50")	303 Stainless	Hex Bore - Two Piece	COH-02540-054-13-2P-S3
54.00 (2.13")	12.7 (0.50")	Mild Steel	Hex Bore - Two Piece	COH-02540-054-13-2P-CS
26.000mm (1.024 in.) Inside Diameter				
40.00 (1.57")	15.0 (0.59")	Mild Steel	Standard	COL-02600-040-15-MS
40.00 (1.57")	54.0 (2.13")	Mild Steel	Long Series - Mild Steel	COL-02600-040-54-LS-MS
26.988mm (1.063 in.) Inside Diameter				
34.90 (1.37")	11.1 (0.44")	Stainless Steel	Clamp Type - One Piece	COL-02698-035-11-1C-S3
34.90 (1.37")	11.1 (0.44")	Steel	Clamp Type - One Piece	COL-02698-035-11-1C-CS
44.45 (1.75")	15.9 (0.63")	Stainless 304	Standard	COL-02699-044-16-S4
44.45 (1.75")	15.9 (0.63")	Steel, Black Oxide Coated	Standard	COL-02699-044-16-CBO

 Usually stocked or Short Delivery
 ** Available while stocks last **

 Long Delivery or Large Minimum Quantities
 Not in current production

Shaft Collars



Outside Diameter mm (in.)	Width mm (in.)	Material	Style	Part Number
26.988mm (1.063 in.) Inside Diameter				
44.50 (1.75")	15.9 (0.63")	Steel, Zinc Plated	Standard	COL-02699-044-16-CZ
47.60 (1.87")	12.7 (0.50")	Steel	Clamp Type - One Piece	COL-02698-048-13-1C-CS
47.60 (1.87")	12.7 (0.50")	303 Stainless	Clamp Type - Two Piece	COL-02699-048-13-2C-S3
47.60 (1.87")	12.7 (0.50")	Aluminium	Clamp Type - Two Piece	COL-02699-048-13-2C-AL
47.60 (1.87")	12.7 (0.50")	Steel	Clamp Type - Two Piece	COL-02699-048-13-2C-CS
47.63 (1.88")	12.7 (0.50")	304 Stainless Steel	Clamp Type - Two Piece	COL-02699-048-13-2C-S4
47.63 (1.88")	12.7 (0.50")	Steel, Black Oxide Coated	Clamp Type - Two Piece	COL-02699-048-13-2C-CBO
27.000mm (1.063 in.) Inside Diameter				
47.20 (1.86")	50.9 (2.00")	ABS Plastic	Gripfast	COL-02699-047-51-GF-AB
47.20 (1.86")	50.9 (2.00")	ABS Plastic	Gripfast	COL-02700-047-51-GF-AB
28.000mm (1.102 in.) Inside Diameter				
45.00 (1.77")	18.0 (0.71")	304 Stainless Steel	Standard	COL-02800-045-18-S4
45.00 (1.77")	18.0 (0.71")	Steel - Electroless Nickel Plated	Standard	COL-02800-045-45-ENP
45.00 (1.77")	18.0 (0.71")	Steel - Black Oxide	Standard	COL-02800-045-18-BO
47.20 (1.86")	50.9 (2.00")	ABS Plastic	Gripfast	COL-02800-047-51-GF-AB
48.00 (1.89")	15.0 (0.59")	303 Stainless Steel	Clamp Type - One Piece	COL-02800-048-15-1C-S3
48.00 (1.89")	15.0 (0.59")	Steel 12L14 (9SMn Pb36)	Clamp Type - One Piece	COL-02800-048-15-1C-CS
48.00 (1.89")	15.0 (0.59")	303 Stainless	Clamp Type - Two Piece	COL-02800-048-15-2C-S3
48.00 (1.89")	15.0 (0.59")	Steel 12L14 (9SMn Pb36)	Clamp Type - Two Piece	COL-02800-048-15-2C-CS
50.00 (1.97")	15.0 (0.59")	Mild Steel	Standard	COL-02800-050-15-MS
50.00 (1.97")	54.0 (2.13")	Mild Steel	Long Series - Mild Steel	COL-02800-050-54-LS-MS
28.575mm (1.125 in.) Inside Diameter				
44.50 (1.75")	15.9 (0.63")	Steel, Zinc Plated	Standard	COL-02860-044-16-CZ
47.60 (1.87")	12.7 (0.50")	Aluminium	Clamp Type - One Piece	COL-02858-048-13-1C-AL
47.60 (1.87")	12.7 (0.50")	Stainless Steel	Clamp Type - One Piece	COL-02858-048-13-1C-S3
47.60 (1.87")	12.7 (0.50")	Steel	Clamp Type - One Piece	COL-02858-048-13-1C-CS
47.60 (1.87")	12.7 (0.50")	303 Stainless	Clamp Type - Two Piece	COL-02858-048-13-2C-S3
47.60 (1.87")	12.7 (0.50")	Aluminium	Clamp Type - Two Piece	COL-02858-048-13-2C-AL
47.60 (1.87")	12.7 (0.50")	Steel	Clamp Type - Two Piece	COL-02858-048-13-2C-CS
47.63 (1.88")	12.7 (0.50")	Steel, Black Oxide Coated	Clamp Type - One Piece	COL-02858-048-13-1C-CBO
47.63 (1.88")	12.7 (0.50")	304 Stainless Steel	Clamp Type - Two Piece	COL-02858-048-13-2C-S4
47.63 (1.88")	12.7 (0.50")	Steel, Black Oxide Coated	Clamp Type - Two Piece	COL-02858-048-13-2C-CBO
54.00 (2.13")	12.7 (0.50")	Carbon Steel	Hinged	COL-02858-054-13-HG-CS
29.000mm (1.142 in.) Inside Diameter				
47.20 (1.86")	50.9 (2.00")	ABS Plastic	Gripfast	COL-02900-047-51-GF-AB
30.000mm (1.181 in.) Inside Diameter				
45.00 (1.77")	12.0 (0.47")	Nylon	Standard - Nylon	COL-03000-045-12-NY
45.00 (1.77")	14.0 (0.55")	Aluminum	Standard	COL-03000-045-45-AL
45.00 (1.77")	14.0 (0.55")	304 Stainless Steel	Standard	COL-03000-045-14-S4
45.00 (1.77")	14.0 (0.55")	Steel - Electroless Nickel Plated	Standard	COL-03000-045-45-ENP
45.00 (1.77")	14.0 (0.55")	Steel - Black Oxide	Standard	COL-03000-045-14-BO
49.00 (1.93")	18.0 (0.71")	304 Stainless Steel	Standard	COL-03000-049-18-S4
49.00 (1.93")	18.0 (0.71")	Steel - Black Oxide	Standard	COL-03000-049-18-BO
49.00 (1.93")	18.0 (0.71")	Steel - Electroless Nickel Plated	Standard	COL-03000-049-49-ENP
49.00 (1.93")	20.0 (0.79")	Steel - Nickel Chrome Plated	Standard	COL-03000-049-49-NCP
49.00 (1.93")	20.0 (0.79")	Steel - Trivalent Chromate Plated	Standard	COL-03000-049-49-TCP
50.00 (1.97")	15.0 (0.59")	Mild Steel	Standard	COL-03000-050-15-MS
50.00 (1.97")	45.0 (1.77")		Fastlock	COL-03000-050-45-FL-S3



Usually stocked or Short Delivery
 ** Available while stocks last **

Long Delivery or Large Minimum Quantities
 Not in current production

Shaft Collars

Outside Diameter mm (in.)	Width mm (in.)	Material	Style	Part Number
30.000mm (1.181 in.) Inside Diameter				
50.00 (1.97")	54.0 (2.13")	Mild Steel	Long Series - Mild Steel	COL-03000-050-54-LS-MS
52.40 (2.06")	25.4 (1.00")	303 Stainless Steel	Stroke Adjustment - 303 Stainless	COL-03000-052-25-ADJ-S3
52.40 (2.06")	25.4 (1.00")	Carbon Steel, Black Oxide	Stroke Adjustment	COL-03000-052-25-ADJ-CB
54.00 (2.13")	15.0 (0.59")	303 Stainless Steel	Clamp Type - One Piece	COL-03000-054-15-1C-S3
54.00 (2.13")	15.0 (0.59")	Steel	Clamp Type - One Piece	COL-03000-054-15-1C-CS
54.00 (2.13")	15.0 (0.59")	303 Stainless	Clamp Type - Two Piece	COL-03000-054-15-2C-S3
54.00 (2.13")	15.0 (0.59")	Steel	Clamp Type - Two Piece	COL-03000-054-15-2C-CS
54.00 (2.13")	15.0 (0.59")	Stainless Steel	Hinged	COL-03000-054-15-HG-S3
54.00 (2.13")	15.0 (0.59")	Carbon Steel	Hinged	COL-03000-054-15-HG-CS
54.60 (2.15")	46.4 (1.83")	ABS Plastic	Gripfast	COL-03000-055-46-GF-AB
55.00 (2.17")	15.0 (0.59")	Aluminium	Clamp Type - One Piece	COL-03000-055-15-1C-AL
55.00 (2.17")	15.0 (0.59")	Aluminium	Clamp Type - Two Piece	COL-03000-055-15-2C-AL
30.163mm (1.188 in.) Inside Diameter				
41.30 (1.63")	12.7 (0.50")	Steel	Clamp Type - One Piece	COL-03015-041-13-1C-CS
44.45 (1.75")	15.9 (0.63")	Stainless 304	Standard	COL-03016-044-16-S4
44.45 (1.75")	15.9 (0.63")	Steel, Black Oxide Coated	Standard	COL-03016-044-16-CBO
50.80 (2.00")	17.5 (0.69")	Stainless 304	Standard	COL-03016-051-18-S4
50.80 (2.00")	17.5 (0.69")	Steel, Zinc Plated	Standard	COL-03016-051-18-CZ
52.39 (2.06")	12.7 (0.50")	Steel, Black Oxide Coated	Clamp Type - One Piece	COL-03016-052-13-1C-CBO
52.39 (2.06")	12.7 (0.50")	304 Stainless Steel	Clamp Type - Two Piece	COL-03016-052-13-2C-S4
52.39 (2.06")	12.7 (0.50")	Steel, Black Oxide Coated	Clamp Type - Two Piece	COL-03016-052-13-2C-CBO
52.40 (2.06")	12.7 (0.50")	Aluminium	Clamp Type - One Piece	COL-03015-052-13-1C-AL
52.40 (2.06")	12.7 (0.50")	Steel	Clamp Type - One Piece	COL-03015-052-13-1C-CS
52.40 (2.06")	12.7 (0.50")	Steel	Clamp Type - Two Piece	COL-03016-052-13-2C-CS
82.60 (3.25")	19.1 (0.75")	Steel	Clamp Type - Two Piece	COL-03016-083-19-2C-CS
31.750mm (1.250 in.) Inside Diameter				
50.80 (2.00")	17.5 (0.69")	Nylon	Standard - Nylon	COL-03175-051-18-NY
50.80 (2.00")	17.5 (0.69")	Stainless 304	Standard	COL-03175-051-18-S4
50.80 (2.00")	17.5 (0.69")	Steel, Black Oxide Coated	Standard	COL-03175-051-18-CBO
50.80 (2.00")	17.5 (0.69")	Steel, Zinc Plated	Standard	COL-03175-051-18-CZ
50.80 (2.00")	27.0 (1.06")	Stainless 303	Standard	COL-03178-051-27-S3
50.80 (2.00")	27.0 (1.06")	Zinc Plated Steel	Standard	COL-03178-051-27-CZ
52.39 (2.06")	12.7 (0.50")	304 Stainless Steel	Clamp Type - One Piece	COL-03175-052-13-1C-S4
52.39 (2.06")	12.7 (0.50")	Steel, Black Oxide Coated	Clamp Type - One Piece	COL-03175-052-13-1C-CBO
52.39 (2.06")	12.7 (0.50")	304 Stainless Steel	Clamp Type - Two Piece	COL-03175-052-13-2C-S4
52.39 (2.06")	12.7 (0.50")	Aluminium	Clamp Type - Two Piece	COL-03175-052-13-2C-AL
52.39 (2.06")	12.7 (0.50")	Steel, Black Oxide Coated	Clamp Type - Two Piece	COL-03175-052-13-2C-CBO
52.40 (2.06")	12.7 (0.50")	Aluminium	Clamp Type - One Piece	COL-03175-052-13-1C-AL
52.40 (2.06")	12.7 (0.50")	Stainless Steel	Clamp Type - One Piece	COL-03175-052-13-1C-S3
52.40 (2.06")	12.7 (0.50")	Steel	Clamp Type - One Piece	COL-03175-052-13-1C-CS
52.40 (2.06")	12.7 (0.50")	303 Stainless	Clamp Type - Two Piece	COL-03175-052-13-2C-S3
52.40 (2.06")	12.7 (0.50")	Steel	Clamp Type - Two Piece	COL-03175-052-13-2C-CS
55.00 (2.17")	46.4 (1.83")	ABS Plastic	Gripfast	COL-03175-055-46-GF-AB
55.90 (2.20")	45.7 (1.80")	304 Stainless Steel	Gripfast	COL-03175-056-46-GF-S4
56.60 (2.23")	47.5 (1.87")		Fastlock	COL-03175-057-48-FL-S3
57.20 (2.25")	12.7 (0.50")	Carbon Steel	Hinged	COL-03175-057-13-HG-CS
57.20 (2.25")	19.1 (0.75")	303 Stainless Steel	With Integral Shim	COL-03174-057-19-IS-S3

 Usually stocked or Short Delivery
 ** Available while stocks last **

 Long Delivery or Large Minimum Quantities
 Not in current production

Shaft Collars

Outside Diameter mm (in.)	Width mm (in.)	Material	Style	Part Number
32.000mm (1.260 in.) Inside Diameter				
53.00 (2.09")	20.0 (0.79")	304 Stainless Steel	Standard	COL-03200-053-20-S4
53.00 (2.09")	20.0 (0.79")	Steel - Black Oxide	Standard	COL-03200-053-20-BO
53.00 (2.09")	20.0 (0.79")	Steel - Electroless Nickel Plated	Standard	COL-03200-053-53-ENP
54.00 (2.13")	15.0 (0.59")	303 Stainless Steel	Clamp Type - One Piece	COL-03200-054-15-1C-S3
54.00 (2.13")	15.0 (0.59")	Steel 12L14 (9SMn Pb36)	Clamp Type - One Piece	COL-03200-054-15-1C-CS
54.00 (2.13")	15.0 (0.59")	303 Stainless Steel	Clamp Type - Two Piece	COL-03200-054-15-2C-S3
54.00 (2.13")	15.0 (0.59")	Steel 12L14 (9SMn Pb36)	Clamp Type - Two Piece	COL-03200-054-15-2C-CS
54.60 (2.15")	46.4 (1.83")	ABS Plastic	Gripfast	COL-03200-055-46-GF-AB
57.00 (2.24")	48.0 (1.89")		Fastlock	COL-03200-057-48-FL-S3
33.338mm (1.313 in.) Inside Diameter				
52.40 (2.06")	12.7 (0.50")	303 Stainless	Clamp Type - Two Piece	COL-03334-052-13-2C-S3
53.98 (2.13")	17.5 (0.69")	Stainless 304	Standard	COL-03334-054-18-S4
53.98 (2.13")	17.5 (0.69")	Steel, Zinc Plated	Standard	COL-03334-054-18-CZ
53.98 (2.13")	17.5 (0.69")	Steel, Black Oxide Coated	Standard	COL-03334-054-18-CBO
54.00 (2.13")	14.3 (0.56")	Aluminium	Clamp Type - One Piece	COL-03333-054-14-1C-AL
54.00 (2.13")	14.3 (0.56")	Steel	Clamp Type - One Piece	COL-03333-054-14-1C-CS
54.00 (2.13")	14.3 (0.56")	Steel	Clamp Type - Two Piece	COL-03334-054-14-2C-CS
57.15 (2.25")	14.3 (0.56")	304 Stainless Steel	Clamp Type - Two Piece	COL-03334-057-14-2C-S4
57.15 (2.25")	14.3 (0.56")	Steel, Black Oxide Coated	Clamp Type - Two Piece	COL-03334-057-14-2C-CBO
34.925mm (1.375 in.) Inside Diameter				
53.98 (2.13")	19.1 (0.75")	Stainless 304	Standard	COL-03493-054-19-S4
53.98 (2.13")	19.1 (0.75")	Steel, Black Oxide Coated	Standard	COL-03493-054-19-CBO
53.98 (2.13")	19.1 (0.75")	Steel, Zinc Plated	Standard	COL-03493-054-19-CZ
55.00 (2.17")	46.4 (1.83")	ABS Plastic	Gripfast	COL-03493-055-46-GF-AB
55.90 (2.20")	45.7 (1.80")	304 Stainless Steel	Gripfast	COL-03493-056-46-GF-S4
57.15 (2.25")	14.3 (0.56")	Steel, Black Oxide Coated	Clamp Type - One Piece	COL-03493-057-14-1C-CBO
57.15 (2.25")	14.3 (0.56")	304 Stainless Steel	Clamp Type - Two Piece	COL-03493-057-14-2C-S4
57.15 (2.25")	14.3 (0.56")	Aluminium	Clamp Type - Two Piece	COL-03493-057-14-2C-AL
57.15 (2.25")	14.3 (0.56")	Steel, Black Oxide Coated	Clamp Type - Two Piece	COL-03493-057-14-2C-CBO
57.20 (2.25")	14.3 (0.56")	Aluminium	Clamp Type - One Piece	COL-03493-057-14-1C-AL
57.20 (2.25")	14.3 (0.56")	Steel	Clamp Type - One Piece	COL-03493-057-14-1C-CS
57.20 (2.25")	14.3 (0.56")	303 Stainless	Clamp Type - Two Piece	COL-03493-057-14-2C-S3
57.20 (2.25")	14.3 (0.56")	Steel	Clamp Type - Two Piece	COL-03493-057-14-2C-CS
60.30 (2.37")	12.7 (0.50")	Carbon Steel	Hinged	COL-03493-060-13-HG-CS
35.000mm (1.378 in.) Inside Diameter				
50.00 (1.97")	15.0 (0.59")	Aluminum	Standard	COL-03500-050-50-AL
50.00 (1.97")	15.0 (0.59")	304 Stainless Steel	Standard	COL-03500-050-15-S4
50.00 (1.97")	15.0 (0.59")	Steel - Black Oxide	Standard	COL-03500-050-15-BO
50.00 (1.97")	15.0 (0.59")	Steel - Electroless Nickel Plated	Standard	COL-03500-050-50-ENP
54.60 (2.15")	46.4 (1.83")	ABS Plastic	Gripfast	COL-03500-055-46-GF-AB
55.00 (2.17")	18.0 (0.71")	304 Stainless Steel	Standard	COL-03500-055-18-S4
55.00 (2.17")	18.0 (0.71")	Steel - Black Oxide	Standard	COL-03500-055-18-BO
55.00 (2.17")	18.0 (0.71")	Steel - Electroless Nickel Plated	Standard	COL-03500-055-55-ENP
57.00 (2.24")	15.0 (0.59")	303 Stainless Steel	Clamp Type - One Piece	COL-03500-057-15-1C-S3
57.00 (2.24")	15.0 (0.59")	Steel	Clamp Type - One Piece	COL-03500-057-15-1C-CS
57.00 (2.24")	15.0 (0.59")	303 Stainless	Clamp Type - Two Piece	COL-03500-057-15-2C-S3
57.00 (2.24")	15.0 (0.59")	Steel	Clamp Type - Two Piece	COL-03500-057-15-2C-CS

Usually stocked or Short Delivery
 ** Available while stocks last **

Long Delivery or Large Minimum Quantities
 Not in current production

Shaft Collars

Outside Diameter mm (in.)	Width mm (in.)	Material	Style	Part Number
35.000mm (1.378 in.) Inside Diameter				
57.00 (2.24")	15.0 (0.59")	Stainless Steel	Hinged	COL-03500-057-15-HG-S3
57.00 (2.24")	15.0 (0.59")	Carbon Steel	Hinged	COL-03500-057-15-HG-CS
57.00 (2.24")	48.0 (1.89")		Fastlock	COL-03500-057-48-FL-S3
59.00 (2.32")	20.0 (0.79")	304 Stainless Steel	Standard	COL-03500-059-20-S4
59.00 (2.32")	20.0 (0.79")	Steel - Trivalent Chromate Plated	Standard	COL-03500-059-59-TCP
59.00 (2.32")	20.0 (0.79")	Steel - Nickel Chrome Plated	Standard	COL-03500-059-59-NCP
59.00 (2.32")	20.0 (0.79")	Steel - Electroless Nickel Plated	Standard	COL-03500-059-59-ENP
59.00 (2.32")	20.0 (0.79")	Steel - Black Oxide	Standard	COL-03500-059-20-BO
60.00 (2.36")	15.0 (0.59")	Mild Steel	Standard	COL-03500-060-15-MS
60.00 (2.36")	54.0 (2.13")	Mild Steel	Long Series - Mild Steel	COL-03500-060-54-LS-MS
36.513mm (1.438 in.) Inside Diameter				
57.15 (2.25")	14.3 (0.56")	Steel, Black Oxide Coated	Clamp Type - One Piece	COL-03651-057-14-1C-CBO
57.15 (2.25")	14.3 (0.56")	304 Stainless Steel	Clamp Type - Two Piece	COL-03651-057-14-2C-S4
57.15 (2.25")	14.3 (0.56")	Steel, Black Oxide Coated	Clamp Type - Two Piece	COL-03651-057-14-2C-CBO
57.15 (2.25")	19.1 (0.75")	Stainless 304	Standard	COL-03651-057-19-S4
57.15 (2.25")	19.1 (0.75")	Steel, Zinc Plated	Standard	COL-03651-057-19-CZ
57.20 (2.25")	14.3 (0.56")	Steel	Clamp Type - One Piece	COL-03650-057-14-1C-CS
57.20 (2.25")	14.3 (0.56")	Steel	Clamp Type - Two Piece	COL-03651-057-14-2C-CS
38.000mm (1.496 in.) Inside Diameter				
54.60 (2.15")	46.4 (1.83")	ABS Plastic	Gripfast	COL-03800-055-46-GF-AB
64.00 (2.52")	22.0 (0.87")	304 Stainless Steel	Standard	COL-03800-064-22-S4
64.00 (2.52")	22.0 (0.87")	Steel - Electroless Nickel Plated	Standard	COL-03800-064-64-ENP
64.00 (2.52")	22.0 (0.87")	Steel - Black Oxide	Standard	COL-03800-064-22-BO
38.100mm (1.500 in.) Inside Diameter				
55.00 (2.17")	46.4 (1.83")	ABS Plastic	Gripfast	COL-03810-055-46-GF-AB
55.90 (2.20")	45.7 (1.80")	304 Stainless Steel	Gripfast	COL-03810-056-46-GF-S4
56.60 (2.23")	47.5 (1.87")		Fastlock	COL-03810-057-48-FL-S3
57.15 (2.25")	19.1 (0.75")	Stainless 304	Standard	COL-03810-057-19-S4
57.15 (2.25")	19.1 (0.75")	Steel, Zinc Plated	Standard	COL-03810-057-19-CZ
57.15 (2.25")	19.1 (0.75")	Steel, Black Oxide Coated	Standard	COL-03810-057-19-CBO
57.20 (2.25")	19.1 (0.75")	Stainless 303	Standard	COL-03813-057-19-S3
57.20 (2.25")	19.1 (0.75")	Zinc Plated Steel	Standard	COL-03813-057-19-CZ
60.30 (2.37")	14.3 (0.56")	Steel	Clamp Type - One Piece	COL-03810-060-14-1C-CS
60.30 (2.37")	14.3 (0.56")	Steel	Clamp Type - Two Piece	COL-03810-060-14-2C-CS
60.33 (2.38")	14.3 (0.56")	Aluminium	Clamp Type - One Piece	COL-03810-060-14-1C-AL
60.33 (2.38")	14.3 (0.56")	304 Stainless Steel	Clamp Type - One Piece	COL-03810-060-14-1C-S4
60.33 (2.38")	14.3 (0.56")	Steel, Black Oxide Coated	Clamp Type - One Piece	COL-03810-060-14-1C-CBO
60.33 (2.38")	14.3 (0.56")	304 Stainless Steel	Clamp Type - Two Piece	COL-03810-060-14-2C-S4
60.33 (2.38")	14.3 (0.56")	Steel, Black Oxide Coated	Clamp Type - Two Piece	COL-03810-060-14-2C-CBO
63.50 (2.50")	12.7 (0.50")	Carbon Steel	Hinged	COL-03810-064-13-HG-CS
39.688mm (1.563 in.) Inside Diameter				
60.30 (2.37")	14.3 (0.56")	Steel	Clamp Type - One Piece	COL-03968-060-14-1C-CS
60.30 (2.37")	14.3 (0.56")	Steel	Clamp Type - Two Piece	COL-03969-060-14-2C-CS
60.33 (2.38")	20.6 (0.81")	Steel, Black Oxide Coated	Clamp Type - Two Piece	COL-03969-060-21-2C-CBO
63.50 (2.50")	14.3 (0.56")	Steel, Zinc Plated	Standard	COL-03969-064-14-CZ
40.000mm (1.575 in.) Inside Diameter				
60.00 (2.36")	15.0 (0.59")	303 Stainless Steel	Clamp Type - One Piece	COL-04000-060-15-1C-S3
60.00 (2.36")	15.0 (0.59")	Steel	Clamp Type - One Piece	COL-04000-060-15-1C-CS

Usually stocked or Short Delivery
 ** Available while stocks last **

Long Delivery or Large Minimum Quantities
 Not in current production

Shaft Collars

Outside Diameter mm (in.)	Width mm (in.)	Material	Style	Part Number
40.000mm (1.575 in.) Inside Diameter				
60.00 (2.36")	15.0 (0.59")	303 Stainless	Clamp Type - Two Piece	COL-04000-060-15-2C-S3
60.00 (2.36")	15.0 (0.59")	Steel	Clamp Type - Two Piece	COL-04000-060-15-2C-CS
60.00 (2.36")	15.0 (0.59")	Stainless Steel	Hinged	COL-04000-060-15-HG-S3
60.00 (2.36")	15.0 (0.59")	Carbon Steel	Hinged	COL-04000-060-15-HG-CS
60.00 (2.36")	15.0 (0.59")	Mild Steel	Standard	COL-04000-060-15-MS
60.00 (2.36")	18.0 (0.71")	Aluminum	Standard	COL-04000-060-60-AL
60.00 (2.36")	18.0 (0.71")	304 Stainless Steel	Standard	COL-04000-060-18-S4
60.00 (2.36")	18.0 (0.71")	Steel - Black Oxide	Standard	COL-04000-060-18-BO
60.00 (2.36")	18.0 (0.71")	Steel - Electroless Nickel Plated	Standard	COL-04000-060-60-ENP
60.00 (2.36")	48.0 (1.89")		Fastlock	COL-04000-060-48-FL-S3
60.00 (2.36")	54.0 (2.13")	Mild Steel	Long Series - Mild Steel	COL-04000-060-54-LS-MS
63.00 (2.48")	18.0 (0.71")	Zinc Plated Steel	Standard	COL-04000-063-18-ZP
65.00 (2.56")	15.0 (0.59")	303 Stainless	Clamp Type - Two Piece	COL-04000-065-15-2C-S3
72.00 (2.83")	22.0 (0.87")	304 Stainless Steel	Standard	COL-04000-072-22-S4
72.00 (2.83")	22.0 (0.87")	Steel - Black Oxide	Standard	COL-04000-072-22-BO
72.00 (2.83")	22.0 (0.87")	Steel - Nickel Chrome Plated	Standard	COL-04000-072-72-NCP
72.00 (2.83")	22.0 (0.87")	Steel - Electroless Nickel Plated	Standard	COL-04000-072-72-ENP
72.00 (2.83")	22.0 (0.87")	Steel - Trivalent Chromate Plated	Standard	COL-04000-072-72-TCP
41.275mm (1.625 in.) Inside Diameter				
59.70 (2.35")	47.5 (1.87")		Fastlock	COL-04128-060-48-FL-S3
63.50 (2.50")	20.6 (0.81")	Steel, Zinc Plated	Standard	COL-04128-064-21-CZ
63.50 (2.50")	20.6 (0.81")	Steel, Black Oxide Coated	Standard	COL-04128-064-21-CBO
66.68 (2.63")	17.5 (0.69")	Steel, Black Oxide Coated	Clamp Type - One Piece	COL-04128-067-18-1C-CBO
66.68 (2.63")	17.5 (0.69")	304 Stainless Steel	Clamp Type - Two Piece	COL-04128-067-18-2C-S4
66.68 (2.63")	17.5 (0.69")	Steel, Black Oxide Coated	Clamp Type - Two Piece	COL-04128-067-18-2C-CBO
66.70 (2.63")	17.5 (0.69")	Steel	Clamp Type - One Piece	COL-04128-067-18-1C-CS
66.70 (2.63")	17.5 (0.69")	Steel	Clamp Type - Two Piece	COL-04128-067-18-2C-CS
66.70 (2.63")	27.0 (1.06")	Aluminium	Clamp Type - One Piece	COL-04128-067-27-1C-AL
69.90 (2.75")	15.9 (0.63")	Carbon Steel	Hinged	COL-04128-070-16-HG-CS
42.863mm (1.688 in.) Inside Diameter				
63.50 (2.50")	20.6 (0.81")	Steel, Zinc Plated	Standard	COL-04286-064-21-CZ
69.85 (2.75")	17.5 (0.69")	Steel, Black Oxide Coated	Clamp Type - Two Piece	COL-04286-070-18-2C-CBO
69.90 (2.75")	17.5 (0.69")	Steel	Clamp Type - One Piece	COL-04286-070-18-1C-CS
69.90 (2.75")	17.5 (0.69")	Steel	Clamp Type - Two Piece	COL-04286-070-18-2C-CS
73.00 (2.87")	17.5 (0.69")	Steel	Clamp Type - One Piece	COL-04286-073-18-1C-CS
44.450mm (1.750 in.) Inside Diameter				
69.10 (2.72")	47.5 (1.87")		Fastlock	COL-04445-069-48-FL-S3
69.10 (2.72")	52.7 (2.07")	304 Stainless Steel	Gripfast	COL-04445-069-53-GF-S4
69.20 (2.72")	52.5 (2.07")	ABS Plastic	Gripfast	COL-04445-069-53-GF-AB
69.85 (2.75")	17.5 (0.69")	Steel, Black Oxide Coated	Clamp Type - One Piece	COL-04445-070-18-1C-CBO
69.85 (2.75")	17.5 (0.69")	304 Stainless Steel	Clamp Type - Two Piece	COL-04445-070-18-2C-S4
69.85 (2.75")	17.5 (0.69")	Steel, Black Oxide Coated	Clamp Type - Two Piece	COL-04445-070-18-2C-CBO
69.85 (2.75")	22.2 (0.87")	Stainless 304	Standard	COL-04445-070-22-S4
69.85 (2.75")	22.2 (0.87")	Steel, Zinc Plated	Standard	COL-04445-070-22-CZ
69.85 (2.75")	22.2 (0.87")	Steel, Black Oxide Coated	Standard	COL-04445-070-22-CBO
69.90 (2.75")	17.5 (0.69")	Aluminium	Clamp Type - Two Piece	COL-04445-070-18-2C-AL
69.90 (2.75")	17.5 (0.69")	Steel	Clamp Type - Two Piece	COL-04445-070-18-2C-CS

Usually stocked or Short Delivery
 ** Available while stocks last **

Long Delivery or Large Minimum Quantities
 Not in current production

Shaft Collars



Outside Diameter mm (in.)	Width mm (in.)	Material	Style	Part Number
44.450mm (1.750 in.) Inside Diameter				
69.90 (2.75")	22.2 (0.87")	Steel, Zinc Plated	Standard	COL-04448-070-22-CZ
69.90 (2.75")	27.0 (1.06")	Aluminium	Clamp Type - One Piece	COL-04445-070-27-1C-AL
76.20 (3.00")	15.9 (0.63")	Carbon Steel	Hinged	COL-04445-076-16-HG-CS
45.000mm (1.772 in.) Inside Diameter				
70.00 (2.76")	15.0 (0.59")	Mild Steel	Standard	COL-04500-070-15-MS
73.00 (2.87")	19.0 (0.75")	303 Stainless Steel	Clamp Type - One Piece	COL-04500-073-19-1C-S3
73.00 (2.87")	19.0 (0.75")	Steel	Clamp Type - One Piece	COL-04500-073-19-1C-CS
73.00 (2.87")	19.0 (0.75")	303 Stainless	Clamp Type - Two Piece	COL-04500-073-19-2C-S3
73.00 (2.87")	19.0 (0.75")	Steel	Clamp Type - Two Piece	COL-04500-073-19-2C-CS
73.00 (2.87")	19.0 (0.75")	Stainless Steel	Hinged	COL-04500-073-19-HG-S3
73.00 (2.87")	19.0 (0.75")	Carbon Steel	Hinged	COL-04500-073-19-HG-CS
75.00 (2.95")	22.0 (0.87")	304 Stainless Steel	Standard	COL-04500-075-22-S4
75.00 (2.95")	22.0 (0.87")	Steel - Electroless Nickel Plated	Standard	COL-04500-075-75-ENP
75.00 (2.95")	22.0 (0.87")	Steel - Black Oxide	Standard	COL-04500-075-22-BO
46.038mm (1.813 in.) Inside Diameter				
69.85 (2.75")	22.2 (0.87")	Steel, Zinc Plated	Standard	COL-04604-070-22-CZ
73.00 (2.87")	17.5 (0.69")	Steel	Clamp Type - Two Piece	COL-04604-073-18-2C-CS
47.625mm (1.875 in.) Inside Diameter				
69.85 (2.75")	22.2 (0.87")	Steel, Zinc Plated	Standard	COL-04763-070-22-CZ
73.00 (2.87")	17.5 (0.69")	Steel	Clamp Type - One Piece	COL-04763-073-18-1C-CS
73.00 (2.87")	17.5 (0.69")	Steel	Clamp Type - Two Piece	COL-04763-073-18-2C-CS
73.03 (2.88")	17.5 (0.69")	304 Stainless Steel	Clamp Type - Two Piece	COL-04763-073-18-2C-S4
76.20 (3.00")	17.5 (0.69")	Steel, Black Oxide Coated	Clamp Type - One Piece	COL-04763-076-18-1C-CBO
76.20 (3.00")	17.5 (0.69")	Steel, Black Oxide Coated	Clamp Type - Two Piece	COL-04763-076-18-2C-CBO
49.213mm (1.938 in.) Inside Diameter				
76.20 (3.00")	17.5 (0.69")	Steel, Black Oxide Coated	Clamp Type - One Piece	COL-04921-076-18-1C-CBO
76.20 (3.00")	17.5 (0.69")	Steel	Clamp Type - One Piece	COL-04921-076-18-1C-CS
76.20 (3.00")	17.5 (0.69")	304 Stainless Steel	Clamp Type - Two Piece	COL-04921-076-18-2C-S4
76.20 (3.00")	17.5 (0.69")	Steel	Clamp Type - Two Piece	COL-04921-076-18-2C-CS
76.20 (3.00")	17.5 (0.69")	Steel, Black Oxide Coated	Clamp Type - Two Piece	COL-04921-076-18-2C-CBO
76.20 (3.00")	22.2 (0.87")	Stainless 304	Standard	COL-04921-076-22-S4
76.20 (3.00")	22.2 (0.87")	Steel, Zinc Plated	Standard	COL-04921-076-22-CZ
50.000mm (1.969 in.) Inside Diameter				
69.10 (2.72")	53.0 (2.09")	ABS Plastic	Gripfast	COL-05000-069-53-GF-AB
70.00 (2.76")	15.0 (0.59")	Mild Steel	Standard	COL-05000-070-15-MS
70.00 (2.76")	20.0 (0.79")	Aluminum	Standard	COL-05000-070-70-AL
70.00 (2.76")	20.0 (0.79")	304 Stainless Steel	Standard	COL-05000-070-20-S4
70.00 (2.76")	20.0 (0.79")	Steel - Electroless Nickel Plated	Standard	COL-05000-070-70-ENP
70.00 (2.76")	20.0 (0.79")	Steel - Black Oxide	Standard	COL-05000-070-20-BO
78.00 (3.07")	19.0 (0.75")	303 Stainless Steel	Clamp Type - One Piece	COL-05000-078-19-1C-S3
78.00 (3.07")	19.0 (0.75")	Steel	Clamp Type - One Piece	COL-05000-078-19-1C-CS
78.00 (3.07")	19.0 (0.75")	303 Stainless	Clamp Type - Two Piece	COL-05000-078-19-2C-S3
78.00 (3.07")	19.0 (0.75")	Steel	Clamp Type - Two Piece	COL-05000-078-19-2C-CS
78.00 (3.07")	19.0 (0.75")	Stainless Steel	Hinged	COL-05000-078-19-HG-S3
78.00 (3.07")	19.0 (0.75")	Carbon Steel	Hinged	COL-05000-078-19-HG-CS
79.00 (3.11")	25.0 (0.98")	304 Stainless Steel	Standard	COL-05000-079-25-S4
79.00 (3.11")	25.0 (0.98")	Steel - Electroless Nickel Plated	Standard	COL-05000-079-79-ENP



Usually stocked or Short Delivery
 ** Available while stocks last **

Long Delivery or Large Minimum Quantities
 Not in current production

Shaft Collars



Outside Diameter mm (in.)	Width mm (in.)	Material	Style	Part Number
50.000mm (1.969 in.) Inside Diameter				
79.00 (3.11")	25.0 (0.98")	Steel - Black Oxide	Standard	COL-05000-079-25-BO
50.800mm (2.000 in.) Inside Diameter				
69.10 (2.72")	52.7 (2.07")	304 Stainless Steel	Gripfast	COL-05080-069-53-GF-S4
69.20 (2.72")	52.5 (2.07")	ABS Plastic	Gripfast	COL-05080-069-53-GF-AB
74.90 (2.95")	47.5 (1.87")		Fastlock	COL-05080-075-48-FL-S3
76.20 (3.00")	14.3 (0.56")	303 Stainless	Clamp Type - Two Piece	COL-05080-076-14-2C-S3
76.20 (3.00")	17.5 (0.69")	Steel	Clamp Type - One Piece	COL-05080-076-18-1C-CS
76.20 (3.00")	17.5 (0.69")	Steel, Black Oxide Coated	Clamp Type - One Piece	COL-05080-076-18-1C-CBO
76.20 (3.00")	17.5 (0.69")	304 Stainless Steel	Clamp Type - Two Piece	COL-05080-076-18-2C-S4
76.20 (3.00")	17.5 (0.69")	Aluminium	Clamp Type - Two Piece	COL-05080-076-18-2C-AL
76.20 (3.00")	17.5 (0.69")	Steel	Clamp Type - Two Piece	COL-05080-076-18-2C-CS
76.20 (3.00")	17.5 (0.69")	Steel, Black Oxide Coated	Clamp Type - Two Piece	COL-05080-076-18-2C-CBO
76.20 (3.00")	22.2 (0.87")	Stainless 304	Standard	COL-05080-076-22-S4
76.20 (3.00")	22.2 (0.87")	Steel, Zinc Plated	Standard	COL-05080-076-22-CZ
76.20 (3.00")	22.2 (0.87")	Steel, Black Oxide Coated	Standard	COL-05080-076-22-CBO
76.20 (3.00")	27.0 (1.06")	Aluminium	Clamp Type - One Piece	COL-05080-076-27-1C-AL
76.20 (3.00")	27.0 (1.06")	Stainless Steel	Clamp Type - One Piece	COL-05080-076-27-1C-S3
82.60 (3.25")	15.9 (0.63")	Carbon Steel	Hinged	COL-05080-083-16-HG-CS
53.975mm (2.125 in.) Inside Diameter				
76.20 (3.00")	22.2 (0.87")	Steel, Zinc Plated	Standard	COL-05398-076-22-CZ
82.55 (3.25")	19.1 (0.75")	Steel, Black Oxide Coated	Clamp Type - Two Piece	COL-05398-083-19-2C-CBO
82.60 (3.25")	19.1 (0.75")	Steel	Clamp Type - One Piece	COL-05398-083-19-1C-CS
82.60 (3.25")	19.1 (0.75")	Steel	Clamp Type - Two Piece	COL-05398-083-19-2C-CS
55.000mm (2.165 in.) Inside Diameter				
81.00 (3.19")	28.0 (1.10")	304 Stainless Steel	Standard	COL-05500-081-28-S4
81.00 (3.19")	28.0 (1.10")	Steel - Black Oxide	Standard	COL-05500-081-28-BO
82.00 (3.23")	19.0 (0.75")	303 Stainless Steel	Clamp Type - One Piece	COL-05500-082-19-1C-S3
82.00 (3.23")	19.0 (0.75")	Steel	Clamp Type - One Piece	COL-05500-082-19-1C-CS
82.00 (3.23")	19.0 (0.75")	303 Stainless Steel	Clamp Type - Two Piece	COL-05500-082-19-2C-S3
82.00 (3.23")	19.0 (0.75")	Steel	Clamp Type - Two Piece	COL-05500-082-19-2C-CS
90.00 (3.54")	20.0 (0.79")	Mild Steel	Standard	COL-05500-090-20-MS
55.563mm (2.188 in.) Inside Diameter				
82.55 (3.25")	19.1 (0.75")	Steel, Black Oxide Coated	Clamp Type - Two Piece	COL-05556-083-19-2C-CBO
82.55 (3.25")	23.8 (0.94")	Steel, Zinc Plated	Standard	COL-05556-083-24-CZ
82.60 (3.25")	19.1 (0.75")	Steel	Clamp Type - One Piece	COL-05555-083-19-1C-CS
57.150mm (2.250 in.) Inside Diameter				
82.55 (3.25")	19.1 (0.75")	Steel, Black Oxide Coated	Clamp Type - One Piece	COL-05715-083-19-1C-CBO
82.55 (3.25")	19.1 (0.75")	Steel, Black Oxide Coated	Clamp Type - Two Piece	COL-05715-083-19-2C-CBO
82.55 (3.25")	23.8 (0.94")	Steel, Zinc Plated	Standard	COL-05715-083-24-CZ
82.60 (3.25")	19.1 (0.75")	Steel	Clamp Type - One Piece	COL-05715-083-19-1C-CS
82.60 (3.25")	19.1 (0.75")	Steel	Clamp Type - Two Piece	COL-05715-083-19-2C-CS
58.738mm (2.313 in.) Inside Diameter				
85.73 (3.38")	19.1 (0.75")	Steel, Black Oxide Coated	Clamp Type - Two Piece	COL-05874-086-19-2C-CBO
60.000mm (2.362 in.) Inside Diameter				
88.00 (3.46")	19.0 (0.75")	303 Stainless Steel	Clamp Type - One Piece	COL-06000-088-19-1C-S3
88.00 (3.46")	19.0 (0.75")	Steel	Clamp Type - One Piece	COL-06000-088-19-1C-CS
88.00 (3.46")	19.0 (0.75")	303 Stainless	Clamp Type - Two Piece	COL-06000-088-19-2C-S3
88.00 (3.46")	19.0 (0.75")	Steel	Clamp Type - Two Piece	COL-06000-088-19-2C-CS



 Usually stocked or Short Delivery
 ** Available while stocks last **

 Long Delivery or Large Minimum Quantities
 Not in current production

Shaft Collars

Outside Diameter mm (in.)	Width mm (in.)	Material	Style	Part Number
60.000mm (2.362 in.) Inside Diameter				
88.00 (3.46")	28.0 (1.10")	304 Stainless Steel	Standard	COL-06000-088-28-S4
88.00 (3.46")	28.0 (1.10")	Steel - Black Oxide	Standard	COL-06000-088-28-BO
90.00 (3.54")	20.0 (0.79")	Mild Steel	Standard	COL-06000-090-20-MS
60.325mm (2.375 in.) Inside Diameter				
82.55 (3.25")	23.8 (0.94")	Steel, Zinc Plated	Standard	COL-06033-083-24-CZ
88.90 (3.50")	19.1 (0.75")	Steel	Clamp Type - One Piece	COL-06033-089-19-1C-CS
88.90 (3.50")	19.1 (0.75")	Steel, Black Oxide Coated	Clamp Type - Two Piece	COL-06033-089-19-2C-CBO
88.90 (3.50")	19.1 (0.75")	Steel	Clamp Type - Two Piece	COL-06033-089-19-2C-CS
61.913mm (2.438 in.) Inside Diameter				
88.90 (3.50")	19.1 (0.75")	Steel	Clamp Type - One Piece	COL-06190-089-19-1C-CS
88.90 (3.50")	19.1 (0.75")	304 Stainless Steel	Clamp Type - Two Piece	COL-06191-089-19-2C-S4
88.90 (3.50")	19.1 (0.75")	Steel, Black Oxide Coated	Clamp Type - Two Piece	COL-06191-089-19-2C-CBO
88.90 (3.50")	19.1 (0.75")	Steel	Clamp Type - Two Piece	COL-06191-089-19-2C-CS
88.90 (3.50")	25.4 (1.00")	Steel, Zinc Plated	Standard	COL-06191-089-25-CZ
63.500mm (2.500 in.) Inside Diameter				
84.10 (3.31")	39.7 (1.56")	304 Stainless Steel	Gripfast	COL-06350-084-40-GF-S4
85.00 (3.35")	39.9 (1.57")	ABS Plastic	Gripfast	COL-06350-085-40-GF-AB
88.90 (3.50")	25.4 (1.00")	Steel, Zinc Plated	Standard	COL-06350-089-25-CZ
95.25 (3.75")	22.2 (0.87")	Steel, Black Oxide Coated	Clamp Type - One Piece	COL-06350-095-22-1C-CBO
95.25 (3.75")	22.2 (0.87")	Steel, Black Oxide Coated	Clamp Type - Two Piece	COL-06350-095-22-2C-CBO
95.30 (3.75")	22.2 (0.87")	Steel	Clamp Type - Two Piece	COL-06350-095-22-2C-CS
101.60 (4.00")	19.1 (0.75")	Carbon Steel	Hinged	COL-06350-102-19-HG-CS
65.000mm (2.559 in.) Inside Diameter				
93.00 (3.66")	19.0 (0.75")	303 Stainless Steel	Clamp Type - One Piece	COL-06500-093-19-1C-S3
93.00 (3.66")	19.0 (0.75")	Steel	Clamp Type - One Piece	COL-06500-093-19-1C-CS
93.00 (3.66")	19.0 (0.75")	303 Stainless	Clamp Type - Two Piece	COL-06500-093-19-2C-S3
93.00 (3.66")	19.0 (0.75")	Steel	Clamp Type - Two Piece	COL-06500-093-19-2C-CS
94.00 (3.70")	28.0 (1.10")	Steel - Black Oxide	Standard	COL-06500-094-28-BO
98.00 (3.86")	24.0 (0.94")	Mild Steel	Standard	COL-06500-098-24-MS
65.088mm (2.563 in.) Inside Diameter				
95.25 (3.75")	28.6 (1.13")	Steel, Zinc Plated	Standard	COL-06509-095-29-CZ
66.675mm (2.625 in.) Inside Diameter				
98.40 (3.87")	22.2 (0.87")	Steel	Clamp Type - Two Piece	COL-06668-098-22-2C-CS
68.263mm (2.688 in.) Inside Diameter				
101.60 (4.00")	22.2 (0.87")	Steel	Clamp Type - Two Piece	COL-06826-102-22-2C-CS
101.60 (4.00")	22.2 (0.87")	Steel, Black Oxide Coated	Clamp Type - Two Piece	COL-06826-102-22-2C-CBO
69.850mm (2.750 in.) Inside Diameter				
101.60 (4.00")	22.2 (0.87")	Steel	Clamp Type - Two Piece	COL-06985-102-22-2C-CS
101.60 (4.00")	22.2 (0.87")	Steel, Black Oxide Coated	Clamp Type - Two Piece	COL-06985-102-22-2C-CBO
101.60 (4.00")	28.6 (1.13")	Steel, Zinc Plated	Standard	COL-06985-102-29-CZ
70.000mm (2.756 in.) Inside Diameter				
95.90 (3.78")	50.8 (2.00")	ABS Plastic	Gripfast	COL-07000-096-51-GF-AB
98.00 (3.86")	19.0 (0.75")	303 Stainless Steel	Clamp Type - One Piece	COL-07000-098-19-1C-S3
98.00 (3.86")	19.0 (0.75")	Steel	Clamp Type - One Piece	COL-07000-098-19-1C-CS
98.00 (3.86")	19.0 (0.75")	303 Stainless	Clamp Type - Two Piece	COL-07000-098-19-2C-S3
98.00 (3.86")	19.0 (0.75")	Steel	Clamp Type - Two Piece	COL-07000-098-19-2C-CS
98.00 (3.86")	24.0 (0.94")	Mild Steel	Standard	COL-07000-098-24-MS
113.00 (4.45")	32.0 (1.26")	Steel - Black Oxide	Standard	COL-07000-113-32-BO

 Usually stocked or Short Delivery
 ** Available while stocks last **

 Long Delivery or Large Minimum Quantities
 Not in current production

Shaft Collars



Outside Diameter mm (in.)	Width mm (in.)	Material	Style	Part Number
71.438mm (2.813 in.) Inside Diameter				
101.60 (4.00")	22.2 (0.87")	Steel	Clamp Type - One Piece	COL-07144-102-22-1C-CS
108.00 (4.25")	22.2 (0.87")	Steel	Clamp Type - One Piece	COL-07144-108-22-1C-CS
108.00 (4.25")	22.2 (0.87")	Steel	Clamp Type - Two Piece	COL-07144-108-22-2C-CS
73.025mm (2.875 in.) Inside Diameter				
95.90 (3.78")	50.8 (2.00")	ABS Plastic	Gripfast	COL-07303-096-51-GF-AB
108.00 (4.25")	22.2 (0.87")	Steel	Clamp Type - One Piece	COL-07303-108-22-1C-CS
108.00 (4.25")	22.2 (0.87")	Steel	Clamp Type - Two Piece	COL-07303-108-22-2C-CS
74.613mm (2.938 in.) Inside Diameter				
107.95 (4.25")	22.2 (0.87")	Steel, Black Oxide Coated	Clamp Type - Two Piece	COL-07461-108-22-2C-CBO
107.95 (4.25")	28.6 (1.13")	Steel, Zinc Plated	Standard	COL-07461-108-29-CZ
108.00 (4.25")	22.2 (0.87")	Steel	Clamp Type - One Piece	COL-07461-108-22-1C-CS
108.00 (4.25")	22.2 (0.87")	Steel	Clamp Type - Two Piece	COL-07461-108-22-2C-CS
75.000mm (2.953 in.) Inside Diameter				
103.00 (4.06")	19.0 (0.75")	303 Stainless Steel	Clamp Type - One Piece	COL-07500-103-19-1C-S3
103.00 (4.06")	19.0 (0.75")	Steel	Clamp Type - One Piece	COL-07500-103-19-1C-CS
103.00 (4.06")	19.0 (0.75")	303 Stainless Steel	Clamp Type - Two Piece	COL-07500-103-19-2C-S3
103.00 (4.06")	19.0 (0.75")	Steel	Clamp Type - Two Piece	COL-07500-103-19-2C-CS
108.00 (4.25")	24.0 (0.94")	Mild Steel	Standard	COL-07500-108-24-MS
119.00 (4.69")	32.0 (1.26")	Steel - Black Oxide	Standard	COL-07500-119-32-BO
76.000mm (2.992 in.) Inside Diameter				
95.90 (3.78")	50.8 (2.00")	ABS Plastic	Gripfast	COL-07600-096-51-GF-AB
76.200mm (3.000 in.) Inside Diameter				
95.90 (3.78")	50.3 (1.98")	ABS Plastic	Gripfast	COL-07620-096-50-GF-AB
95.90 (3.78")	50.8 (2.00")	304 Stainless Steel	Gripfast	COL-07620-096-51-GF-S4
107.95 (4.25")	22.2 (0.87")	Aluminium	Clamp Type - Two Piece	COL-07620-108-22-2C-AL
107.95 (4.25")	22.2 (0.87")	Steel, Black Oxide Coated	Clamp Type - Two Piece	COL-07620-108-22-2C-CBO
107.95 (4.25")	28.6 (1.13")	Steel, Zinc Plated	Standard	COL-07620-108-29-CZ
108.00 (4.25")	22.2 (0.87")	Steel	Clamp Type - Two Piece	COL-07620-108-22-2C-CS
114.30 (4.50")	19.1 (0.75")	Carbon Steel	Hinged	COL-07620-114-19-HG-CS
80.000mm (3.150 in.) Inside Diameter				
108.00 (4.25")	19.0 (0.75")	303 Stainless Steel	Clamp Type - One Piece	COL-08000-108-19-1C-S3
108.00 (4.25")	19.0 (0.75")	Steel	Clamp Type - One Piece	COL-08000-108-19-1C-CS
108.00 (4.25")	19.0 (0.75")	303 Stainless	Clamp Type - Two Piece	COL-08000-108-19-2C-S3
108.00 (4.25")	19.0 (0.75")	Steel	Clamp Type - Two Piece	COL-08000-108-19-2C-CS
108.00 (4.25")	24.0 (0.94")	Mild Steel	Standard	COL-08000-108-24-MS
126.00 (4.96")	32.0 (1.26")	Steel - Black Oxide	Standard	COL-08000-126-32-BO
80.963mm (3.188 in.) Inside Diameter				
114.30 (4.50")	22.2 (0.87")	Steel	Clamp Type - One Piece	COL-08095-114-22-1C-CS
114.30 (4.50")	22.2 (0.87")	Steel	Clamp Type - Two Piece	COL-08096-114-22-2C-CS
82.550mm (3.250 in.) Inside Diameter				
114.30 (4.50")	22.2 (0.87")	Steel, Black Oxide Coated	Clamp Type - Two Piece	COL-08255-114-22-2C-CBO
85.000mm (3.346 in.) Inside Diameter				
118.00 (4.65")	24.0 (0.94")	Mild Steel	Standard	COL-08500-118-24-MS
87.313mm (3.438 in.) Inside Diameter				
114.30 (4.50")	28.6 (1.13")	Steel, Zinc Plated	Standard	COL-08731-114-29-CZ
120.65 (4.75")	22.2 (0.87")	Steel, Black Oxide Coated	Clamp Type - Two Piece	COL-08731-121-22-2C-CBO
120.70 (4.75")	22.2 (0.87")	Steel	Clamp Type - Two Piece	COL-08731-121-22-2C-CS



Usually stocked or Short Delivery
 ** Available while stocks last **

Long Delivery or Large Minimum Quantities
 Not in current production

Shaft Collars

Outside Diameter mm (in.)	Width mm (in.)	Material	Style	Part Number
88.900mm (3.500 in.) Inside Diameter				
120.65 (4.75")	22.2 (0.87")	Steel, Black Oxide Coated	Clamp Type - Two Piece	COL-08890-121-22-2C-CBO
90.000mm (3.543 in.) Inside Diameter				
118.00 (4.65")	24.0 (0.94")	Mild Steel	Standard	COL-09000-118-24-MS
100.000mm (3.937 in.) Inside Diameter				
150.00 (5.91")	24.0 (0.94")	Mild Steel	Standard	COL-10000-150-24-MS
100.013mm (3.938 in.) Inside Diameter				
133.35 (5.25")	22.2 (0.87")	Steel, Black Oxide Coated	Clamp Type - Two Piece	COL-10001-133-22-2C-CBO
101.600mm (4.000 in.) Inside Diameter				
133.35 (5.25")	22.2 (0.87")	Steel, Black Oxide Coated	Clamp Type - Two Piece	COL-10160-133-22-2C-CBO
112.713mm (4.438 in.) Inside Diameter				
146.05 (5.75")	22.2 (0.87")	Steel, Black Oxide Coated	Clamp Type - Two Piece	COL-11271-146-22-2C-CBO
120.000mm (4.724 in.) Inside Diameter				
180.00 (7.09")	24.0 (0.94")	Mild Steel	Standard	COL-12000-180-24-MS
150.000mm (5.906 in.) Inside Diameter				
200.00 (7.87")	24.0 (0.94")	Mild Steel	Standard	COL-15000-200-24-MS
200.000mm (7.874 in.) Inside Diameter				
250.00 (9.84")	24.0 (0.94")	Mild Steel	Standard	COL-20000-250-24-MS

 Usually stocked or Short Delivery
 ** Available while stocks last **

 Long Delivery or Large Minimum Quantities
 Not in current production

NOTES



Distributed By

Miniature Bearings Australia
<http://www.minibearings.com.au>
sales@minibearings.com.au

Resellers: Please place your contact sticker over our details

Avoid verbal communication

We sell an extensive range of products with varying amounts of technical data. Please assist us to provide you with accurate information by placing your orders and enquiries online or by e-mail.

Shaft Collars - All Types