



# MBA

# 2023.1

## Vibration Mounts

Bobbins & Buffers



A selection of metric and imperial bobbins and buffers from our extensive range of anti-vibration mounts.

### INDEX

#### Bobbins

- Female	3-7
- Male	8-17
- Male / Female	18-25

#### Buffers

- Female	26-28
- Male	28-35

#### Special Types

- Square Base	17
- Concave Base	36
- Conical	36
- Other	37

To find and order parts online, simply enter the part number from this catalogue into the search box on any web page.

Male - Male  
Bobbin



Female - Female  
Bobbin



Male - Female  
Bobbin



Female Buffer  
(Blank one end)



Male Buffer  
(Blank one end)







Conical



# Mounts - Bobbin - Female



Body Height (H) mm (In.)	Thread Size	Shore Hardness	Thread Depth (L2) mm	Material	Part Number
<b>8.0 mm Nom. Body Dia. (D)</b>					
8.0 (0.31")	M3x0.50	60	2.0 (0.08")	Natural Rubber	CFF008-08-030M-R60
<b>10.0 mm Nom. Body Dia. (D)</b>					
10.0 (0.39")	M4x0.70	60	3.0 (0.12")	Natural Rubber	CFF010-10-040M-R60
<b>15.0 mm Nom. Body Dia. (D)</b>					
7.0 (0.28")	M4x0.70	60	2.0 (0.08")	Natural Rubber	CFF015-07-040M-R60
8.0 (0.31")	M4x0.70	60	2.0 (0.08")	Natural Rubber	CFF015-08-040M-R60
10.0 (0.39")	M4x0.70	60	3.0 (0.12")	Natural Rubber	CFF015-10-040M-R60
15.0 (0.59")	M4x0.70	45		Natural Rubber	<b>CFF015-15-040M-R45</b>
15.0 (0.59")	M4x0.70	60		Natural Rubber	<b>CFF015-15-040M-R60</b>
15.0 (0.59")	M4x0.70	70		Natural Rubber	<b>CFF015-15-040M-R70</b>
15.0 (0.59")	M5x0.80	60	4.0 (0.16")	Natural Rubber	** CFF015-15-050M-R60
20.0 (0.79")	M4x0.70	60	4.0 (0.16")	Natural Rubber	** CFF015-20-040M-R60
<b>15.9 mm Nom. Body Dia. (D)</b>					
12.7 (0.50")	8-32 UNC (32 TPI)	60	4.6 (0.18")	Natural Rubber	<b>CFF016-13-042C-R60</b>
<b>16.0 mm Nom. Body Dia. (D)</b>					
13.0 (0.51")	M4x0.70	60	5.0 (0.20")	Natural Rubber	<b>CFF016-13-040M-R60</b>
<b>20.0 mm Nom. Body Dia. (D)</b>					
8.0 (0.31")	M6x1.00	60	3.0 (0.12")	Natural Rubber	CFF020-08-060M-R60
10.0 (0.39")	M6x1.00	60	3.0 (0.12")	Natural Rubber	CFF020-10-060M-R60
15.0 (0.59")	M6x1.00	45		Natural Rubber	<b>CFF020-15-060M-R45</b>
15.0 (0.59")	M6x1.00	60		Natural Rubber	<b>CFF020-15-060M-R60</b>
15.0 (0.59")	M6x1.00	70		Natural Rubber	<b>CFF020-15-060M-R70</b>
20.0 (0.79")	M6x1.00	45		Natural Rubber	<b>CFF020-20-060M-R45</b>
20.0 (0.79")	M6x1.00	60		Natural Rubber	<b>CFF020-20-060M-R60</b>
20.0 (0.79")	M6x1.00	70		Natural Rubber	<b>CFF020-20-060M-R70</b>
25.0 (0.98")	M6x1.00	45		Natural Rubber	<b>CFF020-25-060M-R45</b>
25.0 (0.98")	M6x1.00	60		Natural Rubber	<b>CFF020-25-060M-R60</b>
25.0 (0.98")	M6x1.00	70		Natural Rubber	<b>CFF020-25-060M-R70</b>
30.0 (1.18")	M6x1.00	70		Natural Rubber	<b>CFF020-30-060M-R70</b>
30.0 (1.18")	M6x1.00	60		Natural Rubber	<b>CFF020-30-060M-R60</b>
30.0 (1.18")	M6x1.00	45		Natural Rubber	<b>CFF020-30-060M-R45</b>
<b>25.0 mm Nom. Body Dia. (D)</b>					
10.0 (0.39")	M6x1.00	60	3.0 (0.12")	Natural Rubber	CFF025-10-060M-R60
15.0 (0.59")	M6x1.00	60		Natural Rubber	<b>CFF025-15-060M-R60</b>
15.0 (0.59")	M6x1.00	70		Natural Rubber	<b>CFF025-15-060M-R70</b>
15.0 (0.59")	M6x1.00	45		Natural Rubber	<b>CFF025-15-060M-R45</b>
20.0 (0.79")	M6x1.00	70		Natural Rubber	<b>CFF025-20-060M-R70</b>
20.0 (0.79")	M6x1.00	60		Natural Rubber	<b>CFF025-20-060M-R60</b>
20.0 (0.79")	M6x1.00	45		Natural Rubber	<b>CFF025-20-060M-R45</b>
25.0 (0.98")	5/16 UNC (18 TPI)	60	5.1 (0.20")	Natural Rubber	CFF025-25-079C-D-R60
25.0 (0.98")	M8x1.25	70		Natural Rubber	<b>CFF025-25-080M-R70</b>
25.0 (0.98")	M8x1.25	60		Natural Rubber	<b>CFF025-25-080M-R60</b>
25.0 (0.98")	5/16 UNC (18 TPI)	60	5.1 (0.20")	Natural Rubber	CFF025-25-079C-A-R60
25.0 (0.98")	M8x1.25	45		Natural Rubber	<b>CFF025-25-080M-R45</b>
25.0 (0.98")	5/16 UNC (18 TPI)	60	5.1 (0.20")	Natural Rubber	CFF025-25-079C-C-R60
25.0 (0.98")	5/16 UNC (18 TPI)	60	5.1 (0.20")	Natural Rubber	CFF025-25-079C-B-R60
25.0 (0.98")	M6x1.00	45		Natural Rubber	<b>CFF025-25-060M-R45</b>
25.0 (0.98")	M6x1.00	60		Natural Rubber	<b>CFF025-25-060M-R60</b>
25.0 (0.98")	M6x1.00	70		Natural Rubber	<b>CFF025-25-060M-R70</b>
30.0 (1.18")	M8x1.25	45		Natural Rubber	<b>CFF025-30-080M-R45</b>
30.0 (1.18")	M8x1.25	60		Natural Rubber	<b>CFF025-30-080M-R60</b>
30.0 (1.18")	M8x1.25	70		Natural Rubber	<b>CFF025-30-080M-R70</b>
<b>25.4 mm Nom. Body Dia. (D)</b>					
25.4 (1.00")	5/16 UNC (18 TPI)	60	5.1 (0.20")	Natural Rubber	<b>CFF025-25-079C-E-R60</b>



 Usually stocked or Short Delivery  
 \*\* Available while stocks last \*\*

 Long Delivery or Large Minimum Quantities  
 Not in current production

# Mounts - Bobbin - Female



Body Height (H) mm (In.)	Thread Size	Shore Hardness	Thread Depth (L2) mm	Material	Part Number
<b>30.0 mm Nom. Body Dia. (D)</b>					
15.0 (0.59")	M8x1.25	60	4.0 (0.16")	Natural Rubber	CFF030-15-080M-R60
20.0 (0.79")	M8x1.25	45		Natural Rubber	CFF030-20-080M-R45
20.0 (0.79")	M8x1.25	60		Natural Rubber	CFF030-20-080M-R60
20.0 (0.79")	M8x1.25	70		Natural Rubber	CFF030-20-080M-R70
25.0 (0.98")	M8x1.25	60		Natural Rubber	CFF030-25-080M-R60
25.0 (0.98")	M8x1.25	70		Natural Rubber	CFF030-25-080M-R70
25.0 (0.98")	M8x1.25	45		Natural Rubber	CFF030-25-080M-R45
30.0 (1.18")	M8x1.25	45		Natural Rubber	CFF030-30-080M-R45
30.0 (1.18")	M8x1.25	60		Natural Rubber	CFF030-30-080M-R60
30.0 (1.18")	M8x1.25	70		Natural Rubber	CFF030-30-080M-R70
35.0 (1.38")	M8x1.25	60		Natural Rubber	CFF030-35-080M-R60
35.0 (1.38")	M8x1.25	70		Natural Rubber	CFF030-35-080M-R70
35.0 (1.38")	M8x1.25	45		Natural Rubber	CFF030-35-080M-R45
40.0 (1.57")	M8x1.25	60		Natural Rubber	CFF030-40-080M-R60
40.0 (1.57")	M8x1.25	70		Natural Rubber	CFF030-40-080M-R70
40.0 (1.57")	M8x1.25	45		Natural Rubber	CFF030-40-080M-R45
<b>38.0 mm Nom. Body Dia. (D)</b>					
25.0 (0.98")	M8x1.25	60	5.0 (0.20")	Natural Rubber	CFF038-25-080M-R60
<b>38.1 mm Nom. Body Dia. (D)</b>					
25.4 (1.00")	5/16 UNC (18 TPI)	60	5.1 (0.20")	Natural Rubber	CFF038-25-079C-R60
<b>40.0 mm Nom. Body Dia. (D)</b>					
20.0 (0.79")	M8x1.25	60		Natural Rubber	CFF040-20-080M-R60
20.0 (0.79")	M8x1.25	45		Natural Rubber	CFF040-20-080M-R45
20.0 (0.79")	M8x1.25	70		Natural Rubber	CFF040-20-080M-R70
25.0 (0.98")	M8x1.25	60	8.0 (0.31")	Natural Rubber	CFF040-25-080M-R60
25.0 (0.98")	M10x1.50	60	8.0 (0.31")	Natural Rubber	CFF040-25-100M-R60
30.0 (1.18")	M8x1.25	60		Natural Rubber	CFF040-30-080M-R60
30.0 (1.18")	M8x1.25	70		Natural Rubber	CFF040-30-080M-R70
30.0 (1.18")	M10x1.50	45		Natural Rubber	CFF040-30-100M-R45
30.0 (1.18")	M10x1.50	60		Natural Rubber	CFF040-30-100M-R60
30.0 (1.18")	M10x1.50	70		Natural Rubber	CFF040-30-100M-R70
30.0 (1.18")	M8x1.25	45		Natural Rubber	CFF040-30-080M-R45
35.0 (1.38")	M8x1.25	45		Natural Rubber	CFF040-35-080M-R45
35.0 (1.38")	M10x1.50	70		Natural Rubber	CFF040-35-100M-R70
35.0 (1.38")	M10x1.50	60		Natural Rubber	CFF040-35-100M-R60
35.0 (1.38")	M10x1.50	45		Natural Rubber	CFF040-35-100M-R45
35.0 (1.38")	M8x1.25	60		Natural Rubber	CFF040-35-080M-R60
35.0 (1.38")	M8x1.25	70		Natural Rubber	CFF040-35-080M-R70
40.0 (1.57")	M8x1.25	70		Natural Rubber	CFF040-40-080M-R70
40.0 (1.57")	M10x1.50	45		Natural Rubber	CFF040-40-100M-R45
40.0 (1.57")	M10x1.50	70		Natural Rubber	CFF040-40-100M-R70
40.0 (1.57")	M8x1.25	45		Natural Rubber	CFF040-40-080M-R45
40.0 (1.57")	M8x1.25	60		Natural Rubber	CFF040-40-080M-R60
40.0 (1.57")	M10x1.50	60		Natural Rubber	CFF040-40-100M-R60
45.0 (1.77")	M10x1.50	45		Natural Rubber	CFF040-45-100M-R45
45.0 (1.77")	M10x1.50	60		Natural Rubber	CFF040-45-100M-R60
45.0 (1.77")	M10x1.50	70		Natural Rubber	CFF040-45-100M-R70



 Usually stocked or Short Delivery  
 \*\* Available while stocks last \*\*

 Long Delivery or Large Minimum Quantities  
 Not in current production

# Mounts - Bobbin - Female



Body Height (H) mm (In.)	Thread Size	Shore Hardness	Thread Depth (L2) mm	Material	Part Number
<b>50.0 mm Nom. Body Dia. (D)</b>					
20.0 (0.79")	M10x1.50	60	8.0 (0.31")	Natural Rubber	CFF050-20-100M-R60
25.0 (0.98")	M10x1.50	45		Natural Rubber	CFF050-25-100M-R45
25.0 (0.98")	M10x1.50	60		Natural Rubber	CFF050-25-100M-R60
25.0 (0.98")	M10x1.50	70		Natural Rubber	CFF050-25-100M-R70
30.0 (1.18")	M10x1.50	45		Natural Rubber	CFF050-30-100M-R45
30.0 (1.18")	M10x1.50	60		Natural Rubber	CFF050-30-100M-R60
30.0 (1.18")	M10x1.50	70		Natural Rubber	CFF050-30-100M-R70
35.0 (1.38")	M10x1.50	45		Natural Rubber	CFF050-35-100M-R45
35.0 (1.38")	M10x1.50	60		Natural Rubber	CFF050-35-100M-R60
35.0 (1.38")	M10x1.50	70		Natural Rubber	CFF050-35-100M-R70
40.0 (1.57")	M10x1.50	45		Natural Rubber	CFF050-40-100M-R45
40.0 (1.57")	M10x1.50	60		Natural Rubber	CFF050-40-100M-R60
40.0 (1.57")	M10x1.50	70		Natural Rubber	CFF050-40-100M-R70
45.0 (1.77")	M10x1.50	45		Natural Rubber	CFF050-45-100M-R45
45.0 (1.77")	M8x1.25	70		Natural Rubber	CFF050-45-080M-R70
45.0 (1.77")	M10x1.50	70		Natural Rubber	CFF050-45-100M-R70
45.0 (1.77")	M8x1.25	45		Natural Rubber	CFF050-45-080M-R45
45.0 (1.77")	M8x1.25	60		Natural Rubber	CFF050-45-080M-R60
45.0 (1.77")	M10x1.50	60		Natural Rubber	CFF050-45-100M-R60
50.0 (1.97")	M10x1.50	45		Natural Rubber	CFF050-50-100M-R45
50.0 (1.97")	M10x1.50	60		Natural Rubber	CFF050-50-100M-R60
50.0 (1.97")	M10x1.50	70		Natural Rubber	CFF050-50-100M-R70
60.0 (2.36")	M10x1.50	45		Natural Rubber	CFF050-60-100M-R45
60.0 (2.36")	M10x1.50	60		Natural Rubber	CFF050-60-100M-R60
60.0 (2.36")	M10x1.50	70		Natural Rubber	CFF050-60-100M-R70
<b>50.8 mm Nom. Body Dia. (D)</b>					
41.3 (1.63")	3/8 UNC (16 TPI)	60	11.4 (0.45")	Natural Rubber	CFF051-41-095C-R60
<b>51.0 mm Nom. Body Dia. (D)</b>					
41.0 (1.61")	M10x1.50	60	11.0 (0.43")	Natural Rubber	CFF051-41-100M-R60
<b>60.0 mm Nom. Body Dia. (D)</b>					
35.0 (1.38")	M12x1.75	70		Natural Rubber	CFF060-35-120M-R70
35.0 (1.38")	M12x1.75	45		Natural Rubber	CFF060-35-120M-R45
35.0 (1.38")	M12x1.75	60		Natural Rubber	CFF060-35-120M-R60
40.0 (1.57")	M12x1.75	70		Natural Rubber	CFF060-40-120M-R70
40.0 (1.57")	M10x1.50	45		Natural Rubber	CFF060-40-100M-R45
40.0 (1.57")	M10x1.50	60		Natural Rubber	CFF060-40-100M-R60
40.0 (1.57")	M10x1.50	70		Natural Rubber	CFF060-40-100M-R70
40.0 (1.57")	M12x1.75	45		Natural Rubber	CFF060-40-120M-R45
40.0 (1.57")	M12x1.75	60		Natural Rubber	CFF060-40-120M-R60
45.0 (1.77")	M12x1.75	70		Natural Rubber	CFF060-45-120M-R70
45.0 (1.77")	M12x1.75	60		Natural Rubber	CFF060-45-120M-R60
45.0 (1.77")	M12x1.75	45		Natural Rubber	CFF060-45-120M-R45
45.0 (1.77")	M10x1.50	45		Natural Rubber	CFF060-45-100M-R45
45.0 (1.77")	M10x1.50	60		Natural Rubber	CFF060-45-100M-R60
45.0 (1.77")	M10x1.50	70		Natural Rubber	CFF060-45-100M-R70
50.0 (1.97")	M12x1.75	45		Natural Rubber	CFF060-50-120M-R45
50.0 (1.97")	M12x1.75	60		Natural Rubber	CFF060-50-120M-R60
50.0 (1.97")	M12x1.75	70		Natural Rubber	CFF060-50-120M-R70
<b>65.0 mm Nom. Body Dia. (D)</b>					
35.0 (1.38")	M12x1.75	45		Natural Rubber	CFF065-35-120M-R45
35.0 (1.38")	M12x1.75	60		Natural Rubber	CFF065-35-120M-R60
35.0 (1.38")	M12x1.75	70		Natural Rubber	CFF065-35-120M-R70



 Usually stocked or Short Delivery  
 \*\* Available while stocks last \*\*

 Long Delivery or Large Minimum Quantities  
 Not in current production

# Mounts - Bobbin - Female



Body Height (H) mm (in.)	Thread Size	Shore Hardness	Thread Depth (L2) mm	Material	Part Number
<b>70.0 mm Nom. Body Dia. (D)</b>					
30.0 (1.18")	M10x1.50	45		Natural Rubber	CFF070-30-100M-R45
30.0 (1.18")	M10x1.50	60		Natural Rubber	CFF070-30-100M-R60
30.0 (1.18")	M10x1.50	70		Natural Rubber	CFF070-30-100M-R70
35.0 (1.38")	M10x1.50	45		Natural Rubber	CFF070-35-100M-R45
35.0 (1.38")	M10x1.50	60		Natural Rubber	CFF070-35-100M-R60
35.0 (1.38")	M10x1.50	70		Natural Rubber	CFF070-35-100M-R70
35.0 (1.38")	M12x1.75	45		Natural Rubber	CFF070-35-120M-R45
35.0 (1.38")	M12x1.75	60		Natural Rubber	CFF070-35-120M-R60
35.0 (1.38")	M12x1.75	70		Natural Rubber	CFF070-35-120M-R70
40.0 (1.57")	M10x1.50	60		Natural Rubber	CFF070-40-100M-R60
40.0 (1.57")	M10x1.50	70		Natural Rubber	CFF070-40-100M-R70
40.0 (1.57")	M10x1.50	45		Natural Rubber	CFF070-40-100M-R45
45.0 (1.77")	M10x1.50	60		Natural Rubber	CFF070-45-100M-R60
45.0 (1.77")	M10x1.50	70		Natural Rubber	CFF070-45-100M-R70
45.0 (1.77")	M12x1.75	45		Natural Rubber	CFF070-45-120M-R45
45.0 (1.77")	M12x1.75	60		Natural Rubber	CFF070-45-120M-R60
45.0 (1.77")	M12x1.75	70		Natural Rubber	CFF070-45-120M-R70
45.0 (1.77")	M10x1.50	45		Natural Rubber	CFF070-45-100M-R45
50.0 (1.97")	M10x1.50	70		Natural Rubber	CFF070-50-100M-R70
50.0 (1.97")	M12x1.75	70		Natural Rubber	CFF070-50-120M-R70
50.0 (1.97")	M12x1.75	45		Natural Rubber	CFF070-50-120M-R45
50.0 (1.97")	M10x1.50	60		Natural Rubber	CFF070-50-100M-R60
50.0 (1.97")	M10x1.50	45		Natural Rubber	CFF070-50-100M-R45
50.0 (1.97")	M12x1.75	60		Natural Rubber	CFF070-50-120M-R60
60.0 (2.36")	M12x1.75	45		Natural Rubber	CFF070-60-120M-R45
60.0 (2.36")	M12x1.75	60		Natural Rubber	CFF070-60-120M-R60
60.0 (2.36")	M12x1.75	70		Natural Rubber	CFF070-60-120M-R70
70.0 (2.76")	M10x1.50	70		Natural Rubber	CFF070-70-100M-R70
70.0 (2.76")	M10x1.50	45		Natural Rubber	CFF070-70-100M-R45
70.0 (2.76")	M10x1.50	60		Natural Rubber	CFF070-70-100M-R60
<b>75.0 mm Nom. Body Dia. (D)</b>					
25.0 (0.98")	M12x1.75	60	12.0 (0.47")	Natural Rubber	CFF075-25-120M-R60
40.0 (1.57")	M12x1.75	45		Natural Rubber	CFF075-40-120M-R45
40.0 (1.57")	M12x1.75	60		Natural Rubber	CFF075-40-120M-R60
40.0 (1.57")	M12x1.75	70		Natural Rubber	CFF075-40-120M-R70
45.0 (1.77")	M12x1.75	45		Natural Rubber	CFF075-45-120M-R45
45.0 (1.77")	M12x1.75	60		Natural Rubber	CFF075-45-120M-R60
45.0 (1.77")	M12x1.75	70		Natural Rubber	CFF075-45-120M-R70
50.0 (1.97")	M12x1.75	45		Natural Rubber	CFF075-50-120M-R45
50.0 (1.97")	M12x1.75	60		Natural Rubber	CFF075-50-120M-R60
50.0 (1.97")	M12x1.75	70		Natural Rubber	CFF075-50-120M-R70
55.0 (2.17")	M12x1.75	45		Natural Rubber	CFF075-55-120M-R45
55.0 (2.17")	M12x1.75	60		Natural Rubber	CFF075-55-120M-R60
55.0 (2.17")	M12x1.75	70		Natural Rubber	CFF075-55-120M-R70
60.0 (2.36")	M12x1.75	60		Natural Rubber	CFF075-60-120M-R60
60.0 (2.36")	M12x1.75	70		Natural Rubber	CFF075-60-120M-R70
60.0 (2.36")	M12x1.75	45		Natural Rubber	CFF075-60-120M-R45
<b>95.0 mm Nom. Body Dia. (D)</b>					
75.0 (2.95")	M16x2.00	70		Natural Rubber	CFF095-75-160M-R70
75.0 (2.95")	M12x1.75	60		Natural Rubber	CFF095-75-120M-R60
75.0 (2.95")	M12x1.75	70		Natural Rubber	CFF095-75-120M-R70
75.0 (2.95")	M16x2.00	45		Natural Rubber	CFF095-75-160M-R45
75.0 (2.95")	M16x2.00	60		Natural Rubber	CFF095-75-160M-R60
75.0 (2.95")	M12x1.75	45		Natural Rubber	CFF095-75-120M-R45



 Usually stocked or Short Delivery  
 \*\* Available while stocks last \*\*

 Long Delivery or Large Minimum Quantities  
 Not in current production

# Mounts - Bobbin - Female



Body Height (H) mm (In.)	Thread Size	Shore Hardness	Thread Depth (L2) mm	Material	Part Number
<b>100.0 mm Nom. Body Dia. (D)</b>					
40.0 (1.57")	M16x2.00	70		Natural Rubber	CFF100-40-160M-R70
40.0 (1.57")	M16x2.00	60		Natural Rubber	CFF100-40-160M-R60
40.0 (1.57")	M16x2.00	45		Natural Rubber	CFF100-40-160M-R45
45.0 (1.77")	M16x2.00	70		Natural Rubber	CFF100-45-160M-R70
45.0 (1.77")	M16x2.00	60		Natural Rubber	CFF100-45-160M-R60
45.0 (1.77")	M16x2.00	45		Natural Rubber	CFF100-45-160M-R45
50.0 (1.97")	M16x2.00	60		Natural Rubber	CFF100-50-160M-R60
50.0 (1.97")	M16x2.00	70		Natural Rubber	CFF100-50-160M-R70
50.0 (1.97")	M16x2.00	45		Natural Rubber	CFF100-50-160M-R45
55.0 (2.17")	M16x2.00	70		Natural Rubber	CFF100-55-160M-R70
55.0 (2.17")	M16x2.00	60		Natural Rubber	CFF100-55-160M-R60
55.0 (2.17")	M16x2.00	45		Natural Rubber	CFF100-55-160M-R45
60.0 (2.36")	M16x2.00	45		Natural Rubber	CFF100-60-160M-R45
60.0 (2.36")	M16x2.00	60		Natural Rubber	CFF100-60-160M-R60
60.0 (2.36")	M16x2.00	70		Natural Rubber	CFF100-60-160M-R70
75.0 (2.95")	M16x2.00	60	16.0 (0.63")	Natural Rubber	CFF100-75-160M-R60
100.0 (3.94")	M16x2.00	60		Natural Rubber	CFF100-100-160M-R60
100.0 (3.94")	M16x2.00	45		Natural Rubber	CFF100-100-160M-R45
100.0 (3.94")	M16x2.00	70		Natural Rubber	CFF100-100-160M-R70
<b>105.0 mm Nom. Body Dia. (D)</b>					
75.0 (2.95")	M16x2.00	45		Natural Rubber	CFF105-75-160M-R45
75.0 (2.95")	M16x2.00	60		Natural Rubber	CFF105-75-160M-R60
75.0 (2.95")	M16x2.00	70		Natural Rubber	CFF105-75-160M-R70
<b>120.0 mm Nom. Body Dia. (D)</b>					
75.0 (2.95")	M16x2.00	45		Natural Rubber	CFF120-75-160M-R45
75.0 (2.95")	M16x2.00	60		Natural Rubber	CFF120-75-160M-R60
75.0 (2.95")	M16x2.00	70		Natural Rubber	CFF120-75-160M-R70
<b>150.0 mm Nom. Body Dia. (D)</b>					
75.0 (2.95")	M20x2.50	70		Natural Rubber	CFF150-75-200M-R70
75.0 (2.95")	M20x2.50	45		Natural Rubber	CFF150-75-200M-R45
75.0 (2.95")	M20x2.50	60		Natural Rubber	CFF150-75-200M-R60



 Usually stocked or Short Delivery  
 \*\* Available while stocks last \*\*

 Long Delivery or Large Minimum Quantities  
 Not in current production

# Mounts - Bobbin - Male

Body Height (H) mm (In.)	Thread Size	Shore Hardness	Thread Length (L1) mm	Material	Part Number
<b>7.0 mm Nom. Body Dia. (D)</b>					
8.1 (0.32")	4-40 UNC (40 TPI)	60	5.1 (0.20")	Urethane	CMM007-08-028C-H-U60
8.1 (0.32")	4-40 UNC (40 TPI)	60	5.1 (0.20")	Urethane	CMM007-08-028C-L-U60
<b>8.0 mm Nom. Body Dia. (D)</b>					
8.0 (0.31")	M3x0.50	45	6.0 (0.24")	Natural Rubber	CMM008-08-030M-R45
8.0 (0.31")	M3x0.50	60	6.0 (0.24")	Natural Rubber	CMM008-08-030M-R60
8.0 (0.31")	M3x0.50	70	6.0 (0.24")	Natural Rubber	CMM008-08-030M-R70
<b>9.5 mm Nom. Body Dia. (D)</b>					
12.7 (0.50")	8-32 UNC (32 TPI)	60	12.7 (0.50")	Natural Rubber	CMM010-13-042C-R60
<b>10.0 mm Nom. Body Dia. (D)</b>					
8.0 (0.31")	M4x0.70	45	10.0 (0.39")	Natural Rubber	CMM010-08-040M-R45
8.0 (0.31")	M4x0.70	60	10.0 (0.39")	Natural Rubber	CMM010-08-040M-R60
8.0 (0.31")	M4x0.70	70	10.0 (0.39")	Natural Rubber	CMM010-08-040M-R70
10.0 (0.39")	M4x0.70	45	10.0 (0.39")	Natural Rubber	CMM010-10-040M-R45
10.0 (0.39")	M4x0.70	60	10.0 (0.39")	Natural Rubber	CMM010-10-040M-R60
10.0 (0.39")	M4x0.70	70	10.0 (0.39")	Natural Rubber	CMM010-10-040M-R70
13.0 (0.51")	M4x0.70	60	13.0 (0.51")	Natural Rubber	CMM010-13-040M-R60
<b>10.3 mm Nom. Body Dia. (D)</b>					
12.7 (0.50")	6-32 UNC (32 TPI)	60	9.5 (0.37")	Urethane	CMM010-13-035C-L-U60
12.7 (0.50")	6-32 UNC (32 TPI)	60	9.5 (0.37")	Urethane	CMM010-13-035C-H-U60
12.7 (0.50")	8-32 UNC (32 TPI)	60	9.5 (0.37")	Urethane	CMM010-13-042C-H-U60
<b>11.0 mm Nom. Body Dia. (D)</b>					
11.0 (0.43")	M4x0.70	45	10.0 (0.39")	Natural Rubber	CMM011-11-040M-R45
11.0 (0.43")	M4x0.70	60	10.0 (0.39")	Natural Rubber	CMM011-11-040M-R60
11.0 (0.43")	M4x0.70	70	10.0 (0.39")	Natural Rubber	CMM011-11-040M-R70
12.7 (0.50")	M4x0.7	60	10.0 (0.39")	Natural Rubber	CMM011-13-040M10-B-R60
12.7 (0.50")	M4x0.7	60	10.0 (0.39")	Natural Rubber	CMM011-13-040M10-C-R60
12.7 (0.50")	M4x0.7	60	7.0 (0.28")	Natural Rubber	CMM011-13-040M07-A-R60
12.7 (0.50")	M4x0.7	60	7.0 (0.28")	Natural Rubber	CMM011-13-040M07-B-R60
12.7 (0.50")	M4x0.7	60	7.0 (0.28")	Natural Rubber	CMM011-13-040M07-C-R60
12.7 (0.50")	M4x0.7	60	7.0 (0.28")	Natural Rubber	CMM011-13-040M07-D-R60
12.7 (0.50")	M4x0.7	60	10.0 (0.39")	Natural Rubber	CMM011-13-040M10-A-R60
12.7 (0.50")	8-32 UNC (32 TPI)	60	9.5 (0.37")	Natural Rubber	CMM011-13-042C-A-R60
12.7 (0.50")	8-32 UNC (32 TPI)	60	9.5 (0.37")	Natural Rubber	CMM011-13-042C-B-R60
12.7 (0.50")	8-32 UNC (32 TPI)	60	9.5 (0.37")	Natural Rubber	CMM011-13-042C-C-R60
12.7 (0.50")	8-32 UNC (32 TPI)	60	9.5 (0.37")	Natural Rubber	CMM011-13-042C-D-R60
12.7 (0.50")	M4x0.7	60	10.0 (0.39")	Natural Rubber	CMM011-13-040M10-D-R60
<b>14.3 mm Nom. Body Dia. (D)</b>					
12.7 (0.50")	8-32 UNC (32 TPI)	60	9.5 (0.37")	Natural Rubber	CMM014-13-042C-C-R60
12.7 (0.50")	8-32 UNC (32 TPI)	60	9.5 (0.37")	Natural Rubber	CMM014-13-042C-D-R60
12.7 (0.50")	8-32 UNC (32 TPI)	60	9.5 (0.37")	Natural Rubber	CMM014-13-042C-B-R60
12.7 (0.50")	8-32 UNC (32 TPI)	60	9.5 (0.37")	Natural Rubber	CMM014-13-042C-A-R60



 Usually stocked or Short Delivery  
 \*\* Available while stocks last \*\*



 Long Delivery or Large Minimum Quantities  
 Not in current production



# Mounts - Bobbin - Male



Body Height (H) mm (In.)	Thread Size	Shore Hardness	Thread Length (L1) mm	Material	Part Number
<b>15.0 mm Nom. Body Dia. (D)</b>					
7.0 (0.28")	M4x0.70	60	10.0 (0.39")	Natural Rubber	CMM015-07-040M-R60
8.0 (0.31")	M4x0.70	45	10.0 (0.39")	Natural Rubber	CMM015-08-040M-R45
8.0 (0.31")	M4x0.70	60	10.0 (0.39")	Natural Rubber	CMM015-08-040M-R60
8.0 (0.31")	M4x0.70	70	10.0 (0.39")	Natural Rubber	CMM015-08-040M-R70
10.0 (0.39")	M4x0.70	70	10.0 (0.39")	Natural Rubber	CMM015-10-040M-R70
10.0 (0.39")	M4x0.70	45	10.0 (0.39")	Natural Rubber	CMM015-10-040M-R45
10.0 (0.39")	M4x0.70	60	10.0 (0.39")	Natural Rubber	CMM015-10-040M-R60
15.0 (0.59")	M6x1.00	70	12.0 (0.47")	Natural Rubber	CMM015-15-060M-R70
15.0 (0.59")	M5x0.80	45	15.0 (0.59")	Natural Rubber	CMM015-15-050M15-R45
15.0 (0.59")	M6x1.00	60	12.0 (0.47")	Natural Rubber	CMM015-15-060M-R60
15.0 (0.59")	M6x1.00	45	12.0 (0.47")	Natural Rubber	CMM015-15-060M-R45
15.0 (0.59")	M5x0.80	70	15.0 (0.59")	Natural Rubber	CMM015-15-050M-R70
15.0 (0.59")	M5x0.80	60	15.0 (0.59")	Natural Rubber	CMM015-15-050M-R60
15.0 (0.59")	M5x0.80	45	6.0 (0.24")	Natural Rubber	CMM015-15-050M06-R45
15.0 (0.59")	M4x0.70	70	13.0 (0.51")	Natural Rubber	CMM015-15-040M-R70
15.0 (0.59")	M4x0.70	45	13.0 (0.51")	Natural Rubber	CMM015-15-040M-R45
15.0 (0.59")	M4x0.70	60	13.0 (0.51")	Natural Rubber	CMM015-15-040M-R60
20.0 (0.79")	M4x0.70	60	13.0 (0.51")	Natural Rubber	CMM015-20-040M-R60
25.0 (0.98")	M4x0.70	45	10.0 (0.39")	Natural Rubber	CMM015-25-040M-R45
25.0 (0.98")	M4x0.70	60	10.0 (0.39")	Natural Rubber	CMM015-25-040M-R60
25.0 (0.98")	M4x0.70	70	10.0 (0.39")	Natural Rubber	CMM015-25-040M-R70
<b>15.9 mm Nom. Body Dia. (D)</b>					
12.7 (0.50")	8-32 UNC (32 TPI)	60	12.7 (0.50")	Natural Rubber	CMM016-13-042C-R60
<b>16.0 mm Nom. Body Dia. (D)</b>					
13.0 (0.51")	M4x0.70	60	13.0 (0.51")	Natural Rubber	CMM016-13-040M-R60
16.0 (0.63")	1/4 UNC (20 TPI)	60	12.7 (0.50")	Urethane	CMM016-16-064C-U60
<b>19.0 mm Nom. Body Dia. (D)</b>					
9.5 (0.37")	1/4 UNC (20 TPI)	60	10.4 (0.41")	Natural Rubber	CMM019-10-064C-B-R60
9.5 (0.37")	1/4 UNC (20 TPI)	60	10.4 (0.41")	Natural Rubber	CMM019-10-064C-A-R60
19.0 (0.75")	M6x1.00	60	13.0 (0.51")	Natural Rubber	CMM019-19-060M-R60
<b>19.1 mm Nom. Body Dia. (D)</b>					
19.1 (0.75")	1/4 UNC (20 TPI)	60	12.7 (0.50")	Natural Rubber	CMM019-19-064C-R60
<b>20.0 mm Nom. Body Dia. (D)</b>					
8.0 (0.31")	M6x1.00	45	18.0 (0.71")	Natural Rubber	CMM020-08-060M-R45
8.0 (0.31")	M6x1.00	60	18.0 (0.71")	Natural Rubber	CMM020-08-060M-R60
8.0 (0.31")	M6x1.00	70	18.0 (0.71")	Natural Rubber	CMM020-08-060M-R70
10.0 (0.39")	M6x1.00	60	10.0 (0.39")	Natural Rubber	CMM020-10-060M10-R60
10.0 (0.39")	M6x1.00	60	16.0 (0.63")	Natural Rubber	CMM020-10-060M16-R60
10.0 (0.39")	M6x1.00	60	18.0 (0.71")	Natural Rubber	CMM020-10-060M-R60
15.0 (0.59")	M6x1.00	60	18.0 (0.71")	Natural Rubber	CMM020-15-060M-R60
15.0 (0.59")	M6x1.00	70	18.0 (0.71")	Natural Rubber	CMM020-15-060M-R70
15.0 (0.59")	M6x1.00	45	18.0 (0.71")	Natural Rubber	CMM020-15-060M-R45
20.0 (0.79")	M6x1.00	60	18.0 (0.71")	Natural Rubber	CMM020-20-060M-R60
20.0 (0.79")	M6x1.00	70	18.0 (0.71")	Natural Rubber	CMM020-20-060M-R70
20.0 (0.79")	M6x1.00	45	18.0 (0.71")	Natural Rubber	CMM020-20-060M-R45
25.0 (0.98")	M6x1.00	45	18.0 (0.71")	Natural Rubber	CMM020-25-060M-R45
25.0 (0.98")	M6x1.00	60	18.0 (0.71")	Natural Rubber	CMM020-25-060M-R60
25.0 (0.98")	M6x1.00	70	18.0 (0.71")	Natural Rubber	CMM020-25-060M-R70
30.0 (1.18")	M6x1.00	70	18.0 (0.71")	Natural Rubber	CMM020-30-060M-R70
30.0 (1.18")	M6x1.00	45	18.0 (0.71")	Natural Rubber	CMM020-30-060M-R45
30.0 (1.18")	M6x1.00	60	18.0 (0.71")	Natural Rubber	CMM020-30-060M-R60



 Usually stocked or Short Delivery  
 \*\* Available while stocks last \*\*

 Long Delivery or Large Minimum Quantities  
 Not in current production

# Mounts - Bobbin - Male



Body Height (H) mm (In.)	Thread Size	Shore Hardness	Thread Length (L1) mm	Material	Part Number
<b>25.0 mm Nom. Body Dia. (D)</b>					
10.0 (0.39")	M6x1.00	70	18.0 (0.71")	Natural Rubber	<b>CMM025-10-060M-R70</b>
10.0 (0.39")	M6x1.00	45	18.0 (0.71")	Natural Rubber	<b>CMM025-10-060M-R45</b>
10.0 (0.39")	M6x1.00	60	18.0 (0.71")	Natural Rubber	<b>CMM025-10-060M-R60</b>
13.5 (0.53")	1/4 UNC (20 TPI)	60	12.7 (0.50")	Natural Rubber	CMM025-14-064C-B-R60
13.5 (0.53")	1/4 UNC (20 TPI)	60	12.7 (0.50")	Natural Rubber	CMM025-14-064C-C-R60
13.5 (0.53")	1/4 UNC (20 TPI)	60	12.7 (0.50")	Natural Rubber	CMM025-14-064C-A-R60
13.5 (0.53")	M6x1.00	60	12.0 (0.47")	Natural Rubber	CMM025-14-060M-D-R60
13.5 (0.53")	M6x1.00	60	12.0 (0.47")	Natural Rubber	CMM025-14-060M-C-R60
13.5 (0.53")	M6x1.00	60	12.0 (0.47")	Natural Rubber	CMM025-14-060M-B-R60
13.5 (0.53")	M6x1.00	60	12.0 (0.47")	Natural Rubber	CMM025-14-060M-A-R60
13.5 (0.53")	1/4 UNC (20 TPI)	60	12.7 (0.50")	Natural Rubber	CMM025-14-064C-D-R60
15.0 (0.59")	M6x1.00	60	18.0 (0.71")	Neoprene	<b>CMM025-15-060M-N60</b>
15.0 (0.59")	M6x1.00	45	18.0 (0.71")	Natural Rubber	<b>CMM025-15-060M-R45</b>
15.0 (0.59")	M6x1.00	60	18.0 (0.71")	Natural Rubber	<b>CMM025-15-060M-R60</b>
15.0 (0.59")	M6x1.00	70	18.0 (0.71")	Natural Rubber	<b>CMM025-15-060M-R70</b>
19.0 (0.75")	M8x1.25	60	16.0 (0.63")	Natural Rubber	<b>CMM025-19-080M-R60</b>
19.0 (0.75")	5/16 UNC (18 TPI)	60	15.9 (0.63")	Urethane	CMM025-19-079C-E-U60
19.0 (0.75")	1/4 UNC (20 TPI)	60	12.7 (0.50")	Natural Rubber	CMM025-19-064C-C-R60
19.0 (0.75")	5/16 UNC (18 TPI)	60	14.3 (0.56")	Natural Rubber	CMM025-19-079C-A-R60
19.0 (0.75")	5/16 UNC (18 TPI)	60	14.3 (0.56")	Natural Rubber	CMM025-19-079C-D-R60
19.0 (0.75")	5/16 UNC (18 TPI)	60	14.3 (0.56")	Natural Rubber	CMM025-19-079C-B-R60
19.0 (0.75")	M6x1.00	60	12.0 (0.47")	Natural Rubber	CMM025-19-060M-D-R60
19.0 (0.75")	1/4 UNC (20 TPI)	60	12.7 (0.50")	Natural Rubber	CMM025-19-064C-D-R60
19.0 (0.75")	M6x1.00	60	12.0 (0.47")	Natural Rubber	CMM025-19-060M-B-R60
19.0 (0.75")	5/16 UNC (18 TPI)	60	14.3 (0.56")	Natural Rubber	CMM025-19-079C-C-R60
19.0 (0.75")	M6x1.00	60	12.0 (0.47")	Natural Rubber	CMM025-19-060M-C-R60
19.0 (0.75")	M6x1.00	60	12.0 (0.47")	Natural Rubber	CMM025-19-060M-H-R60
19.0 (0.75")	M6x1.00	60	13.0 (0.51")	Natural Rubber	<b>CMM025-19-060M-R60</b>
20.0 (0.79")	M6x1.00	70	18.0 (0.71")	Natural Rubber	<b>CMM025-20-060M-R70</b>
20.0 (0.79")	M8x1.25	70	20.0 (0.79")	Natural Rubber	<b>CMM025-20-080M-R70</b>
20.0 (0.79")	M8x1.25	45	20.0 (0.79")	Natural Rubber	<b>CMM025-20-080M-R45</b>
20.0 (0.79")	M6x1.00	60	18.0 (0.71")	Natural Rubber	<b>CMM025-20-060M-R60</b>
20.0 (0.79")	M6x1.00	45	18.0 (0.71")	Natural Rubber	<b>CMM025-20-060M-R45</b>
20.0 (0.79")	M8x1.25	60	20.0 (0.79")	Natural Rubber	<b>CMM025-20-080M-R60</b>
22.0 (0.87")	M8x1.25	45	20.0 (0.79")	Natural Rubber	<b>CMM025-22-080M-R45</b>
22.0 (0.87")	M8x1.25	60	20.0 (0.79")	Natural Rubber	<b>CMM025-22-080M-R60</b>
22.0 (0.87")	M8x1.25	70	20.0 (0.79")	Natural Rubber	<b>CMM025-22-080M-R70</b>
25.0 (0.98")	5/16 UNC (18 TPI)	60	14.3 (0.56")	Natural Rubber	CMM025-25-079C-D-R60
25.0 (0.98")	M6x1.00	70	18.0 (0.71")	Natural Rubber	<b>CMM025-25-060M-R70</b>
25.0 (0.98")	M8x1.25	60	20.0 (0.79")	Natural Rubber	CMM025-25-080M-B-R60
25.0 (0.98")	5/16 UNC (18 TPI)	60	14.3 (0.56")	Natural Rubber	CMM025-25-079C-A-R60
25.0 (0.98")	M8x1.25	60	16.0 (0.63")	Natural Rubber	<b>CMM025-25-080M-R60</b>
25.0 (0.98")	5/16 UNC (18 TPI)	60	14.3 (0.56")	Natural Rubber	CMM025-25-079C-C-R60
25.0 (0.98")	5/16 UNC (18 TPI)	60	14.3 (0.56")	Natural Rubber	CMM025-25-079C-B-R60
25.0 (0.98")	M6x1.00	60	18.0 (0.71")	Natural Rubber	<b>CMM025-25-060M-R60</b>
25.0 (0.98")	M6x1.00	45	18.0 (0.71")	Natural Rubber	<b>CMM025-25-060M-R45</b>
25.0 (0.98")	M6x1.00	60	18.0 (0.71")	Natural Rubber	CMM025-25-060M-B-R60
30.0 (1.18")	M6x1.00	45	18.0 (0.71")	Natural Rubber	<b>CMM025-30-060M-R45</b>
30.0 (1.18")	M8x1.25	70	20.0 (0.79")	Natural Rubber	<b>CMM025-30-080M-R70</b>
30.0 (1.18")	M8x1.25	60	20.0 (0.79")	Natural Rubber	<b>CMM025-30-080M-R60</b>
30.0 (1.18")	M8x1.25	45	20.0 (0.79")	Natural Rubber	<b>CMM025-30-080M-R45</b>
30.0 (1.18")	M6x1.00	60	18.0 (0.71")	Natural Rubber	<b>CMM025-30-060M-R60</b>
30.0 (1.18")	M6x1.00	70	18.0 (0.71")	Natural Rubber	<b>CMM025-30-060M-R70</b>



 Usually stocked or Short Delivery  
 \*\* Available while stocks last \*\*

 Long Delivery or Large Minimum Quantities  
 Not in current production

# Mounts - Bobbin - Male



Body Height (H) mm (In.)	Thread Size	Shore Hardness	Thread Length (L1) mm	Material	Part Number
<b>25.4 mm Nom. Body Dia. (D)</b>					
12.7 (0.50")	1/4 UNC (20 TPI)	60	12.7 (0.50")	Natural Rubber	CMM025-13-064C-R60
19.1 (0.75")	5/16 UNC (18 TPI)	60	15.9 (0.63")	Natural Rubber	CMM025-19-079C16-R60
19.1 (0.75")	1/4 UNC (20 TPI)	60	12.7 (0.50")	Natural Rubber	CMM025-19-064C13-R60
19.1 (0.75")	1/4 UNC (20 TPI)	60	15.9 (0.63")	Natural Rubber	CMM025-19-064C15-R60
25.4 (1.00")	1/4 UNC (20 TPI)	60	12.7 (0.50")	Natural Rubber	CMM025-25-064C-R60
25.4 (1.00")	5/16 UNC (18 TPI)	60	15.9 (0.63")	Natural Rubber	CMM025-25-079C-R60
<b>30.0 mm Nom. Body Dia. (D)</b>					
15.0 (0.59")	M8x1.25	45	20.0 (0.79")	Natural Rubber	CMM030-15-080M-R45
15.0 (0.59")	M8x1.25	60	20.0 (0.79")	Natural Rubber	CMM030-15-080M-R60
15.0 (0.59")	M8x1.25	70	20.0 (0.79")	Natural Rubber	CMM030-15-080M-R70
20.0 (0.79")	M8x1.25	60	20.0 (0.79")	Natural Rubber	CMM030-20-080M-R60
20.0 (0.79")	M8x1.25	70	20.0 (0.79")	Natural Rubber	CMM030-20-080M-R70
20.0 (0.79")	M8x1.25	45	20.0 (0.79")	Natural Rubber	CMM030-20-080M-R45
22.0 (0.87")	M8x1.25	45	20.0 (0.79")	Natural Rubber	CMM030-22-080M-R45
22.0 (0.87")	M8x1.25	60	20.0 (0.79")	Natural Rubber	CMM030-22-080M-R60
22.0 (0.87")	M8x1.25	70	20.0 (0.79")	Natural Rubber	CMM030-22-080M-R70
25.0 (0.98")	M8x1.25	45	20.0 (0.79")	Natural Rubber	CMM030-25-080M-R45
25.0 (0.98")	M8x1.25	60	20.0 (0.79")	Natural Rubber	CMM030-25-080M-R60
25.0 (0.98")	M8x1.25	70	20.0 (0.79")	Natural Rubber	CMM030-25-080M-R70
28.0 (1.10")	M8x1.25	40	20.0 (0.79")	Natural Rubber	CMM030-28-080M-R40
30.0 (1.18")	M8x1.25	45	20.0 (0.79")	Natural Rubber	CMM030-30-080M-R45
30.0 (1.18")	M8x1.25	60	20.0 (0.79")	Natural Rubber	CMM030-30-080M-R60
30.0 (1.18")	M8x1.25	60	23.0 (0.91")	Natural Rubber	CMM030-30-080M-B-R60
30.0 (1.18")	M8x1.25	60	23.0 (0.91")	Natural Rubber	CMM030-30-080M-A-R60
30.0 (1.18")	M8x1.25	70	20.0 (0.79")	Natural Rubber	CMM030-30-080M-R70
40.0 (1.57")	M8x1.25	45	20.0 (0.79")	Natural Rubber	CMM030-40-080M-R45
40.0 (1.57")	M8x1.25	60	20.0 (0.79")	Natural Rubber	CMM030-40-080M-R60
40.0 (1.57")	M8x1.25	70	20.0 (0.79")	Natural Rubber	CMM030-40-080M-R70
<b>31.8 mm Nom. Body Dia. (D)</b>					
19.1 (0.75")	1/4 UNC (20 TPI)	60	12.7 (0.50")	Natural Rubber	CMM032-19-064C-R60
19.1 (0.75")	5/16 UNC (18 TPI)	60	15.9 (0.63")	Natural Rubber	CMM032-19-079C-R60
25.4 (1.00")	5/16 UNC (18 TPI)	60	15.9 (0.63")	Natural Rubber	CMM032-25-079C-R60
<b>32.0 mm Nom. Body Dia. (D)</b>					
19.0 (0.75")	5/16 UNC (18 TPI)	60	14.3 (0.56")	Natural Rubber	CMM032-19-079C-B-R60
19.0 (0.75")	M8x1.25	60	13.5 (0.53")	Natural Rubber	CMM032-19-080M-C-R60
19.0 (0.75")	M8x1.25	60	16.0 (0.63")	Natural Rubber	CMM032-19-080M-R60
19.0 (0.75")	M8x1.25	60	13.5 (0.53")	Natural Rubber	CMM032-19-080M-D-R60
19.0 (0.75")	M8x1.25	60	13.5 (0.53")	Natural Rubber	CMM032-19-080M-B-R60
19.0 (0.75")	M8x1.25	60	13.5 (0.53")	Natural Rubber	CMM032-19-080M-A-R60
19.0 (0.75")	5/16 UNC (18 TPI)	60	14.3 (0.56")	Natural Rubber	CMM032-19-079C-C-R60
19.0 (0.75")	5/16 UNC (18 TPI)	60	14.3 (0.56")	Natural Rubber	CMM032-19-079C-A-R60
19.0 (0.75")	5/16 UNC (18 TPI)	60	14.3 (0.56")	Natural Rubber	CMM032-19-079C-D-R60
22.2 (0.87")	5/16 UNC (18 TPI)	60	14.3 (0.56")	Natural Rubber	CMM032-22-079C-A-R60
22.2 (0.87")	5/16 UNC (18 TPI)	60	14.3 (0.56")	Natural Rubber	CMM032-22-079C-B-R60
22.2 (0.87")	5/16 UNC (18 TPI)	60	14.3 (0.56")	Natural Rubber	CMM032-22-079C-C-R60
22.2 (0.87")	5/16 UNC (18 TPI)	60	14.3 (0.56")	Natural Rubber	CMM032-22-079C-D-R60
25.0 (0.98")	M8x1.25	60	16.0 (0.63")	Natural Rubber	CMM032-25-080M-R60
32.0 (1.26")	M8x1.25	60	13.5 (0.53")	Natural Rubber	CMM032-32-080M-B-R60
32.0 (1.26")	M8x1.25	60	13.5 (0.53")	Natural Rubber	CMM032-32-080M-A-R60
32.0 (1.26")	M8x1.25	60	13.5 (0.53")	Natural Rubber	CMM032-32-080M-D-R60
32.0 (1.26")	M8x1.25	60	13.5 (0.53")	Natural Rubber	CMM032-32-080M-C-R60
32.0 (1.26")	5/16 UNC (18 TPI)	60	14.3 (0.56")	Natural Rubber	CMM032-32-079C-C-R60
32.0 (1.26")	5/16 UNC (18 TPI)	60	14.3 (0.56")	Natural Rubber	CMM032-32-079C-A-R60
32.0 (1.26")	5/16 UNC (18 TPI)	60	14.3 (0.56")	Natural Rubber	CMM032-32-079C-B-R60
32.0 (1.26")	5/16 UNC (18 TPI)	60	14.3 (0.56")	Natural Rubber	CMM032-32-079C-D-R60



 Usually stocked or Short Delivery  
 \*\* Available while stocks last \*\*

 Long Delivery or Large Minimum Quantities  
 Not in current production

# Mounts - Bobbin - Male



Body Height (H) mm (in.)	Thread Size	Shore Hardness	Thread Length (L1) mm	Material	Part Number
<b>34.9 mm Nom. Body Dia. (D)</b>					
25.4 (1.00")	5/16 UNC (18 TPI)	60	19.1 (0.75")	Natural Rubber	<b>CMM035-25-079C19-R60</b>
25.4 (1.00")	5/16 UNC (18 TPI)	60	15.9 (0.63")	Natural Rubber	<b>CMM035-25-079C16-R60</b>
<b>35.0 mm Nom. Body Dia. (D)</b>					
16.0 (0.63")	M8x1.25	60	13.5 (0.53")	Natural Rubber	CMM035-16-080M-B-R60
16.0 (0.63")	M8x1.25	60	13.5 (0.53")	Natural Rubber	CMM035-16-080M-C-R60
16.0 (0.63")	M8x1.25	60	13.5 (0.53")	Natural Rubber	CMM035-16-080M-A-R60
16.0 (0.63")	5/16 UNC (18 TPI)	60	14.3 (0.56")	Natural Rubber	CMM035-16-079C-D-R60
16.0 (0.63")	5/16 UNC (18 TPI)	60	14.3 (0.56")	Natural Rubber	CMM035-16-079C-C-R60
16.0 (0.63")	5/16 UNC (18 TPI)	60	14.3 (0.56")	Natural Rubber	CMM035-16-079C-B-R60
16.0 (0.63")	5/16 UNC (18 TPI)	60	14.3 (0.56")	Natural Rubber	CMM035-16-079C-A-R60
16.0 (0.63")	M8x1.25	60	13.5 (0.53")	Natural Rubber	CMM035-16-080M-D-R60
25.0 (0.98")	M8x1.25	60	13.5 (0.53")	Natural Rubber	CMM035-25-080M-C-R60
25.0 (0.98")	M8x1.25	60	13.5 (0.53")	Natural Rubber	CMM035-25-080M-B-R60
25.0 (0.98")	M8x1.25	60	13.5 (0.53")	Natural Rubber	CMM035-25-080M-D-R60
25.0 (0.98")	5/16 UNC (18 TPI)	60	14.3 (0.56")	Natural Rubber	CMM035-25-079C-D-R60
25.0 (0.98")	5/16 UNC (18 TPI)	60	14.3 (0.56")	Natural Rubber	CMM035-25-079C-A-R60
25.0 (0.98")	5/16 UNC (18 TPI)	60	14.3 (0.56")	Natural Rubber	CMM035-25-079C-C-R60
25.0 (0.98")	5/16 UNC (18 TPI)	60	14.3 (0.56")	Natural Rubber	CMM035-25-079C-B-R60
25.0 (0.98")	M8x1.25	60	13.5 (0.53")	Natural Rubber	CMM035-25-080M-A-R60
25.0 (0.98")	M8x1.25	60	16.0 (0.63")	Natural Rubber	<b>CMM035-25-080M-R60</b>
<b>38.0 mm Nom. Body Dia. (D)</b>					
19.0 (0.75")	M8x1.25	60	16.0 (0.63")	Natural Rubber	<b>CMM038-19-080M-R60</b>
<b>38.1 mm Nom. Body Dia. (D)</b>					
19.1 (0.75")	5/16 UNC (18 TPI)	60	15.9 (0.63")	Natural Rubber	<b>CMM038-19-079C-R60</b>
25.4 (1.00")	3/8 UNC (16 TPI)	60	15.9 (0.63")	Natural Rubber	CMM038-25-095C-R60
<b>39.7 mm Nom. Body Dia. (D)</b>					
25.4 (1.00")	3/8 UNC (16 TPI)	60	15.9 / 28.6	Natural Rubber	<b>CMM040-25-095C-R60</b>
25.4 (1.00")	5/16 UNC (18 TPI)	60	15.9 (0.63")	Natural Rubber	<b>CMM040-25-079C-R60</b>



 Usually stocked or Short Delivery  
 \*\* Available while stocks last \*\*

 Long Delivery or Large Minimum Quantities  
 Not in current production

# Mounts - Bobbin - Male



Body Height (H) mm (In.)	Thread Size	Shore Hardness	Thread Length (L1) mm	Material	Part Number
<b>40.0 mm Nom. Body Dia. (D)</b>					
20.0 (0.79")	M8x1.25	70	23.0 (0.91")	Natural Rubber	CMM040-20-080M-R70
20.0 (0.79")	M10x1.50	70	25.0 (0.98")	Natural Rubber	CMM040-20-100M-R70
20.0 (0.79")	M10x1.50	45	25.0 (0.98")	Natural Rubber	CMM040-20-100M-R45
20.0 (0.79")	M8x1.25	60	23.0 (0.91")	Natural Rubber	CMM040-20-080M-R60
20.0 (0.79")	M8x1.25	45	23.0 (0.91")	Natural Rubber	CMM040-20-080M-R45
20.0 (0.79")	M10x1.50	60	25.0 (0.98")	Natural Rubber	CMM040-20-100M-R60
25.0 (0.98")	M8x1.25	60	13.0 (0.51")	Natural Rubber	CMM040-25-080M-B-R60
25.0 (0.98")	M8x1.25	60	23.0 (0.91")	Natural Rubber	CMM040-25-080M-R60
25.0 (0.98")	M10x1.50	60	28.0 (1.10")	Natural Rubber	CMM040-25-100M-B-R60
25.0 (0.98")	M10x1.50	45	25.0 (0.98")	Natural Rubber	CMM040-25-100M-R45
25.0 (0.98")	M10x1.50	70	25.0 (0.98")	Natural Rubber	CMM040-25-100M-R70
25.0 (0.98")	M10x1.50	60	25.0 (0.98")	Natural Rubber	CMM040-25-100M-R60
28.0 (1.10")	M10x1.50	60	25.0 (0.98")	Natural Rubber	CMM040-28-100M-R60
28.0 (1.10")	M10x1.50	70	25.0 (0.98")	Natural Rubber	CMM040-28-100M-R70
28.0 (1.10")	M10x1.50	45	25.0 (0.98")	Natural Rubber	CMM040-28-100M-R45
30.0 (1.18")	M10x1.50	70	25.0 (0.98")	Natural Rubber	CMM040-30-100M-R70
30.0 (1.18")	M8x1.25	45	23.0 (0.91")	Natural Rubber	CMM040-30-080M-R45
30.0 (1.18")	M8x1.25	60	23.0 (0.91")	Natural Rubber	CMM040-30-080M-R60
30.0 (1.18")	M8x1.25	70	23.0 (0.91")	Natural Rubber	CMM040-30-080M-R70
30.0 (1.18")	M10x1.50	45	25.0 (0.98")	Natural Rubber	CMM040-30-100M-R45
30.0 (1.18")	M10x1.50	60	25.0 (0.98")	Natural Rubber	CMM040-30-100M-R60
35.0 (1.38")	M10x1.50	70	25.0 (0.98")	Natural Rubber	CMM040-35-100M-R70
35.0 (1.38")	M10x1.50	45	25.0 (0.98")	Natural Rubber	CMM040-35-100M-R45
35.0 (1.38")	M10x1.50	60	28.0 (1.10")	Natural Rubber	CMM040-35-100M28-R60
35.0 (1.38")	M10x1.50	60	25.0 (0.98")	Natural Rubber	CMM040-35-100M25-R60
35.0 (1.38")	M8x1.25	70	23.0 (0.91")	Natural Rubber	CMM040-35-080M-R70
35.0 (1.38")	M8x1.25	45	23.0 (0.91")	Natural Rubber	CMM040-35-080M-R45
35.0 (1.38")	M8x1.25	60	23.0 (0.91")	Natural Rubber	CMM040-35-080M-R60
40.0 (1.57")	M10x1.50	70	25.0 (0.98")	Natural Rubber	CMM040-40-100M-R70
40.0 (1.57")	M8x1.25	70	23.0 (0.91")	Natural Rubber	CMM040-40-080M-R70
40.0 (1.57")	M8x1.25	60	23.0 (0.91")	Natural Rubber	CMM040-40-080M-R60
40.0 (1.57")	M8x1.25	45	23.0 (0.91")	Natural Rubber	CMM040-40-080M-R45
40.0 (1.57")	M10x1.50	45	25.0 (0.98")	Natural Rubber	CMM040-40-100M-R45
40.0 (1.57")	M10x1.50	60	25.0 (0.98")	Natural Rubber	CMM040-40-100M-R60
45.0 (1.77")	M10x1.50	45	25.0 (0.98")	Natural Rubber	CMM040-45-100M-R45
45.0 (1.77")	M10x1.50	60	25.0 (0.98")	Natural Rubber	CMM040-45-100M-R60
45.0 (1.77")	M10x1.50	70	25.0 (0.98")	Natural Rubber	CMM040-45-100M-R70



 Usually stocked or Short Delivery  
 \*\* Available while stocks last \*\*

 Long Delivery or Large Minimum Quantities  
 Not in current production

# Mounts - Bobbin - Male



Body Height (H) mm (in.)	Thread Size	Shore Hardness	Thread Length (L1) mm	Material	Part Number
<b>50.0 mm Nom. Body Dia. (D)</b>					
20.0 (0.79")	M10x1.50	70	28.0 (1.10")	Natural Rubber	CMM050-20-100M-R70
20.0 (0.79")	M10x1.50	45	28.0 (1.10")	Natural Rubber	CMM050-20-100M-R45
20.0 (0.79")	M10x1.50	60	28.0 (1.10")	Natural Rubber	CMM050-20-100M-R60
25.0 (0.98")	M10x1.50	60	25.0 (0.98")	Natural Rubber	CMM050-25-100M-R60
25.0 (0.98")	M10x1.50	70	25.0 (0.98")	Natural Rubber	CMM050-25-100M-R70
25.0 (0.98")	M10x1.50	45	25.0 (0.98")	Natural Rubber	CMM050-25-100M-R45
30.0 (1.18")	M10x1.50	70	28.0 (1.10")	Natural Rubber	CMM050-30-100M-R70
30.0 (1.18")	M8x1.25	60	23.0 (0.91")	Natural Rubber	CMM050-30-080M-R60
30.0 (1.18")	M10x1.50	60	28.0 (1.10")	Natural Rubber	CMM050-30-100M-R60
30.0 (1.18")	M8x1.25	70	23.0 (0.91")	Natural Rubber	CMM050-30-080M-R70
30.0 (1.18")	M8x1.25	45	23.0 (0.91")	Natural Rubber	CMM050-30-080M-R45
30.0 (1.18")	M10x1.50	45	28.0 (1.10")	Natural Rubber	CMM050-30-100M-R45
35.0 (1.38")	M10x1.50	60	25.0 (0.98")	Natural Rubber	CMM050-35-100M-R60
35.0 (1.38")	M10x1.50	45	25.0 (0.98")	Natural Rubber	CMM050-35-100M-R45
35.0 (1.38")	M10x1.50	70	25.0 (0.98")	Natural Rubber	CMM050-35-100M-R70
35.0 (1.38")	M10x1.50	35	25.0 (0.98")	Natural Rubber	CMM050-35-100M-R35
40.0 (1.57")	M10x1.50	45	28.0 (1.10")	Natural Rubber	CMM050-40-100M-R45
40.0 (1.57")	M10x1.50	60	28.0 (1.10")	Natural Rubber	CMM050-40-100M-R60
40.0 (1.57")	M10x1.50	70	28.0 (1.10")	Natural Rubber	CMM050-40-100M-R70
45.0 (1.77")	M10x1.50	70	25.0 (0.98")	Natural Rubber	CMM050-45-100M-R70
45.0 (1.77")	M10x1.50	60	25.0 (0.98")	Natural Rubber	CMM050-45-100M-R60
45.0 (1.77")	M10x1.50	45	25.0 (0.98")	Natural Rubber	CMM050-45-100M-R45
50.0 (1.97")	M10x1.50	45	25.0 (0.98")	Natural Rubber	CMM050-50-100M-R45
50.0 (1.97")	M10x1.50	70	25.0 (0.98")	Natural Rubber	CMM050-50-100M-R70
50.0 (1.97")	M10x1.50	60	25.0 (0.98")	Natural Rubber	CMM050-50-100M-R60
<b>50.8 mm Nom. Body Dia. (D)</b>					
19.1 (0.75")	3/8 UNC (16 TPI)	60	28.6 / 15.9	Natural Rubber	CMM051-19-095C-R60
26.2 (1.03")	1/2-20 UNF (20 TPI)	60	23.0 (0.91")	Natural Rubber	CMM051-26-1270F-R60
41.3 (1.63")	3/8 UNC (16 TPI)	60	15.9 / 22.2	Natural Rubber	CMM051-41-095C-R60
<b>51.0 mm Nom. Body Dia. (D)</b>					
19.0 (0.75")	M10x1.50	60	29.0 (1.14")	Natural Rubber	CMM051-19-100M-R60



 Usually stocked or Short Delivery  
 \*\* Available while stocks last \*\*

 Long Delivery or Large Minimum Quantities  
 Not in current production

# Mounts - Bobbin - Male



Body Height (H) mm (in.)	Thread Size	Shore Hardness	Thread Length (L1) mm	Material	Part Number
<b>60.0 mm Nom. Body Dia. (D)</b>					
25.0 (0.98")	M10x1.50	60	25.0 (0.98")	Natural Rubber	CMM060-25-100M-R60
25.0 (0.98")	M10x1.50	70	25.0 (0.98")	Natural Rubber	CMM060-25-100M-R70
25.0 (0.98")	M10x1.50	45	25.0 (0.98")	Natural Rubber	CMM060-25-100M-R45
30.0 (1.18")	M12x1.75	60	37.0 (1.46")	Natural Rubber	CMM060-30-120M-R60
30.0 (1.18")	M10x1.50	60	25.0 (0.98")	Natural Rubber	CMM060-30-100M-R60
30.0 (1.18")	M10x1.50	70	25.0 (0.98")	Natural Rubber	CMM060-30-100M-R70
30.0 (1.18")	M10x1.50	45	25.0 (0.98")	Natural Rubber	CMM060-30-100M-R45
35.0 (1.38")	M12x1.75	45	37.0 (1.46")	Natural Rubber	CMM060-35-120M-R45
35.0 (1.38")	M12x1.75	70	37.0 (1.46")	Natural Rubber	CMM060-35-120M-R70
35.0 (1.38")	M12x1.75	60	37.0 (1.46")	Natural Rubber	CMM060-35-120M-R60
35.0 (1.38")	M10x1.50	70	25.0 (0.98")	Natural Rubber	CMM060-35-100M-R70
35.0 (1.38")	M10x1.50	45	25.0 (0.98")	Natural Rubber	CMM060-35-100M-R45
35.0 (1.38")	M10x1.50	60	25.0 (0.98")	Natural Rubber	CMM060-35-100M-R60
40.0 (1.57")	M10x1.50	45	25.0 (0.98")	Natural Rubber	CMM060-40-100M-R45
40.0 (1.57")	M10x1.50	60	25.0 (0.98")	Natural Rubber	CMM060-40-100M-R60
40.0 (1.57")	M10x1.50	70	25.0 (0.98")	Natural Rubber	CMM060-40-100M-R70
40.0 (1.57")	M12x1.75	45	37.0 (1.46")	Natural Rubber	CMM060-40-120M-R45
40.0 (1.57")	M12x1.75	60	37.0 (1.46")	Natural Rubber	CMM060-40-120M-R60
40.0 (1.57")	M12x1.75	70	37.0 (1.46")	Natural Rubber	CMM060-40-120M-R70
45.0 (1.77")	M12x1.75	60	37.0 (1.46")	Natural Rubber	CMM060-45-120M-R60
45.0 (1.77")	M12x1.75	45	37.0 (1.46")	Natural Rubber	CMM060-45-120M-R45
45.0 (1.77")	M10x1.50	45	25.0 (0.98")	Natural Rubber	CMM060-45-100M-R45
45.0 (1.77")	M10x1.50	60	25.0 (0.98")	Natural Rubber	CMM060-45-100M-R60
45.0 (1.77")	M12x1.75	70	37.0 (1.46")	Natural Rubber	CMM060-45-120M-R70
45.0 (1.77")	M10x1.50	70	25.0 (0.98")	Natural Rubber	CMM060-45-100M-R70
50.0 (1.97")	M10x1.50	60	35.0 (1.38")	Natural Rubber	CMM060-50-100M-R60
50.0 (1.97")	M12x1.75	45	37.0 (1.46")	Natural Rubber	CMM060-50-120M-R45
50.0 (1.97")	M12x1.75	60	37.0 (1.46")	Natural Rubber	CMM060-50-120M-R60
50.0 (1.97")	M12x1.75	70	37.0 (1.46")	Natural Rubber	CMM060-50-120M-R70
<b>61.9 mm Nom. Body Dia. (D)</b>					
31.8 (1.25")	1/2 UNC (13 TPI)	60	22.2 / 31.8	Natural Rubber	CMM062-32-127C-R60
<b>65.0 mm Nom. Body Dia. (D)</b>					
35.0 (1.38")	M10x1.50	45	25.0 (0.98")	Natural Rubber	CMM065-35-100M-R45
35.0 (1.38")	M10x1.50	60	25.0 (0.98")	Natural Rubber	CMM065-35-100M-R60
35.0 (1.38")	M10x1.50	70	25.0 (0.98")	Natural Rubber	CMM065-35-100M-R70



 Usually stocked or Short Delivery  
 \*\* Available while stocks last \*\*

 Long Delivery or Large Minimum Quantities  
 Not in current production

# Mounts - Bobbin - Male

Body Height (H) mm (in.)	Thread Size	Shore Hardness	Thread Length (L1) mm	Material	Part Number
<b>70.0 mm Nom. Body Dia. (D)</b>					
30.0 (1.18")	M12x1.75	45	37.0 (1.46")	Natural Rubber	CMM070-30-120M-R45
30.0 (1.18")	M12x1.75	60	37.0 (1.46")	Natural Rubber	CMM070-30-120M-R60
30.0 (1.18")	M10x1.50	60	25.0 (0.98")	Natural Rubber	CMM070-30-100M-R60
30.0 (1.18")	M10x1.50	45	25.0 (0.98")	Natural Rubber	CMM070-30-100M-R45
30.0 (1.18")	M12x1.75	70	37.0 (1.46")	Natural Rubber	CMM070-30-120M-R70
30.0 (1.18")	M10x1.50	70	25.0 (0.98")	Natural Rubber	CMM070-30-100M-R70
35.0 (1.38")	M12x1.75	60	37.0 (1.46")	Natural Rubber	CMM070-35-120M-R60
35.0 (1.38")	M12x1.75	70	37.0 (1.46")	Natural Rubber	CMM070-35-120M-R70
35.0 (1.38")	M12x1.75	45	37.0 (1.46")	Natural Rubber	CMM070-35-120M-R45
35.0 (1.38")	M10x1.50	70	25.0 (0.98")	Natural Rubber	CMM070-35-100M-R70
35.0 (1.38")	M10x1.50	60	25.0 (0.98")	Natural Rubber	CMM070-35-100M-R60
35.0 (1.38")	M10x1.50	45	25.0 (0.98")	Natural Rubber	CMM070-35-100M-R45
40.0 (1.57")	M10x1.50	60	25.0 (0.98")	Natural Rubber	CMM070-40-100M-R60
40.0 (1.57")	M10x1.50	70	25.0 (0.98")	Natural Rubber	CMM070-40-100M-R70
40.0 (1.57")	M12x1.75	45	37.0 (1.46")	Natural Rubber	CMM070-40-120M-R45
40.0 (1.57")	M12x1.75	60	37.0 (1.46")	Natural Rubber	CMM070-40-120M-R60
40.0 (1.57")	M12x1.75	70	37.0 (1.46")	Natural Rubber	CMM070-40-120M-R70
40.0 (1.57")	M10x1.50	45	25.0 (0.98")	Natural Rubber	CMM070-40-100M-R45
45.0 (1.77")	M10x1.50	60	25.0 (0.98")	Natural Rubber	CMM070-45-100M-R60
45.0 (1.77")	M10x1.50	70	25.0 (0.98")	Natural Rubber	CMM070-45-100M-R70
45.0 (1.77")	M12x1.75	45	37.0 (1.46")	Natural Rubber	CMM070-45-120M-R45
45.0 (1.77")	M12x1.75	60	37.0 (1.46")	Natural Rubber	CMM070-45-120M-R60
45.0 (1.77")	M12x1.75	70	37.0 (1.46")	Natural Rubber	CMM070-45-120M-R70
45.0 (1.77")	M10x1.50	45	25.0 (0.98")	Natural Rubber	CMM070-45-100M-R45
50.0 (1.97")	M10x1.50	45	25.0 (0.98")	Natural Rubber	CMM070-50-100M-R45
50.0 (1.97")	M10x1.50	60	25.0 (0.98")	Natural Rubber	CMM070-50-100M-R60
50.0 (1.97")	M10x1.50	70	25.0 (0.98")	Natural Rubber	CMM070-50-100M-R70
50.0 (1.97")	M12x1.75	45	37.0 (1.46")	Natural Rubber	CMM070-50-120M-R45
50.0 (1.97")	M12x1.75	60	37.0 (1.46")	Natural Rubber	CMM070-50-120M-R60
50.0 (1.97")	M12x1.75	70	37.0 (1.46")	Natural Rubber	CMM070-50-120M-R70
<b>75.0 mm Nom. Body Dia. (D)</b>					
25.0 (0.98")	M12x1.75	45	37.0 (1.46")	Natural Rubber	CMM075-25-120M-R45
25.0 (0.98")	M12x1.75	60	37.0 (1.46")	Natural Rubber	CMM075-25-120M-R60
25.0 (0.98")	M12x1.75	70	37.0 (1.46")	Natural Rubber	CMM075-25-120M-R70
35.0 (1.38")	M12x1.75	45	37.0 (1.46")	Natural Rubber	CMM075-35-120M-R45
35.0 (1.38")	M12x1.75	60	37.0 (1.46")	Natural Rubber	CMM075-35-120M-R60
35.0 (1.38")	M12x1.75	70	37.0 (1.46")	Natural Rubber	CMM075-35-120M-R70
40.0 (1.57")	M12x1.75	45	37.0 (1.46")	Natural Rubber	CMM075-40-120M-R45
40.0 (1.57")	M12x1.75	60	37.0 (1.46")	Natural Rubber	CMM075-40-120M-R60
40.0 (1.57")	M12x1.75	70	37.0 (1.46")	Natural Rubber	CMM075-40-120M-R70
50.0 (1.97")	M12x1.75	45	37.0 (1.46")	Natural Rubber	CMM075-50-120M-R45
50.0 (1.97")	M12x1.75	60	37.0 (1.46")	Natural Rubber	CMM075-50-120M-R60
50.0 (1.97")	M12x1.75	70	37.0 (1.46")	Natural Rubber	CMM075-50-120M-R70
55.0 (2.17")	M12x1.75	45	37.0 (1.46")	Natural Rubber	CMM075-55-120M-R45
55.0 (2.17")	M12x1.75	60	37.0 (1.46")	Natural Rubber	CMM075-55-120M-R60
55.0 (2.17")	M12x1.75	70	37.0 (1.46")	Natural Rubber	CMM075-55-120M-R70
<b>79.0 mm Nom. Body Dia. (D)</b>					
57.0 (2.24")	M12x1.75	60	35.0 (1.38")	Natural Rubber	CMM079-57-120M-R60
<b>79.4 mm Nom. Body Dia. (D)</b>					
57.2 (2.25")	1/2 UNC (13 TPI)	60	31.8 / 12.7	Natural Rubber	CMM079-57-1270C-R60
<b>80.0 mm Nom. Body Dia. (D)</b>					
30.0 (1.18")	M14x2.00	70	35.0 (1.38")	Natural Rubber	CMM080-30-140M-R70
30.0 (1.18")	M14x2.00	60	35.0 (1.38")	Natural Rubber	CMM080-30-140M-R60
30.0 (1.18")	M14x2.00	45	35.0 (1.38")	Natural Rubber	CMM080-30-140M-R45

 Usually stocked or Short Delivery  
 \*\* Available while stocks last \*\*

 Long Delivery or Large Minimum Quantities  
 Not in current production



# Mounts - Bobbin - Male



Body Height (H) mm (in.)	Thread Size	Shore Hardness	Thread Length (L1) mm	Material	Part Number
<b>100.0 mm Nom. Body Dia. (D)</b>					
30.0 (1.18")	M16x2.00	45	44.0 (1.73")	Natural Rubber	CMM100-30-160M-R45
30.0 (1.18")	M16x2.00	60	44.0 (1.73")	Natural Rubber	CMM100-30-160M-R60
30.0 (1.18")	M16x2.00	70	44.0 (1.73")	Natural Rubber	CMM100-30-160M-R70
40.0 (1.57")	M16x2.00	45	44.0 (1.73")	Natural Rubber	CMM100-40-160M-R45
40.0 (1.57")	M16x2.00	60	44.0 (1.73")	Natural Rubber	CMM100-40-160M-R60
40.0 (1.57")	M16x2.00	70	44.0 (1.73")	Natural Rubber	CMM100-40-160M-R70
50.0 (1.97")	M16x2.00	45	44.0 (1.73")	Natural Rubber	CMM100-50-160M-R45
50.0 (1.97")	M16x2.00	60	44.0 (1.73")	Natural Rubber	CMM100-50-160M-R60
50.0 (1.97")	M16x2.00	70	44.0 (1.73")	Natural Rubber	CMM100-50-160M-R70
55.0 (2.17")	M16x2.00	60	44.0 (1.73")	Natural Rubber	CMM100-55-160M-R60
55.0 (2.17")	M16x2.00	70	44.0 (1.73")	Natural Rubber	CMM100-55-160M-R70
55.0 (2.17")	M16x2.00	45	44.0 (1.73")	Natural Rubber	CMM100-55-160M-R45
60.0 (2.36")	M16x2.00	45	44.0 (1.73")	Natural Rubber	CMM100-60-160M-R45
60.0 (2.36")	M16x2.00	60	44.0 (1.73")	Natural Rubber	CMM100-60-160M-R60
60.0 (2.36")	M16x2.00	70	44.0 (1.73")	Natural Rubber	CMM100-60-160M-R70
75.0 (2.95")	M16x2.00	60	44.0 (1.73")	Natural Rubber	CMM100-75-160M-R60
75.0 (2.95")	M16x2.00	70	44.0 (1.73")	Natural Rubber	CMM100-75-160M-R70
75.0 (2.95")	M16x2.00	45	44.0 (1.73")	Natural Rubber	CMM100-75-160M-R45
100.0 (3.94")	M16x2.00	45	44.0 (1.73")	Natural Rubber	CMM100-100-160M-R45
100.0 (3.94")	M16x2.00	70	44.0 (1.73")	Natural Rubber	CMM100-100-160M-R70
100.0 (3.94")	M16x2.00	60	44.0 (1.73")	Natural Rubber	CMM100-100-160M-R60



## 150.0 mm Nom. Body Dia. (D)

75.0 (2.95")	M16x2.00	60	44.0 (1.73")	Natural Rubber	CMM150-75-160M-R60
75.0 (2.95")	M16x2.00	70	44.0 (1.73")	Natural Rubber	CMM150-75-160M-R70
75.0 (2.95")	M16x2.00	45	44.0 (1.73")	Natural Rubber	CMM150-75-160M-R45

# Mounts - Bobbin - Male - Square Base



Body Length (H) mm (in.)	Thread Size	Shore Hardness	Thread Length (L1) mm	Material	Part Number
<b>3.1 mm Body Square</b>					
14.3 (0.05")	8-32 UNC (32 TPI)	60	14.3 (0.56")	Natural Rubber	** CMM013-14-042C-R60SQ
<b>3.8 mm Body Square</b>					
14.3 (0.06")	8-32 UNC (32 TPI)	60	14.3 (0.56")	Natural Rubber	CSQ004-01-0417C
<b>5.4 mm Body Square</b>					
14.3 (0.09")	8-32 UNC (32 TPI)	60	14.3 (0.56")	Natural Rubber	CSQ005-02-0417C
<b>6.5 mm Body Square</b>					
14.3 (0.13")	8-32 UNC (32 TPI)	60	14.3 (0.56")	Natural Rubber	CSQ007-03-0417C



 Usually stocked or Short Delivery  
 \*\* Available while stocks last \*\*

 Long Delivery or Large Minimum Quantities  
 Not in current production

# Mounts - Bobbin - Male to Female



Body Height (H) mm (In.)	Thread Size	Shore Hardness	Thread Length/Depth (L1/L2) mm	Material	Part Number
<b>7.0 mm Nom. Body Dia. (D)</b>					
8.1 (0.32")	4-40 UNC (40 TPI)	60	5.1 / 2.8	Urethane	CMF007-08-028C-H-U60
8.1 (0.32")	4-40 UNC (40 TPI)	60	5.1 / 2.8	Urethane	CMF007-08-028C-L-U60
<b>8.0 mm Nom. Body Dia. (D)</b>					
8.0 (0.31")	M3x0.50	60	6.0 / 3.0	Natural Rubber	CMF008-08-030M-R60
<b>10.0 mm Nom. Body Dia. (D)</b>					
8.0 (0.31")	M4x0.70	60	6.0 / 4.0	Natural Rubber	CMF010-08-040M06-R60
8.0 (0.31")	M4x0.70	60	10.0 / 4.0	Natural Rubber	CMF010-08-040M10-R60
8.0 (0.31")	M4x0.70	45	10.0 / 4.0	Natural Rubber	CMF010-08-040M-R45
8.0 (0.31")	M4x0.70	70	10.0 / 4.0	Natural Rubber	CMF010-08-040M-R70
10.0 (0.39")	M4x0.70	70	6.0 / 4.0	Natural Rubber	CMF010-10-040M-R70
10.0 (0.39")	M4x0.70	60	10.0 / 4.0	Natural Rubber	CMF010-10-040M-R60
10.0 (0.39")	M4x0.70	45	6.0 / 4.0	Natural Rubber	CMF010-10-040M-R45
12.0 (0.47")	M4x0.70	60	12.0 / 4.0	Natural Rubber	CMF010-12-040M-R60
<b>10.3 mm Nom. Body Dia. (D)</b>					
12.7 (0.50")	6-32 UNC (32 TPI)	60	9.5 / 4.1	Urethane	CMF010-13-035C-H-U60
12.7 (0.50")	6-32 UNC (32 TPI)	60	9.5 / 4.1	Urethane	CMF010-13-035C-L-U60
12.7 (0.50")	8-32 UNC (32 TPI)	60	9.5 / 4.1	Urethane	CMF010-13-042C-H-U60
12.7 (0.50")	8-32 UNC (32 TPI)	60	9.5 / 4.1	Urethane	CMF010-13-042C-L-U60
<b>14.3 mm Nom. Body Dia. (D)</b>					
12.7 (0.50")	8-32 UNC (32 TPI)	60	9.5 / 6.0	Neoprene	CMF014-13-042C-H-N60
12.7 (0.50")	8-32 UNC (32 TPI)	60	9.5 / 6.0	Neoprene	CMF014-13-042C-L-N60
<b>15.0 mm Nom. Body Dia. (D)</b>					
13.0 (0.51")	M4x0.70	60	10.0 / 4.0	Natural Rubber	CMF015-13-040M-R60
13.0 (0.51")	M4x0.70	70	10.0 / 4.0	Natural Rubber	CMF015-13-040M-R70
13.0 (0.51")	M4x0.70	45	10.0 / 4.0	Natural Rubber	CMF015-13-040M-R45
15.0 (0.59")	M5x0.80	60	10.0 / 4.0	Natural Rubber	CMF015-15-050M-R60
15.0 (0.59")	M4x0.70	45	10.0 / 4.0	Natural Rubber	CMF015-15-040M-R45
15.0 (0.59")	M4x0.70	60	10.0 / 4.0	Natural Rubber	CMF015-15-040M-R60
15.0 (0.59")	M4x0.70	70	10.0 / 4.0	Natural Rubber	CMF015-15-040M-R70
20.0 (0.79")	M4x0.70	60	8.0 / 6.0	Natural Rubber	CMF015-20-040M-R60
30.0 (1.18")	M4x0.70	60	10.0 / 5.0	Natural Rubber	CMF015-30-040M-R60
<b>15.9 mm Nom. Body Dia. (D)</b>					
12.7 (0.50")	8-32 UNC (32 TPI)	60	12.7 / 4.6	Natural Rubber	CMF016-13-042C-R60
<b>16.0 mm Nom. Body Dia. (D)</b>					
13.0 (0.51")	M4x0.70	60	13.0 / 5.0	Natural Rubber	CMF016-13-040M-R60
16.0 (0.63")	1/4 UNC (20 TPI)	60	12.7 / 6.6	Urethane	CMF016-16-064C-U60
<b>20.0 mm Nom. Body Dia. (D)</b>					
15.0 (0.59")	M6x1.00	45	18.0 / 6.0	Natural Rubber	CMF020-15-060M-R45
15.0 (0.59")	M6x1.00	60	18.0 / 6.0	Natural Rubber	CMF020-15-060M-R60
15.0 (0.59")	M6x1.00	70	18.0 / 6.0	Natural Rubber	CMF020-15-060M-R70
20.0 (0.79")	M6x1.00	70	18.0 / 6.0	Natural Rubber	CMF020-20-060M-R70
20.0 (0.79")	M6x1.00	45	18.0 / 6.0	Natural Rubber	CMF020-20-060M-R45
20.0 (0.79")	M6x1.00	60	18.0 / 6.0	Natural Rubber	CMF020-20-060M-R60
25.0 (0.98")	M6x1.00	70	18.0 / 6.0	Natural Rubber	CMF020-25-060M-R70
25.0 (0.98")	M6x1.00	60	18.0 / 6.0	Natural Rubber	CMF020-25-060M-R60
25.0 (0.98")	M6x1.00	45	18.0 / 6.0	Natural Rubber	CMF020-25-060M-R45
25.0 (0.98")	M6x1.00	60	16.0 / 6.0	Natural Rubber	CMF020-25-060M-H-R60
25.0 (0.98")	M6x1.00	60	18.0 / 6.0	Natural Rubber	CMF020-25-060M-L-R60
30.0 (1.18")	M6x1.00	45	18.0 / 6.0	Natural Rubber	CMF020-30-060M-R45
30.0 (1.18")	M6x1.00	60	18.0 / 6.0	Natural Rubber	CMF020-30-060M-R60
30.0 (1.18")	M6x1.00	70	18.0 / 6.0	Natural Rubber	CMF020-30-060M-R70



 Usually stocked or Short Delivery  
 \*\* Available while stocks last \*\*

 Long Delivery or Large Minimum Quantities  
 Not in current production

# Mounts - Bobbin - Male to Female



Body Height (H) mm (In.)	Thread Size	Shore Hardness	Thread Length/Depth (L1/L2) mm	Material	Part Number
<b>25.0 mm Nom. Body Dia. (D)</b>					
13.0 (0.51")	M6x1.00	60	13.0 / 5.0	Natural Rubber	CMF025-13-060M-R60
15.0 (0.59")	M6x1.00	60	15.0 / 6.0	Natural Rubber	CMF025-15-060M15-R60
15.0 (0.59")	M6x1.00	70	18.0 / 6.0	Natural Rubber	CMF025-15-060M-R70
15.0 (0.59")	M6x1.00	60	18.0 / 6.0	Natural Rubber	CMF025-15-060M18-R60
15.0 (0.59")	M6x1.00	45	18.0 / 6.0	Natural Rubber	CMF025-15-060M-R45
19.0 (0.75")	1/4 UNC (20 TPI)	60	12.7 / 12.7	Neoprene	CMF025-19-064C-H-N60
19.0 (0.75")	1/4 UNC (20 TPI)	60	12.7 / 12.7	Neoprene	CMF025-19-064C-L-N60
19.0 (0.75")	5/16 UNC (18 TPI)	60	15.9 / 7.4	Urethane	CMF025-19-079C-U60
19.1 (0.75")	M6x1.00	60	13.0 / 5.0	Natural Rubber	CMF025-19-060M-R60
20.0 (0.79")	M8x1.25	60	20.0 / 8.0	Natural Rubber	CMF025-20-080M-R60
20.0 (0.79")	M6x1.00	60	18.0 / 8.0	Natural Rubber	CMF025-20-060M-H-R60
20.0 (0.79")	M6x1.00	60	18.0 / 6.0	Natural Rubber	CMF025-20-060M-L-R60
20.0 (0.79")	M8x1.25	70	20.0 / 8.0	Natural Rubber	CMF025-20-080M-R70
20.0 (0.79")	M8x1.25	45	20.0 / 8.0	Natural Rubber	CMF025-20-080M-R45
20.2 (0.80")	1/4 UNC (20 TPI)	60	12.7 / 12.7	Neoprene	CMF025-20-064C-N60
25.0 (0.98")	M6x1.00	60	18.0 / 8.0	Natural Rubber	CMF025-25-060M-H-R60
25.0 (0.98")	M8x1.25	60	16.0 / 5.0	Natural Rubber	CMF025-25-080M-R60
25.0 (0.98")	M6x1.00	70	18.0 / 6.0	Natural Rubber	CMF025-25-060M-R70
25.0 (0.98")	M6x1.00	60	18.0 / 6.0	Natural Rubber	CMF025-25-060M-R60
25.0 (0.98")	M6x1.00	60	13.0 / 5.0	Natural Rubber	CMF025-25-060M-L-R60
25.0 (0.98")	M6x1.00	45	18.0 / 6.0	Natural Rubber	CMF025-25-060M-R45
30.0 (1.18")	M6x1.00	60	18.0 / 8.0	Natural Rubber	CMF025-30-060M-H-R60
30.0 (1.18")	M8x1.25	70	20.0 / 8.0	Natural Rubber	CMF025-30-080M-R70
30.0 (1.18")	M6x1.00	60	18.0 / 6.0	Natural Rubber	CMF025-30-060M-L-R60
30.0 (1.18")	M8x1.25	60	20.0 / 8.0	Natural Rubber	CMF025-30-080M-R60
30.0 (1.18")	M8x1.25	45	20.0 / 8.0	Natural Rubber	CMF025-30-080M-R45
<b>25.4 mm Nom. Body Dia. (D)</b>					
12.7 (0.50")	1/4 UNC (20 TPI)	60	12.7 / 4.6	Natural Rubber	CMF025-13-064C-R60
19.1 (0.75")	1/4 UNC (20 TPI)	60	12.7 / 4.6	Natural Rubber	CMF025-19-064C-R60
25.4 (1.00")	1/4 UNC (20 TPI)	60	12.7 / 4.6	Natural Rubber	CMF025-25-064C-R60
25.4 (1.00")	5/16 UNC (18 TPI)	60	15.9 / 5.1	Natural Rubber	CMF025-25-079C-R60



 Usually stocked or Short Delivery  
 \*\* Available while stocks last \*\*

 Long Delivery or Large Minimum Quantities  
 Not in current production

# Mounts - Bobbin - Male to Female



Body Height (H) mm (in.)	Thread Size	Shore Hardness	Thread Length/Depth (L1/L2) mm	Material	Part Number
<b>30.0 mm Nom. Body Dia. (D)</b>					
15.0 (0.59")	M8x1.25	60	20.0 / 8.0	Natural Rubber	CMF030-15-080M-H-R60
15.0 (0.59")	M8x1.25	60	18.0 / 8.0	Natural Rubber	CMF030-15-080M-L-R60
15.0 (0.59")	M8x1.25	45	20.0 / 8.0	Natural Rubber	<b>CMF030-15-080M-R45</b>
15.0 (0.59")	M8x1.25	60	20.0 / 8.0	Natural Rubber	<b>CMF030-15-080M-R60</b>
15.0 (0.59")	M8x1.25	70	20.0 / 8.0	Natural Rubber	<b>CMF030-15-080M-R70</b>
20.0 (0.79")	M8x1.25	45	20.0 / 8.0	Natural Rubber	<b>CMF030-20-080M-R45</b>
20.0 (0.79")	M8x1.25	60	20.0 / 8.0	Natural Rubber	<b>CMF030-20-080M-R60</b>
20.0 (0.79")	M8x1.25	60	20.0 / 8.0	Natural Rubber	CMF030-20-080M-L-R60
20.0 (0.79")	M8x1.25	60	23.0 / 6.0	Natural Rubber	CMF030-20-080M23-H-R60
20.0 (0.79")	M8x1.25	60	14.0 / 6.0	Natural Rubber	CMF030-20-080M14-H-R60
20.0 (0.79")	M8x1.25	70	20.0 / 8.0	Natural Rubber	<b>CMF030-20-080M-R70</b>
25.0 (0.98")	M8x1.25	40	15.0 / 8.0	Natural Rubber	<b>CMF030-25-080M-R40</b>
25.0 (0.98")	M8x1.25	45	20.0 / 8.0	Natural Rubber	<b>CMF030-25-080M-R45</b>
25.0 (0.98")	M8x1.25	60	20.0 / 8.0	Natural Rubber	<b>CMF030-25-080M-R60</b>
25.0 (0.98")	M8x1.25	70	20.0 / 8.0	Natural Rubber	<b>CMF030-25-080M-R70</b>
30.0 (1.18")	M8x1.25	70	20.0 / 8.0	Natural Rubber	<b>CMF030-30-080M-R70</b>
30.0 (1.18")	M8x1.25	45	20.0 / 8.0	Natural Rubber	<b>CMF030-30-080M-R45</b>
30.0 (1.18")	M8x1.25	60	20.0 / 8.0	Natural Rubber	<b>CMF030-30-080M20-R60</b>
30.0 (1.18")	M8x1.25	60	23.0 / 10.0	Natural Rubber	CMF030-30-080M23-R60
40.0 (1.57")	M8x1.25	60	23.0 / 10.0	Natural Rubber	CMF030-40-080M23-R60
40.0 (1.57")	M8x1.25	45	20.0 / 8.0	Natural Rubber	<b>CMF030-40-080M-R45</b>
40.0 (1.57")	M8x1.25	60	20.0 / 8.0	Natural Rubber	<b>CMF030-40-080M-R60</b>
40.0 (1.57")	M8x1.25	70	20.0 / 8.0	Natural Rubber	<b>CMF030-40-080M-R70</b>
40.0 (1.57")	M8x1.25	60	20.0 / 8.0	Natural Rubber	CMF030-40-080M20-R60
<b>34.9 mm Nom. Body Dia. (D)</b>					
25.4 (1.00")	5/16 UNC (18 TPI)	60	15.9 / 5.1	Natural Rubber	<b>CMF035-25-079C-R60</b>
<b>35.0 mm Nom. Body Dia. (D)</b>					
25.0 (0.98")	M8x1.25	60	16.0 / 5.0	Natural Rubber	<b>CMF035-25-080M-R60</b>
<b>38.0 mm Nom. Body Dia. (D)</b>					
25.0 (0.98")	M8x1.25	60	13.5 / 9.5	Natural Rubber	CMF038-25-080M-B-R60
25.0 (0.98")	5/16 UNC (18 TPI)	60	14.3 / 10.2	Natural Rubber	CMF038-25-079C-D-R60
25.0 (0.98")	M8x1.25	60	13.5 / 9.5	Natural Rubber	CMF038-25-080M-A-R60
25.0 (0.98")	M8x1.25	60	13.5 / 9.5	Natural Rubber	CMF038-25-080M-D-R60
25.0 (0.98")	M8x1.25	60	13.5 / 9.5	Natural Rubber	CMF038-25-080M-C-R60
25.0 (0.98")	5/16 UNC (18 TPI)	60	14.3 / 10.2	Natural Rubber	CMF038-25-079C-C-R60
25.0 (0.98")	5/16 UNC (18 TPI)	60	14.3 / 10.2	Natural Rubber	CMF038-25-079C-B-R60
25.0 (0.98")	5/16 UNC (18 TPI)	60	14.3 / 10.2	Natural Rubber	CMF038-25-079C-A-R60



 Usually stocked or Short Delivery  
 \*\* Available while stocks last \*\*

 Long Delivery or Large Minimum Quantities  
 Not in current production

# Mounts - Bobbin - Male to Female



Body Height (H) mm (In.)	Thread Size	Shore Hardness	Thread Length/Depth (L1/L2) mm	Material	Part Number
<b>40.0 mm Nom. Body Dia. (D)</b>					
20.0 (0.79")	M10x1.50	45	15.0 / 8.0	Natural Rubber	CMF040-20-080M15-R45
20.0 (0.79")	M8x1.25	45	23.0 / 10.0	Natural Rubber	CMF040-20-080M23-R45
20.0 (0.79")	M8x1.25	60	23.0 / 10.0	Natural Rubber	CMF040-20-080M-R60
20.0 (0.79")	M8x1.25	70	23.0 / 10.0	Natural Rubber	CMF040-20-080M-R70
20.0 (0.79")	M10x1.50	45	25.0 / 12.0	Natural Rubber	CMF040-20-100M-R45
20.0 (0.79")	M10x1.50	60	25.0 / 12.0	Natural Rubber	CMF040-20-100M-R60
20.0 (0.79")	M10x1.50	70	25.0 / 12.0	Natural Rubber	CMF040-20-100M-R70
25.0 (0.98")	M8x1.25	70	20.0 / 8.0	Natural Rubber	CMF040-25-080M-R70
25.0 (0.98")	M8x1.25	45	20.0 / 8.0	Natural Rubber	CMF040-25-080M-R45
25.0 (0.98")	M8x1.25	60	20.0 / 8.0	Natural Rubber	CMF040-25-080M-R60
30.0 (1.18")	M10x1.50	60	25.0 / 12.0	Natural Rubber	CMF040-30-100M-R60
30.0 (1.18")	M10x1.50	70	25.0 / 12.0	Natural Rubber	CMF040-30-100M-R70
30.0 (1.18")	M8x1.25	60	23.0 / 10.0	Natural Rubber	CMF040-30-080M-R60
30.0 (1.18")	M10x1.50	45	25.0 / 12.0	Natural Rubber	CMF040-30-100M-R45
30.0 (1.18")	M10x1.50	60	28.0 / 10.0	Natural Rubber	CMF040-30-100M28-R60
30.0 (1.18")	M8x1.25	70	23.0 / 10.0	Natural Rubber	CMF040-30-080M-R70
30.0 (1.18")	M8x1.25	45	23.0 / 10.0	Natural Rubber	CMF040-30-080M-R45
30.0 (1.18")	M8x1.25	60	23.0 / 10.0	Natural Rubber	CMF040-30-080M23-R60
30.0 (1.18")	M8x1.25	60	23.0 / 8.0	Natural Rubber	CMF040-30-080M20-R60
30.0 (1.18")	M10x1.50	60	23.0 / 8.0	Natural Rubber	CMF040-30-100M23-R60
35.0 (1.38")	M8x1.25	45	23.0 / 10.0	Natural Rubber	CMF040-35-080M-R45
35.0 (1.38")	M8x1.25	60	23.0 / 10.0	Natural Rubber	CMF040-35-080M-R60
35.0 (1.38")	M8x1.25	70	23.0 / 10.0	Natural Rubber	CMF040-35-080M-R70
35.0 (1.38")	M10x1.50	45	25.0 / 12.0	Natural Rubber	CMF040-35-100M-R45
35.0 (1.38")	M10x1.50	60	25.0 / 12.0	Natural Rubber	CMF040-35-100M-R60
35.0 (1.38")	M10x1.50	70	25.0 / 12.0	Natural Rubber	CMF040-35-100M-R70
40.0 (1.57")	M10x1.50	70	25.0 / 12.0	Natural Rubber	CMF040-40-100M-R70
40.0 (1.57")	M8x1.25	60	23.0 / 10.0	Natural Rubber	CMF040-40-080M23-R60
40.0 (1.57")	M8x1.25	60	28.0 / 10.0	Natural Rubber	CMF040-40-080M28-R60
40.0 (1.57")	M8x1.25	45	20.0 / 8.0	Natural Rubber	CMF040-40-080M-R45
40.0 (1.57")	M8x1.25	60	20.0 / 8.0	Natural Rubber	CMF040-40-080M-R60
40.0 (1.57")	M8x1.25	70	20.0 / 8.0	Natural Rubber	CMF040-40-080M-R70
40.0 (1.57")	M10x1.50	60	25.0 / 12.0	Natural Rubber	CMF040-40-100M-R60
40.0 (1.57")	M10x1.50	45	25.0 / 12.0	Natural Rubber	CMF040-40-100M-R45



 Usually stocked or Short Delivery  
 \*\* Available while stocks last \*\*

 Long Delivery or Large Minimum Quantities  
 Not in current production

# Mounts - Bobbin - Male to Female



Body Height (H) mm (In.)	Thread Size	Shore Hardness	Thread Length/Depth (L1/L2) mm	Material	Part Number
<b>50.0 mm Nom. Body Dia. (D)</b>					
20.0 (0.79")	M10x1.50	45	28.0 / 10.0	Natural Rubber	CMF050-20-100M-R45
20.0 (0.79")	M10x1.50	60	28.0 / 10.0	Natural Rubber	CMF050-20-100M-R60
20.0 (0.79")	M10x1.50	70	28.0 / 10.0	Natural Rubber	CMF050-20-100M-R70
25.0 (0.98")	M10x1.50	45	25.0 / 12.0	Natural Rubber	CMF050-25-100M-R45
25.0 (0.98")	M10x1.50	60	25.0 / 12.0	Natural Rubber	CMF050-25-100M-R60
25.0 (0.98")	M10x1.50	70	25.0 / 12.0	Natural Rubber	CMF050-25-100M-R70
30.0 (1.18")	M10x1.50	70	25.0 / 12.0	Natural Rubber	CMF050-30-100M-R70
30.0 (1.18")	M10x1.50	45	25.0 / 12.0	Natural Rubber	CMF050-30-100M-R45
30.0 (1.18")	M10x1.50	60	25.0 / 12.0	Natural Rubber	CMF050-30-100M-R60
35.0 (1.38")	M10x1.50	45	25.0 / 12.0	Natural Rubber	CMF050-35-100M-R45
35.0 (1.38")	M10x1.50	60	25.0 / 12.0	Natural Rubber	CMF050-35-100M-R60
35.0 (1.38")	M10x1.50	70	25.0 / 12.0	Natural Rubber	CMF050-35-100M-R70
40.0 (1.57")	M10x1.50	45	25.0 / 12.0	Natural Rubber	CMF050-40-100M-R45
40.0 (1.57")	M10x1.50	60	25.0 / 12.0	Natural Rubber	CMF050-40-100M-R60
40.0 (1.57")	M10x1.50	70	25.0 / 12.0	Natural Rubber	CMF050-40-100M-R70
45.0 (1.77")	M10x1.50	70	28.0 / 10.0	Natural Rubber	CMF050-45-100M-R70
45.0 (1.77")	M10x1.50	45	28.0 / 10.0	Natural Rubber	CMF050-45-100M-R45
45.0 (1.77")	M10x1.50	60	28.0 / 10.0	Natural Rubber	CMF050-45-100M-R60
50.0 (1.97")	M10x1.50	60	30.0 / 10.0	Natural Rubber	CMF050-50-100M30-R60
50.0 (1.97")	M10x1.50	45	25.0 / 12.0	Natural Rubber	CMF050-50-100M-R45
50.0 (1.97")	M10x1.50	70	25.0 / 12.0	Natural Rubber	CMF050-50-100M-R70
50.0 (1.97")	M10x1.50	60	25.0 / 12.0	Natural Rubber	CMF050-50-100M25-R60
<b>50.8 mm Nom. Body Dia. (D)</b>					
41.3 (1.63")	3/8 UNC (16 TPI)	60	15.9 / 11.4	Natural Rubber	CMF051-41-095C-R60
50.8 (2.00")	3/8 UNC (16 TPI)	60	28.6 / 11.4	Natural Rubber	CMF051-51-095C-R60
<b>51.0 mm Nom. Body Dia. (D)</b>					
41.0 (1.61")	M10x1.50	60	16.0 / 11.0	Natural Rubber	CMF051-41-100M-R60
51.0 (2.01")	M10x1.50	60	29.0 / 11.0	Natural Rubber	CMF051-51-100M-R60



 Usually stocked or Short Delivery  
 \*\* Available while stocks last \*\*

 Long Delivery or Large Minimum Quantities  
 Not in current production

# Mounts - Bobbin - Male to Female



Body Height (H) mm (in.)	Thread Size	Shore Hardness	Thread Length/Depth (L1/L2) mm	Material	Part Number
<b>60.0 mm Nom. Body Dia. (D)</b>					
25.0 (0.98")	M10x1.50	45	25.0 / 12.0	Natural Rubber	CMF060-25-100M-R45
25.0 (0.98")	M10x1.50	60	25.0 / 12.0	Natural Rubber	CMF060-25-100M-R60
25.0 (0.98")	M10x1.50	70	25.0 / 12.0	Natural Rubber	CMF060-25-100M-R70
30.0 (1.18")	M12x1.75	60	37.0 / 11.0	Natural Rubber	CMF060-30-120M-R60
30.0 (1.18")	M10x1.50	45	25.0 / 12.0	Natural Rubber	CMF060-30-100M-R45
30.0 (1.18")	M10x1.50	60	25.0 / 12.0	Natural Rubber	CMF060-30-100M-R60
30.0 (1.18")	M10x1.50	70	25.0 / 12.0	Natural Rubber	CMF060-30-100M-R70
35.0 (1.38")	M12x1.75	60	25.0 / 12.0	Natural Rubber	CMF060-35-120M-R60
35.0 (1.38")	M10x1.50	60	28.0 / 10.0	Natural Rubber	CMF060-35-100M-R60
36.0 (1.42")	M10x1.50	45	25.0 / 12.0	Natural Rubber	CMF060-36-100M-R45
36.0 (1.42")	M10x1.50	60	25.0 / 12.0	Natural Rubber	CMF060-36-100M-R60
36.0 (1.42")	M10x1.50	70	25.0 / 12.0	Natural Rubber	CMF060-36-100M-R70
36.0 (1.42")	M12x1.75	45	37.0 / 12.0	Natural Rubber	CMF060-36-120M-R45
36.0 (1.42")	M12x1.75	60	37.0 / 12.0	Natural Rubber	CMF060-36-120M-R60
36.0 (1.42")	M12x1.75	70	37.0 / 12.0	Natural Rubber	CMF060-36-120M-R70
40.0 (1.57")	M10x1.50	70	25.0 / 12.0	Natural Rubber	CMF060-40-100M-R70
40.0 (1.57")	M12x1.75	70	37.0 / 12.0	Natural Rubber	CMF060-40-120M-R70
40.0 (1.57")	M12x1.75	45	37.0 / 12.0	Natural Rubber	CMF060-40-120M-R45
40.0 (1.57")	M10x1.50	60	25.0 / 12.0	Natural Rubber	CMF060-40-100M-R60
40.0 (1.57")	M10x1.50	45	25.0 / 12.0	Natural Rubber	CMF060-40-100M-R45
40.0 (1.57")	M12x1.75	60	37.0 / 12.0	Natural Rubber	CMF060-40-120M-R60
45.0 (1.77")	M10x1.50	45	25.0 / 12.0	Natural Rubber	CMF060-45-100M-R45
45.0 (1.77")	M10x1.50	60	25.0 / 12.0	Natural Rubber	CMF060-45-100M-R60
45.0 (1.77")	M10x1.50	70	25.0 / 12.0	Natural Rubber	CMF060-45-100M-R70
50.0 (1.97")	M10x1.50	60	35.0 / 10.0	Natural Rubber	CMF060-50-100M-R60
50.0 (1.97")	M12x1.75	60	37.0 / 11.0	Natural Rubber	CMF060-50-120M-R60
<b>65.0 mm Nom. Body Dia. (D)</b>					
35.0 (1.38")	M10x1.50	45	25.0 / 12.0	Natural Rubber	CMF065-35-100M-R45
35.0 (1.38")	M10x1.50	60	25.0 / 12.0	Natural Rubber	CMF065-35-100M-R60
35.0 (1.38")	M10x1.50	70	25.0 / 12.0	Natural Rubber	CMF065-35-100M-R70
40.0 (1.57")	M12x1.75	45	37.0 / 12.0	Natural Rubber	CMF065-40-120M-R45
40.0 (1.57")	M12x1.75	60	37.0 / 12.0	Natural Rubber	CMF065-40-120M-R60
40.0 (1.57")	M12x1.75	70	37.0 / 12.0	Natural Rubber	CMF065-40-120M-R70
45.0 (1.77")	M12x1.75	60	37.0 / 12.0	Natural Rubber	CMF065-45-120M-R60
45.0 (1.77")	M12x1.75	70	37.0 / 12.0	Natural Rubber	CMF065-45-120M-R70
45.0 (1.77")	M12x1.75	45	37.0 / 12.0	Natural Rubber	CMF065-45-120M-R45
50.0 (1.97")	M12x1.75	45	37.0 / 12.0	Natural Rubber	CMF065-50-120M-R45
50.0 (1.97")	M12x1.75	60	37.0 / 12.0	Natural Rubber	CMF065-50-120M-R60
50.0 (1.97")	M12x1.75	70	37.0 / 12.0	Natural Rubber	CMF065-50-120M-R70



 Usually stocked or Short Delivery  
 \*\* Available while stocks last \*\*

 Long Delivery or Large Minimum Quantities  
 Not in current production

# Mounts - Bobbin - Male to Female

Body Height (H) mm (In.)	Thread Size	Shore Hardness	Thread Length/Depth (L1/L2) mm	Material	Part Number
<b>70.0 mm Nom. Body Dia. (D)</b>					
30.0 (1.18")	M12x1.75	45	37.0 / 12.0	Natural Rubber	CMF070-30-120M-R45
30.0 (1.18")	M12x1.75	60	37.0 / 12.0	Natural Rubber	CMF070-30-120M-R60
30.0 (1.18")	M12x1.75	70	37.0 / 12.0	Natural Rubber	CMF070-30-120M-R70
40.0 (1.57")	M12x1.75	60	37.0 / 12.0	Natural Rubber	CMF070-40-120M-R60
40.0 (1.57")	M10x1.50	45	25.0 / 12.0	Natural Rubber	CMF070-40-100M-R45
40.0 (1.57")	M10x1.50	60	25.0 / 12.0	Natural Rubber	CMF070-40-100M-R60
40.0 (1.57")	M12x1.75	45	37.0 / 12.0	Natural Rubber	CMF070-40-120M-R45
40.0 (1.57")	M12x1.75	70	37.0 / 12.0	Natural Rubber	CMF070-40-120M-R70
40.0 (1.57")	M10x1.50	70	25.0 / 12.0	Natural Rubber	CMF070-40-100M-R70
45.0 (1.77")	M10x1.50	45	25.0 / 12.0	Natural Rubber	CMF070-45-100M-R45
45.0 (1.77")	M10x1.50	60	25.0 / 12.0	Natural Rubber	CMF070-45-100M-R60
45.0 (1.77")	M10x1.50	70	25.0 / 12.0	Natural Rubber	CMF070-45-100M-R70
45.0 (1.77")	M12x1.75	45	37.0 / 12.0	Natural Rubber	CMF070-45-120M-R45
45.0 (1.77")	M12x1.75	60	37.0 / 12.0	Natural Rubber	CMF070-45-120M-R60
45.0 (1.77")	M12x1.75	70	37.0 / 12.0	Natural Rubber	CMF070-45-120M-R70
50.0 (1.97")	M12x1.75	60	37.0 / 12.0	Natural Rubber	CMF070-50-120M-R60
50.0 (1.97")	M12x1.75	45	37.0 / 12.0	Natural Rubber	CMF070-50-120M-R45
50.0 (1.97")	M12x1.75	70	37.0 / 12.0	Natural Rubber	CMF070-50-120M-R70
60.0 (2.36")	M12x1.75	45	37.0 / 12.0	Natural Rubber	CMF070-60-120M-R45
60.0 (2.36")	M12x1.75	70	37.0 / 12.0	Natural Rubber	CMF070-60-120M-R70
60.0 (2.36")	M12x1.75	60	37.0 / 12.0	Natural Rubber	CMF070-60-120M-R60
<b>75.0 mm Nom. Body Dia. (D)</b>					
25.0 (0.98")	M12x1.75	70	37.0 / 12.0	Natural Rubber	CMF075-25-120M-R70
25.0 (0.98")	M12x1.75	60	37.0 / 12.0	Natural Rubber	CMF075-25-120M-R60
25.0 (0.98")	M12x1.75	45	37.0 / 12.0	Natural Rubber	CMF075-25-120M-R45
40.0 (1.57")	M12x1.75	70	37.0 / 12.0	Natural Rubber	CMF075-40-120M-R70
40.0 (1.57")	M12x1.75	45	37.0 / 12.0	Natural Rubber	CMF075-40-120M-R45
40.0 (1.57")	M12x1.75	60	37.0 / 12.0	Natural Rubber	CMF075-40-120M37-R60
40.0 (1.57")	M12x1.75	60	23.0 / 12.0	Natural Rubber	CMF075-40-120M23-R60
50.0 (1.97")	M12x1.75	60	37.0 / 12.0	Natural Rubber	CMF075-50-120M-R60
50.0 (1.97")	M12x1.75	70	37.0 / 12.0	Natural Rubber	CMF075-50-120M-R70
50.0 (1.97")	M12x1.75	45	37.0 / 12.0	Natural Rubber	CMF075-50-120M-R45
55.0 (2.17")	M12x1.75	70	37.0 / 12.0	Natural Rubber	CMF075-55-120M-R70
55.0 (2.17")	M12x1.75	45	37.0 / 12.0	Natural Rubber	CMF075-55-120M-R45
55.0 (2.17")	M12x1.75	60	37.0 / 12.0	Natural Rubber	CMF075-55-120M-R60
<b>79.0 mm Nom. Body Dia. (D)</b>					
57.0 (2.24")	M12x1.75	60	32.0 / 14.0	Natural Rubber	CMF079-57-120M-R60
<b>79.4 mm Nom. Body Dia. (D)</b>					
57.2 (2.25")	1/2 UNC (13 TPI)	60	31.8 / 13.7	Natural Rubber	CMF079-57-1270C-R60



 Usually stocked or Short Delivery  
 \*\* Available while stocks last \*\*



 Long Delivery or Large Minimum Quantities  
 Not in current production



# Mounts - Bobbin - Male to Female



Body Height (H) mm (In.)	Thread Size	Shore Hardness	Thread Length/Depth (L1/L2) mm	Material	Part Number
<b>100.0 mm Nom. Body Dia. (D)</b>					
30.0 (1.18")	M16x2.00	60	45.0 / 16.0	Natural Rubber	CMF100-30-160M-R60
40.0 (1.57")	M16x2.00	60	41.0 / 16.0	Natural Rubber	CMF100-40-160M41-R60
40.0 (1.57")	M16x2.00	60	45.0 / 16.0	Natural Rubber	CMF100-40-160M45-R60
50.0 (1.97")	M16x2.00	45	44.0 / 16.0	Natural Rubber	<b>CMF100-50-160M-R45</b>
50.0 (1.97")	M16x2.00	60	44.0 / 16.0	Natural Rubber	<b>CMF100-50-160M-R60</b>
50.0 (1.97")	M16x2.00	70	44.0 / 16.0	Natural Rubber	<b>CMF100-50-160M-R70</b>
55.0 (2.17")	M16x2.00	45	44.0 / 16.0	Natural Rubber	<b>CMF100-55-160M-R45</b>
55.0 (2.17")	M16x2.00	60	45.0 / 16.0	Natural Rubber	CMF100-55-160M45-R60
55.0 (2.17")	M16x2.00	60	44.0 / 16.0	Natural Rubber	<b>CMF100-55-160M-R60</b>
55.0 (2.17")	M16x2.00	70	44.0 / 16.0	Natural Rubber	<b>CMF100-55-160M-R70</b>
55.0 (2.17")	M16x2.00	60	41.0 / 16.0	Natural Rubber	CMF100-55-160M41-R60
60.0 (2.36")	M16x2.00	60	41.0 / 16.0	Natural Rubber	CMF100-60-160M41-R60
60.0 (2.36")	M16x2.00	60	45.0 / 16.0	Natural Rubber	CMF100-60-160M45-R60
60.0 (2.36")	M16x2.00	45	44.0 / 16.0	Natural Rubber	<b>CMF100-60-160M-R45</b>
60.0 (2.36")	M16x2.00	60	44.0 / 16.0	Natural Rubber	<b>CMF100-60-160M-R60</b>
60.0 (2.36")	M16x2.00	70	44.0 / 16.0	Natural Rubber	<b>CMF100-60-160M-R70</b>
75.0 (2.95")	M16x2.00	45	32.0 / 16.0	Natural Rubber	<b>CMF100-75-160M32-R45</b>
75.0 (2.95")	M16x2.00	45	44.0 / 16.0	Natural Rubber	CMF100-75-160M44-R45
75.0 (2.95")	M16x2.00	60	44.0 / 16.0	Natural Rubber	<b>CMF100-75-160M-R60</b>
75.0 (2.95")	M16x2.00	70	44.0 / 16.0	Natural Rubber	<b>CMF100-75-160M-R70</b>
100.0 (3.94")	M16x2.00	70	44.0 / 16.0	Natural Rubber	<b>CMF100-100-160M-R70</b>
100.0 (3.94")	M16x2.00	45	44.0 / 16.0	Natural Rubber	<b>CMF100-100-160M-R45</b>
100.0 (3.94")	M16x2.00	60	44.0 / 16.0	Natural Rubber	<b>CMF100-100-160M-R60</b>
<b>125.0 mm Nom. Body Dia. (D)</b>					
55.0 (2.17")	M16x2.00	70	44.0 / 16.0	Natural Rubber	<b>CMF125-55-160M-R70</b>
55.0 (2.17")	M16x2.00	45	44.0 / 16.0	Natural Rubber	<b>CMF125-55-160M-R45</b>
55.0 (2.17")	M16x2.00	60	44.0 / 16.0	Natural Rubber	<b>CMF125-55-160M-R60</b>
<b>150.0 mm Nom. Body Dia. (D)</b>					
55.0 (2.17")	M16x2.00	70	41.0 / 14.0	Natural Rubber	<b>CMF150-55-160M-R70</b>
55.0 (2.17")	M16x2.00	60	41.0 / 14.0	Natural Rubber	<b>CMF150-55-160M-R60</b>
55.0 (2.17")	M16x2.00	45	41.0 / 14.0	Natural Rubber	<b>CMF150-55-160M-R45</b>
75.0 (2.95")	M16x2.00	45	44.0 / 16.0	Natural Rubber	<b>CMF150-75-160M-R45</b>
75.0 (2.95")	M16x2.00	60	44.0 / 16.0	Natural Rubber	<b>CMF150-75-160M-R60</b>
75.0 (2.95")	M16x2.00	70	44.0 / 16.0	Natural Rubber	<b>CMF150-75-160M-R70</b>



 Usually stocked or Short Delivery  
 \*\* Available while stocks last \*\*

 Long Delivery or Large Minimum Quantities  
 Not in current production

# Mounts - Buffer - Female



Body Height (H) mm (In.)	Thread Size	Shore Hardness	Thread Depth (L2) mm	Material	Part Number
<b>7.0 mm Nom. Body Dia. (D)</b>					
8.1 (0.32")	4-40 UNC (40 TPI)	60	2.8 (0.11")	Urethane	CFB007-08-028C-H-U60
8.1 (0.32")	4-40 UNC (40 TPI)	60	2.8 (0.11")	Urethane	CFB007-08-028C-L-U60
<b>10.0 mm Nom. Body Dia. (D)</b>					
10.0 (0.39")	M4x0.70	60	4.0 (0.16")	Natural Rubber	CFB010-10-040M-R60
15.0 (0.59")	M4x0.70	60	4.0 (0.16")	Natural Rubber	CFB010-15-040M-R60
<b>10.3 mm Nom. Body Dia. (D)</b>					
12.7 (0.50")	6-32 UNC (32 TPI)	60	4.1 (0.16")	Urethane	CFB010-13-035C-L-U60
12.7 (0.50")	6-32 UNC (32 TPI)	60	4.1 (0.16")	Urethane	CFB010-13-035C-H-U60
12.7 (0.50")	8-32 UNC (32 TPI)	60	4.1 (0.16")	Urethane	CFB010-13-042C-H-U60
12.7 (0.50")	8-32 UNC (32 TPI)	60	4.1 (0.16")	Urethane	CFB010-13-042C-L-U60
<b>15.0 mm Nom. Body Dia. (D)</b>					
10.0 (0.39")	M4x0.70	70		Natural Rubber	CFB015-10-040M-R70
10.0 (0.39")	M4x0.70	45		Natural Rubber	CFB015-10-040M-R45
10.0 (0.39")	M4x0.70	60		Natural Rubber	CFB015-10-040M-R60
15.0 (0.59")	M4x0.70	60		Natural Rubber	CFB015-15-040M-R60
15.0 (0.59")	M4x0.70	70		Natural Rubber	CFB015-15-040M-R70
15.0 (0.59")	M4x0.70	45		Natural Rubber	CFB015-15-040M-R45
20.0 (0.79")	M4x0.70	70		Natural Rubber	CFB015-20-040M-R70
20.0 (0.79")	M4x0.70	60		Natural Rubber	CFB015-20-040M-R60
20.0 (0.79")	M4x0.70	45		Natural Rubber	CFB015-20-040M-R45
<b>16.0 mm Nom. Body Dia. (D)</b>					
16.0 (0.63")	1/4 UNC (20 TPI)	60	6.6 (0.26")	Urethane	** CFB016-16-064C-U60
<b>20.0 mm Nom. Body Dia. (D)</b>					
15.0 (0.59")	M6x1.00	60		Natural Rubber	CFB020-15-060M-R60
15.0 (0.59")	M6x1.00	70		Natural Rubber	CFB020-15-060M-R70
15.0 (0.59")	M6x1.00	45		Natural Rubber	CFB020-15-060M-R45
20.0 (0.79")	M6x1.00	45		Natural Rubber	CFB020-20-060M-R45
20.0 (0.79")	M6x1.00	60		Natural Rubber	CFB020-20-060M-R60
20.0 (0.79")	M6x1.00	70		Natural Rubber	CFB020-20-060M-R70
25.0 (0.98")	M6x1.00	60		Natural Rubber	CFB020-25-060M-R60
25.0 (0.98")	M6x1.00	45		Natural Rubber	CFB020-25-060M-R45
25.0 (0.98")	M6x1.00	70		Natural Rubber	CFB020-25-060M-R70
30.0 (1.18")	M6x1.00	45		Natural Rubber	CFB020-30-060M-R45
30.0 (1.18")	M6x1.00	70		Natural Rubber	CFB020-30-060M-R70
30.0 (1.18")	M6x1.00	60		Natural Rubber	CFB020-30-060M-R60
<b>25.0 mm Nom. Body Dia. (D)</b>					
10.0 (0.39")	M6x1.00	60	6.0 (0.24")	Natural Rubber	CFB025-10-060M-R60
15.0 (0.59")	M6x1.00	45		Natural Rubber	CFB025-15-060M-R45
15.0 (0.59")	M6x1.00	60		Natural Rubber	CFB025-15-060M-R60
15.0 (0.59")	M6x1.00	70		Natural Rubber	CFB025-15-060M-R70
17.0 (0.67")	M6x1.00	60		Natural Rubber	CFB025-17-060M-R60
17.0 (0.67")	M6x1.00	70		Natural Rubber	CFB025-17-060M-R70
17.0 (0.67")	M6x1.00	45		Natural Rubber	CFB025-17-060M-R45
19.0 (0.75")	5/16 UNC (18 TPI)	60	7.4 (0.29")	Urethane	CFB025-19-079C-U60
20.0 (0.79")	M6x1.00	45		Natural Rubber	CFB025-20-060M-R45
20.0 (0.79")	M6x1.00	60		Natural Rubber	CFB025-20-060M-R60
20.0 (0.79")	M6x1.00	70		Natural Rubber	CFB025-20-060M-R70
25.0 (0.98")	M6x1.00	45		Natural Rubber	CFB025-25-060M-R45
25.0 (0.98")	M6x1.00	60		Natural Rubber	CFB025-25-060M-R60
25.0 (0.98")	M6x1.00	70		Natural Rubber	CFB025-25-060M-R70
30.0 (1.18")	M6x1.00	70		Natural Rubber	CFB025-30-060M-R70
30.0 (1.18")	M6x1.00	45		Natural Rubber	CFB025-30-060M-R45
30.0 (1.18")	M6x1.00	60		Natural Rubber	CFB025-30-060M-R60



 Usually stocked or Short Delivery  
 \*\* Available while stocks last \*\*

 Long Delivery or Large Minimum Quantities  
 Not in current production

# Mounts - Buffer - Female

Body Height (H) mm (In.)	Thread Size	Shore Hardness	Thread Depth (L2) mm	Material	Part Number
<b>30.0 mm Nom. Body Dia. (D)</b>					
15.0 (0.59")	M8x1.25	45		Natural Rubber	CFB030-15-080M-R45
15.0 (0.59")	M8x1.25	60		Natural Rubber	CFB030-15-080M-R60
15.0 (0.59")	M8x1.25	70		Natural Rubber	CFB030-15-080M-R70
17.0 (0.67")	M8x1.25	45		Natural Rubber	CFB030-17-080M-R45
17.0 (0.67")	M8x1.25	60		Natural Rubber	CFB030-17-080M-R60
17.0 (0.67")	M8x1.25	70		Natural Rubber	CFB030-17-080M-R70
20.0 (0.79")	M6x1.00	45		Natural Rubber	CFB030-20-060M-R45
20.0 (0.79")	M6x1.00	60		Natural Rubber	CFB030-20-060M-R60
20.0 (0.79")	M6x1.00	70		Natural Rubber	CFB030-20-060M-R70
20.0 (0.79")	M8x1.25	60	8.0 (0.31")	Natural Rubber	CFB030-20-080M-R60
25.0 (0.98")	M8x1.25	70		Natural Rubber	CFB030-25-080M-R70
25.0 (0.98")	M8x1.25	60		Natural Rubber	CFB030-25-080M-R60
25.0 (0.98")	M8x1.25	45		Natural Rubber	CFB030-25-080M-R45
30.0 (1.18")	M8x1.25	60		Natural Rubber	CFB030-30-080M-R60
30.0 (1.18")	M8x1.25	70		Natural Rubber	CFB030-30-080M-R70
30.0 (1.18")	M8x1.25	45		Natural Rubber	CFB030-30-080M-R45
40.0 (1.57")	M8x1.25	60		Natural Rubber	CFB030-40-080M-R60
40.0 (1.57")	M8x1.25	45		Natural Rubber	CFB030-40-080M-R45
40.0 (1.57")	M8x1.25	70		Natural Rubber	CFB030-40-080M-R70
<b>40.0 mm Nom. Body Dia. (D)</b>					
20.0 (0.79")	M10x1.50	70		Natural Rubber	CFB040-20-100M-R70
20.0 (0.79")	M10x1.50	60		Natural Rubber	CFB040-20-100M-R60
20.0 (0.79")	M10x1.50	45		Natural Rubber	CFB040-20-100M-R45
20.0 (0.79")	M8x1.25	70		Natural Rubber	CFB040-20-080M-R70
20.0 (0.79")	M8x1.25	60		Natural Rubber	CFB040-20-080M-R60
20.0 (0.79")	M8x1.25	45		Natural Rubber	CFB040-20-080M-R45
25.0 (0.98")	M8x1.25	60		Natural Rubber	CFB040-25-080M-R60
25.0 (0.98")	M8x1.25	70		Natural Rubber	CFB040-25-080M-R70
25.0 (0.98")	M8x1.25	45		Natural Rubber	CFB040-25-080M-R45
27.0 (1.06")	M8x1.25	45		Natural Rubber	CFB040-27-080M-R45
27.0 (1.06")	M8x1.25	60		Natural Rubber	CFB040-27-080M-R60
27.0 (1.06")	M8x1.25	70		Natural Rubber	CFB040-27-080M-R70
28.0 (1.10")	M10x1.50	45		Natural Rubber	CFB040-28-100M-R45
28.0 (1.10")	M10x1.50	60		Natural Rubber	CFB040-28-100M-R60
28.0 (1.10")	M10x1.50	70		Natural Rubber	CFB040-28-100M-R70
30.0 (1.18")	M8x1.25	60		Natural Rubber	CFB040-30-080M-R60
30.0 (1.18")	M8x1.25	70		Natural Rubber	CFB040-30-080M-R70
30.0 (1.18")	M8x1.25	45		Natural Rubber	CFB040-30-080M-R45
30.0 (1.18")	M10x1.50	60		Natural Rubber	CFB040-30-100M-R60
30.0 (1.18")	M10x1.50	70		Natural Rubber	CFB040-30-100M-R70
30.0 (1.18")	M10x1.50	45		Natural Rubber	CFB040-30-100M-R45
35.0 (1.38")	M8x1.25	60		Natural Rubber	CFB040-35-080M-R60
35.0 (1.38")	M8x1.25	45		Natural Rubber	CFB040-35-080M-R45
35.0 (1.38")	M8x1.25	70		Natural Rubber	CFB040-35-080M-R70
40.0 (1.57")	M8x1.25	60		Natural Rubber	CFB040-40-080M-R60
40.0 (1.57")	M8x1.25	70		Natural Rubber	CFB040-40-080M-R70
40.0 (1.57")	M8x1.25	45		Natural Rubber	CFB040-40-080M-R45

 Usually stocked or Short Delivery  
 \*\* Available while stocks last \*\*

 Long Delivery or Large Minimum Quantities  
 Not in current production

# Mounts - Buffer - Female

Body Height (H) mm (In.)	Thread Size	Shore Hardness	Thread Depth (L2) mm	Material	Part Number
<b>50.0 mm Nom. Body Dia. (D)</b>					
20.0 (0.79")	M10x1.50	60	10.0 (0.39")	Natural Rubber	CFB050-20-100M-R60
21.0 (0.83")	M10x1.50	45		Natural Rubber	CFB050-21-100M-R45
21.0 (0.83")	M10x1.50	60		Natural Rubber	CFB050-21-100M-R60
21.0 (0.83")	M10x1.50	70		Natural Rubber	CFB050-21-100M-R70
25.0 (0.98")	M10x1.50	70		Natural Rubber	CFB050-25-100M-R70
25.0 (0.98")	M10x1.50	45		Natural Rubber	CFB050-25-100M-R45
25.0 (0.98")	M10x1.50	60		Natural Rubber	CFB050-25-100M-R60
30.0 (1.18")	M10x1.50	60	10.0 (0.39")	Natural Rubber	CFB050-30-100M-R60
30.0 (1.18")	M12x1.75	45		Natural Rubber	CFB050-30-120M-R45
30.0 (1.18")	M12x1.75	60		Natural Rubber	CFB050-30-120M-R60
30.0 (1.18")	M12x1.75	70		Natural Rubber	CFB050-30-120M-R70
40.0 (1.57")	M10x1.50	70		Natural Rubber	CFB050-40-100M-R70
40.0 (1.57")	M10x1.50	45		Natural Rubber	CFB050-40-100M-R45
40.0 (1.57")	M10x1.50	60		Natural Rubber	CFB050-40-100M-R60
45.0 (1.77")	M10x1.50	70		Natural Rubber	CFB050-45-100M-R70
45.0 (1.77")	M10x1.50	45		Natural Rubber	CFB050-45-100M-R45
45.0 (1.77")	M10x1.50	60		Natural Rubber	CFB050-45-100M-R60
50.0 (1.97")	M10x1.50	45		Natural Rubber	CFB050-50-100M-R45
50.0 (1.97")	M10x1.50	60		Natural Rubber	CFB050-50-100M-R60
50.0 (1.97")	M10x1.50	70		Natural Rubber	CFB050-50-100M-R70
<b>60.0 mm Nom. Body Dia. (D)</b>					
25.0 (0.98")	M10x1.50	70		Natural Rubber	CFB060-25-100M-R70
25.0 (0.98")	M10x1.50	60		Natural Rubber	CFB060-25-100M-R60
25.0 (0.98")	M10x1.50	45		Natural Rubber	CFB060-25-100M-R45
40.0 (1.57")	M10x1.50	60		Natural Rubber	CFB060-40-100M-R60
40.0 (1.57")	M10x1.50	70		Natural Rubber	CFB060-40-100M-R70
40.0 (1.57")	M12x1.75	45		Natural Rubber	CFB060-40-120M-R45
40.0 (1.57")	M12x1.75	60		Natural Rubber	CFB060-40-120M-R60
40.0 (1.57")	M12x1.75	70		Natural Rubber	CFB060-40-120M-R70
40.0 (1.57")	M10x1.50	45		Natural Rubber	CFB060-40-100M-R45
45.0 (1.77")	M12x1.75	45		Natural Rubber	CFB060-45-120M-R45
45.0 (1.77")	M12x1.75	60		Natural Rubber	CFB060-45-120M-R60
45.0 (1.77")	M12x1.75	70		Natural Rubber	CFB060-45-120M-R70
50.0 (1.97")	M12x1.75	45		Natural Rubber	CFB060-50-120M-R45
50.0 (1.97")	M12x1.75	60		Natural Rubber	CFB060-50-120M-R60
50.0 (1.97")	M12x1.75	70		Natural Rubber	CFB060-50-120M-R70
<b>70.0 mm Nom. Body Dia. (D)</b>					
40.0 (1.57")	M10x1.50	45		Natural Rubber	CFB070-40-100M-R45
40.0 (1.57")	M12x1.75	70		Natural Rubber	CFB070-40-120M-R70
40.0 (1.57")	M12x1.75	60		Natural Rubber	CFB070-40-120M-R60
40.0 (1.57")	M10x1.50	60		Natural Rubber	CFB070-40-100M-R60
40.0 (1.57")	M10x1.50	70		Natural Rubber	CFB070-40-100M-R70
40.0 (1.57")	M12x1.75	45		Natural Rubber	CFB070-40-120M-R45
45.0 (1.77")	M10x1.50	45		Natural Rubber	CFB070-45-100M-R45
45.0 (1.77")	M10x1.50	60		Natural Rubber	CFB070-45-100M-R60
45.0 (1.77")	M10x1.50	70		Natural Rubber	CFB070-45-100M-R70
45.0 (1.77")	M12x1.75	45		Natural Rubber	CFB070-45-120M-R45
45.0 (1.77")	M12x1.75	60		Natural Rubber	CFB070-45-120M-R60
45.0 (1.77")	M12x1.75	70		Natural Rubber	CFB070-45-120M-R70
50.0 (1.97")	M12x1.75	60		Natural Rubber	CFB070-50-120M-R60
50.0 (1.97")	M12x1.75	70		Natural Rubber	CFB070-50-120M-R70
50.0 (1.97")	M12x1.75	45		Natural Rubber	CFB070-50-120M-R45
50.0 (1.97")	M10x1.50	60		Natural Rubber	CFB070-50-100M-R60
50.0 (1.97")	M10x1.50	45		Natural Rubber	CFB070-50-100M-R45
50.0 (1.97")	M10x1.50	70		Natural Rubber	CFB070-50-100M-R70



Usually stocked or Short Delivery



\*\* Available while stocks last \*\*





Long Delivery or Large Minimum Quantities





Not in current production

# Mounts - Buffer - Female



Body Height (H) mm (In.)	Thread Size	Shore Hardness	Thread Depth (L2) mm	Material	Part Number
<b>75.0 mm Nom. Body Dia. (D)</b>					
25.0 (0.98")	M12x1.75	45		Natural Rubber	CFB075-25-120M-R45
25.0 (0.98")	M12x1.75	60		Natural Rubber	CFB075-25-120M-R60
25.0 (0.98")	M12x1.75	70		Natural Rubber	CFB075-25-120M-R70
35.0 (1.38")	M12x1.75	55		Natural Rubber	CFB075-35-120M-R55
40.0 (1.57")	M12x1.75	45		Natural Rubber	CFB075-40-120M-R45
40.0 (1.57")	M12x1.75	60		Natural Rubber	CFB075-40-120M-R60
40.0 (1.57")	M12x1.75	70		Natural Rubber	CFB075-40-120M-R70
50.0 (1.97")	M12x1.75	45		Natural Rubber	CFB075-50-120M-R45
50.0 (1.97")	M12x1.75	60		Natural Rubber	CFB075-50-120M-R60
50.0 (1.97")	M12x1.75	70		Natural Rubber	CFB075-50-120M-R70
55.0 (2.17")	M12x1.75	70		Natural Rubber	CFB075-55-120M-R70
55.0 (2.17")	M12x1.75	45		Natural Rubber	CFB075-55-120M-R45
55.0 (2.17")	M12x1.75	60		Natural Rubber	CFB075-55-120M-R60
<b>80.0 mm Nom. Body Dia. (D)</b>					
40.0 (1.57")	M14x2.00	70		Natural Rubber	CFB080-40-140M-R70
40.0 (1.57")	M14x2.00	45		Natural Rubber	CFB080-40-140M-R45
40.0 (1.57")	M14x2.00	60		Natural Rubber	CFB080-40-140M-R60
80.0 (3.15")	M14x2.00	45		Natural Rubber	CFB080-80-140M-R45
80.0 (3.15")	M14x2.00	60		Natural Rubber	CFB080-80-140M-R60
80.0 (3.15")	M14x2.00	70		Natural Rubber	CFB080-80-140M-R70
<b>100.0 mm Nom. Body Dia. (D)</b>					
30.0 (1.18")	M12x1.75	55		Natural Rubber	CFB100-30-120M-R55
30.0 (1.18")	M16x2.00	45		Natural Rubber	CFB100-30-160M-R45
30.0 (1.18")	M16x2.00	60		Natural Rubber	CFB100-30-160M-R60
30.0 (1.18")	M16x2.00	70		Natural Rubber	CFB100-30-160M-R70
40.0 (1.57")	M16x2.00	70		Natural Rubber	CFB100-40-160M-R70
40.0 (1.57")	M16x2.00	45		Natural Rubber	CFB100-40-160M-R45
40.0 (1.57")	M16x2.00	60		Natural Rubber	CFB100-40-160M-R60
50.0 (1.97")	M16x2.00	70		Natural Rubber	CFB100-50-160M-R70
50.0 (1.97")	M16x2.00	45		Natural Rubber	CFB100-50-160M-R45
50.0 (1.97")	M16x2.00	60		Natural Rubber	CFB100-50-160M-R60
55.0 (2.17")	M16x2.00	70		Natural Rubber	CFB100-55-160M-R70
55.0 (2.17")	M16x2.00	45		Natural Rubber	CFB100-55-160M-R45
55.0 (2.17")	M16x2.00	60		Natural Rubber	CFB100-55-160M-R60
60.0 (2.36")	M16x2.00	45		Natural Rubber	CFB100-60-160M-R45
60.0 (2.36")	M16x2.00	60		Natural Rubber	CFB100-60-160M-R60
60.0 (2.36")	M16x2.00	70		Natural Rubber	CFB100-60-160M-R70
100.0 (3.94")	M16x2.00	45		Natural Rubber	CFB100-100-160M-R45
100.0 (3.94")	M16x2.00	60		Natural Rubber	CFB100-100-160M-R60
100.0 (3.94")	M16x2.00	70		Natural Rubber	CFB100-100-160M-R70



 Usually stocked or Short Delivery  
 \*\* Available while stocks last \*\*

 Long Delivery or Large Minimum Quantities  
 Not in current production

# Mounts - Buffer - Male



Body Height (H) mm (In.)	Thread Size (G)	Shore Hardness	Thread Length (L1) mm	Material	Part Number
<b>7.0 mm Nom. Body Dia. (D)</b>					
8.1 (0.32")	4-40 UNC (40 TPI)	60	5.1 (0.20")	Urethane	CMB007-08-028C-H-U60
8.1 (0.32")	4-40 UNC (40 TPI)	60	5.1 (0.20")	Urethane	CMB007-08-028C-L-U60
<b>8.0 mm Nom. Body Dia. (D)</b>					
8.0 (0.31")	M3x0.50	70	6.0 (0.24")	Natural Rubber	CMB008-08-030M-R70
8.0 (0.31")	M3x0.50	60	6.0 (0.24")	Natural Rubber	CMB008-08-030M-R60
8.0 (0.31")	M3x0.50	45	6.0 (0.24")	Natural Rubber	CMB008-08-030M-R45
<b>10.0 mm Nom. Body Dia. (D)</b>					
8.0 (0.31")	M4x0.70	45	10.0 (0.39")	Natural Rubber	CMB010-08-040M-R45
8.0 (0.31")	M4x0.70	60	10.0 (0.39")	Natural Rubber	CMB010-08-040M-R60
8.0 (0.31")	M4x0.70	70	10.0 (0.39")	Natural Rubber	CMB010-08-040M-R70
10.0 (0.39")	M4x0.70	45	10.0 (0.39")	Natural Rubber	CMB010-10-040M-R45
10.0 (0.39")	M4x0.70	60	10.0 (0.39")	Natural Rubber	** CMB010-10-040M-R60
<b>10.3 mm Nom. Body Dia. (D)</b>					
12.7 (0.50")	6-32 UNC (32 TPI)	60	9.5 (0.37")	Urethane	CMB010-13-035C-H-U60
12.7 (0.50")	6-32 UNC (32 TPI)	60	9.5 (0.37")	Urethane	CMB010-13-035C-L-U60
12.7 (0.50")	8-32 UNC (32 TPI)	60	9.5 (0.37")	Urethane	CMB010-13-042C-H-U60
12.7 (0.50")	8-32 UNC (32 TPI)	60	9.5 (0.37")	Urethane	CMB010-13-042C-L-U60
<b>15.0 mm Nom. Body Dia. (D)</b>					
8.0 (0.31")	M4x0.70	45	10.0 (0.39")	Natural Rubber	CMB015-08-040M-R45
8.0 (0.31")	M4x0.70	60	10.0 (0.39")	Natural Rubber	CMB015-08-040M-R60
8.0 (0.31")	M4x0.70	70	10.0 (0.39")	Natural Rubber	CMB015-08-040M-R70
10.0 (0.39")	M4x0.70	60	10.0 (0.39")	Natural Rubber	CMB015-10-040M-R60
13.0 (0.51")	M4x0.70	70	10.0 (0.39")	Natural Rubber	CMB015-13-040M-R70
13.0 (0.51")	M4x0.70	45	10.0 (0.39")	Natural Rubber	CMB015-13-040M-R45
13.0 (0.51")	M4x0.70	60	10.0 (0.39")	Natural Rubber	CMB015-13-040M-R60
15.0 (0.59")	M4x0.70	60	10.0 (0.39")	Natural Rubber	CMB015-15-040M-R60
<b>16.0 mm Nom. Body Dia. (D)</b>					
16.0 (0.63")	1/4 UNC (20 TPI)	60	12.7 (0.50")	Urethane	CMB016-16-064C-U60
18.0 (0.71")	M4x0.70	45	10.0 (0.39")	Natural Rubber	CMB016-18-040M-R45
18.0 (0.71")	M4x0.70	60	10.0 (0.39")	Natural Rubber	CMB016-18-040M-R60
18.0 (0.71")	M4x0.70	70	10.0 (0.39")	Natural Rubber	CMB016-18-040M-R70
<b>20.0 mm Nom. Body Dia. (D)</b>					
8.0 (0.31")	M6x1.00	45	18.0 (0.71")	Natural Rubber	CMB020-08-060M-R45
8.0 (0.31")	M6x1.00	60	18.0 (0.71")	Natural Rubber	CMB020-08-060M-R60
8.0 (0.31")	M6x1.00	70	18.0 (0.71")	Natural Rubber	CMB020-08-060M-R70
12.0 (0.47")	M5x0.80	60	15.0 (0.59")	Natural Rubber	CMB020-12-050M15-R60
12.0 (0.47")	M6x1.00	60	18.0 (0.71")	Natural Rubber	CMB020-12-060M18-R60
12.0 (0.47")	M6x1.00	45	18.0 (0.71")	Natural Rubber	CMB020-12-060M-R45
12.0 (0.47")	M6x1.00	70	18.0 (0.71")	Natural Rubber	CMB020-12-060M-R70
15.0 (0.59")	M6x1.00	45	18.0 (0.71")	Natural Rubber	CMB020-15-060M-R45
15.0 (0.59")	M6x1.00	70	18.0 (0.71")	Natural Rubber	CMB020-15-060M-R70
15.0 (0.59")	M6x1.00	60	18.0 (0.71")	Natural Rubber	CMB020-15-060M-R60
20.0 (0.79")	M6x1.00	45	18.0 (0.71")	Natural Rubber	CMB020-20-060M-R45
20.0 (0.79")	M6x1.00	60	18.0 (0.71")	Natural Rubber	CMB020-20-060M-R60
20.0 (0.79")	M6x1.00	70	18.0 (0.71")	Natural Rubber	CMB020-20-060M-R70
25.0 (0.98")	M6x1.00	45	18.0 (0.71")	Natural Rubber	CMB020-25-060M-R45
25.0 (0.98")	M6x1.00	60	18.0 (0.71")	Natural Rubber	CMB020-25-060M-R60
25.0 (0.98")	M6x1.00	70	18.0 (0.71")	Natural Rubber	CMB020-25-060M-R70
30.0 (1.18")	M6x1.00	45	18.0 (0.71")	Natural Rubber	CMB020-30-060M-R45
30.0 (1.18")	M6x1.00	60	18.0 (0.71")	Natural Rubber	CMB020-30-060M-R60
30.0 (1.18")	M6x1.00	70	18.0 (0.71")	Natural Rubber	CMB020-30-060M-R70



 Usually stocked or Short Delivery  
 \*\* Available while stocks last \*\*

 Long Delivery or Large Minimum Quantities  
 Not in current production

# Mounts - Buffer - Male



Body Height (H) mm (In.)	Thread Size (G)	Shore Hardness	Thread Length (L1) mm	Material	Part Number
<b>25.0 mm Nom. Body Dia. (D)</b>					
8.0 (0.31")	M6x1.00	45	18.0 (0.71")	Natural Rubber	CMB025-08-060M-R45
8.0 (0.31")	M6x1.00	60	18.0 (0.71")	Natural Rubber	CMB025-08-060M-R60
8.0 (0.31")	M6x1.00	70	18.0 (0.71")	Natural Rubber	CMB025-08-060M-R70
10.0 (0.39")	M6x1.00	60	18.0 (0.71")	Natural Rubber	CMB025-10-060M-R60
10.0 (0.39")	M8x1.25	45	20.0 (0.79")	Natural Rubber	CMB025-10-080M-R45
10.0 (0.39")	M8x1.25	60	20.0 (0.79")	Natural Rubber	CMB025-10-080M-R60
10.0 (0.39")	M8x1.25	70	20.0 (0.79")	Natural Rubber	CMB025-10-080M-R70
13.0 (0.51")	M6x1.00	60	13.0 (0.51")	Natural Rubber	CMB025-13-060M-R60
15.0 (0.59")	M6x1.00	45	18.0 (0.71")	Natural Rubber	CMB025-15-060M-R45
15.0 (0.59")	M6x1.00	60	18.0 (0.71")	Natural Rubber	CMB025-15-060M-R60
15.0 (0.59")	M6x1.00	70	18.0 (0.71")	Natural Rubber	CMB025-15-060M-R70
18.0 (0.71")	M6x1.00	60	18.0 (0.71")	Natural Rubber	CMB025-18-060M-R60
18.0 (0.71")	M6x1.00	45	18.0 (0.71")	Natural Rubber	CMB025-18-060M-R45
18.0 (0.71")	M6x1.00	70	18.0 (0.71")	Natural Rubber	CMB025-18-060M-R70
19.0 (0.75")	M6x1.00	60	13.0 (0.51")	Natural Rubber	CMB025-19-060M-R60
19.0 (0.75")	5/16 UNC (18 TPI)	60	15.9 (0.63")	Urethane	CMB025-19-079C-U60
20.0 (0.79")	M6x1.00	45	18.0 (0.71")	Natural Rubber	CMB025-20-060M-R45
20.0 (0.79")	M6x1.00	60	18.0 (0.71")	Natural Rubber	CMB025-20-060M-R60
20.0 (0.79")	M6x1.00	70	18.0 (0.71")	Natural Rubber	CMB025-20-060M-R70
20.0 (0.79")	M8x1.25	45	20.0 (0.79")	Natural Rubber	CMB025-20-080M-R45
20.0 (0.79")	M8x1.25	60	20.0 (0.79")	Natural Rubber	CMB025-20-080M-R60
20.0 (0.79")	M8x1.25	70	20.0 (0.79")	Natural Rubber	CMB025-20-080M-R70
25.0 (0.98")	M6x1.00	45	18.0 (0.71")	Natural Rubber	CMB025-25-060M-R45
25.0 (0.98")	M6x1.00	70	18.0 (0.71")	Natural Rubber	CMB025-25-060M-R70
25.0 (0.98")	M8x1.25	60	16.0 (0.63")	Natural Rubber	CMB025-25-080M-R60
25.0 (0.98")	M6x1.00	60	18.0 (0.71")	Natural Rubber	CMB025-25-060M-R60
30.0 (1.18")	M6x1.00	60	18.0 (0.71")	Natural Rubber	CMB025-30-060M-R60
30.0 (1.18")	M8x1.25	45	20.0 (0.79")	Natural Rubber	CMB025-30-080M-R45
30.0 (1.18")	M8x1.25	60	20.0 (0.79")	Natural Rubber	CMB025-30-080M-R60
30.0 (1.18")	M8x1.25	70	20.0 (0.79")	Natural Rubber	CMB025-30-080M-R70
<b>25.4 mm Nom. Body Dia. (D)</b>					
12.7 (0.50")	1/4 UNC (20 TPI)	60	12.7 (0.50")	Natural Rubber	CMB025-13-064C-R60
19.1 (0.75")	1/4 UNC (20 TPI)	60	12.7 (0.50")	Natural Rubber	CMB025-19-064C-R60
25.4 (1.00")	5/16 UNC (18 TPI)	60	15.9 (0.63")	Natural Rubber	CMB025-25-079C-R60



 Usually stocked or Short Delivery  
 \*\* Available while stocks last \*\*

 Long Delivery or Large Minimum Quantities  
 Not in current production

# Mounts - Buffer - Male

Body Height (H) mm (in.)	Thread Size (G)	Shore Hardness	Thread Length (L1) mm	Material	Part Number
<b>30.0 mm Nom. Body Dia. (D)</b>					
12.0 (0.47")	M8x1.25	45	20.0 (0.79")	Natural Rubber	CMB030-12-080M-R45
12.0 (0.47")	M8x1.25	60	20.0 (0.79")	Natural Rubber	CMB030-12-080M-R60
12.0 (0.47")	M8x1.25	70	20.0 (0.79")	Natural Rubber	CMB030-12-080M-R70
15.0 (0.59")	M8x1.25	60	20.0 (0.79")	Natural Rubber	CMB030-15-080M-R60
15.0 (0.59")	M8x1.25	45	20.0 (0.79")	Natural Rubber	CMB030-15-080M-R45
15.0 (0.59")	M8x1.25	70	20.0 (0.79")	Natural Rubber	CMB030-15-080M-R70
17.0 (0.67")	M8x1.25	45	20.0 (0.79")	Natural Rubber	CMB030-17-080M-R45
17.0 (0.67")	M8x1.25	60	20.0 (0.79")	Natural Rubber	CMB030-17-080M-R60
17.0 (0.67")	M8x1.25	70	20.0 (0.79")	Natural Rubber	CMB030-17-080M-R70
20.0 (0.79")	M8x1.25	45	20.0 (0.79")	Natural Rubber	CMB030-20-080M-R45
20.0 (0.79")	M8x1.25	60	20.0 (0.79")	Natural Rubber	CMB030-20-080M-R60
20.0 (0.79")	M8x1.25	70	20.0 (0.79")	Natural Rubber	CMB030-20-080M-R70
22.0 (0.87")	M8x1.25	60	20.0 (0.79")	Natural Rubber	CMB030-22-080M-R60
22.0 (0.87")	M8x1.25	70	20.0 (0.79")	Natural Rubber	CMB030-22-080M-R70
22.0 (0.87")	M8x1.25	45	20.0 (0.79")	Natural Rubber	CMB030-22-080M-R45
25.0 (0.98")	M8x1.25	60	20.0 (0.79")	Natural Rubber	CMB030-25-080M-R60
25.0 (0.98")	M8x1.25	70	20.0 (0.79")	Natural Rubber	CMB030-25-080M-R70
25.0 (0.98")	M8x1.25	45	20.0 (0.79")	Natural Rubber	CMB030-25-080M-R45
30.0 (1.18")	M8x1.25	45	20.0 (0.79")	Natural Rubber	CMB030-30-080M-R45
30.0 (1.18")	M8x1.25	60	20.0 (0.79")	Natural Rubber	CMB030-30-080M-R60
30.0 (1.18")	M8x1.25	70	20.0 (0.79")	Natural Rubber	CMB030-30-080M-R70
40.0 (1.57")	M8x1.25	60	20.0 (0.79")	Natural Rubber	CMB030-40-080M-R60
40.0 (1.57")	M8x1.25	45	20.0 (0.79")	Natural Rubber	CMB030-40-080M-R45
40.0 (1.57")	M8x1.25	70	20.0 (0.79")	Natural Rubber	CMB030-40-080M-R70
45.0 (1.77")	M8x1.25	40	12.0 (0.47")	Natural Rubber	CMB030-45-080M-R40
<b>38.0 mm Nom. Body Dia. (D)</b>					
19.0 (0.75")	M8x1.25	60	16.0 (0.63")	Natural Rubber	CMB038-19-080M-R60
19.0 (0.75")	M8x1.25	60	23.0 (0.91")	Natural Rubber	CMB038-19-080M-R60-L23
<b>38.1 mm Nom. Body Dia. (D)</b>					
19.1 (0.75")	5/16 UNC (18 TPI)	60	15.9 (0.63")	Natural Rubber	CMB038-19-079C-R60
<b>39.7 mm Nom. Body Dia. (D)</b>					
25.4 (1.00")	3/8 UNC (16 TPI)	60	15.9 (0.63")	Natural Rubber	CMB040-25-095C-R60
25.4 (1.00")	5/16 UNC (18 TPI)	60	15.9 (0.63")	Natural Rubber	CMB040-25-079C-R60



 Usually stocked or Short Delivery  
 \*\* Available while stocks last \*\*



 Long Delivery or Large Minimum Quantities  
 Not in current production



# Mounts - Buffer - Male



Body Height (H) mm (in.)	Thread Size (G)	Shore Hardness	Thread Length (L1) mm	Material	Part Number
<b>40.0 mm Nom. Body Dia. (D)</b>					
20.0 (0.79")	M8x1.25	60	23.0 (0.91")	Natural Rubber	<b>CMB040-20-080M-R60</b>
20.0 (0.79")	M8x1.25	70	23.0 (0.91")	Natural Rubber	<b>CMB040-20-080M-R70</b>
20.0 (0.79")	M8x1.25	45	23.0 (0.91")	Natural Rubber	<b>CMB040-20-080M-R45</b>
20.0 (0.79")	M10x1.50	45	25.0 (0.98")	Natural Rubber	<b>CMB040-20-100M-R45</b>
20.0 (0.79")	M10x1.50	60	25.0 (0.98")	Natural Rubber	<b>CMB040-20-100M-R60</b>
20.0 (0.79")	M10x1.50	70	25.0 (0.98")	Natural Rubber	<b>CMB040-20-100M-R70</b>
25.0 (0.98")	M8x1.25	60	16.0 (0.63")	Natural Rubber	<b>CMB040-25-080M-R60</b>
25.0 (0.98")	M10x1.50	60	25.0 (0.98")	Natural Rubber	<b>CMB040-25-100M-R60</b>
25.0 (0.98")	M10x1.50	70	25.0 (0.98")	Natural Rubber	<b>CMB040-25-100M-R70</b>
25.0 (0.98")	M10x1.50	45	25.0 (0.98")	Natural Rubber	<b>CMB040-25-100M-R45</b>
28.0 (1.10")	M8x1.25	60	23.0 (0.91")	Natural Rubber	<b>CMB040-28-080M-R60</b>
28.0 (1.10")	M8x1.25	70	23.0 (0.91")	Natural Rubber	<b>CMB040-28-080M-R70</b>
28.0 (1.10")	M8x1.25	45	23.0 (0.91")	Natural Rubber	<b>CMB040-28-080M-R45</b>
30.0 (1.18")	M8x1.25	45	23.0 (0.91")	Natural Rubber	<b>CMB040-30-080M-R45</b>
30.0 (1.18")	M8x1.25	60	23.0 (0.91")	Natural Rubber	<b>CMB040-30-080M-R60</b>
30.0 (1.18")	M8x1.25	70	23.0 (0.91")	Natural Rubber	<b>CMB040-30-080M-R70</b>
30.0 (1.18")	M10x1.50	45	25.0 (0.98")	Natural Rubber	<b>CMB040-30-100M-R45</b>
30.0 (1.18")	M10x1.50	60	25.0 (0.98")	Natural Rubber	<b>CMB040-30-100M-R60</b>
30.0 (1.18")	M10x1.50	70	25.0 (0.98")	Natural Rubber	<b>CMB040-30-100M-R70</b>
35.0 (1.38")	M8x1.25	45	23.0 (0.91")	Natural Rubber	<b>CMB040-35-080M-R45</b>
35.0 (1.38")	M8x1.25	60	23.0 (0.91")	Natural Rubber	<b>CMB040-35-080M-R60</b>
35.0 (1.38")	M8x1.25	70	23.0 (0.91")	Natural Rubber	<b>CMB040-35-080M-R70</b>
40.0 (1.57")	M8x1.25	70	23.0 (0.91")	Natural Rubber	<b>CMB040-40-080M-R70</b>
40.0 (1.57")	M10x1.50	45	25.0 (0.98")	Natural Rubber	<b>CMB040-40-100M-R45</b>
40.0 (1.57")	M10x1.50	60	25.0 (0.98")	Natural Rubber	<b>CMB040-40-100M-R60</b>
40.0 (1.57")	M10x1.50	70	25.0 (0.98")	Natural Rubber	<b>CMB040-40-100M-R70</b>
40.0 (1.57")	M8x1.25	60	23.0 (0.91")	Natural Rubber	<b>CMB040-40-080M-R60</b>
40.0 (1.57")	M8x1.25	45	23.0 (0.91")	Natural Rubber	<b>CMB040-40-080M-R45</b>



 Usually stocked or Short Delivery  
 \*\* Available while stocks last \*\*

 Long Delivery or Large Minimum Quantities  
 Not in current production

# Mounts - Buffer - Male



Body Height (H) mm (in.)	Thread Size (G)	Shore Hardness	Thread Length (L1) mm	Material	Part Number
<b>50.0 mm Nom. Body Dia. (D)</b>					
15.0 (0.59")	M10x1.50	45	25.0 (0.98")	Natural Rubber	CMB050-15-100M-R45
15.0 (0.59")	M10x1.50	60	25.0 (0.98")	Natural Rubber	CMB050-15-100M-R60
15.0 (0.59")	M10x1.50	70	25.0 (0.98")	Natural Rubber	CMB050-15-100M-R70
18.0 (0.71")	M10x1.50	45	25.0 (0.98")	Natural Rubber	CMB050-18-100M-R45
18.0 (0.71")	M10x1.50	60	25.0 (0.98")	Natural Rubber	CMB050-18-100M-R60
18.0 (0.71")	M10x1.50	70	25.0 (0.98")	Natural Rubber	CMB050-18-100M-R70
20.0 (0.79")	M10x1.50	45	28.0 (1.10")	Natural Rubber	CMB050-20-100M-R45
20.0 (0.79")	M10x1.50	60	28.0 (1.10")	Natural Rubber	CMB050-20-100M-R60
20.0 (0.79")	M10x1.50	70	28.0 (1.10")	Natural Rubber	CMB050-20-100M-R70
21.0 (0.83")	M10x1.50	45	25.0 (0.98")	Natural Rubber	CMB050-21-100M-R45
21.0 (0.83")	M10x1.50	60	25.0 (0.98")	Natural Rubber	CMB050-21-100M-R60
21.0 (0.83")	M10x1.50	70	25.0 (0.98")	Natural Rubber	CMB050-21-100M-R70
25.0 (0.98")	M10x1.50	45	25.0 (0.98")	Natural Rubber	CMB050-25-100M-R45
25.0 (0.98")	M10x1.50	60	25.0 (0.98")	Natural Rubber	CMB050-25-100M-R60
25.0 (0.98")	M10x1.50	70	25.0 (0.98")	Natural Rubber	CMB050-25-100M-R70
30.0 (1.18")	M10x1.50	45	25.0 (0.98")	Natural Rubber	CMB050-30-100M-R45
30.0 (1.18")	M10x1.50	60	25.0 (0.98")	Natural Rubber	CMB050-30-100M-R60
30.0 (1.18")	M10x1.50	70	25.0 (0.98")	Natural Rubber	CMB050-30-100M-R70
40.0 (1.57")	M10x1.50	60	25.0 (0.98")	Natural Rubber	CMB050-40-100M-R60
40.0 (1.57")	M10x1.50	45	25.0 (0.98")	Natural Rubber	CMB050-40-100M-R45
40.0 (1.57")	M10x1.50	70	25.0 (0.98")	Natural Rubber	CMB050-40-100M-R70
45.0 (1.77")	M10x1.50	45	25.0 (0.98")	Natural Rubber	CMB050-45-100M-R45
45.0 (1.77")	M10x1.50	70	25.0 (0.98")	Natural Rubber	CMB050-45-100M-R70
45.0 (1.77")	M10x1.50	60	28.0 (1.10")	Natural Rubber	CMB050-45-100M-R60
50.0 (1.97")	M10x1.50	70	25.0 (0.98")	Natural Rubber	CMB050-50-100M-R70
50.0 (1.97")	M10x1.50	45	25.0 (0.98")	Natural Rubber	CMB050-50-100M-R45
50.0 (1.97")	M10x1.50	60	25.0 (0.98")	Natural Rubber	CMB050-50-100M-R60
<b>50.8 mm Nom. Body Dia. (D)</b>					
19.1 (0.75")	3/8 UNC (16 TPI)	60	28.6 (1.13")	Natural Rubber	CMB051-19-095C-R60
41.3 (1.63")	3/8 UNC (16 TPI)	60	15.9 (0.63")	Natural Rubber	CMB051-41-095C-R60
<b>51.0 mm Nom. Body Dia. (D)</b>					
19.0 (0.75")	M10x1.50	60	29.0 (1.14")	Natural Rubber	CMB051-19-100M-R60
41.0 (1.61")	M10x1.50	60	16.0 (0.63")	Natural Rubber	CMB051-41-100M-R60
<b>60.0 mm Nom. Body Dia. (D)</b>					
25.0 (0.98")	M10x1.50	70	25.0 (0.98")	Natural Rubber	CMB060-25-100M-R70
25.0 (0.98")	M10x1.50	60	25.0 (0.98")	Natural Rubber	CMB060-25-100M-R60
25.0 (0.98")	M10x1.50	45	25.0 (0.98")	Natural Rubber	CMB060-25-100M-R45
30.0 (1.18")	M12x1.75	70	37.0 (1.46")	Natural Rubber	CMB060-30-120M-R70
30.0 (1.18")	M12x1.75	60	37.0 (1.46")	Natural Rubber	CMB060-30-120M-R60
30.0 (1.18")	M12x1.75	45	37.0 (1.46")	Natural Rubber	CMB060-30-120M-R45
36.0 (1.42")	M10x1.50	60	25.0 (0.98")	Natural Rubber	CMB060-36-100M-R60
40.0 (1.57")	M10x1.50	60	28.0 (1.10")	Natural Rubber	CMB060-40-100M-R60
40.0 (1.57")	M10x1.50	45	25.0 (0.98")	Natural Rubber	CMB060-40-100M-R45
40.0 (1.57")	M10x1.50	70	25.0 (0.98")	Natural Rubber	CMB060-40-100M-R70
40.0 (1.57")	M12x1.75	60	37.0 (1.46")	Natural Rubber	CMB060-40-120M-R60
40.0 (1.57")	M12x1.75	70	37.0 (1.46")	Natural Rubber	CMB060-40-120M-R70
40.0 (1.57")	M12x1.75	45	37.0 (1.46")	Natural Rubber	CMB060-40-120M-R45
50.0 (1.97")	M12x1.75	45	37.0 (1.46")	Natural Rubber	CMB060-50-120M-R45
50.0 (1.97")	M12x1.75	60	37.0 (1.46")	Natural Rubber	CMB060-50-120M-R60
50.0 (1.97")	M12x1.75	70	37.0 (1.46")	Natural Rubber	CMB060-50-120M-R70



 Usually stocked or Short Delivery  
 \*\* Available while stocks last \*\*

 Long Delivery or Large Minimum Quantities  
 Not in current production

# Mounts - Buffer - Male

Body Height (H) mm (In.)	Thread Size (G)	Shore Hardness	Thread Length (L1) mm	Material	Part Number
<b>70.0 mm Nom. Body Dia. (D)</b>					
35.0 (1.38")	M12x1.75	45	37.0 (1.46")	Natural Rubber	CMB070-35-120M-R45
35.0 (1.38")	M10x1.50	45	25.0 (0.98")	Natural Rubber	CMB070-35-100M-R45
35.0 (1.38")	M10x1.50	70	25.0 (0.98")	Natural Rubber	CMB070-35-100M-R70
35.0 (1.38")	M12x1.75	60	37.0 (1.46")	Natural Rubber	CMB070-35-120M-R60
35.0 (1.38")	M12x1.75	70	37.0 (1.46")	Natural Rubber	CMB070-35-120M-R70
35.0 (1.38")	M10x1.50	60	25.0 (0.98")	Natural Rubber	CMB070-35-100M-R60
40.0 (1.57")	M10x1.50	45	25.0 (0.98")	Natural Rubber	CMB070-40-100M-R45
40.0 (1.57")	M10x1.50	60	25.0 (0.98")	Natural Rubber	CMB070-40-100M-R60
40.0 (1.57")	M10x1.50	70	25.0 (0.98")	Natural Rubber	CMB070-40-100M-R70
40.0 (1.57")	M12x1.75	45	37.0 (1.46")	Natural Rubber	CMB070-40-120M-R45
40.0 (1.57")	M12x1.75	60	37.0 (1.46")	Natural Rubber	CMB070-40-120M-R60
40.0 (1.57")	M12x1.75	70	37.0 (1.46")	Natural Rubber	CMB070-40-120M-R70
45.0 (1.77")	M10x1.50	70	25.0 (0.98")	Natural Rubber	CMB070-45-100M-R70
45.0 (1.77")	M12x1.75	45	37.0 (1.46")	Natural Rubber	CMB070-45-120M-R45
45.0 (1.77")	M12x1.75	60	37.0 (1.46")	Natural Rubber	CMB070-45-120M-R60
45.0 (1.77")	M12x1.75	70	37.0 (1.46")	Natural Rubber	CMB070-45-120M-R70
45.0 (1.77")	M10x1.50	45	25.0 (0.98")	Natural Rubber	CMB070-45-100M-R45
45.0 (1.77")	M10x1.50	60	25.0 (0.98")	Natural Rubber	CMB070-45-100M-R60
<b>75.0 mm Nom. Body Dia. (D)</b>					
25.0 (0.98")	M12x1.75	45	37.0 (1.46")	Natural Rubber	CMB075-25-120M-R45
25.0 (0.98")	M12x1.75	60	37.0 (1.46")	Natural Rubber	CMB075-25-120M-R60
25.0 (0.98")	M12x1.75	70	37.0 (1.46")	Natural Rubber	CMB075-25-120M-R70
30.0 (1.18")	M12x1.75	45	37.0 (1.46")	Natural Rubber	CMB075-30-120M-R45
30.0 (1.18")	M12x1.75	60	37.0 (1.46")	Natural Rubber	CMB075-30-120M-R60
30.0 (1.18")	M12x1.75	70	37.0 (1.46")	Natural Rubber	CMB075-30-120M-R70
40.0 (1.57")	M12x1.75	45	37.0 (1.46")	Natural Rubber	CMB075-40-120M-R45
40.0 (1.57")	M12x1.75	60	37.0 (1.46")	Natural Rubber	CMB075-40-120M-R60
40.0 (1.57")	M12x1.75	70	37.0 (1.46")	Natural Rubber	CMB075-40-120M-R70
50.0 (1.97")	M12x1.75	45	37.0 (1.46")	Natural Rubber	CMB075-50-120M-R45
50.0 (1.97")	M12x1.75	60	37.0 (1.46")	Natural Rubber	CMB075-50-120M-R60
50.0 (1.97")	M12x1.75	70	37.0 (1.46")	Natural Rubber	CMB075-50-120M-R70
55.0 (2.17")	M12x1.75	45	37.0 (1.46")	Natural Rubber	CMB075-55-120M-R45
55.0 (2.17")	M12x1.75	60	37.0 (1.46")	Natural Rubber	CMB075-55-120M-R60
55.0 (2.17")	M12x1.75	70	37.0 (1.46")	Natural Rubber	CMB075-55-120M-R70
<b>80.0 mm Nom. Body Dia. (D)</b>					
30.0 (1.18")	M14x2.00	45	35.0 (1.38")	Natural Rubber	CMB080-30-140M-R45
30.0 (1.18")	M14x2.00	60	35.0 (1.38")	Natural Rubber	CMB080-30-140M-R60
30.0 (1.18")	M14x2.00	70	35.0 (1.38")	Natural Rubber	CMB080-30-140M-R70
80.0 (3.15")	M14x2.00	45	35.0 (1.38")	Natural Rubber	CMB080-80-140M-R45
80.0 (3.15")	M14x2.00	60	35.0 (1.38")	Natural Rubber	CMB080-80-140M-R60
80.0 (3.15")	M14x2.00	70	35.0 (1.38")	Natural Rubber	CMB080-80-140M-R70

 Usually stocked or Short Delivery  
 \*\* Available while stocks last \*\*

 Long Delivery or Large Minimum Quantities  
 Not in current production

## Mounts - Buffer - Male

Body Height (H) mm (in.)	Thread Size (G)	Shore Hardness	Thread Length (L1) mm	Material	Part Number
<b>100.0 mm Nom. Body Dia. (D)</b>					
30.0 (1.18")	M16x2.00	70	41.0 (1.61")	Natural Rubber	CMB100-30-160M-R70
30.0 (1.18")	M16x2.00	45	41.0 (1.61")	Natural Rubber	CMB100-30-160M-R45
30.0 (1.18")	M16x2.00	60	41.0 (1.61")	Natural Rubber	CMB100-30-160M-R60
40.0 (1.57")	M16x2.00	45	44.0 (1.73")	Natural Rubber	CMB100-40-160M-R45
40.0 (1.57")	M16x2.00	60	44.0 (1.73")	Natural Rubber	CMB100-40-160M-R60
40.0 (1.57")	M16x2.00	70	44.0 (1.73")	Natural Rubber	CMB100-40-160M-R70
50.0 (1.97")	M16x2.00	45	41.0 (1.61")	Natural Rubber	CMB100-50-160M-R45
50.0 (1.97")	M16x2.00	60	41.0 (1.61")	Natural Rubber	CMB100-50-160M-R60
50.0 (1.97")	M16x2.00	70	41.0 (1.61")	Natural Rubber	CMB100-50-160M-R70
55.0 (2.17")	M16x2.00	45	44.0 (1.73")	Natural Rubber	CMB100-55-160M-R45
55.0 (2.17")	M16x2.00	60	41.0 (1.61")	Natural Rubber	CMB100-55-160M-R60
55.0 (2.17")	M16x2.00	70	44.0 (1.73")	Natural Rubber	CMB100-55-160M-R70
60.0 (2.36")	M16x2.00	60	44.0 (1.73")	Natural Rubber	CMB100-60-160M-R60
60.0 (2.36")	M16x2.00	70	44.0 (1.73")	Natural Rubber	CMB100-60-160M-R70
60.0 (2.36")	M16x2.00	45	44.0 (1.73")	Natural Rubber	CMB100-60-160M-R45
100.0 (3.94")	M16x2.00	45	44.0 (1.73")	Natural Rubber	CMB100-100-160M-R45
100.0 (3.94")	M16x2.00	60	44.0 (1.73")	Natural Rubber	CMB100-100-160M-R60
100.0 (3.94")	M16x2.00	70	44.0 (1.73")	Natural Rubber	CMB100-100-160M-R70

## Mounts - Buffer - Male - Concave Base

Body Length (H) mm (in.)	Thread Size	Shore Hardness	Thread Length (L1) mm	Material	Part Number
<b>15.0 mm Nom. Body Dia. (D)</b>					
14.0 (0.55")	M4x0.70	60	13.0 (0.51")	Natural Rubber	CMBV015-14-M04
<b>20.0 mm Nom. Body Dia. (D)</b>					
17.0 (0.67")	M6x1.00	60	18.0 (0.71")	Natural Rubber	CMBV020-17-M06
<b>25.0 mm Nom. Body Dia. (D)</b>					
18.5 (0.73")	M6x1.00	60	18.0 (0.71")	Natural Rubber	CMBV025-19-M06
<b>40.0 mm Nom. Body Dia. (D)</b>					
28.8 (1.13")	M8x1.25	60	23.0 (0.91")	Natural Rubber	CMBV040-29-M08
<b>50.0 mm Nom. Body Dia. (D)</b>					
28.0 (1.10")	M10x1.50	60	33.0 (1.30")	Natural Rubber	CMBV050-28-M10
<b>70.0 mm Nom. Body Dia. (D)</b>					
43.0 (1.69")	M10x1.50	60	30.0 (1.18")	Natural Rubber	CMBV070-43-M10
<b>75.0 mm Nom. Body Dia. (D)</b>					
37.0 (1.46")	M12x1.75	60	37.0 (1.46")	Natural Rubber	CMBV075-37-M12
<b>100.0 mm Nom. Body Dia. (D)</b>					
50.0 (1.97")	M16x2.00	60	45.0 (1.77")	Natural Rubber	CMBV100-50-M16

## Mounts - Buffer - Male - Conical



Body Length (H) mm (in.)	Thread Size	Shore Hardness	Thread Length (L1) mm	Material	Part Number
<b>30.0 mm Nom. Body Dia. (D)</b>					
41.0 (1.61")	M8x1.25	60	16.0 (0.63")	Natural Rubber	CMBC030-41-M08
<b>30.2 mm Nom. Body Dia. (D)</b>					
41.3 (1.63")	5/16 UNC (18 TPI)	60	15.9 (0.63")	Natural Rubber	CMBC030-41-079C
<b>34.9 mm Nom. Body Dia. (D)</b>					
41.3 (1.63")	5/16 UNC (18 TPI)	60	15.9 (0.63")	Natural Rubber	CMBC035-41-079C
<b>35.0 mm Nom. Body Dia. (D)</b>					
41.0 (1.61")	M8x1.25	60	16.0 (0.63")	Natural Rubber	CMBC035-41-M08
<b>36.0 mm Nom. Body Dia. (D)</b>					
27.0 (1.06")	M8x1.25	60	20.0 (0.79")	Natural Rubber	CMBC036-27-080M



Usually stocked or Short Delivery  
 \*\* Available while stocks last \*\*

Long Delivery or Large Minimum Quantities  
 Not in current production

# Mounts - Buffer - Special Purpose

Body Length (H) mm (in.)	Thread Size	Shore Hardness	Thread Length (L1) mm	Material	Part Number
<b>23.8 mm Nom. Body Dia. (D)</b>					
16.5 (0.65")	1/4 UNC (20 TPI)	60	12.7 (0.50")	Natural Rubber	<b>CSP-024-17-064C</b>
<b>24.0 mm Nom. Body Dia. (D)</b>					
17.0 (0.67")	M6x1.00	60	13.0 (0.51")	Natural Rubber	<b>CSP-024-17-M06</b>

 Usually stocked or Short Delivery  
 \*\* Available while stocks last \*\*

 Long Delivery or Large Minimum Quantities  
 Not in current production

## NOTES

We also have many other styles available. The 5 styles listed in this catalogue are the main types of vibration mounts that we sell.

Please enquire if the item you need is not listed.

Below are some pictures of an assortment of other vibration mounts that we can offer.

Captive



Height Adjusters



Turret Mount



Levelling Feet



T Bush



Cone Mounts





## Distributed By

Miniature Bearings Australia  
<http://www.minibearings.com.au>  
[sales@minibearings.com.au](mailto:sales@minibearings.com.au)

Resellers: Please place your contact sticker over our details

## Avoid verbal communication

We sell an extensive range of products with varying amounts of technical data. Please assist us to provide you with accurate information by placing your orders and enquiries online or by e-mail.

# Vibration Mounts